

J. T. Hymas (Site Investigation) Ltd.  
12 Yarm Road, Stockton on Tees  
TS18 3NA

Tel 01642 607083  
Fax 01642 612355

**BOREHOLE LOG**


Project <b>AVECIA, Billingham</b>				BOREHOLE No <b>2</b>	
Job No <b>15275</b>	Date <b>10-07-01</b>	Ground Level (m)	Co-Ordinates ( )		
Contractor <b>Groundquest</b>				Sheet <b>1 of 2</b>	

SAMPLES & TESTS			Water	STRATA			Geology	Instrument/ Backfill
Depth	Type No	Test Result		Reduced Level	Legend	Depth (Thickness)		
0.10-0.40	B				0.10 0.40	MADE GROUND: Concrete.		
0.50-0.95	U					MADE GROUND: Black sandy fine to coarse gravel including brick and concrete rubble with some ash traces.		
1.20-1.30	D				(1.50)	Stiff brown silty sandy thinly laminated CLAY with occasional sand lenses.		
1.50-1.95	U				1.90	Firm below 1m.		
2.20-2.30	D				(1.10)	Firm brown silty sandy thinly laminated CLAY with occasional sand lenses. Locally firm to stiff.		
2.50-2.95	U				3.00			
3.20-3.30	D				(1.00)	Soft to firm brown silty sandy thinly laminated CLAY with occasional sand lenses.		
3.50-3.95	U				4.00			
4.20-4.30	D					Firm brown silty sandy thinly laminated CLAY with occasional sand lenses.		
4.50-4.95	U							
5.20-5.30	D							
5.50-5.95	U					Firm to stiff below 7.5m.		
6.50-6.60	D				(5.50)			
7.00-7.45	U							
8.00-8.10	D							
8.50-8.95	U							
9.50-9.60	D				9.50			

Boring Progress and Water Observations						Chiselling			Water Added		GENERAL REMARKS
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Seepage at 3.0m. Borehole backfilled with arisings upon completion.

All dimensions in metres Scale 1:62.5	Client <b>AVECIA</b>	Method/ Plant Used	Logged By
--	-------------------------	-----------------------	-----------

HYMAS.LOG 15275 GBU JTHYMAS.GDT 08/08/01



J. T. Hymas (Site Investigation) Ltd.  
12 Yarm Road, Stockton on Tees  
TS18 3NA

Tel 01642 607083  
Fax 01642 612355

**BOREHOLE LOG**

Project <b>AVECIA, Billingham</b>				BOREHOLE No <b>2</b>
Job No <b>15275</b>	Date <b>10-07-01</b>	Ground Level (m)	Co-Ordinates ( )	
Contractor <b>Groundquest</b>				Sheet <b>2 of 2</b>

SAMPLES & TESTS			Water	STRATA			Geology	Instrument/ Backfill
Depth	Type No	Test Result		Reduced Level	Legend	Depth (Thickness)		
10.00-10.45	U					Stiff brown sandy CLAY with occasional gravel, predominantly fine to medium.		
11.00-11.10	D					Very stiff below 13.5m. (continued)		
11.50-11.95	U				(5.50)			
12.50-12.60	D							
13.00-13.45	U							
14.00-14.10	D							
14.50-14.95	U							
15.00	D				15.00			

Boring Progress and Water Observations						Chiselling			Water Added		GENERAL REMARKS
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Seepage at 3.0m. Borehole backfilled with arisings upon completion.

All dimensions in metres Scale 1:62.5	Client <b>AVECIA</b>	Method/ Plant Used	Logged By
--	-------------------------	-----------------------	-----------

HYMASLOG 15275.GPJ JTHYMAS.GDT 06/09/01



