

# Saltfleet to Gibraltar Point Strategy

May 2020



*Coastal frontage between Trusthorpe and Sutton on Sea*



# Saltfleet to Gibraltar Point Strategy

Document history and status

| Version | Status                          | Signed off by | Date signed | Date issued |
|---------|---------------------------------|---------------|-------------|-------------|
| 1.0     | Issued as the Strategy document |               |             |             |



# Saltfleet to Gibraltar Point Strategy

## Contents

| Section  | Page      |
|--|-----------|
| <b>1 Introduction &amp; Background .....</b>                     | <b>1</b>  |
| 1.1 Purpose of this document.....                                | 1         |
| 1.2 Strategic framework .....                                    | 2         |
| 1.3 Policy framework.....  | 4         |
| 1.4 Social and political background .....                        | 6         |
| 1.5 Environmental designations .....                             | 6         |
| <b>2 Flood Risk.....</b>   | <b>7</b>  |
| 2.1 Flood Risk Area .....  | 7         |
| 2.2 Flood risk management .....                                  | 10        |
| 2.3 Flood response planning as part of managing flood risk ..... | 14        |
| <b>3 Going forward .....</b>                                     | <b>15</b> |
| 3.1 The need to do something.....                                | 15        |
| 3.2 Strategy objectives.....                                     | 15        |
| 3.2.1 Flood damages.....   | 16        |
| 3.2.2 The approaches considered.....                             | 17        |
| 3.2.3 Option costs .....   | 20        |
| 3.2.4 Benefit-cost assessment .....                              | 20        |
| 3.3 Strategy approach and engagement.....                        | 21        |
| 3.3.1 Stakeholder workshops .....                                | 21        |
| 3.3.2 Public consultation.....                                   | 23        |
| 3.4 Environmental assessment.....                                | 24        |
| 3.5 Carbon considerations .....                                  | 26        |
| 3.6 Option appraisal summary.....                                | 26        |
| <b>4 The strategy .....</b>                                      | <b>28</b> |
| 4.1 Strategic approach.....                                      | 28        |
| 4.1.1 Phase 1.....   | 31        |
| 4.1.2 Phase 2 .....  | 31        |
| 4.2 Phase 3 Long-term management.....                            | 31        |
| <b>5 Implementation plan .....</b>                               | <b>34</b> |
| 5.1 Overview .....   | 34        |
| 5.2 Phase 1 activities (2020 to 2030) .....                      | 35        |
| 5.3 Phase 2 activities (2030 to 2060) .....                      | 36        |
| 5.4 Phase 3 Long Term activities .....                           | 37        |
| 5.5 Next steps.....  | 37        |
| <b>Glossary, acronyms and abbreviations .....</b>                | <b>38</b> |





# 1 Introduction & Background

## 1.1 Purpose of this document

The Lincolnshire coastal flood plain has had a long history of flooding from the sea and many forms of defence are now in place including sand dunes, seawalls, rock/timber structures and beaches. The coastline between Mablethorpe and Skegness has benefited from beach nourishment, the present flood risk management approach, since 1994.

This document presents the strategy for the next 100 years of flood risk management of the coastline from Saltfleet Haven in the north to Gibraltar Point to the south (refer to Figure 11). It has been produced for the benefit of people and the developed environment, taking account of any potential to impact upon the natural environment, historic (built) environment, potential long-term affordability and sustainability.




are developed in detail. Formal consents, including planning permission supported by Environmental Statements, will be required which will provide further opportunities for public comment.

The strategy will require a high level of central government funding, and whilst this will manage the risk of flooding from the sea, it is essential that government funding is also available to manage the risk from weather events inland. The funding is allocated according to the benefits arising from the various projects undertaken by all flood risk management authorities. The consultation process has included a benefit apportionment plan for the Strategy and future inland projects in accordance with the current DEFRA Partnership Funding Policy guidance.

## 1.2 Strategic framework

Coastal strategies form the second tier in the shoreline management process planning hierarchy, sitting below the high level non-statutory Shoreline Management Plans and above the local level scheme design and implementation stages.



*Tier Structure SMP to Strategy to Scheme Flow Chart*

[Flamborough Head to Gibraltar Point Shoreline Management Plan \(SMP2 - HWCAG 2010\)](#) sets out the overarching direction for managing coastal flood risk across the area. The short, medium, and long-term management policies for the strategy area are shown below

### Shoreline Management Plan (SMP) Units and Policies

|                                | <b>Unit N:<br/>South of<br/>Humberston Fitties to<br/>Theddlethorpe</b> | <b>Unit O: Theddlethorpe<br/>St Helen to Skegness<br/>south</b>                   | <b>Unit P:<br/>Skegness south to<br/>Gibraltar Point</b> |
|--------------------------------|---|---|--|
| Short term<br>(Present - 2025) | Hold the line   | Hold the line   | Hold the line  |
| Medium term<br>(2025 - 2055)   | Hold the line   | Hold the line   | Hold the line  |
| Long term<br>(2055 - 2105)     | Hold the line   | Hold the Line / limited<br>Managed Realignment<br>considered where<br>appropriate | Hold the line / limited<br>Managed Realignment           |

The policies for the long term are conditional. They depend on the results of monitoring and research into climate change, shoreline response and the role of the defences. As such, the Shoreline Management Plan policy for this frontage is predominantly to ‘hold the line’, which means we keep the line of defence in approximately the same location, over the 100-year strategic period. However, in 2019 the short-term policy for the stretch of coast between Skegness and Gibraltar Point (Bulldog Bank) was proposed to include limited ‘managed realignment’, which means small areas where defences may have to be set back.

This strategy forms the next step in establishing the future management approach of this shoreline by identifying how those medium and longer-term policies may be provided. It particularly sets out approaches for works and other management activities required over the first ten years that are consistent with that direction, and sufficiently flexible and adaptable to not be detrimental to any long-term aspirations.

The Saltfleet to Gibraltar Point Strategy Study Area (National Grid references TF467934 to TF567569) is divided into 3 zones based on the level of historic intervention along the coast. These are closely related to the SMP policy units (refer to Figure 2).




Figure 2: Location plan with strategy area outlined

The present flood risk management approach has been concentrated in Zone B, between Mablethorpe and Ingoldmells, with only one intervention in 1995 just north of Skegness. The beaches within Zone B are far narrower than in Zones A and C as well as being subject to a much greater erosion under the natural processes of waves and tides. As such Zone B is the focal point for the majority of the nourishment to date. In addition to the natural erosion, Zone B is also fronting the most economically valuable areas, in terms of population density, housing and businesses. North of Mablethorpe and south of Skegness (Zones A and C respectively) the movement of sand by natural processes (waves and currents) has resulted in accretional trends with wider stable beaches in front of sand dunes. Little if any active intervention has therefore been necessary along those lengths.

## 1.3 Policy framework

With Lincolnshire being a two-tier county, the territory is administered by Lincolnshire County Council (LCC) and East Lindsey District Council (ELDC). The **National Planning Policy Framework** (NPPF) sets out the government's planning policies; of particular relevance to the strategy are policies relating to the historic environment, biodiversity and geological conservation, and climate change and flood risk.

The **East Inshore and East Offshore Marine Plan** (UK Government, 2014), provides guidance for sustainable development from Flamborough Head to Felixstowe.

**East Lindsey's Local Plan** (ELDC, adopted July 2018) comprises the Core Strategy and Settlement Proposals. The former document contains Strategic Policy 13 on 'Coastal East Lindsey', which sets out "here ELDC wants to be" in terms of a strong, diverse and growing economy and business sector and "What it will look like" in terms of a vibrant place where people want to live, invest, visit and work<sup>2</sup>. East Lindsey District Council has also produced a strategic flood risk assessment to inform the Council's strategy for delivering sustainable development<sup>3</sup>.

#### Flood risk management and other relevant plans

The strategy area is covered by a number of Risk Management Authorities, including the Environment Agency, Lindsey Marsh Internal Drainage Board, LCC and ELDC. The area's River Basin Flood Risk Management Plans include the Humber River Basin<sup>4</sup> and the Anglian River Basin<sup>5</sup>. The Environment Agency is consulting on the draft National flood and coastal erosion risk management strategy for England<sup>6</sup>. This sets out the strategic aims, roles and responsibilities and funding arrangements for flood and coastal risk management. The consultation ran from 9 May 2019 to 4 July 2019.

Lincolnshire County Council (LCC) have published the, 'Joint Lincolnshire Flood Risk and Water Management Strategy 2019-2050<sup>7</sup>' on their website outlining the strategy to manage the impact of flood risk to people, businesses and the environment across Lincolnshire. LCC have also facilitated the Lincolnshire wide Flood and Water Management Partnership<sup>8</sup>, comprising the 7 District Councils in Lincolnshire, 14 internal drainage boards and water companies working together to mitigate flood risk. This partnership has heralded a collaborative approach since 2010 in advance of the Flood Risk and Water Management Act (2010). This partnership was developed collaboratively as a means for risk management authorities to create a joint programme of flood risk management activity across Lincolnshire, subject to public scrutiny through this committee.

The Greater Lincolnshire Local Enterprise Partnership's (GLLEP)<sup>9</sup> emerging Greater Lincolnshire Coastal Vision is drawing together strategies and plans (including this strategy) that set out significant aspirations for the future of Coastal Greater Lincolnshire into a coherent whole. While focusing on its ambitions for the coast's contribution to Greater Lincolnshire's economic growth, GLLEP's vision is that by 2035 coastal communities and businesses will be good opportunities for investment because of secure water supply and flood risk management, a planning policy that supports appropriate growth and the environment, and a thriving visitor economy that benefits local communities and visitors alike.

This includes a **Wild Coast Vision** for the Lincolnshire coast that seeks to deliver a sustainable natural coastal environment providing high quality facilities for communities and visitors, improvements for wildlife and contributing to a healthy local economy.

The **UK 25 Year Environment Plan** (Defra, 2018)<sup>10</sup> identifies goals and targets to improve the UK environment and achieve: clean air; clean and plentiful water; thriving plants and wildlife; reductions in the risks of harm from environmental hazards; sustainable and efficient use of natural resources;

---

<sup>2</sup> Refer to: <https://www.e-lindsey.gov.uk/article/5116/Emerging-Local-Plan>.

<sup>3</sup> Refer to: <https://www.e-lindsey.gov.uk/article/6200/Strategic-Flood-Risk-Assessment>.

<sup>4</sup> Refer to: <https://www.gov.uk/government/publications/humber-river-basin-district-flood-risk-management-plan>.

<sup>5</sup> Refer to: <https://www.gov.uk/government/publications/anglian-river-basin-district-flood-risk-management-plan>.

<sup>6</sup> Refer to: <https://www.gov.uk/government/publications/national-flood-and-coastal-erosion-risk-management-strategy-for-england>.

<sup>7</sup> Refer to: <https://www.lincolnshire.gov.uk/residents/environment-and-planning/flood-risk-management/>

<sup>8</sup> Refer to:

<http://lincolnshire.moderngov.co.uk/documents/b16204/The%20Lincolnshire%20Flood%20Risk%20and%20Water%20Management%20Partnership%20and%20the%20Joint%20Lincolnshire%20Flood%20Risk%20a.pdf?r=9>

<sup>9</sup> Refer to: [https://www.greaterlincolnshirelep.co.uk/assets/documents/1\\_GL\\_EUSIF.pdf](https://www.greaterlincolnshirelep.co.uk/assets/documents/1_GL_EUSIF.pdf).

<sup>10</sup> Refer to: <https://www.gov.uk/government/publications/25-year-environment-plan>.

enhancement of the beauty, heritage and engagement with the natural environment; minimisation of waste; mitigation and adaptation to climate change; enhancement of biosecurity and the management of exposure to chemicals.

## 1.4 Social and political background

The area at risk from coastal flooding contains approximately 20,000 residential properties and up to 24,500 static caravans, as well as key infrastructure, tourism assets, recreational amenities and approximately 35,000 hectares of agricultural land.

Agriculture, fisheries and service industries also contribute to the Lincolnshire economy. Shellfish (notably cockles and mussels) and Brown Shrimp fishing are important local industries of commercial value to the district's fishermen, particularly in the Wash.

The beach and landscape of the seafront along this coastline is significant for visitors and recreational users. Key tourist resorts, which are seasonal in nature, exist throughout the frontage in the form of various settlements and numerous holiday parks.

The proximity of the amenity facilities to the sea is considered an important element in maintaining the attractiveness of the tourist resorts (ELDC, 2016), and the shoreline flood defences themselves currently provide a recreational amenity along the promenades. The presence of a beach is a key feature for the traditional tourism that is currently offered within the busier tourist resorts, and its loss could therefore have significant impacts on the tourist industry in some areas.

## 1.5 Environmental designations

Internationally designated European environmental sites lie to the north of Mablethorpe and to the south of Skegness. Of note these include the Saltfleet-by-Thedlethorpe Dunes & Gibraltar Point Special Area of Conservation (SAC), Gibraltar Point Special Protection Area (SPA)/Ramsar, The Wash SPA/Ramsar & The Wash and North Norfolk SAC. In addition, there are nationally and locally designated sites [Sites of Special Scientific Interest (SSSIs), National Nature Reserves (NNRs), and Sites of Nature Conservation Importance (SNCIs)] and the coast was recently designated as a Heritage Coast and habitats of principal importance.

Within the Strategy area, water bodies include coastal transitional and transitional waters, rivers and groundwater, as defined under the Water Framework Directive<sup>11</sup> (WFD). Numerous drainage channels and managed watercourses outfall to the North Sea. The Strategic Environmental Assessment Environmental (SEA) Report<sup>12</sup> which accompanies this strategy describes in detail the environment and designations with reference to the relevant regulations and directives.

In 2019 the sea frontage between Skegness and Mablethorpe became a designated part of the England Coast Path

---

<sup>11</sup> European Community Directive (2000/60/EC) on integrated river basin management. The WFD sets out environmental objectives for water status and is available as an appendix to the Saltfleet to Gibraltar Point Strategic Environmental Assessment (SEA) Environmental Report, available as part of this consultation pack.

<sup>12</sup> The Environmental Report (ER) which presents the findings of the Saltfleet to Gibraltar Point SEA.

## 2 Flood Risk

### 2.1 Flood Risk Area



Lincolnshire's coastal flood plain is flat and low-lying with much of the land lying below mean high water spring sea level<sup>13</sup>. The strategy frontage between Saltfleet and Gibraltar Point covers 38 km of the open coast.

Occupation of this area is the result of land reclamation of marshland areas, involving the construction of embankments and implementation of drainage schemes over hundreds of years. A notable point in the history of shoreline change was the establishment of the coast as a tourist destination by the Victorians. This defined the location of the major tourist resorts (Mablethorpe, Ingoldmells and Skegness) where the position of the shoreline would go on to become fixed, through the construction of seawalls and promenades in several locations.



*Flooding at Mablethorpe in 1953*

There are numerous records of flooding and the resultant destruction of towns and villages in historical records going back to the 13th century, but the key event affecting the management of this coastline in modern times was the storm surge of 31 January 1953. The beaches were stripped of sand, defences were destroyed and breached in several locations and sand dunes were washed inland. Over 40 people died in Lincolnshire alone as a result of the flooding.

Most recently, the importance of modern-day flood risk management practice was demonstrated on 5th December 2013 when a storm surge added up to 1.8m to the astronomical spring tide levels along the Lincolnshire open coast frontage and peak water levels were up to 0.7m higher than the 1953 event at Immingham. Without the current flood defences this area would be under water up to a depth of 3m. Similarly, with good defences in place, the major storm surge event on 13th January 2017 passed without incident.

Without sea defences floodwater would reach up to 15 km inland and could extend even further with climate change predictions and sea level rise (refer to the cross-section schematic and flood risk map, Figures 3 and 4). Flooding of the extremely low and extensive flood plain would leave the land uninhabitable and unusable for any of the current activities. Under these circumstances the area would not simply revert to a 'natural' state without unparalleled levels of mitigating action. Extraordinary investment would be needed to address the significant pollution that would occur through the removal of a substantial amount of the extensive development and infrastructure that is now in place across the hinterland.

The composite flood risk map (Figure 4) illustrates the hazards of having no defence along the Lincolnshire coastline. As illustrated, the extent of land at risk is considerable, and the extent of area

<sup>13</sup> Mean high water springs (MHWS) is the average height of the two highest high waters of spring tides above a known datum. MHWS for Skegness is currently 3.15 metres above ordnance datum Newlyn (ODN) or 6.90 metres above chart datum (CD).

marked in 'red' would be rendered uninhabitable. The risk area in 'orange' would still be subject to inundation, to a lesser degree of risk to people and buildings but would eventually (after successive inundations) be also rendered uninhabitable. Buildings would become progressively damaged, affiliated insurance arrangements may be unavailable or premiums subject to large increases, land and waterways would become polluted and normal activities would cease. Agricultural practices over large areas would cease to continue due to the frequency of inundation and general rise in groundwater levels. Furthermore, as sea levels are predicted to rise even further beyond 2100 (reference UKCP18), the area affected will invariably extend inland.




Figure 3: Schematic cross-section of the Lincolnshire flood plain without a flood defence

In the absence of coastal flood risk management works 20,000 homes, 1,700 businesses, 24,500 static caravans, key infrastructure, tourism assets, recreational amenities and 35,000 hectares of agricultural land would be at significant risk from tidal inundation. Loss of life could be greater than that experienced during the 1953 floods.

The predicted frequency of inundation would most likely render areas uninhabitable and unsafe for any of their current uses.

The sea defences prevent high tides from flooding the low-lying land behind. Without seawalls and embankment/dune systems this land would flood at least 14 days every month.




Figure 4: Area at Risk of Flooding (2115) without Sea Defences. Source: ELDC 2017  
(Refer to the schematic cross-section)

## 2.2 Flood risk management

Sea defences in the form of embankments, seawalls and timber groynes were rebuilt in the aftermath of 1953 and these have subsequently been improved and refurbished over time. However, from the 1960s onwards, with more emphasis on monitoring, the foreshore between Mablethorpe and Skegness was observed to be volatile and vulnerable to sudden major drops in beach level than previously experienced, leaving the seawalls exposed to wave action and the risk of failure. Although works continued to maintain the existing defence assets to protect the homes, businesses and local economy, without maintaining the beach levels there was no consistent defence, against coastal flooding.



*Timber groynes and clay foreshore exposed before beach nourishment*

Timber groynes, where previously used along Lincolnshire's coastal flood plain, proved to be an ineffective method in retaining a stable beach (refer to photograph above). Unlike rock groynes, timber groynes are unable to accommodate large changes in beach level and can generate high current velocities along the leading edge, as well as reflect wave energy. Most of these timber groynes were removed in the 1990s.

In 1994 a change to flood risk management was introduced. The new management approach involved major beach nourishment campaigns (informed by beach level monitoring) as a methodology to sustain beach levels at predetermined design profiles that provide a wide defence that protect the seawalls. Fundamentally the beaches reduce the potential for seawalls to be undermined whilst limiting the risk of wave action and overtopping. This nourishment is then carried out in combination with a routine maintenance programme for the hard sea defences to protect the soft dunal systems and hard defenses which back the beach design profiles. As part of this maintenance programme we regularly check the sea defences and plan and execute repairs where necessary

Initially, larger volumes were required to build up the beaches to a design profile. Once this was achieved the volumes reduced and the beach nourishment campaigns required a reduced volume of imported material which is placed annually during spring to maintain the beach levels. This is largely due to the fact that in the 1990s, upon inception of the current strategy, the beach levels were much lower than present. As such larger volumes were required to 'build' the existing beaches whereas now we are in a position where 'building' the beach up has developed into 'maintaining' the beach levels. A considerable volume of current imported sand is often concentrated on erosion 'hotspot' areas. Figure 5 illustrates how the volumes of nourishment have changed through various timescales.





Figure 5: Nourishment volumes placed at 'hotspot' areas

The evidence to date from our beach monitoring programme means that our nourishment work is concentrated within Zone B, the central area between Mablethorpe and Skegness and more specifically at six erosion hotspots (areas consistently losing sand) between Mablethorpe and Ingoldmells, as shown in Figure 5. Typically Zone B is where beach widths are at their narrowest and sand losses at their greatest. Nourishment in Zone A or Zone C will be considered if future evidence suggests that active intervention is necessary. Currently both Zone A and Zone C are relatively stable or accreting (gaining sand quantities through coastal processes) compared to Zone B.

The Lincolnshire coastline, in combination with the hard and soft defences and the maintained beach levels achieved through the nourishment operations, currently provides a ‘good standard’ of flood protection. This approach reduces the risk of coastal flooding by reducing the incident wave energy but also requires constant analysis and upkeep. The frontage is artificially maintained (man-made) albeit designed to work with, rather than against, coastal processes. As such a ‘good standard’ of protection has limitations. It is designed to withstand a probabilistic occurrence of a 1 in 200 year event or a 0.5% chance of inundation.



*Beach nourishment operations – May 2016*

Since 1994, annual beach nourishment has delivered almost 17 million cubic metres of sand (dredged from offshore licensed sites) to the Lincolnshire beaches. This has radically changed the appearance of the shoreline between Mablethorpe and Skegness as shown below  
[Seaholme Road frontage, Mablethorpe].



*Prior to beach nourishment*



*Following nourishment works*

Over the past 24 years (including 2018), £160 million of Flood and Coastal Risk Management Grant in Aid (FCRM GiA) funding has been allocated to maintain this frontage.

The Lincolnshire Local Resilience Forum works very closely with the Environment Agency and many other professional partners both in planning to reduce the effects of flooding and in the response to an incident – see: <http://www.lincolnshire.gov.uk/lincolnshire-prepared/>

The Environment Agency is responsible for flood warning. Using the latest technology, staff monitor rainfall, river levels and sea conditions to forecast the possibility of flooding. If flooding is forecast, warnings are issued using a set of three easily recognizable codes. These are;

- **Flood Alert** - means that flooding is possible and that you need to be prepared.
- **Flood Warning** - means that flooding is expected and that you should take immediate action. You should take action when a flood warning is issued and not wait for a severe flood warning.
- **Severe Flood Warning** - means that there is severe flooding and danger to life. These are issued when flooding is posing significant risk to life or disruption to communities.

More information can be found on the Environment Agency's website or by telephoning Floodline on 0345 988 1188.

## 2.3 Flood response planning as part of managing flood risk

The Lincolnshire Flood Resilience Forum (LFRF) has been established and has produced a strategy for informing residents so that they can be prepared to deal with future incidents. The current and the newly proposed strategy will both rely on collaborative forums such as the LFRF whereby extreme events may cause overtopping and possible inundation. Therefore, flood response planning will remain as part of any new strategy to manage flood risk. Further information is further detailed below.

# 3 Going forward



## 3.1 The need to do something

Continued management of the coastal frontage is critical for the protection of people and property, maintaining existing land uses and providing multiple social and environmental interests.

Without maintaining flood defences through sustaining beach nourishment activities, there would

There is little natural replenishment of sand on Lincolnshire's beaches - the beach seen today is largely artificial and a result of nourishment, only existing in its present state for less than the last quarter of century. Historical records indicate that natural beaches were probably never substantial, and prior to Victorian constructions are most likely to have comprised a low barrier beach or narrow dune at best, hence the resulting inundations on many previous occasions.

be areas on the Lincolnshire coast with no sand and considerably lower sand levels overall. Without beaches the seawalls in Zone B would be exposed to larger waves, with increasing potential for damage, threatening the structural integrity of the seawall, and ultimately leading to the failure of the defences. Larger waves and lower beaches will also result in higher levels of overtopping, which sea level rise will exacerbate, further damaging the wall and increasing the risk of breach. Ongoing loss of sand will also expose and lead to erosion of the clay foreshore in places, which would lead to further undermining and collapse of the seawall.

Previous strategy reviews concluded that maintaining an open beach with regular nourishment was the most economic, technically feasible and environmentally beneficial management regime (refer to the option appraisal section below and the SEA Environmental Report for more detail on environmental assessment). However, further research has concluded that in the long-term this approach may become increasingly unsustainable due to the amount of sand necessary to accommodate expected climate change effects, e.g. sea level rise, and the higher costs associated with those increases together with increasing demands on national funding. Therefore a 'do nothing' or undefended coastline is not a viable option as the losses far exceed the cost of defending the coastline.

Funding has been secured to continue with the current beach nourishment approach until the end of 2021. The coastline will continue to be protected whilst the strategy process progresses.

All the sand used to nourish the Lincolnshire coastline is imported from designated offshore licensed dredging sites. The cost of imported sand can fluctuate due primarily to the cost of fuel and the foreign exchange rate but also due to demand from any number of nourishment schemes running.

In the development of the strategy, the current situation with regards to flood risk on this stretch of the Lincolnshire coast was fully appraised to assess the scale of present and future risk. This included how the key characteristics of this coastline might be affected by different management approaches, and the costs and benefits associated with those different approaches.

## 3.2 Strategy objectives

The following objectives have been set for the strategy:

- Implement the policies to Hold the Line set out in the Shoreline Management Plan covering the Lincolnshire coast from Saltfleet to Gibraltar Point and to inform the Local Flood Risk Management Strategy.
- Support relevant planning policies to ensure a balance between flood risk management, land use planning and the needs of a viable and sustainable local community and economy.

- Sustain the present standard of protection for the duration of the strategy taking account of climate change.
- Monitor and review to deliver efficient and effective implementation.
- Meet the objectives of the UK 25 Year Environmental Plan (Defra, 2018) including carbon neutral solutions, working with others, growth, etc..
- Identify and implement measures to maximise affordable opportunities to conserve and enhance biodiversity onshore and offshore in areas affected by flood risk management.
- Through the Strategy establish an agreed partnership way of working which supports a sustainable approach to any local contributions coming forward for coastal management investment into Lincolnshire.

### 3.2.1 Flood damages

Estimated flood damage calculations for the future include, but are not limited to, the following elements:

- Residential and commercial property;
- Emergency response and recovery;
- Vehicle damages;
- Temporary and alternative accommodation following a flood;
- Agricultural damage calculations;
- Holiday/caravan park relocation;
- Infrastructure disruption (schools, sewage treatment works, substations, roads, etc.);
- Risk to life.

Using the elements listed above, damages were calculated in the event of no further investment in flood risk management. This ‘do nothing’ case acts as a datum or bench mark from which to compare the aforementioned ‘do something’ scenarios, i.e. do minimum, maintain and sustain. The difference in damages between the ‘do nothing’ case and a strategy approach (such as ‘sustain’) is therefore the benefit attributed to the selected approach.

The consequences of withdrawing investment in flood risk management on this frontage (a ‘do nothing’ approach) would be extreme and would not fulfil the SMP policy to hold the line. Sand would disappear from the beaches, exposing the foundations of the seawalls and ultimately these would fail, thus increasing the severity of inundation from coastal flooding. The ‘do nothing’ approach is taken as the economic base case against which all other options are assessed.

Even if minimal works were undertaken to maintain and repair the existing seawalls, this would only extend the seawalls’ serviceable life for a few more years with a reducing beach level year on year. Defined as ‘do minimum’, these actions will have limited effectiveness against future exposure and the standard of protection would reduce; this would result in increasing numbers of flood warnings and a need to develop safe havens for people. Ultimately, failure and breach of the walls would still result if ‘minimal’ works were carried out as the wall would eventually be undermined by the reducing beach levels and likely collapse, thus failing.

The selected strategy is to continue to defend the area and therefore ‘hold the line’ by sustaining the same standard (allowing for climate change predictions).

There are a considerable number of ways of achieving this, although several of these are comparable in approach with similar economic, social and environmental impacts. Therefore, for initial development and assessment of strategic direction, these were grouped into strategic concepts and approaches, namely:

1. Holding the Line as a single continuous system with beach nourishment [without control structures (open beach approach) or with control structures (closed beach approach)];
2. Holding the Line as a single continuous system without beach nourishment (i.e. seawalls only approach); and
3. Dividing up (segmenting) the coast into a series of separate compartments and addressing the management of each discrete compartment on the basis of local requirements.

### 3.2.2 The approaches considered

The following sections describe the approaches and options within these in more detail.

#### **Open beach approach**

This approach is the current management practice of beach nourishment, taking sand every year from licensed offshore sites, to replace material lost through natural erosion and storms, and pumping it onto the beaches. These beaches limit wave exposure at the seawall and reduces the risk of damage to its foundations and the supporting clay layer underneath.



*Beach nourishment along Lincolnshire coastline*

Continuing this practice is a technically viable option, although the nourishment campaigns will need to become much larger to keep pace with climate change, requiring approximately double the amount of sand in 50 to 100 years' time. If we were to continue beach nourishment with present quantities and frequency, the standard of protection will reduce in the future. As climate change induced sea level rise occurs, the sand will become more mobile and the resulting larger waves will be able to reach much further up the beach.

An alternative 'open beach' option to address this is nourishing with coarser sand, shingle or pebbles that cannot be so easily moved around by wind and wave action. This would alter the profile and character of the beach, and sources for the material are likely to be further away than the current licensed sites in the area.

In all cases, some works would also be required in the future to maintain and refurbish the upper sections of the seawalls.

### **Beach with control structures (rock structures approach)**

An alternative to maintaining an open beach is to introduce control structures, such as rock groynes. Control structures are designed to slow the movement of sand, not halt it altogether, holding it higher and for longer in those places most susceptible to beach loss (for example various frontages between Mablethorpe and Skegness within Zone B). Beach nourishment to ‘top up’ the beaches would still be necessary, albeit with reduced volumes and frequency into the future so that nourishment material volumes will be significantly reduced.



*Visualisation of how a rock groyne may look on the Lincolnshire beaches*

Various configurations of structures and nourishment are possible, and an optimum arrangement can be developed to deal with the present day and future conditions. The nature of materials used enable these structures to be modified through time if necessary.

The construction beach control structures require a substantial initial investment to implement, but once built will require little maintenance. In terms of overall cash expenditure, over the projected lifetime of the strategy (100 years), costs are estimated to be only half of that required for the open beach (continued nourishment) approach. This is largely down to the cost of imported sand, and the additional volume of sand that will be required to maintain a level of protection as sea levels rise. Hence, the basis for a new strategy.

### **Seawalls only approach (no beach nourishment)**

For this approach, the majority of flood defence investment would be targeted at reconstructing and maintaining the seawalls with no further nourishment.

This would necessitate significant re-engineering of the seawalls with extensive construction to deepen, raise and strengthen them to assure their long-term stability and provide the required standard of protection.



*How a typical seawall may look on the Lincolnshire beaches*

With no nourishment and the construction of seawalls with a much larger footprint (built mostly seaward due to the extensive communities and development immediately behind the current defences), the new seawall would be considerably higher. Indeed, it would be a large monolithic structure, designed to withstand wave attack of increasing magnitude over its design life. In addition, the sea wall would require scour protection likely in the form of large rocks along the front toe which would change the function and very look of the beach and the general Lincolnshire coastal frontage. As such there is expected to be little, if any, beach remaining, and the foreshore can be

expected to return to a pre-1994 state. Sand migration to the dunes at Gibraltar Point and those north of Mablethorpe would be likely to diminish.

### Segment the coast

This approach captures a broad range of possibilities, all with the basic principle that the whole frontage would be divided up to contain and manage flood risk and enable varying requirements from social and environmental perspectives. Instead of a blanket standard of protection throughout, certain areas will be well defended to a higher standard than other areas. For example, where erosion is most prominent and/or areas most densely populated, the hinterland would be defended to a higher standard as the risk of losses would be greater.

Flood protection could be provided through a wide range of approaches, including large beach embayments (created by control structures dampening incident wave energy) allowing suspended sediments to settle, requiring little and in some cases, no additional nourishment. A combination of beaches and seawalls and/or new alignments, set back from the present position, would also be provided. In addition to groynes, the inclusion of larger structures in certain locations, e.g. erosion hotspots, might further reduce the longer-term nourishment requirement.



*Visualisation of how a fishtail groyne may look on the Lincolnshire beaches*

This hybrid approach could provide the opportunity for other parties to make additional investments that allow more diverse amenity or business interests to be introduced. Although initial investments in structures would be very high, in the longer-term the requirement and reliance on beach nourishment could be significantly reduced.

Many approaches to segmenting the shoreline would intentionally disrupt and block the movement of sand along the shoreline. Further beach management is likely to still be required to ensure environmental and other interests are maintained, in particular north of Mablethorpe and south of Skegness.

The approach to segmentation cannot therefore be piecemeal - an 'in-combination' vision and approach for the whole area is necessary for this to deliver a successful long-term strategy throughout.

### 3.2.3 Option costs

The costs for all the options have been calculated taking account of some of the variability in approaches and also considering possible phasing of works. We have added contingencies based on past experience on this and other projects.

Figure 6 presents the early high-level assessment of costs illustrating the differences in expenditure for various approaches. This confirmed that approaches to hold the present line with beaches as a primary part of the flood risk management strategy were significantly better in economic terms than alternatives, as well as being better able to deliver on social and environmental requirements.

The cost of continuing with present nourishment practice (red line) to provide a similar level of protection to that currently achieved for the next 100 years, is estimated to be £1,500 million (at today's prices). By comparison, the cash cost of providing a beach with control structures and a reduced nourishment commitment (black line) to provide the same standard of protection is estimated to be between £700m to £1,000m million.




Figure 6: 100-year whole life cash costs for different strategic approaches

### 3.2.4 Benefit-cost assessment

Examining all the costs and benefits, the option with the highest benefit-cost ratio (BCR), is to provide a beach with control structures and sand nourishment to 'sustain' the standard of protection (this BCR is 14). The seawall only option has the lowest BCR of 9 and therefore is the least economic 'sustain' option. This further supports the rejection of the seawall only approach on amenity and landscape grounds (refer to the strategy engagement section). The sustain approach is also economically justified on the incremental benefit-cost ratio (iBCR) test, which is the measure of additional benefits gained compared to the additional costs expended to achieve a higher standard.

### 3.3 Strategy approach and engagement

The objective of the new strategy is to provide a safe, economic, socially and environmentally acceptable solution that protects people and the economy.

The local economy is supported heavily through tourism, although revenues are also generated from agriculture, fisheries and service industries. The local authorities will support a strategy that works in parallel and where possible (combined with additional investment) encourages economic regeneration and attracts more visitors and businesses to the area.

Rather than relying solely on engineered solutions (i.e. structures) to protect people and property from flooding, the strategy for the future of this frontage takes account of key social, planning and economic aspirations, e.g. to have a thriving tourism industry associated with beaches that attract visitors. Agricultural land use is also significant within the strategy area, whilst fishing (notably cockles, mussels and shrimps) is another important industry of local commercial value, particularly in The Wash. The strategy therefore seeks to enable these practices to continue.

Throughout the development of the strategy extensive engagement has been carried out with statutory organisations, including Natural England and Historic England, Lincolnshire County Council, East Lindsey District Council, Parish Councils, Environment Agency representatives and people living and working in the area. Feedback received from stakeholders and the general public has had a strong influence, in combination with technical appraisals and environmental assessments, on the development of the strategy and the selection of leading options and preferred scenarios.

As part of our wider engagement work we have been able to reach out to a large range of audiences throughout coastal communities in the Strategy area. This has been achieved by producing strategy newsletters, contributing to both Parish and Town council community newsletters, extensive coverage in the local media, attendance at community group meetings and through our extensive online and offline consultation survey of preferred options.

#### 3.3.1 Stakeholder workshops

A series of workshops were held in 2016 and 2017 with key stakeholders at two key stages of the strategy development to inform the way forward. These key stages related to the introduction of high level approaches and then the presentation of six leading options.

To help facilitate the engagement process, technical outline illustrations and visualisations were prepared to show how the different approaches and their associated options would fit into the landscape. Although the detailed design of the strategy delivery will follow, along with further consultation as part of its implementation, the outlines enabled some critical feedback to be established in the development of the strategic approach.

At each event, specific questions were asked of attendees on each of the approaches or options presented. For example, at the summer 2017 workshops, stakeholders were asked to rank the options presented in order of preference and to agree or disagree (ranging from strongly to neutral) whether an option:

- Is sustainable and technically feasible?
- Manages risk to the health of people and local communities?
- Maintains and enhances the quality and character of the landscape?
- Avoids damage to, and enhances where possible, recreation and tourism?

A summary of some of the feedback from consultation workshops can be seen in the following table.

| Approach  | Key feedback   |
|---|--|
| Open beach management (similar to present approach)   | <b>Positive:</b> Provides a natural looking defence, maintains the current habitat and environment, know it works.<br><b>Negative:</b> Not likely to be sustainable long-term, costs too much.             |
| Beach with control structures (e.g. rock groynes plus nourishment)                            | <b>Positive:</b> More permanent long-lasting solution, adds diversity/interest, economic/tourism benefits.<br><b>Negative:</b> Landscape, public safety, may impact tourism.                               |
| Control structures including segmenting the shoreline (e.g. rock fishtails)                   | <b>Positive:</b> Long-lasting solution, adds diversity/interest, opportunity for additional features, good for tourism.<br><b>Negative:</b> Bad for landscape, initially expensive, environmental impacts. |
| As above, with varied standard of protection along frontage                                   | <b>Positive:</b> As above.<br><b>Negative:</b> Varying protection negative, could be influenced by funding pressures.  |
| Change to coarser beach material  | <b>Positive:</b> Good protection, flora/fauna benefits.<br><b>Negative:</b> Beach amenity, appearance, impact on tourism.  |
| Open beach not sustaining the current standard of protection to keep pace with climate change | <b>Mostly Negative:</b> Feedback from 2016 consultation workshops identified 64% of respondents considered this negatively.  |
| Seawall only without beach nourishment (no beach)   | <b>Mostly Negative:</b> Feedback from 2016 consultation workshops was that this would not provide long term security and should not be considered further.   |

Figures 7 and 8 chart the summary feedback from the 2016 and the 2017 stakeholder events, regarding the high level approaches and the six leading options (listed below).




Figure 7: Summary feedback - November 2016 stakeholder workshops regarding potential approaches




Figure 8: Summary feedback -summer 2017 stakeholder events regarding the six leading options

#### Option

1. Open beach, annual sand nourishment (present management option).
2. Open beach with different beach material grading (coarser sand, shingle or pebbles).
3. Beach nourishment with rock armour groyne structures.
4. Beach nourishment with rock armour structure combinations (groynes and fishtails).
5. Beach nourishment with rock armour structures at lower or higher standards of protection by changing nourishment volumes.
6. Beach nourishment with rock armour structures at lower or higher standards of protection by changing nourishment frequency.

#### 3.3.2 Public consultation

Formal public consultation (including an e-consultation and six drop-in-sessions around the strategy area) was held in February-March 2018. These drop-ins were held in Saltfleet, Sutton-on-Sea, Anderby, Chapel St Leonards, Skegness and Gibraltar Point.

Figure 9 presents a visual summary of the key feedback (option likes and dislikes) received from the public drop-in sessions. As can be seen the feedback indicates that the open beach (annual sand nourishment) and the beach nourishment with rock armour structures are the most favoured options. This feedback is similar to the stakeholder feedback, see Figure 9.




Figure 9: Summary feedback – February/March 2018 public drop-in's regarding the six leading options

We published a consultation response document to summarise the responses received during the consultation on the draft Strategy. We have provided acknowledgement of these responses, highlighting where responses have resulted in changes to the final documents. The reactions to the consultations have been overwhelmingly positive. Clear support exists among respondents for the preferred approach of introducing structures to the beach.

Whilst we take many positives away from the consultation, we appreciate that respondents also felt certain aspects of the draft strategy were lacking. We took all the views submitted to us, including those that were critical of our plans, into account as we finalised the new strategy.

### 3.4 Environmental assessment

A Strategic Environmental Assessment (SEA) was undertaken in parallel with the development of the strategy. The requirement to undertake statutory SEA in the European Union (EU) came about when the EC Directive (2001/42/EC) *'on the assessment of the effects of certain plans and programmes on the environment'*, known as the 'SEA Directive', came into force in 2004. The overall aim of the SEA Directive is to: *"provide a high level of protection to the environment and to contribute to the integration of environmental considerations into the preparation and adoption of plans and programmes with a view to promoting sustainable development."*

The SEA, including the scoping process, has been undertaken to appraise the potential effects (either beneficial or negative) arising from strategy options, and to ensure that environmental considerations are considered during the strategy level decision-making process. This integrated appraisal process has ensured that the potential effects of the various options considered were identified and, where possible, negative effects could be avoided or minimised through option selection.

The environmental aspects considered during the development of the strategy are listed below. The environmental assessment of the strategy proposals is presented in the SEA Environmental Report (referenced in Section 1.5).

| <b>Category</b>                  | <b>Environmental aspects considered during the development of the strategy</b>   |
|----------------------------------|--|
| Population, health and economy   | <ul style="list-style-type: none"> <li>Population and properties at risk – including areas of social deprivation and vulnerable communities</li> <li>Importance of the amenity beach</li> <li>Tourist facilities, attractions and recreational and amenity resources</li> <li>Significant industry, commercial and economic activities – notably agriculture, tourism and commercial fisheries/shellfisheries</li> <li>Potential opportunities for economic investment</li> </ul>              |
| Material assets                  | <ul style="list-style-type: none"> <li>Key transport routes and critical infrastructure – roads, emergency services, power/water infrastructure, windfarm landfalls</li> </ul> <p>Long term sustainability and available supply of materials (e.g. sand dredged from offshore)</p>   |
| Wildlife and biodiversity        | <ul style="list-style-type: none"> <li>Designated nature conservation sites (e.g. Special Areas of Conservation, Special Protection Areas, Sites of Special Scientific Interest, National Nature Reserves)</li> <li>Local nature conservation sites (e.g. Local Wildlife Sites)</li> <li>Valuable marine, coastal and terrestrial habitats</li> <li>Species with legal protection/of conservation concern</li> <li>Fish and shellfish</li> </ul> <p>Opportunities for habitat improvements</p> |
| Soils, geology and geomorphology | <ul style="list-style-type: none"> <li>Designated earth heritage sites (e.g. Sites of Special Scientific Interest) and local geological sites</li> </ul> <p>Coastline and marine processes and sediment systems, including downdrift into The Wash Areas of known contaminated land or licensed landfill sites</p>   |
| Land uses                        | Principal land uses at risk – agricultural land  |
| Water                            | Surface water and groundwater resources and quality, including Bathing Waters  |
| Climate                          | <ul style="list-style-type: none"> <li>Contribution to, vulnerability and adaptability to climate change</li> </ul>  |
| Historic environment             | <ul style="list-style-type: none"> <li>Coastal heritage of seaside towns and historic townscape/seascape</li> <li>Designated heritage assets (e.g. listed buildings)</li> </ul> <p>Known non-designated assets/clusters and their setting (i.e. those on the Lincolnshire Historic Environment Record)</p>   |
| Landscape and views              | <ul style="list-style-type: none"> <li>Landscape, seascape and historic character</li> <li>Significant changes in views along the coastal frontage</li> </ul>  |
| Cumulative effects               | <ul style="list-style-type: none"> <li>Effects of the strategy in combination with other plans or proposals (e.g. offshore windfarms)</li> </ul>   |

The environmental assessment identifies that the strategy going forward is compatible with other plans and developments considered, considering their requirements. Further studies will be required at scheme design stage, which may include modelling of impacts, to ensure that no adverse in-combination effects result from the proposed works to implement the strategy.

Inherent uncertainty exists about the timing that will be taken to implement the proposed strategy depending on the availability of funding, future climate change and other triggers. A fall back option is to continue with beach nourishment for longer than expected. To address this, the Strategic Environmental Assessment of the strategy proposals must consider two reasonable scenarios: i.e. continuing with the present management and introducing structures.

A key recommendation from the assessment is to continue liaison with the statutory bodies and organisations responsible for the other plans and developments to ensure that any potential interfaces and conflicts can be managed and opportunities for efficiencies and additional benefits can be delivered.

Another key recommendation for the implementation of the strategy is that future actions in the medium and long-term need to be influenced by continued monitoring and review of likely environmental effects. Therefore, the Environmental Report provides a monitoring plan to consider the significant effects of the strategy, compare predictions with reality, and identify required actions.

### 3.5 Carbon considerations

With over two decades of beach nourishment data available, there is a considerable amount of data on nourishment material transportation and fuel consumption (i.e. dredger); elements which significantly contribute to the project's carbon emissions. Since 2010, the project has estimated and recorded the carbon impacts on an annual basis using the Environment Agency developed carbon calculator tool.

To provide an even more comprehensive baseline record the same tool has been used to calculate carbon impacts dating back to the 2006 campaign. A summary of these impacts shows that average annual carbon impacts over the last 12 years are estimated at 10,450 tonnes fossil CO<sub>2</sub> and the average impacts over the last 10 years are a slightly lower at 9,170 tonnes fossil CO<sub>2</sub>.

This analysis provides the basis for comparing forecast carbon impacts going forward. Various parameters were considered, including volumes of sand and rock structures placed. The table below summarises the results of the carbon assessment for the present management option compared to the nourishment plus control structures option.

| <b>Open beach (nourishment only)</b>                                     | <b>OR</b> | <b>Introduce control structures with beach nourishment</b>             |
|--|-----------|--|
| Whole Life Carbon Calculator:<br>2,110,000 Tonnes Fossil CO <sub>2</sub> |           | Whole Life Carbon Calculator:<br>850,000 Tonnes Fossil CO <sub>2</sub> |

*The results shown currently assume structure placement by 2035 or 15 years into the strategy. Delayed or longer term structure placement will result in smaller percentage reductions.*

As the above carbon impact scores are based on historical records and calculations, they invariably assume that material dredging and placing efficiencies will remain similar to present day values. Whilst improvements in dredger design and operation may occur in the future (e.g. larger, more fuel efficient, more use of renewable resourced vessels), this might be countered by having to obtain material from licensed source sites which are further away from the Lincolnshire shores. The calculation currently assumes that rock material will be sourced and transported by sea from Norway. Other sources and methods of transport will affect this score, but even a significant re-estimate of this upwards will not change the significant difference in scores.

It is evident that there is a strong case (60% reduction) in carbon impacts with an approach that reduces reliance on annual nourishment. This approach complies with the Environment Agency's goal of a reduction in carbon emissions. However, this is a long term prediction (100 years) and carbon reduction will not come into effect until the structures are in place and the nourishment frequencies are reduced.

### 3.6 Option appraisal summary

Following the economic analysis, key concerns for home-owners and businesses within the strategy area is long-term security, i.e. protection of property and assets from flooding. Tied into this is the need to maintain the coastal strip as a tourist destination. In the absence of a programme of

measures to provide protection there would be both actual losses (homes, businesses, land and infrastructure) and the stress of dealing with those losses.

As such, a ‘do nothing’ approach would not provide that protection. To ‘do minimum’ would defer the problem and provide some short-term benefits, but formal adoption of this approach would almost certainly have present-day consequences, for example, property prices and health implications with increased stress.

The economic analysis tells us that we should ‘sustain’ the existing standard of protection allowing for future climate change. Feedback from statutory and public consultations confirmed this view and went further in indicating that ‘maintain’ and ‘do minimum’ options do not provide long term security and should not be considered further.

From an economic perspective, all ‘do something’ options would provide virtually equivalent benefits in the short to medium term. The long term ‘maintain’ benefits would however fall sharply. The high-level appraisal and public consultation confirmed that the ‘maintain’ options would not provide reassurance and would increase stress for home-owners, businesses and other asset owners. Therefore, a strategy to ‘do something’ and ‘sustain’ a level of protection inclusive of rising sea levels is recommended.

## 4 The strategy

### 4.1 Strategic approach

A combination of control structures and a reduced level of nourishment, in association with the existing sea defence walls, has been identified as the strategic approach to deliver long-term flood risk management to the area. This is the outcome of technical, environmental and economic assessments, in consultation with a wide range of stakeholders and the public on the issues and aspects that are most important to them.

The areas of most rapid beach loss, and thus the focus of the current nourishment operations is all within Zone B (Mablethorpe to Skegness, see Figure 10). The strategy will therefore require differing interventions within Zones A, B and C as outlined in the following sections. Zones A and C have a more established process of accretion of sands due the natural morphology. Zones A and C are still subject to nourishment campaigns, but to a much lesser extent. Zone B however falls under a much greater extent of erosion and benefits sparsely from any natural process of accretion, as such Zone B is often the focal point for the majority of nourishment. In addition to the natural erosion, Zone B is also fronting the most economically valuable areas, in terms of population density, housing and business. Therefore, nourishment campaigns will be generally more frequent here in order to maintain that level of protection.

The strategic approach will sustain the same level of protection, currently afforded, into the future. To achieve this, the management approach will be required to keep pace with climate change. This approach will also retain a sandy beach as part of the primary defence system. Moreover, the continued presence of a beach contributes to the strategy engagement feedback, aligning to the popular feedback that a sandy beach is the highest preference. This important aspect is why people live, work, and go on holiday and thus generate further economy to the area.

*A combination of control structures and beach nourishment, together with seawalls/embankments/sand dunes where present, is the best long-term sustainable approach to deliver flood defence management meeting the technical, environmental and economic requirements.*

Furthermore, the strategy incorporates a flexible approach. This ensures any actions now will not compromise any development plans or investment by others to add value to the region. For example, to incorporate growth and regeneration planning needs the nature of the flood prevention strategy works should be adaptable to accommodate such plans. Thus, any investments in flood defence management made now would not become redundant.

The change in management approach is preferred over continuing with the present practice as it offers a more certain and sustainable long-term outcome in terms of costs, carbon emissions, reliance on resources, and security to the area. Structures, such as rock groynes or fishtails, are a long-established form of defence and are used on many coastlines both in the United Kingdom and across the world.



Figure 10: Plan of strategy zones - reproduced from Ordnance Survey material, © Crown copyright, Environment Agency license 100024198.

Specifically, this strategy will provide a configuration of control structures that significantly reduces reliance on the frequency and quantity of beach nourishment required in the long term, whilst not having adverse effects on areas outside of the nourishment zones that depend upon the continued drift of sand.

The nature and detail of these structures will be established through a design process including modelling and monitoring, with the proposed approach being to phase the introduction of structures, using each phase as an opportunity to refine subsequent phases of construction, and reducing nourishment based upon performance.

Significantly, this approach will allow discussions with partners to continue, to ensure that the position on future partnership funding and the opportunities for delivering on local plans for growth, joint working and wider benefits through local contributions are understood and held open for potential future agreements. The strategy if implemented could likely come into effect from 2020, and in the meantime, the plan for this frontage is to 'hold the line', which means we keep the line of

defence in approximately the same location, over the 100-year plan period with the present flood management approach. However, in the long term there is potential for limited ‘managed realignment’, which means small areas where defences may have to be set back.

Funding and approvals for the present nourishment campaigns are included in the current investment programme up to and including 2020, with delivery of the proposed strategy expected to commence from 2021 pending approval. However, a phased approach to its implementation is necessary, transitioning from present practice to the new management approach being fully operational; several aspects of the new approach will need to be developed before the first changes can be introduced.

The large upfront investment needed for the introduction of structures will need to be secured through government funding as well as third-party contributions from partners and businesses in the strategy area. We have demonstrated that the benefits of this strategy by far outweigh the costs associated. Although this means that we can justifiably request a large sum of government funding, there is no guarantee that we would receive this funding. Flood risk management competes with a number of other high priority issues for government funding, and as such we cannot assume that central government will make funding available for the strategy delivery. The strategy team will therefore continue to encourage third-party funding. It should be noted that delay and/or spreading of the structure’s installation will increase overall whole life costs due to the benefit of reduced nourishment frequencies not coming into effect until later.

The strategy will be adaptive to change driven by ‘triggers’, best described as a change in circumstances that drives a change to how flood risk is managed over the strategy period. A number of triggers are listed below, and notable among them are financial constraints and affordability which could delay delivery of the structures.

| Trigger  | Examples  |
|--|---|
| Funding  | New government funding rules  |
| Climate change   | Faster or slower sea level rise than predicted; increased storm rates |
| Availability of materials  | Scarcity of non-renewable resources                                   |
| Policy and plan change   | Change in local government plans                                      |
| Implementation impacts   | Observed effects after implementing step change                       |
| Technological development  | Availability of cost-saving new technology                            |
| Asset condition and performance  | Decreased or increased losses of sand on the beach                    |
| Defence failure  | Loss of beach   |
| Resource resilience and succession planning                              | Limited number of experts in the relevant fields                      |
| Public and institutional acceptance of works needed to manage flood risk | Public’s raised awareness of flood risk following a significant event |

The list of triggers is not exhaustive. Further triggers may be added where appropriate as the delivery of the strategy progresses. Through modelling and monitoring work, we will continually assess conditions which will determine if we need to change in the future. Changes could include a decision to construct more or fewer structures or make amendments to existing structures once they have been built, even the introduction of additional measures to manage flood risk. When the change is triggered, we will review our strategy and engage/consult before making the necessary adjustments. The following sections outline the proposed stages of the strategy. As we deepen the

Over the next century the approach to flood risk management, under the proposed strategy, will cost just half that of continuing with current practice and will reduce carbon emissions by 60% to provide the same benefits.

understanding of the methods of coastal protection through trigger the overarching shoreline management plan determined we must ‘Sustain’ the current level of protection, as such continued nourishment will continue until the new approach is triggered and implemented.

#### 4.1.1 Phase 1

Initial scope of the scheme and obtaining the necessary approvals for the change in approach, in addition to securing the higher levels of funding required in the near term.

While this takes place, management of flood risk needs to continue, and permissions and approvals to continue with the present nourishment campaigns will need to be secured. Further investigations, modelling and design will be undertaken to help with future stages. This initial stage may determine if beach control structures are indeed the preferred option and determine an indication of the size and spacing of any structures. A continuous review against the triggers will guide the approach as we deepen our understanding. This will include further detailed residual life assessments for the existing seawalls and outfalls to determine if any significant remedial works are required in parallel.

This phase provides the opportunity to secure the necessary permissions and assets required to enable the implementation of a demonstration project in the later part of phase 1 and working with partners to include local considerations and contributions and would:

- Consider the alternative configurations and optimum designs within an affordable budget;
- Consider any wider local considerations and potential contributions;
- Prepare comprehensive environmental baseline and monitoring plan proposals;
- Prepare detailed designs and environmental statements for the introduction of the first set of structures;
- Provide the platform for dealing with any identified defects in the current flood defence structures;
- Consider commercial arrangements for delivery.

As part of the planning and design of the strategy, performance criteria relating to beach state, flood risk, and maintaining habitats will not only be established for Zone B but also for Zone A (north of Mablethorpe) and Zone C (south of Skegness). These will be defined to both optimise the interventions in Zone B, and to identify if, and when, any structures/direct nourishment might need to be introduced in those areas; however, this is not currently expected to be required for several decades.

#### 4.1.2 Phase 2

This phase will include the major project to construct the control structures developed in Phase 1. A comprehensive monitoring plan, developed during Phase 1, will be implemented to assess performance and environmental impact throughout this period. The performance and influence of any required structures on sand transport will be of considerable benefit in adapting the works in terms of structure length, height and spacing.

Some maintenance in line with a maintenance programme for the existing seawalls may be required during this stage. Any raising of the seawalls or embankments behind the beach to accommodate climate change effects is not presently anticipated to be required for several decades, depending on the actual rate of sea level rise. This will also be subject to long term monitoring.

### 4.2 Phase 3 Long-term management

Following completion of the transition to the planned management approach, i.e. once all control structures are completed (dependent on confirmation from triggers) and the modified beach nourishment regime is established, actions will generally comprise the lesser volume/less frequent beach nourishment operations, and continual monitoring against the prescribed performance criteria to inform those requirements.

It is only at this time that some interventions in Zones A and C might become necessary. In the past we responded to major events, for example the December 2013 surge event, to reinstate the standard of defence north of Mablethorpe. Some works to the seawalls in Zone B, to better accommodate sea level rise, may also be required. This may also include remedial works to ensure that the seawalls and outfall structures within Zone B are kept up to standard.

This being a flexible and adaptable strategy approach, future changes might be triggered by changes to local requirements and additional funding, but also could result from changes to legislation or environmental issues such as climate change (refer to the triggers listed above). At any such trigger point, the approach taken will be to review, to make sure the reaction is appropriate, and to consult to seek views on major changes. Changes could include a decision to construct more or fewer structures, amendments to existing structures once they have been built, or the introduction of additional different measures to manage flood risk. When a change is triggered, we will review our strategy and may need to consult before making the necessary adjustments. However, the level of protection shall be maintained as per the Shoreline Management Plan (SMP) of 'Hold the Line'.




Figure 10: Overview of strategy delivery

# 5 Implementation plan



## 5.1 Overview

This overview discusses a plan of implementation, with focus on the first 40 years of the strategy, being the bulk of application of the new strategy. Initial design of the scheme and obtaining the necessary approvals for the change in approach and higher levels of funding required in the near term could take up to 10 years to complete.

While this takes place, management of flood risk needs to continue, and permissions and approvals to continue with the present nourishment campaigns will be secured. However, this also provides an opportunity for a pilot scheme to be introduced, installing a small number of structures to monitor their performance and influence on sand transport at a suitable location. This has considerable benefit, with that monitoring fed back into calibrate the modelling, and the detailed design of the first phase of works in terms of structure length, height and spacing. With this added benefit, it is likely that a first review of the strategy performance will be required after 10 years, considering monitoring information, strategy trigger points and subsequent developments. The strategy will need to be updated as it progresses, split notably within a few key activities;

A phased approach is proposed, as presented in the previous section, and that will itself be subject to ongoing performance monitoring and adaption to optimise best value strategy delivery. Implementation of the strategy will require considerable planning and consents including the development of business cases for Grant in Aid (GiA) funding, Natural England assent and environmental statements for the obtaining of Marine Management Organisation (MMO) licenses. Added to this will be the procurement of contractors and designers for delivery of the works. Asset inspections of current structures will also be undertaken to update residual life assessments for the existing seawalls. Future stages will continue with these assessments.

The activities to progress the strategy are defined as:



Monitoring



Works



Funding



Planning

## 5.2 Phase 1 activities (2020 to 2030)

Initial activities are expected to take between three and five years to complete, depending upon time required for all necessary approvals to be secured.

### Strategy-wide planning

**The immediate activity is to design the proposed works and appraise the optimum timing for action.**



Develop details of the planned approach, including the extent and timing of structural interventions and alterations to the nourishment programme.

- Modelling to optimise nature and configuration of structures, changes to sediment transport and thus nourishment requirements, and assess potential impacts upon other areas.
- Produce designs and plans for Stage 2 (initial structures and beach nourishment) and advance demonstration project.



Development of the approach is likely to have impacts and effects associated with it, which will require further and more detailed assessment at scheme level.

- Prepare environmental baseline.
- Undertake Environmental Impact Assessment (EIA) including technical and social assessment.
- Engage and consult on proposed implementation plans.
- Obtain necessary permissions, consents and licenses.
- Review flood warning triggers and protocols in line with new plans.



Develop business case to secure funding for first phase of works.

- Refine costs and economic case.
- Refine carbon calculation.
- Explore contracts and procurement plan for delivery.



Develop comprehensive monitoring plan for the planned approach.

- Define performance measures to appraise effectiveness of each phase of works and inform refinements for subsequent phases.
- Review and if necessary update criteria for actions throughout Zone B.
- Establish performance criteria for actions to address issues elsewhere, i.e. Zones A and C.
- Define monitoring activities required to collect this information.

### Continuation of flood risk management

**While planning for the transition of approach is underway, management of flood risk needs to continue in parallel.**



- Submit business case to sustain existing standard of protection
- Development actions required.
- Procurement actions required.
- Secure funding approval.



Carry out flood risk management operations.

- Annual beach nourishment campaigns in Zone B.
- Additional measures (if required):
  - Removal of any remaining damaged or non-functional timber groynes encountered.
  - Potential sand recycling.
  - Repairs to seawalls.
  - Implement Demonstration project



Continue monitoring in line with current requirements.

- Monitoring of beach levels and assessments for annual campaigns.
- Annual monitoring of environmental parameters.
- Any additional monitoring of baseline conditions required for development of refreshed strategy.
- Visual inspections of the structures to assess deterioration and failure potential.



Further assessments/information gathering to support refreshed strategy.

- Undertake investigations and update residual life assessments for the existing seawalls.

## 5.3 Phase 2 activities (2030 to 2060)

The first phase of construction works is expected to be carried out over three to five years, depending upon the details of the initial planning.

### Implement works

#### Construction of control structures and modified nourishment



Implement first phase of works in Zone B.

- Build first tranche of structures.
- Undertake annual nourishment campaigns, with modified volumes and locations in accordance with new approach.
- Monitor to assess performance and inform future designs.
- No actions are expected to be required in Zones A or C.



Implement refreshed monitoring plan.

- Monitoring of beach levels to assess performance of scheme.
- Monitoring of environmental parameters and potential impacts.
- Continual review against action levels.



Review performance.

- Review monitoring and update modelling and predictions of performance for any potential modifications to second phase of structures and nourishments.
- Produce designs and plans for a second phase of works within Stage 3.



Review and update strategy.

- Refine costs and economic case.
- Take account of any changes in development planning (e.g. regeneration plans, investment opportunities).
- Obtain funding to proceed/modify as appropriate.

## 5.4 Phase 3 Long Term activities

Following completion of the planned management approach, i.e. once all control structures are completed and the modified beach nourishment regime is established, actions will generally comprise the lesser volume/less frequent beach nourishment operations, and continual monitoring against the prescribed performance criteria. Some interventions in Zones A and C might become necessary in response to triggers.

## 5.5 Next steps

Over time (the transition period), full construction of the beach control structures will be completed in phases, with a corresponding modification and reduction in the sand nourishment operations. In the long term (once the full extent of structures is in place), it is expected that further nourishments will be less frequent (e.g. not annual) and/or lesser volume.

It is presently expected that rock will be sourced from existing quarries, for example in Scandinavia, and that sand will continue to be sourced from the existing licensed extraction sites

# Glossary, acronyms and abbreviations

**Coastal Defence /Sea Defence:** Any structure with the prime purpose to provide flood defence or erosion protection e.g. seawalls, groynes, beach.

**Do Minimum:** An option where the Operating Authority takes the minimum amount of action necessary to maintain an asset. For many places, this means patch and repair works of existing defences with no replacement should the defences fail.

**Do Nothing:** An option used in appraisal to act as a base case against which all other options are tested. It assumes that no action whatsoever is taken. In the case of existing works, it assumes for the purposes of appraisal that the Authorities cease all maintenance, repairs and other activities immediately. In the case of new works, it assumes that there is no intervention, and natural and other external processes are allowed to take their course.

**Do Something:** An option where actions are taken to manage the flood or erosion risk to an agreed standard of protection.

**Erosion Hotspot:** Length of coastline observed, through beach profile monitoring, to have regularly suffered sufficient sand volume losses to warrant nourishment back up to a design profile.

**Flood and Coastal Risk Management Grant in Aid (FCRM GiA):** Government money allocated to Risk Management Authorities (Environment Agency, Local Authorities, Internal Drainage Boards) for capital works which manage and reduce flood and coastal erosion risk.

**Hold the Line:** With reference to coastal management, this approach maintains the existing flood defence alignment, but no new defences are set up.

**Managed Realignment:** With reference to coastal management, this approach generally involves setting back the existing line of flood defences to a new defence line (inland of the original), or, to rising ground.

**Nourishment (Beach):** The process of collecting sand from licensed dredge sites, located offshore, and pumping this material onto the beaches to replace sand lost through natural erosion.

**Present Value of Costs:** Discounting in the public sector allows costs and benefits with different time spans to be compared on a common “present value” basis. The public sector discount rate adjusts for social time preference, defined as the value society attaches to present, as opposed to future, consumption.

**Shoreline Management Plan (SMP):** A Shoreline Management Plan is a long term, high level assessment of the risks associated with both coastal erosion and tidal (sea) flooding at the coast. It offers a vision for how the coast is to be managed in the future in a sustainable manner and sets out a framework for action through the definition of shoreline management policies.

**Standard of Protection:** The level of protection given to an area based on statistical probability, e.g. measures to reduce the flood risk to 0.5% annual exceedance probability is equivalent to a 1 in 200 year standard of protection.

**Triggers:** Events or factors that prompt an action or change in requirements. Trigger points can be related to factors such as changes to legislation and local requirements, money and environmental issues such as climate change.

**Undermining (Seawall):** The action of removal of material supporting the flood defence structure, leading to eventual collapse of the defence.

**Wave Overtopping:** The process of waves washing over the defences.

**Whole life costs:** All costs associated with the project over the timescale of the appraisal period.