



This form will report compliance with your permit as determined by an Environment Agency officer

Site	Preston New Road Exploration Site EPR/AB3101MW	Permit Ref	UP3431VF		
Operator/ Permit holder	Cuadrilla Bowland Limited				
Date	14/06/2017	Time in	10:30	Out	12:00
What parts of the permit were assessed	Permitted Activities				
Assessment	Site Inspection	EPR Activity:	Installation: X	Waste Op:	Water Discharge:
Recipient's name/position	H&S Environment Manager				
Officer's name	EA Officers	Date issued	06/10/2017		

Section 1 - Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation and any action you may need to take are given in the "Detailed Assessment of Compliance" (section 3). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our [Compliance Classification Scheme](#) (CCS). CCS scores can be consolidated or suspended, where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your [local office](#).

Permit Conditions and Compliance Summary

Condition(s) breached

Permit Condition	Compliance	CCS Score	Condition(s) Breached
a) Permitted activities	1. Specified by permit	C3	2.1.1
b) Infrastructure	1. Engineering for prevention & control of pollution	N	
	2. Closure & decommissioning	N	
	3. Site drainage engineering (clean & foul)	C3	2.1.1
	4. Containment of stored materials	N	
	5. Plant and equipment	N	
c) General management	1. Staff competency/ training	N	
	2. Management system & operating procedures	N	
	3. Materials acceptance	N	
	4. Storage handling, labelling, segregation	N	
d) Incident management	1. Site security	N	
	2. Accident, emergency & incident planning	N	
e) Emissions	1. Air	N	
	2. Land & Groundwater	N	
	3. Surface water	N	
	4. Sewer	N	
	5. Waste	N	
f) Amenity	1. Odour	N	
	2. Noise	N	
	3. Dust/fibres/particulates & litter	N	
	4. Pests, birds & scavengers	N	
	5. Deposits on road	N	
g) Monitoring and records, maintenance and reporting	1. Monitoring of emissions & environment	N	
	2. Records of activity, site diary, journal & events	N	
	3. Maintenance records	N	
	4. Reporting & notification	A	
h) Resource efficiency	1. Efficient use of raw materials	N	
	2. Energy	N	

KEY: C1, C2, C3, C4 = CCS breach category (* suspended scores are marked with an asterisk), A = Assessed (no evidence of non-compliance), N = Not assessed, NA = Not Applicable, O = Ongoing non-compliance – not scored

Number of breaches recorded	2	Total compliance score (see section 5 for scoring scheme)	8
------------------------------------	---	---------------------------------------------------------------------	---

If the Total No Breaches is greater than zero, then please see Section 3 for details of our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- the part(s) of the permit that were assessed (e.g. maintenance, training, combustion plant, etc)
- where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- any non-compliances identified
- any non-compliances with directly applicable legislation
- details of any multiple non-compliances
- information on the compliance score accrued inc. details of suspended or consolidated scores.
- details of advice given
- any other areas of concern
- all actions requested
- any examples of good practice.
- a reference to photos taken

This report should be clear, comprehensive, unambiguous and normally completed within 14 days of an assessment.

On the 14th June we were informed by the operator during a site inspection of a discharge of silt contaminated surface water from the well pad. Under permit condition 4.3.1 (b) which requires the operator to notify the regulator in the event of a breach of any permit condition the operator inform the regulator and take measures to ensure that compliance is restored within the shortest time possible.

The operator reported the incident to us and provided details of their investigation and remediation measures.

The escape of silt contaminated surface water had occurred through an electrical conduit inside an interceptor chamber. The interceptor forms part of the well pad drainage system. Two isolation valves prevent silt contaminated surface water from escaping the well pad drainage ditch, on this occasion surface water had backed up in the drainage ditch blocked by the isolation valves then filled the three interceptor chambers and escaped through this electrical conduit. It is understood that the electrical conduit was to be used to run cabling for electrical equipment, however at the time of the incident no such equipment was in place.

A ducting manhole was identified at a low point along the western boundary of the site. The manhole overflowed and spilled onto ground which spread across land. A quantity of the silt contaminated surface water saturated the ground and flowed overland into a field drain which then discharged to a tributary of Carr Bridge Brook. I understand that pooling water was detected by the operator as part of a daily site inspection, once the source had been identified the electrical conduit pathway was blocked.

An inspection was conducted by EA officers along this watercourse which did not identify any pollution caused by this incident. A programme of routine sampling is currently being carried out to monitor water quality and detect any changes. A review of sampling results did not identify any change in water quality. Though no discharge to this watercourse was observed by EA officers at the time of the inspection it is likely that any impact on the tributary of Carr Bridge Brook would have been minimal.

A breach of permit condition 2.1.1 Operating Techniques has been recorded on this CAR form, a non compliance score of C3 accompanies the breach. Permit condition 2.1.1 states that the operator is only authorised to carry out the activities specified in Schedule 1 of the water, this schedule of permitted activities does not include authorisation to discharge site drainage to a watercourse.

We are satisfied that appropriate measures have been taken at the time the incident was detected to prevent the escape of silt contaminated surface water from continuing. The electrical conduit has been permanently blocked at the interceptor with routine inspection carried out by the operator to check the drainage system.



This form will report compliance with your permit as determined by an Environment Agency officer

Site	Preston New Road Exploration Site EPR/AB3101MW	Permit	UP3431VF
Operator/ Permit	Cuadrilla Bowland Limited	Date	14/06/2017

Section 3- Enforcement Response **Only one of the boxes below should be ticked**

You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.	<input type="checkbox"/>
In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.	<input checked="" type="checkbox"/>
We will now consider what enforcement action is appropriate and notify you, referencing this form.	<input type="checkbox"/>

Section 4- Action(s)

Where non-compliance has been detected and an enforcement response has been selected above, this section summarises the steps you need to take to return to compliance and also provides timescales for this to be done.

Criteria Ref.	CCS Category	Action Required / Advised	Due Date
See Section 1 above			
A1	C3	Prevent the escape of silt contaminated surface water from the drainage system by ensuring that the drainage system is sealed.	14/06/2017
B3	C3	As above	14/06/2017

Section 5 - Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- advise on corrective actions verbally or in writing
- require you to take specific actions in writing
- issue a notice
- require you to review your procedures or management system
- change some of the conditions of your permit
- decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you.

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and or suspension or revocation of the permit.
- A civil sanction Enforcement Undertaking (EU) offer may also be available to you as an alternative enforcement response for this/these offence(s).

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- ensure you comply with other legislative provisions which may apply.

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance which could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General Information

Data protection notice

The information on this form will be processed by the Environment Agency to fulfill its regulatory and monitoring functions and to maintain the relevant public register(s). The Environment Agency may also use and/or disclose it in connection with:

- offering/providing you with its literature/services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law and taking any resulting action
- preventing breaches of environmental law
- assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Information Regulations request.

The Environment Agency may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The Environment Agency will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within 28 days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with the officer's line managers. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 03708 506 506 (Mon to Fri 08.00–18.00) and ask for the Customer Contact team or send an email to enquiries@environment-agency.gov.uk. If you are still dissatisfied, you can make a complaint to the Ombudsman. For advice on how to complain to the [Parliamentary and Health Service Ombudsman](#) phone their helpline on 0345 015 4033.