Environr Agency	nent
--------------------	------

### **EPR Compliance Assessment Report**

Report ID: UP3431VF/0266695

		* *				
This form will report compliance with your permit as determined by an Environment Agency officer						
Site	Preston New Road Exploration Site EPR/AB3101MW			Permit Ref	UP3431VF	
Operator/ Permit holder	Cuadrilla Bowland	Limited		No.		
Date	04/07/2016			Time in	14:00 Out 16:00	
What parts of the permit were assessed	Pre-operational me	easure 04 (P04)	- Complete			
Assessment	Report/data review	EPR Activity:	Installation X	Waste Op	Water Discharge	
Recipient's name/position	H&S E	Environment Ma	nager			
Officer's name	CERTIFICACIONA SERVICA	SHEAT CHRISTIAN ALLENSES .		Date issued	04/07/2016	

Castian 4	C	: A		C
Section	- Comp	lance A	ssessment	

This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation and any action you may need to take are given in the "Detailed Assessment of Compliance" (section 3). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS scores can be consolidated or suspended, where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit Conditions and Compliance Summary			Condition(s) breached
a) Permitted activities	1. Specified by permit	N	
b) Infrastructure	1. Engineering for prevention & control of pollution	N	
	2. Closure & decommissioning	N	8
	3. Site drainage engineering (clean & foul)	N	¥ * -
	4. Containment of stored materials	N	
	5. Plant and equipment	N	
c) General management	Staff competency/ training	N	. Ж
	2. Management system & operating procedures	N	
	3. Materials acceptance	N	
	4. Storage handling, labelling, segregation	N	N 50
d) Incident management	1. Site security	N ·	
	2. Accident, emergency & incident planning	.N	
e) Emissions	1. Air	N	
	2. Land & Groundwater	·N	× × ×
	3. Surface water	N	0 5 6
	4. Sewer	N	
	5. Waste	N	4
f) Amenity	1. Odour	N	14.12
	2. Noise	N	
	3. Dust/fibres/particulates & litter	N	
	4. Pests, birds & scavengers	N	*
	5. Deposits on road	N	
Monitoring and records, maintenance and reporting	1. Monitoring of emissions & environment	N	T
and reporting	2. Records of activity, site diary, journal & events	N	2 2
	3. Maintenance records	N	
	4. Reporting & notification	А	· ·
n) Resource efficiency	Efficient use of raw materials	N	9
	2. Energy	N	

KEY: C1, C2, C3, C4 = CCS breach category (\* suspended scores are marked with an asterisk),

A = Assessed (no evidence of non-compliance), N = Not assessed, NA = Not Applicable, O = Ongoing non-compliance – not scored

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
realiser of breadiles recorded	U	(see section 5 for scoring scheme)	. 0

### Section 2 - Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- the part(s) of the permit that were assessed (e.g. maintenance, training, combustion plant, etc)
- where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- any non-compliances identified
- > any non-compliances with directly applicable legislation
- > details of any multiple non-compliances

- information on the compliance score accrued inc. details of suspended or consolidated scores.
- > details of advice given
- > any other areas of concern
- all actions requested
- > any examples of good practice.
- > a reference to photos taken

This report should be clear, comprehensive, unambiguous and normally completed within 14 days of an assessment.

# Permit EPR/AB3101MW – Preston New Road Exploration Site – Pre-operational condition PO4

Thank you for submitting your Groundwater Monitoring Plan for Preston New Road, document reference HSSE-PLN-SITE-001 Issue 3 dated March 2016. We have reviewed this draft plan against what we require to meet the pre-operational condition, and are satisfied that this revised issue meets the requirements of your Permit for this site.

For informative purposes should the data collected during the installation of the monitoring boreholes prove that the conceptual site model needs to be amended the revision should be submitted with the report to be prepared for the approval of pre-operational condition PO7.

The Environment Agency would encourage discussion to take place prior to this submission should there be the need to make revisions to the conceptual model.



# **EPR Compliance Assessment Report**

Report ID: UP3431VF/0266695

This form will report compliance with your permit as determined by an Environment Agency officer					
Site	Preston New Road Exploration Site EPR/AB3101MW	Permit	UP3431VF		
Operator/ Permit	Cuadrilla Bowland Limited	Date	04/07/2016		

Section 3- Enforcement Response	Only one of the boxes below should be ticked
	pliance and prevent repetition. an offence and can result in criminal prosecutions and/or suspension or sment in Section 2 and the steps you need to take in Section 4 below.
	sent we do not intend to take further enforcement action in respect preclude us from taking enforcement action if further relevant
In respect of the above non-compliance you have been enforcement action. This does not preclude us from tak comes to light or offences continue.	issued with a warning. At present we do not intend to take further ing additional enforcement action if further relevant information
We will now consider what enforcement action is appro	priate and notify you, referencing this form.

Section	4- Action(s)		
		has been detected and an enforcement response has been sto return to compliance and also provides timescales for this	
Criteria Ref.	CCS Category	Action Required / Advised	Due Date
See Sect	ion 1 above		

#### Section 5 - Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- advise on corrective actions verbally or in writing
- require you to take specific actions in writing
- issue a notice
- require you to review your procedures or management system
- change some of the conditions of your permit
- decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you.

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and or suspension or revocation of the permit.
- A civil sanction Enforcement Undertaking (EU) offer may also be available to you as an alternative enforcement response for this/these offence(s).

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- ensure you comply with other legislative provisions which may apply.

## Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance which could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a <b>minor</b> environmental effect	4
C4	A non-compliance which has <b>no</b> potential environmental effect	0.1

<u>Operational Risk Appraisal</u> (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

#### Section 6 - General Information

#### **Data protection notice**

The information on this form will be processed by the Environment Agency to fulfill its regulatory and monitoring functions and to maintain the relevant public register(s). The Environment Agency may also use and/or disclose it in connection with:

- offering/providing you with its literature/services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law and taking any resulting action
- preventing breaches of environmental law
- assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Information Regulations request.

The Environment Agency may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

#### Disclosure of information

The Environment Agency will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within 28 days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

#### **Customer charter**

# What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with the officer's line managers. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 03708 506 506 (Mon to Fri 08.00–18.00) and ask for the Customer Contact team or send an email to enquiries@environment-agency.gov.uk. If you are still dissatisfied, you can make a complaint to the Ombudsman. For advice on how to complain to the Parliamentary and Health Service Ombudsman phone their helpline on 0345 015 4033.