



WATER

DEVELOPMENT: **IPPC PERMIT APPLICATION FOR THE HOUSING OF 260,000 BROILERS**

LOCATION: **Dunnimere Farm
Portway Lane
Harlaston
Near Tamworth
Staffordshire
B79 9LA**

CLIENT: **Dunnimere Poultry Ltd**

**Roger Parry & Partners LLP Carmarthen
C/O The Estates Office, 20 Salop Road, Oswestry, Shropshire, SY11 2NU
Tel: 01691655334 Fax: 01691 657798
Email: gail@rogerparry.net**

*Also at: 11 Severn Street, Welshpool, Powys, SY21 7AG
Tel: 01938 554499 Fax: 01938 554462
email: welshpool@rogerparry.net*

*Also at: Hogstow Hall, Minsterley, Shrewsbury, SY5 0HZ
Tel: 01743 791336 Fax: 01743 792770
email: mail@rogerparry.net*

2022 08 24

High performance nipple drinkers with ‘drip cups’ are used to minimise water wasted and to improve litter quality, subsequently reducing ammonia levels inside the shed. A dosing pump attached to the water supply will allow for vaccine, vitamins or electrolytes to be administered accurately.

Water consumption will be monitored and recorded daily from water meters within the house. Daily checks by farm staff will allow for equipment height to be adjusted meeting the need of the birds. Having drinkers at the correct level and adjusting the flow pressure will allow birds to utilise the water correctly thus minimising wasted water and maintaining litter quality. These checks will also allow staff to attend to any problems with equipment, such as a leaking drinker nipple.

During the cleaning operation strict guidelines are given by a “tailored” site-specific terminal hygiene plan. This gives levels of water usage and dilution rates for the relevant detergents/disinfectants. Both staff and cleaning contractors are made fully aware of the terminal hygiene procedures.

The poultry houses are fully insulated and has an adequate ventilation system to help regulate temperature and maintain a healthy environment inside the house, during times of extreme weather. Thus, water consumption should not hugely increase during times of hot weather.