



CERTIFICATE of ANALYSIS

Wyke Farms Ltd waste water - V Notch Water

Report No.

152292

White house farm
Wyke champflower
Bruton
Somerset
BA10 0PU

Wessex reference: 27000785/WA-757128

Sampler's comments:

Sample taken: 07/12/2022 08:40

Analysts' comments:

Sample received: 07/12/2022 13:55

Sample notes / Cust ID: Wyke Farms LTD V-Notch

Sampler: Sampled by customer

Sample matrix: Waste water

Analysis	Result	Unit	Method No.
Ammoniacal nitrogen	<0.4	mg/L N	2550
Orthophosphate	<0.1	mg/L P	2550
pH	7.5		2701
Biochemical oxygen demand, atu	7	mg/L O2	2702
COD	87	mg/L O2	2703
Suspended solids	<5	mg/L	2704
Aluminium	0.6	mg/L	2972
Calcium	28.8	mg/L	2972
Iron	0.2	mg/L	2972
Potassium	49.6	mg/L	2972
Magnesium	2.0	mg/L	2972
Manganese	<0.05	mg/L	2972
Sodium	400.0	mg/L	2972
Calcium hardness	72	mg CaCO3/L	2972
Magnesium hardness	8.2	mg CaCO3/L	2972
Total hardness	80	mg CaCO3/L	2972

The above analysis, unless otherwise indicated, has been carried out in UKAS accredited laboratory No. 0905

- Ñ indicates that the result is not UKAS accredited
Ø indicates "not detected in volume tested"
~ indicates that the result is estimated

Signed:

M. Edgell, Senior Scientist

14 December 2022



0905

Details of analytical procedures, performance data, uncertainty of measurement and sample analysis date are available on request.
Where information has been provided by the customer this has been recorded as received but if inaccurate could affect the validity of the results.
The results are provided for the sample as received by the laboratory. Sampling not in accordance with the documented procedures may affect the validity of the results.

Not to be reproduced except in full without written approval of the laboratory