

LOW	Description	State	Restrictions
01 01 01	wastes from mineral metalliferous excavation	Solid	
01 01 02	wastes from mineral non-metalliferous excavation	Solid	
01 03 06	tailings other than those mentioned in 01 03 04 and 01 03 05	Solid	
01 03 09	red mud from alumina production other than the wastes mentioned in 01 03 07	Solid	
01 04 08	waste gravel and crushed rocks other than those mentioned in 01 04 07	Solid	
01 04 09	waste sand and clays	Solid	
01 04 11	wastes from potash and rock salt processing other than those mentioned in 01 04 07	Solid	
01 04 12	tailings and other wastes from washing and cleaning of minerals other than those mentioned in 01 04 07 and 01 04 11	Solid	
01 04 13	wastes from stone cutting and sawing other than those mentioned in 01 04 07	Solid	
02 01 01	sludges from washing and cleaning	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building. Covered bays if required by an odour assessment
02 01 03	plant-tissue waste	Solid	Maximum of 80 tonnes of shredded material at any one time, on impermeable surface within constructed bays within a building
02 01 04	waste plastics (except packaging)	Solid	
02 01 06	farmyard manure and slurry, horse manure and soiled bedding made from plant tissue only	Solid	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building. Covered bays if required by an odour assessment
02 01 07	wastes from forestry	Solid	Maximum of 80 tonnes of shredded material at any one time, on impermeable surface within constructed bays within a building
02 01 10	waste metal	Solid	
02 01 99	manure and soiled bedding from any premises except abattoirs, soiled biodegradable bedding not made from plant tissue, soiled bedding desiccants only	Solid	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building. Covered bays if required by an odour assessment
02 02 03	materials unsuitable for consumption or processing	Solid	Covered bays if required by an odour assessment
02 02 99	manure and soiled bedding from abattoirs including soiled biodegradable bedding not made from plant tissue and soiled bedding desiccants only	Solid	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building. Covered bays if required by an odour assessment
02 03 01	sludges from washing, cleaning, peeling, centrifuging and separation	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 03 04	materials unsuitable for consumption or processing	Solid	Covered bays if required by an odour assessment
02 03 99	soils from cleaning and washing fruit and vegetables only	Solid	
02 04 01	soil from cleaning and washing beet	Solid	
02 04 02	off-specification calcium carbonate	Solid	
02 04 03	sludges from on-site effluent treatment	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 04 99	biodegradable wastes not otherwise specified derived from the processing of sugar	Solid	Covered bays if required by an odour assessment
02 05 01	materials unsuitable for consumption or processing	Solid	Covered bays if required by an odour assessment
02 06 01	materials unsuitable for consumption or processing	Solid	Covered bays if required by an odour assessment
02 06 02	wastes from preserving agents	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 06 03	sludges from on-site effluent treatment	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 06 99	biodegradable wastes not otherwise specified from the processing of materials used in baking and confectionary	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 07 01	wastes from washing, cleaning and mechanical reduction of raw materials	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 07 02	wastes from spirits distillation	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 07 03	wastes from chemical treatment	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 07 04	materials unsuitable for consumption or processing	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
02 07 05	sludges from on-site effluent treatment	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building

02 07 99	biodegradable wastes not otherwise specified from the processing of the raw materials used in the production of such	Solid	Covered bays if required by an odour assessment
03 01 01	waste bark and cork	Solid	
03 01 05	sawdust, shavings, cuttings, wood, particle board and veneer other than those mentioned in 03 01 04	Solid	
03 03 01	waste bark and wood	Solid	Maximum of 80 tonnes of shredded material at any one time, on impermeable surface within constructed bays within a building
03 03 05	de-inking sludges from paper recycling	Solid	
03 03 07	mechanically separated rejects from pulping of waste paper and cardboard	Solid	
03 03 08	wastes from sorting of paper and cardboard destined for recycling	Solid	
03 03 09	lime mud waste	Solid	
03 03 10	Fibre rejects, fibre-, filler- and coating-sludges from mechanical separation	Solid	
03 03 11	sludges from on-site effluent treatment other than those mentioned in 03 03 10	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 01 07	sludges, in particular from on-site effluent treatment free of chromium	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 01 08	waste tanned leather (blue sheetings, shavings, cuttings, buffing dust) containing chromium	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 01 09	wastes from dressing and finishing	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 02 10	organic matter from natural products (e.g. grease, wax)	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 02 15	wastes from finishing other than those mentioned in 14 02 14	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 02 20	sludges from on-site effluent treatment other than those mentioned in 04 02 19	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 02 21	wastes from unprocessed textile fibres	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
04 02 22	wastes from processed textile fibres	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
06 09 02	phosphorous slag	Solid	
06 09 04	calcium-based reaction wastes other than those mentioned in 06 09 03	Solid	
06 11 01	calcium-based reaction wastes from titanium dioxide production	Solid	
07 02 13	waste plastic	Solid	
07 07 12	sludges from on-site effluent treatment other than those mentioned in 07 07 11	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 01 01	bottom ash, slag and boiler dust (excluding boiler dust mentioned in 10 01 04)	Solid	
10 01 05	calcium-based reaction wastes from flue-gas desulphurisation in solid form (Flue Gas Gypsum Solids only)	Solid	
10 01 07	calcium-based reaction wastes from flue-gas desulphurisation in sludge form (Flue Gas Gypsum Sludge only)	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 01 15	bottom ash, slag and boiler dust from co-incineration other than those mentioned in 10 01 14	Solid	
10 01 19	wastes from gas cleaning other than those mentioned in 10 01 05, 10 01 07 and 10 01 18	Solid	
10 01 24	sands from fluidised beds	Solid	
10 02 01	wastes from the processing of slag	Solid	
10 02 02	unprocessed slag	Solid	
10 02 08	solid wastes from gas treatment other than those mentioned in 10 02 07	Solid	
10 02 10	mill scales	Solid	
10 02 14	filter cakes from gas treatment other than those mentioned in 10 02 13	Solid	
10 02 15	other filter cakes	Solid	
10 03 02	anode scraps	Solid	
10 03 05	waste alumina	Solid	
10 03 16	skimmings other than those mentioned in 10 03 15	Solid	
10 03 18	carbon-containing wastes from anode manufacture other than those mentioned in 10 03 17	Solid	
10 03 24	solid wastes from gas treatment other than those mentioned in 10 03 23	Solid	
10 03 26	filter cakes from gas treatment other than those mentioned in 10 03 25	Solid	

10 03 28	wastes from cooling-water treatment other than those mentioned in 10 03 27	Solid	
10 03 30	wastes from treatment of salt slags and black drosses other than those mentioned in 10 03 29	Solid	
10 04 10	wastes from cooling-water treatment other than those mentioned in 10 04 09	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 05 01	slags from primary and secondary production	Solid	
10 05 09	wastes from cooling-water treatment other than those mentioned in 10 05 08	Solid	
10 05 11	dross and skimmings other than those mentioned in 10 05 10	Solid	
10 06 01	slags from primary and secondary production	Solid	
10 06 02	dross and skimmings from primary and secondary production	Solid	
10 06 10	wastes from cooling-water treatment other than those mentioned in 10 06 09	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 07 01	slags from primary and secondary production	Solid	
10 07 02	dross and skimmings from primary and secondary production	Solid	
10 07 03	solid wastes from gas treatment	Solid	
10 07 05	filter cakes from gas treatment	Solid	
10 07 08	wastes from cooling-water treatment other than those mentioned in 10 07 07	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 08 09	other slags	Solid	
10 08 11	dross and skimmings other than those mentioned in 10 08 10	Solid	
10 08 13	carbon-containing wastes from anode manufacture other than those mentioned in 10 08 12	Solid	
10 08 14	anode scrap	Solid	
10 08 18	filter cakes from flue-gas treatment other than those mentioned in 10 08 17	Solid	
10 08 20	wastes from cooling-water treatment other than those mentioned in 10 08 19	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 09 03	furnace slag	Solid	
10 09 06	casting cores and moulds which have not undergone pouring other than those mentioned in 10 09 05	Solid	
10 09 08	casting cores and moulds which have undergone pouring other than those mentioned in 10 09 07	Solid	
10 09 14	waste binders other than those mentioned in 10 09 13	Solid	
10 09 16	waste crack-indicating agent other than those mentioned in 10 09 15	Solid	
10 10 03	furnace slag	Solid	
10 10 06	casting cores and moulds which have not undergone pouring, other than those mentioned in 10 10 05	Solid	
10 10 08	casting cores and moulds which have undergone pouring, other than those mentioned in 10 10 07	Solid	
10 10 14	waste binders other than those mentioned in 10 10 13	Solid	
10 10 16	waste crack-indicating agent other than those mentioned in 10 10 15	Solid	
10 11 03	waste glass-based fibrous materials	Solid	
10 11 10	waste preparation mixture before thermal processing, other than those mentioned in 10 11 09	Solid	
10 11 12	waste glass other than those mentioned in 10 11 11	Solid	
10 11 16	solid wastes from flue-gas treatment other than those mentioned in 10 11 15	Solid	
10 11 18	filter cakes from flue-gas treatment other than those mentioned in 10 11 17	Solid	
10 12 01	waste preparation mixture before thermal processing	Solid	
10 12 05	filter cakes from gas treatment	Solid	
10 12 06	discarded moulds	Solid	
10 12 08	waste ceramics, bricks, tiles and construction products (after thermal processing)	Solid	
10 12 10	solid wastes from gas treatment other than those mentioned in 10.12.09	Solid	
10 12 12	wastes from glazing other than those mentioned in 10.12.11	Solid	
10 13 01	waste preparation mixture before thermal processing	Solid	
10 13 04	wastes from calcination and hydration of lime	Solid	
10 13 07	filter cakes from gas treatment	Solid	
10 13 10	wastes from asbestos-cement manufacture other than those mentioned in 10 13 09	Solid	
10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10	Solid	

10 13 13	solid wastes from gas treatment other than those mentioned in 10 13 12 (Cement Kiln Dusts)	Solid	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
10 13 14	waste concrete	Solid	
11 01 10	filter cakes other than those mentioned in 11 01 09	Solid	
11 01 14	degreasing wastes other than those mentioned in 11 01 13	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
11 02 03	wastes from the production of anodes for aqueous electrolytical processes	Solid	
11 02 06	wastes from copper hydrometallurgical processes other than those mentioned in 11 02 05	Solid	
11 05 01	hard zinc	Solid	
11 05 02	zinc ash	Solid	
12 01 01	ferrous metal filings and turnings	Solid	
12 01 03	non-ferrous metal filings and turnings	Solid	
12 01 05	plastics shavings and turnings	Solid	
12 01 13	welding wastes	Solid	
12 01 17	waste blasting material other than those mentioned in 12 01 16	Solid	
12 01 21	spent grinding bodies and grinding materials other than those mentioned in 12 01 20	Solid	
15 01 01	paper and cardboard packaging	Solid	
15 01 02	plastic packaging	Solid	
15 01 03	wooden packaging	Solid	Maximum of 80 tonnes of shredded material at any one time, on impermeable surface within constructed bays within a building
15 01 04	metallic packaging	Solid	
15 01 05	composite packaging	Solid	
15 01 06	mixed packaging	Solid	
15 01 07	glass packaging	Solid	
15 01 09	textile packaging	Solid	
15 02 03	absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02	Solid	
16 01 03	end-of-life tyres	Solid	
16 02 14	discarded equipment other than those mentioned in 16 02 09 to 16 02 13	Solid	
16 02 16	components removed from discarded equipment other than those mentioned in 16 02 15	Solid	
16 03 04	inorganic wastes other than those mentioned in 16 03 03	Solid	
16 03 06	organic wastes other than those mentioned in 16 03 05	Solid	
16 06 04	alkaline batteries (except 16 06 03)	Solid	
16 06 05	other batteries and accumulators	Solid	
16 11 02	carbon-based linings and refractories from metallurgical processes others than those mentioned in 16 11 01	Solid	
16 11 04	other linings and refractories from metallurgical processes other than those mentioned in 16 11 03	Solid	
16 11 06	linings and refractories from non-metallurgical processes others than those mentioned in 16 11 05	Solid	
17 01 01	Concrete	Solid	
17 01 02	Bricks	Solid	
17 01 03	tiles and ceramics	Solid	
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06	Solid	
17 02 01	Wood	Solid	Maximum of 80 tonnes of shredded material at any one time, on impermeable surface within constructed bays within a building
17 02 02	Glass	Solid	
17 02 03	Plastic	Solid	
17 03 02	bituminous mixtures other than those mentioned in 17 03 01	Solid	
17 04 01	copper, bronze, brass	Solid	
17 04 02	Aluminium	Solid	
17 04 03	Lead	Solid	
17 04 04	Zinc	Solid	
17 04 05	iron and steel	Solid	
17 04 06	Tin	Solid	

17 04 07	mixed metals	Solid	
17 04 11	cables other than those mentioned in 17 04 10	Solid	
17 05 04	soil and stones other than those mentioned in 17 05 03	Solid	
17 05 06	dredging spoil other than those mentioned in 17 05 05	Solid	
17 05 08	track ballast other than those mentioned in 17 05 07	Solid	
17 06 04	insulation materials other than those mentioned in 17 06 01 and 17 06 03	Solid	
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01	Solid	
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03	Solid	
19 01 02	ferrous materials removed from bottom ash	Solid	
19 01 12	bottom ash and slag other than those mentioned in 19 01 11	Solid	
19 01 18	biochar manufactured from untreated wood and plant matter from agriculture, horticulture and forestry, or from vegetable waste from food preparation and processing.	Solid	
19 01 18	biochar manufactured from untreated wood, bark, and cork from the furniture manufacturing and wood processing industries (including untreated sawdust, wood shavings, and wood cuttings, except from particle board).	Solid	
19 01 19	sands from fluidised beds	Solid	
19 02 03	premixed wastes composed only of non-hazardous wastes (Cement Kiln Dust & By-Pass Dust from Cement Kilns, conditioned with water only)	Solid	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
19 02 10	combustible wastes other than those mentioned in 19 02 08 and 19 02 09	Solid	
19 04 01	vitrified waste	Solid	
19 05 01	non-composted fraction of municipal and similar wastes	Solid	
19 05 02	non-composted fraction of animal and vegetable waste	Solid	
19 05 03	off-specification compost	Solid	
19 02 03	premixed wastes composed only of non-hazardous wastes (Cement Kiln Dust)	Solid	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
19 02 06	sludges from physical / chemical treatment other than those mentioned in 19 02 05	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
19 05 03	compost from source segregated biodegradable waste only	Solid	Covered bays if required by an odour assessment
19 05 03	compost from source segregated biodegradable waste and sludges from treatment of urban waste water only	Solid	Covered bays if required by an odour assessment
19 05 99	compost derived from non-source segregated biodegradable waste	Solid	Covered bays if required by an odour assessment
19 06 04	digestate from anaerobic treatment of municipal waste	Solid	Covered bays if required by an odour assessment
19 06 06	digestate from anaerobic treatment of animal and vegetable waste	Solid	Covered bays if required by an odour assessment
19 08 01	screenings	Solid	Covered Skips on impermeable surface within a building
19 08 02	waste from desanding (washed sewage grit)	Solid	Covered bays if required by an odour assessment
19 08 05	sludges from treatment of urban waste water	Solid	Covered bays if required by an odour assessment
19 08 99	stone filter media free from sewage materials only	Solid	Covered bays if required by an odour assessment
19 09 01	solid wastes from primary filtration and screenings	Solid	Covered bays if required by an odour assessment
19 09 02	sludges from water clarification	Solid	
19 12 01	paper and cardboard	Solid	
19 12 02	ferrous metal	Solid	
19 12 03	non-ferrous metal	Solid	
19 12 04	plastic and rubber	Solid	
19 12 05	Glass	Solid	
19 12 07	wood other than that mentioned in 19 12 06	Solid	
19 12 08	Textiles	Solid	
19 12 09	minerals (for example sand, stones)	Solid	
19 12 10	combustible waste (refuse derived fuel)	Solid	
19 12 12	other wastes (including mixtures of materials) from mechanical treatment of waste other than those mentioned in 19 12 11	Solid	
19 13 02	solid wastes from soil remediation other than those mentioned in 19 13 01	Solid	
19 13 04	sludges from soil remediation other than those mentioned in 19 13 03	Solid/Sludge	Maximum of 200 tonnes on site at any one time, on impermeable surface within constructed bays within a building
20 01 01	paper and cardboard	Solid	
20 01 02	Glass	Solid	
20 01 08	biodegradable kitchen and canteen waste	Solid	Covered bays if required by an odour assessment, maximum 15 tonnes at any one time on impermeable surface within constructed bays within a building
20 01 10	Clothes	Solid	

20 01 11	Textiles	Solid	
20 01 34	batteries and accumulators other than those mentioned in 20 01 33	Solid	
20 01 36	discarded electrical and electronic equipment other than those mentioned in 20 01 21, 20 01 23 and 20 01 35	Solid	
20 01 38	wood other than that mentioned in 20 01 37	Solid	Maximum of 80 tonnes of shredded material at any one time, on impermeable surface within constructed bays within a building
20 01 39	Plastics	Solid	
20 01 40	Metals	Solid	
20 01 41	wastes from chimney sweeping	Solid	
20 02 01	biodegradable waste	Solid	Covered bays if required by an odour assessment
20 02 02	soil and stones	Solid	
20 02 03	other non-biodegradable wastes	Solid	
20 03 01	mixed municipal waste	Solid	Covered bays if required by an odour assessment
20 03 02	waste from markets	Solid	Covered bays if required by an odour assessment
20 03 03	street-cleaning residues	Solid	
20 03 06	waste from sewage cleaning: Washed grit only	Solid	Maximum 150 tonnes on site at any one time. Covered bays if required by an odour assessment on impermeable surface within constructed bays within a building
20 03 07	bulky waste	Solid	