

Peacehaven Wastewater Treatment Works

C6 Application Form

Prepared by: Natalia Cunningham **Date:** 17/05/2022
Approved by: Anita Manns **Checked by:** Shannon Stone

The form responds to question listed in Table 1 of the C6 application form for the last listed option 'Effluent and/or contaminated surface water run - off arising from the operation of an installation'.

Therefore, only the following questions have been responded to:

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Effluent and/or contaminated surface water run-off arising from the operation of an installation	No additional charge, as already included as part of the installation variation application charge	<input checked="" type="checkbox"/>	a, b, d	c	b, c, d, f		a, b2	a, b, c	b, c, d, e, f, g	d*, e*, f	a, b, d, e, f, h, i	a, b, c

* Check the relevant question and our guidance notes on part C6 to see if you need to give an answer.

Note Question 6c is not within the application, despite being listed as being required by Table 1 of the application form.

Question 1 About the variation you are applying for

Effluent name is: Effluent from process from the centrifuges and sludge thickeners and condensate and cooling water.

Question 3 How much do you want to discharge?

Southern Water is not aware of the quantity of water sent to the inlet works from the STC because it is not currently monitored, therefore no details have been provided for Question 3.

Question 5 Should your discharge be made to the foul sewer?

The discharge point (inlet works, A12 (document reference 790101_MSD_SiteLayoutPlan_PEA)) is located within the operator's own wastewater treatment works, therefore, the distance to the nearest foul sewer is 0m and response to Question 5b2 is not applicable.

Question 6 How will the effluent be treated?

Effluent is not treated before reaching the inlet work (A12) because once leaving the inlet works the effluent will be treated through the Wastewater Treatment Works. The process description is provided in Section 3 of the Main Supporting Document (document reference 790101_MSD_Main_PEA).

This document is issued for the party which commissioned it and for specific purposes connected with the above-captioned project only. It should not be relied upon by any other party or used for any other purpose.

We accept no responsibility for the consequences of this document being relied upon by any other party, or being used for any other purpose, or containing any error or omission which is due to an error or omission in data supplied to us by other parties.

This document contains confidential information and proprietary intellectual property. It should not be shown to other parties without consent from us and from the party which commissioned it.

Question 7 What will be in the effluent?

Southern Water is not aware of the composition of the effluent discharged to the inlet works from the STC (A12) because it is not currently monitored, therefore, no details have been provided for Question 7.

The temperature of effluent is not known but since the water is not direct from processes it is expected to be ambient.

Question 8 Environmental risk assessments and modelling

Discharges to lakes, estuaries, coastal waters or bathing waters.

Southern Water is not aware of the composition of the effluent discharged to the inlet works from the STC (A12) because it is not currently monitored, therefore, screening cannot be undertaken at this time.

Question 9 Monitoring arrangements

Effluent monitoring will be in line with permit conditions.

Appendix 4 Discharges to tidal river, tidal stream, estuary or coastal waters

The discharge from the WTW is permitted under the permit reference A.1240/S/05, from 'NEWwrrwLSO-TV41709804' within the English Channel at TV 4170 9804. The permit authorises the discharge of secondary treated sewage effluent with nutrient removal and settled storm sewage.

Design is described in the consent as:

'Discharging via a 1800 millimetre internal diameter pipe terminating with a diffuser section of approximately 200 metres in length, consisting of 12 ports with diameters; of approximately 300 millimetres spaced at approximately 18 metre intervals, with the top inner surface of the uppermost diffuser port located approximately 15,2 metres below depth of water at mean low water springs (MLWS) and approximately 21.3 metres at mean high water springs (MHWS) relative 10 Ordnance Datum Newlyn (ODN)'

Application for an environmental permit Part C6 – Variation to a bespoke water discharge activity or groundwater activity (point source discharge), or point source emission to water from an installation



Fill in this part of the form, together with part C2 and part F1, if you are applying to vary (change) the conditions or any other part of the permit for a water discharge or groundwater activity.

Fill in this part of the form, together with parts C2, C3 and F1 if you are applying to vary or add a point source emission to water, groundwater or sewer from an installation.

Please check that this is the latest version of the form available from our website.

You only need to give us details in this application for the parts of the permit that will be affected (for example, if you are adding a new facility or making changes to existing ones).

You do not need to resend any information from your original permit application if it is not affected by your proposed changes.

Please read through this form and the guidance notes that came with it.

The form can be:

- 1) saved onto a computer and then filled in.
- 2) printed off and filled in by hand. Please write clearly in the answer spaces.

It will take less than three hours to fill in this part of the application form.

Contents

About the effluent – details and type	2
1 About the variation you are applying for	10
2 About the effluent – how long will you need to discharge the effluent for?	10
3 How much do you want to discharge?	11
4 Intermittent sewage discharges	12
5 Should your discharge be made to the foul sewer?	13
6 How will the effluent be treated?	14
7 What will be in the effluent?	15
8 Environmental risk assessments and modelling	16
9 Monitoring arrangements	17
10 Where will the effluent discharge to?	18
11 How to contact us	19
Appendix 1 – Discharges to a borehole or well (or other deep structure)	20
Appendix 2 – Discharges into land	28
Appendix 3 – Discharges onto land	30
Appendix 4 – Discharges to tidal river, tidal stream, estuary or coastal waters	31
Appendix 5 – Discharges to non-tidal river, stream, or canal	33
Appendix 6 – Discharges to a lake or pond	35

About the effluent – details and type

From the list below, choose which type of effluent you are applying for on this form and answer the questions shown in Table 1.

You must fill in a separate copy of this form and the appropriate appendix or appendices for each type of effluent you plan to discharge.

Table 1 – About the effluent

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Sewage effluent (non-water company)	1.3.3 Sewage effluent discharge with a volume up to and including 5 m ³ /day to surface water from domestic household or organisation operating for charitable purposes		All	a, b, c, d	b, f	-	a, b	All	-	b*, f*	a, b, c, f*, h, i	All
	1.3.4 Sewage effluent discharge with a volume up to and including 5 m ³ /day to groundwater from domestic household or organisation operating for charitable purposes		All	a, b, c, d	b, f	-	a, b	All	-	d, f*	a, b, c, f*, h, i	All
	1.3.5 Sewage effluent discharge with a volume up to and including 5 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b, c, d	b, f	-	a, b	All	-	b*, f*	a, b, c, f*, h, i	All
	1.3.6 Sewage effluent discharge with a volume up to and including 5 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, f	-	a, b	All	-	d, f*	a, b, c, f*, h, i	All
	1.3.7 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, f	-	a, b	All	-	d, f*	a, b, c, f*, h, i	All

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Sewage effluent (non-water company)	1.3.8 Sewage effluent discharge with a volume greater than 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, f	-	a, b	All	-	d, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.9 Sewage effluent discharge to groundwater requiring specific substances assessment (any volume)		All	a, b, c, d	b, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.10 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b, c, d	b, f	-	a, b	All	-	b*, f*	a, b, c, f*, h, i	All
	1.3.11 Sewage effluent discharge with a volume greater than 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b, c, d	b, f	-	a, b	All	-	b*, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.11 Sewage effluent discharge to surface water requiring specific substances assessment (any volume)		All	a, b, c, d	b, f	-	a, b	All	b, c, d, e	b*, c, f*	a, b, c, d*, e*, f*, h, i	All
Water company WwTW treated sewage effluent	1.3.5 Sewage effluent discharge with a volume up to and including 5 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b	a, f (b is optional)	-	-	All	-	a, b*, f*	a, b, c, f*, h, i	All
	1.3.6 Sewage effluent discharge with a volume up to and including 5 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b	a, f (b is optional)	-	-	All	-	a, d, f*	a, b, c, f*, h, i	All

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Water company WwTW treated sewage effluent	1.3.7 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b	a, f (b is optional)	-	-	All	-	a, d, f*	a, b, c, f*, h, i	All
	1.3.8 Sewage effluent discharge with a volume greater than 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b	a, f (b is optional)	-	-	All	-	a, d, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.9 Sewage effluent discharge to groundwater requiring specific substances assessment (any volume)		All	a, b	a, f (b is optional)	-	-	All	a, b, c, d, e	a, d, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.10 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b	a, f (b is optional)	-	-	All	-	a, b*, f*	a, b, c, f*, h, i	All
	1.3.11 Sewage effluent discharge with a volume greater than 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b	a, f (b is optional)	-	-	All	-	a, b*, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.11 Sewage effluent discharge to surface water requiring specific substances assessment (any volume)		All	a, b	a, f (b is optional)	-	-	All	a, b, c, d, e	a, b*, c, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.19 Combined sewer overflow		All	a, b	-	a, b, c, d, f, g, h, i, j, k	-	-	All	-	a, b*, d*, f*	b, g, h, i

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Storm sewage	1.3.19 Combined sewer overflow		All	a, b	-	a, b, c, e, f, g, h, i, j, k	-	All	-	a, b*, d*, f*	b, g, h, i	All
Emergency overflow	1.3.20 Emergency overflows		All	a, b	-	a, l, m, n, o	-	All	-	a, b*, d*, f*	b, g, h, i	All
Trade and/or non-sewage – known volume	1.3.12 Trade and/or non-sewage effluent discharge to surface water or groundwater with a volume up to and including 5 m ³ /day (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b*, d*, f*	b, f*, h, i	All
	1.3.13 Trade and/or non-sewage effluent discharge to surface water or groundwater with a volume greater than 5 m ³ /day (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b*, d*, f*	b, d*, e*, f*, h, i	All
	1.3.14 Trade and/or non-sewage effluent discharge to surface water or groundwater requiring specific substances assessment (any volume)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b*, c, d*, f*	b, d*, e*, f*, h, i	All
Trade and/or non-sewage – rainfall-dependent	1.3.12 Trade and/or non-sewage effluent discharge to surface water or groundwater with a volume up to and including 5 m ³ /day (not requiring specific substances assessment)		All	a, b	b, e, f	-	-	All	b, c, d, e	b*, d*, f*	b, f*, h, i	All
	1.3.13 Trade and/or non-sewage effluent discharge to surface water or groundwater with a volume greater than m ³ /day (not requiring specific substances assessment)		All	a, b	b, e, f	-	-	All	b, c, d, e	b*, d*, f*	b, d*, e*, f*, h, i	All

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Trade and/or non-sewage – rainfall-dependent	1.3.14 Trade and/or non-sewage effluent discharge to surface water or groundwater requiring specific substances assessment (any volume)		All	a, b	b, e, f	-	-	All	b, d, e	b*, c, d*, f*	b, d*, e*, f*, h, i	All
Mixed effluent (sewage combined with trade and/or non-sewage) – known volume	1.3.5 Sewage effluent discharge with a volume up to and including 5 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b*, f*	a, b, c, f*, h, i	All
	1.3.6 Sewage effluent discharge with a volume up to and including 5 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, f*, h, i	All
	1.3.7 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, f*, h, i	All
	1.3.8 Sewage effluent discharge with a volume greater than 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	d, f	a, b, c, d*, e*, f*, h, i	All
	1.3.9 Sewage effluent discharge to groundwater requiring specific substances assessment (any volume)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, d*, e*, f*, h, i	All

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Mixed effluent (sewage combined with trade and/or non-sewage) – known volume	1.3.10 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b*, f*	a, b, c, f*, h, i	All
	1.3.11 Sewage effluent discharge with a volume greater than 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b*, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.11 Sewage effluent discharge to surface water requiring specific substances assessment (any volume)		All	a, b, c, d	b, c, f	-	a, b	All	b, c, d, e	b, c, d	a, b, c, d*, e*, f*, h, i	All
Mixed effluent (sewage combined with trade and/or non-sewage) containing rainfall-dependent effluent	1.3.5 Sewage effluent discharge with a volume up to and including 5 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	b*, f*	a, b, c, f*, h, i	All
	1.3.6 Sewage effluent discharge with a volume up to and including 5 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, f*, h, i	All
	1.3.7 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, f*, h, i	All
	1.3.8 Sewage effluent discharge with a volume greater than 15 m ³ /day to groundwater (not requiring specific substances assessment)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, d*, e*, f*, h, i	All

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Mixed effluent (sewage combined with trade and/or non-sewage) containing rainfall-dependent effluent	1.3.9 Sewage effluent discharge to groundwater requiring specific substances assessment (any volume)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	d, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.10 Sewage effluent discharge with a volume greater than 5 m ³ /day up to and including 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	b*, f*	a, b, c, f*, h, i	All
	1.3.11 Sewage effluent discharge with a volume greater than 50 m ³ /day to surface water (not requiring specific substances assessment)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	b*, f*	a, b, c, d*, e*, f*, h, i	All
	1.3.11 Sewage effluent discharge to surface water requiring specific substances assessment (any volume)		All	a, b	b, c, d, e, f	-	a, b	All	b, c, d, e	b*, c, f*	a, b, c, d*, e*, f*, h, i	All
Trade – returned abstracted water (including ground source heating and cooling)	1.3.15 Cooling water or thermal discharge to surface water or groundwater (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	-	All	b, c, d, e, f, g	b*, d*, f*	a*, b, d*, e*, f*, h, i	All
	1.3.16 Cooling water or thermal discharge to surface water or groundwater requiring specific substances assessment		All	a, b, c, d	b, c, f	-	-	All	b, c, d, e, f, g	b*, c, d*, f*	a*, b, d*, e*, f*, h, i	All
	1.3.17 Aquaculture (not requiring specific substances assessment)		All	a, b, c, d	b, c, f	-	-	All	b, c, d, e	b*, d*, f*	a*, b, d*, e*, f*, h, i	All
	1.3.18 Aquaculture requiring specific substances assessment		All	a, b, c, d	b, c, f	-	-	All	b, c, d, e	b*, c, d*, f*	a*, b, d*, e*, f*, h, i	All

Type of effluent	Charge band	Please tick box	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10
Effluent and/or contaminated surface water run-off arising from the operation of an installation	No additional charge, as already included as part of the installation variation application charge		a, b, d	c	b, c, d, f		a, b2	a, b, c	b, c, d, e, f, g	d*, e*, f	a, b, d, e, f, h, i	a, b, c

* Check the relevant question and our guidance notes on part C6 to see if you need to give an answer.

1 About the variation you are applying for

1a Give a brief description of the changes you want to make to your permit

1b Give this effluent a unique name

You must use this name to identify this effluent throughout this application and all associated documents.

1c Is this a release from a dam, weir or sluice ('reservoir release') under Schedule 21 of the EPR meaning of water discharge activity?

Yes

No

1d Have you obtained all the necessary permissions in addition to this environmental permit to be able to carry out the discharge (see C6 guidance notes for more details)?

Yes

No

N/A

2 About the effluent – how long will you need to discharge the effluent for?

2a What date do you want the permit for this effluent to start?

_____ (DD/MM/YYYY)

Please note that charges will start on this date, even if you have not started to discharge, unless you contact us to change (delay) the start date (see the guidance notes on part C6). The start date cannot be before the permit is issued and cannot be changed (delayed) after it has already passed.

2b Is the discharge time limited?

Yes Please give the date you expect the discharge to end but please note that your permit will not end on that date and you will still need to notify us to surrender the permit

_____ (DD/MM/YYYY)

No

2c Will the discharge take place all year?

Yes

No Please give details of the months when you will make the discharge

2d Will the discharge take place on more than six days in any year?

Yes

No

3 How much do you want to discharge?

3a What is the daily dry weather flow?

_____ cubic metres

3b What is the maximum volume of effluent you will discharge in a day?

_____ cubic metres

Show how you calculated the figure given in the box below and continue on a separate sheet if necessary, giving a reference for the extra sheet

Document reference

3c What is the maximum rate of discharge?

_____ litres a second

3d What is the maximum volume of non-rainfall dependent effluent you will discharge in a day?

_____ cubic metres

3e What is the maximum rate of rainfall dependent discharge?

_____ litres a second

3f For each answer in question 3, show how you worked out the figure on a separate sheet

Document reference

4 Intermittent sewage discharges

4a For each answer to b to o below, show how you worked out the figure on a separate sheet

Document reference

4b What is the total volume of the off-line/storm tank storage?

_____ cubic metres

4c What is the total volume of on-line storage?

_____ cubic metres

4d What is the pass forward flow at the settled storm overflow setting?

_____ litres per second

4e What is the pass forward flow at the storm overflow setting?

_____ litres per second

4f Is the discharge screened?

Yes Answer the relevant questions from 4g to 4j

No Now go to 4k

4g What is the mesh screen spacing?

_____ millimetres

4h What is the minimum screen capacity flow through the mesh screen?

_____ litres per second

4i What is the bar screen spacing?

_____ millimetres

4j What is the minimum screen capacity flow through the bar screen?

_____ litres per second

4k Is the overflow constructed to good engineering design?

Yes

No On a separate sheet explain what standards the overflow has been constructed to

Document reference

4l What is the emergency storage capacity of the sewer and wet well?

_____ cubic metres

4m What is the storage time within the sewer and the wet well above the top water level at dry weather flow?

_____ hours and minutes

4n What is the pass forward flow at the pumping station?

_____ litres per second

4o For intermittent emergency overflows you must provide a document setting out the key protection measures you will provide

Document reference for pumping station key protection measures

5 Should your discharge be made to the foul sewer?

Foul sewer means public or private foul sewer.

Before answering these questions, you must read the guidance notes to part C6.

You will also need to contact your sewerage undertaker (usually your local water company) and you may need to check if it is possible to connect to a private foul sewer.

5a How far away is the nearest foul sewer from the boundary of the premises?

_____ metres

5b To assess whether it is reasonable to discharge your effluent into the foul sewer, please answer 5b1 or 5b2

5b1 Discharges from domestic properties

Multiply the number of properties served by the sewage treatment system by 30 metres.

Number of domestic properties served by the sewage treatment system

_____ x 30 metres =

_____ metres

5b2 Discharges from all other premises including trade effluent

Divide the volume of the discharge (in cubic metres) by 0.75 and then multiply this figure by 30 metres

Volume of the discharge (answer to question 3b)

_____ cubic metres / 0.75 =

_____ x 30 =

_____ metres

Is your answer to question 5b1 or 5b2 above greater than the distance to the nearest foul sewer (answer to 5a)?

No You do not need to explain why you cannot discharge your effluent into the foul sewer at this point. However, we may request this information from you when we determine your application. Now go to question 6.

Yes You must explain on a separate sheet why you cannot discharge your effluent into the foul sewer, giving a reference for the extra sheet. Before you submit the application, you must explore the possibility of connecting to the foul sewer, and send us evidence that you have approached the sewerage undertaker, including their formal response regarding connection, if relevant. You must also show the extra cost of connecting to a sewer compared with the treatment system you propose, and details of any physical obstacles such as roads, railways, rivers or canals.

We will only agree to the use of private treatment systems within sewerred areas if you can demonstrate that:

- the additional cost of connecting to the foul sewer would be unreasonable
- connection is not practically feasible, or
- the proposed private treatment system can be shown to significantly benefit the environment

We are unlikely to grant a permit for a discharge of treated domestic sewage in circumstances where a private sewerage system is being proposed due to a lack of capacity in the nearest public sewerage network.

The guidance notes to part C6 will help you understand what information you need to provide in order to answer this question.

Document reference for where you have given this justification

6 How will the effluent be treated?

6a Do you treat your effluent?

Yes Now go to question 6b

No You must explain why the effluent will not be treated

Document reference for where you have given this justification

6b Fill in Table 2 for each stage of the treatments carried out on your effluent in the order in which they are carried out

For installations with point source emission to water or sewer, there is no need to duplicate information already provided in part C3 form. Where this information is already provided, give the document reference and go to question 7.

Document reference

Table 2 – Treatments carried out on your effluent

Order of treatment	Code number	Description
First		
Second		
Third		
Fourth		

Continue on a separate sheet if you need more rows. If you prefer, you can also send us an overall design for the whole treatment process.

Document reference

7 What will be in the effluent?

For all applications, whether to surface water, or onto or into ground, you should still check to see if your discharge is likely to contain any of the specific substances listed in the guidance documents on ‘Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater’ (see <https://www.gov.uk/guidance/risk-assessments-for-your-environmental-permit>).

Answer the relevant questions for your discharge below.

- 7a Are any of the specific substances listed in ‘Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater’ likely to enter the sewerage system upstream of the discharge through any authorised or known inputs?
- Yes
No
- 7b Are any of the specific substances listed in ‘Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater’ added to or present in the effluent as a result of the activities on the site?
- Yes
No
- 7c Have any of the specific substances listed in ‘Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater’ been detected in samples of the effluent or in the sewerage catchment upstream of the discharge?
- Yes
No
- 7d Are there any other harmful or specific substances in your effluent not mentioned in ‘Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater’?
- Yes
No
- 7e If you have answered ‘No’ to any of questions 7a to 7d provide details on a separate sheet of how you have established that the effluent is not likely to contain specific substances.
- Document reference
- _____
- 7f What is the maximum temperature of your discharge?
- _____ degrees Celsius
- 7g What is the maximum expected temperature change compared to the incoming water supply?
- _____ increase in degrees Celsius
- _____ decrease in degrees Celsius

8 Environmental risk assessments and modelling

You may need to carry out an environmental risk assessment or modelling to support your application. Please answer all the questions that are relevant to your discharge. If an environmental risk assessment or modelling is required, you must send it to us with your application.

8a Sewer modelling report (for discharges of final effluent from a water company WwTW or intermittent sewage discharges)

You must carry out sewer modelling following the guidance ‘Surface water pollution risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/risk-assessments-for-your-environmental-permit>.

Send us details of how the modelling was carried out and the outcome.

Document reference for the sewer modelling report

8b Discharges to lakes, estuaries, coastal waters or bathing waters

You must carry out modelling following the guidance ‘Surface water pollution risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/risk-assessments-for-your-environmental-permit>. Send us details of how the modelling was carried out and the outcome.

Document reference for the modelling report

8c Discharges to freshwater (non-tidal) rivers

If the discharge contains, or potentially contains, any specific substances, you must carry out screening following the guidance ‘Surface water pollution risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/risk-assessments-for-your-environmental-permit>. The guidance notes on part C6 outline the information you must provide.

Have you answered yes to any of 7a to 7d?

Yes Send us the completed screening tool, along with the raw data used to create the summary statistics

Document reference for the screening tool and raw data

No

8d Discharges to groundwater

You must carry out a groundwater quantitative risk assessment following the guidance in ‘Groundwater risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/groundwater-risk-assessment-for-your-environmental-permit>. Send us details of how the modelling was carried out and the outcome.

For groundwater remediation schemes you must send us a site-specific remediation strategy that has been agreed with the local Environment Agency Groundwater and Contaminated Land Team.

Document reference for the groundwater remediation report

8e Discharges to freshwater (non-tidal) rivers from an installation, including discharges via sewer

If the discharge contains, or potentially contains, any specific substances, you must carry out screening following the guidance (see <https://www.gov.uk/guidance/surface-water-pollution-risk-assessment-for-your-environmental-permit>). The guidance notes on part C6 outline the information you must provide.

Have you answered yes to any of 7a to 7d?

Yes Send us the completed screening tool, along with the raw data used to create the summary statistics. Where the discharge is via sewer, include sewage treatment reduction factors in the calculations.

Document reference for the screening tool and raw data

There is no need to duplicate information already provided in part C3 form. Where this information is already provided, give the document reference above.

8f Environmental impact assessment

Have you carried out an environmental impact assessment?

Yes Send us details of how the assessment was carried out and the outcome

Document reference for the environmental impact assessment

No

9 Monitoring arrangements

Note: If your effluent has a maximum volume of no more than 50 cubic metres a day you do not need to complete question 9d or 9e.

9a What is the national grid reference of the inlet sampling point? (for example, SJ 12345 67890)

9b What is the national grid reference of the effluent sample point?

9c Do you have an Urban Waste Water Treatment Directive final effluent sampling point?

Yes Please provide the national grid reference

No

9d What is the national grid reference of the flow monitoring point?

9e Does the flow monitor have an MCERTS certificate?

Yes Please give the certificate number

No

9f Do you have a UV disinfection efficacy monitoring point?

Yes Please provide the national grid reference

No

9g Do you have an event duration monitoring point(s)?

Yes Please provide the national grid reference

No

9h You should clearly mark on the plan the locations of any of the above that apply to this effluent

Document reference for the plan

9i Do you intend to do your own effluent monitoring?

Yes

No

10 Where will the effluent discharge to?

10a Mark in Table 3 where this effluent discharges to and fill in the relevant appendix or appendices.

You must use the name you gave to this effluent in answer to question 1b of this form when filling in your relevant appendix or appendices.

Table 3 – Where the effluent discharges to

Receiving environment	Relevant appendix
Borehole or well	1
Into land (for example, through a drainage system)	2
Onto land	3
Tidal river, tidal stream, estuary or coastal waters	4
Non-tidal river, stream or canal	5
Lake or pond	6

10b Is this effluent discharged through more than one outlet?

Yes Give details, on a separate sheet, of the circumstances under which each outlet would be used by this effluent

Document reference

No

10c If you answered yes to question 10b above make sure you show clearly on your discharge point appendix or appendices and site plan that this one effluent can discharge to more than one discharge point.

You must give us all the details we need for each of the discharge points used by this effluent.

11 How to contact us

If you need help filling in this form, please contact the person who sent it to you or contact us as shown below.

General enquiries: 03708 506 506 (Monday to Friday, 8am to 6pm)

Textphone: 03702 422549 (Monday to Friday, 8am to 6pm)

Email: enquiries@environment-agency.gov.uk

Website: <https://www.gov.uk/government/organisations/environment-agency>

If you are happy with our service, please tell us. It helps us to identify good practice and encourages our staff. If you're not happy with our service, please tell us how we can improve it.

Please tell us if you need information in a different language or format (for example, in large print) so we can keep in touch with you more easily.

Feedback

(You don't have to answer this part of the form, but it will help us improve our forms if you do.)

We want to make our forms easy to fill in and our guidance notes easy to understand. Please use the space below to give us any comments you may have about this form or the guidance notes that came with it.

How long did it take you to fill in this form?

We will use your feedback to improve our forms and guidance notes, and to tell the Government how regulations could be made simpler.

Would you like a reply to your feedback?

Yes please

No thank you



For Environment Agency use only

Date received (DD/MM/YYYY)

Payment received?

No

Our reference number

Yes

Amount received

£

Plain English Campaign’s Crystal Mark does not apply to appendices 1 to 6.

Appendix 1 – Discharges to a borehole or well (or other deep structure)

If you are discharging the effluent to a borehole or well or other deep structure (such as concrete rings, natural swallow hole or deep soakage pit) you must ensure that the discharge is indirect to groundwater. Direct discharges to groundwater cannot be permitted. We will undertake a groundwater quantitative risk assessment on your behalf in line with the guidance ‘Groundwater risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/groundwater-risk-assessment-for-your-environmental-permit>.

For us to do this you must answer the following questions relevant to your application and provide us with additional information as summarised in Table 4.

Without this information we will be unable to complete the risk assessment and it is likely your application will be rejected.

Answer all the questions below. Use a separate line for each effluent if more than one effluent discharges using this discharge point. Remember, when linking your effluent to a discharge point you must use the name you gave to your effluent in answer to question 1b in the effluent form.

1.1 Give the discharge point a unique name

For example, ‘Outlet 1’ (you must use this name to identify the discharge point on the plan)

1.2 Give the national grid reference of the discharge point

1.3 Is the discharge to ground via a

Well

Borehole

Other deep structure Please give details (e.g. concrete ring structure, shaft, natural swallow hole, soakage pit etc.)

1.4 What is the diameter of the borehole, well or other deep structure that the effluent will be discharged into?

_____ metres

1.5 Is the borehole, well or other structure already constructed?

Yes Now answer questions 1.6 to 1.9

No Now answer questions 1.10 to 1.12

Existing borehole, well or other deep structure

1.6 What is the total depth to the bottom of the existing well, borehole or other structure?

_____ metres below ground level

If you are unaware of the actual depth please estimate the depth based on the following categories:

0–5 metres

5–10 metres

Greater than 10 metres

Uncertain

What evidence is the estimated depth above based on?

1.7 Does the well, borehole or other structure extend into groundwater?

Yes – always contains water

Sometimes – water is present occasionally

No – never contains water

If groundwater is always, or sometimes, present, what is the highest level that the standing water reaches?

Measured

_____ metres below ground level

Estimated

_____ metres below ground level

1.8 Please provide any records, diagrams or borehole logs you may have that could help us understand:

- the method of construction (including any solid casings or linings used)
- the likely depth of the deep structure
- the local groundwater conditions

Please provide photocopies where possible. If it is not possible (for example, if the documents are large or bulky) please summarise any additional information you have on a separate sheet.

Document reference for the records, diagrams, or borehole logs

1.9 If any maintenance has been carried out on your well, borehole or other deep structure (for example, to aid effective drainage), please give details below

Please now answer question 1.13

Proposed borehole, well or other deep structure that has not yet been constructed

1.10 Please tell us why you are unable to install a shallow engineered drainage system. This information forms an important part of our permit determination process. Which methods of shallow disposal have you considered, and why did you decide these were not feasible to take forward? Please answer questions 1.10a and 1.10b to provide the results of soakage tests and summarise in the box any relevant information supporting your decisions (for example, permission refusals from landowners or physical constraints, or land availability or proximity to buildings).

1.10a What was your percolation value (Vp) result?

_____ seconds per millimetre

You must show in Table 4 how you worked out the percolation value.

Table 4 – Percolation value

	Trial 1	Trial 2	Trial 3	Average
Hole 1				
Hole 2				
Hole 3				
Hole 4				

1.10b If a shallow engineered drainage system were feasible, what would be the required surface area of your infiltration system?

_____ square metres

Supporting information to explain why you are unable to install a shallow engineered drainage system can be appended to your application.

Document reference for these details

1.11 Please tell us the type of deep structure (for example, borehole, well, deep soakage pit) you propose to install

What will the total depth be?

_____ metres below ground level

1.12 Please tell us the reason this depth has been selected and, if you are aware of any relevant existing information on local water levels, please also tell us the depth to groundwater (in metres below ground level). What measures will you undertake to ensure the discharge is not direct into groundwater? If the discharge will be direct to groundwater explain why you cannot make it indirect. Direct discharges to groundwater cannot be permitted.

Proximity of your discharge to other receptors

1.13 Is the borehole, well or other deep structure where the discharge is being/will be made within 50 metres of any other well, spring or borehole used to supply water for drinking water or food production purposes?

Yes Please show the location of the well, spring or borehole you identified in answer to question 1.13 on the plan you have provided for section 4 of the main application form. Please now answer question 1.14

No Please now answer question 1.15

1.14 Please tell us about the water supply (or supplies) used for drinking water or food production purposes identified in question 1.13 above; for example, the name of the property or properties served by the water supply, what they use the water for (drinking water, food production) and where they are in relation to your discharge

1.15 What is the distance to the nearest watercourse (for example, surface water, river, stream or ditch)?
_____ metres

Please tell us whether you have considered discharging to surface water and why this is not feasible

In Table 5 please provide any further information required for us to complete a groundwater quantitative risk assessment on your behalf in line with the guidance ‘Groundwater risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/groundwater-risk-assessment-for-your-environmental-permit>. Without this information we will be unable to carry out a hydrogeological risk assessment on your behalf.

Table 5 summarises the information required to allow us to undertake a hydrogeological risk assessment of your discharge to a deep infiltration system. Without this information your application will be rejected. You will already have provided some of this information earlier in this application form. We also need you to provide additional information indicated by a tick (✓) in Table 5. For further guidance on the additional information required please search for ‘Groundwater risk assessment for your environmental permit’ at <https://www.gov.uk/guidance/groundwater-risk-assessment-for-your-environmental-permit> and the guidance notes on part C6. You may require the advice of an environmental consultant to collate this information.

For some of the risk assessment inputs we are better placed to provide the information and will do so for those parameters indicated by an asterisk (*) as far as possible. However, if you wish to provide site-specific information for those parameters with an asterisk you are welcome to do so.

Table 5 – Further information required for the Environment Agency to complete a groundwater quantitative risk assessment on your behalf

Information	Description	Existing structure	Proposed structure	Information supplied?
Information supplied by the applicant This has already been requested earlier in the application form				Information you have already supplied on the application form
National grid reference of the discharge point		Appendix 1 Q2	Appendix 1 Q2	
Volume of effluent (m ³ per day)		Q3b	Q3b	
Type of effluent treatment	Septic tank, package treatment plant, other	Q6	Q6	
Type of deep infiltration system	Borehole, well, concrete ring structure, other	Appendix 1 Q3	Appendix 1 Q3	
Diameter of deep infiltration system (metres)		Appendix 1 Q4	Appendix 1 Q4	
Depth to the base of deep infiltration structure (metres)		Appendix 1 Q6	Appendix 1 Q11	
Depth to water table (metres)	Is discharge above or below water table?	Appendix 1 Q7, Q8	Appendix 1 Q12	
Justification for a deep infiltration system	Why are you unable to install a shallow infiltration system? What other options for disposal have been considered? Provide full details of the infiltration tests undertaken plus results	Appendix 1 Q8 if available	Appendix 1 Q10	
Information supplied by the applicant This is additional information we need from you that is not provided elsewhere on the application form. Site data should be given where it is already available. If not, you can submit the relevant literature values quoting the source of the data and justification of the values you have selected. Please tick the right-hand column to confirm you have provided this essential information.				

Information	Description	Existing structure	Proposed structure	Information supplied?
Concentration of relevant substances entering the infiltration system	For discharges of domestic effluent we will routinely assess the concentration of nitrogen species, particularly the ammonium concentration	✓	✓	
Length of screened borehole section below the water table (metres)	Depth in metres of the borehole screened section that is below the water table (This applies only to boreholes that have groundwater in the base)	✓	✓	
Calculated area of infiltration system (square metres)	Explain how the area of the infiltration system has been calculated – this is especially relevant if a non-circular system is used	✓	✓	
Unsaturated zone parameters	The following represent the strata above the water table: <ul style="list-style-type: none"> • hydraulic conductivity (metres per day) • water-filled porosity (per cent) • bulk density (grammes per cubic centimetre) 	✓	✓	
Saturated zone parameters	The following represent the strata above the water table: <ul style="list-style-type: none"> • hydraulic conductivity (metres per day) • water-filled porosity (per cent) • bulk density (grammes per cubic centimetre) • hydraulic gradient of the water table (fraction) 	✓	✓	
<p>Information provided by the Environment Agency where possible</p> <p>You are free to provide this information if you wish, or in some specific cases we may need to ask for this at a later stage. Please tick if you have provided this information (optional).</p>				

Information	Description	Existing structure	Proposed structure	Information supplied?
Environmental standard	The relevant environmental standard or compliance value against which we will assess your effluent discharge	*	*	
Half-life for degradation of the substance (days)	If you wish to know more about these parameters see 'Groundwater risk assessment for your environmental permit' at https://www.gov.uk/guidance/groundwater-risk-assessment-for-your-environmental-permit	*	*	
Soil water partition coefficient (litres per kilogramme)		*	*	
Mixing zone thickness (metres)		*	*	
Distance to compliance point (metres)		*	*	

Appendix 2 – Discharges into land

Answer the questions below. Use a separate line for each effluent if more than one effluent discharges using this discharge point. Remember, when linking your effluent to a discharge point you must use the name you gave to your effluent in answer to question 1b in the effluent form.

2.1 Give the discharge point a unique name

For example, 'Outlet 1' (you must use this name to identify the discharge point on the plan)

2.2 Give the national grid reference of the discharge point

2.3 Is your infiltration system new or existing?

New Now go to question 2.5

Existing Now go to question 2.4

2.4a When was it built?

2.4b Now answer questions 2.5–2.8 if you are able to, if not leave them blank and go to question 2.9

2.5 Is your infiltration system designed and built to British Standard 6297:2007 + A1:2008 or the British Standards in force at the time of installation?

Yes

No Please provide details, on a separate sheet, of the design criteria used for your infiltration system

Document reference

2.6 On what date did you carry out a percolation test and dig a trial hole in line with British Standard 6297:2007 + A1:2008?

_____ (DD/MM/YYYY)

2.7 What is your percolation value (Vp) result?

_____ seconds per millimetre

You must show in Table 6 how you worked out the percolation value. Please also provide your test sheets and any field notes or observations made regarding ground conditions.

Table 6 – Percolation value

	Trial 1	Trial 2	Trial 3	Average
Hole 1				
Hole 2				
Hole 3				
Hole 4				

2.8 Please show us how you have calculated the area (A) of your infiltration system

p _____ x

Vp _____ x

0.25 for septic tanks =

A _____ square metres

or

p _____ x

Vp _____ x

0.20 for package treatment plants =

A _____ square metres

p Population based on maximum occupancy

Vp Percolation value in seconds/mm

2.9 If known, mark on the plan you have provided the extent of the infiltration system. Please write on the plan the length and width of the sides in metres.

2.10 Is any part of your infiltration system within 50 metres of a well, spring or borehole?

No

Yes Identify the location of the well, spring or borehole on the plan you have provided and answer question 2.11

2.11 Is the well, spring or borehole you have identified used to supply water?

No

Yes You must describe what the water supplied is used for

2.12 Is any part of your infiltration system within 10 metres of a watercourse?

No

Yes Identify the location of the watercourse on the plan you have provided for section 4 of part C2

Appendix 3 – Discharges onto land

Answer all the questions below. Use a separate line for each effluent if more than one effluent discharges using this discharge point. Remember, when linking your effluent to a discharge point you must use the name you gave to your effluent in answer to question 1b in the effluent form.

3.1 Give the discharge point a unique name

For example, 'Outlet 1' (you must use this name to identify the discharge point on the plan)

3.2 Give the national grid reference of the discharge point

3.3 Select from the table below the type of area where the effluent is disposed of

Area type
Unlined reed bed
Unlined grass plot
Unlined wetland
Other Please specify below

3.4 What is the surface area of the land used for your disposal?

_____ square metres

3.5 Is any part of your infiltration system within 50 metres of a well, spring or borehole?

No

Yes Identify the location of the well, spring or borehole on the plan you have provided and answer question 3.6

3.6 Is the well, spring or borehole you have identified used to supply water?

No

Yes You must describe what the water supplied is used for

3.7 Is any part of your infiltration system within 10 metres of a watercourse?

No

Yes Identify the location of the watercourse on the plan you have provided for section 4 of part C2

Appendix 4 – Discharges to tidal river, tidal stream, estuary or coastal waters

Answer all the questions below. Use a separate line for each effluent if more than one effluent discharges using this discharge point. Remember, when linking your effluent to a discharge point you must use the name you gave to your effluent in answer to question 1b in the effluent form.

4.1 Give the discharge point a unique name

For example, 'Outlet 1' (you must use this name to identify the discharge point on the plan)

4.2 Give the national grid reference of the discharge point

4.3 Give the name of the tidal river, tidal stream, estuary or area of coastal water if you know it

4.4 Is the discharge into a

Tidal river

Tidal stream

An estuary

Coastal water

4.5 Does the discharge reach the watercourse by flowing through a surface water sewer?

Yes Give the national grid reference where the discharge enters the surface water sewer

No

4.6 Is the discharge point above the mean low water spring tide mark?

Yes Please explain, on a separate sheet, why the discharge cannot be made below this point

Document reference

No

4.7 How is the effluent dispersed?

For example, open pipe or diffuser system

If diffuser system go to question 4.8

4.8 Give details, on a separate sheet, of the design of the diffuser system

Document reference

4.9 Is the discharge made to a roadside drain or ditch?

No

Yes If yes, it is your responsibility to ascertain whether the relevant highways authority is responsible for the roadside drain or ditch. If it is, you need to secure the appropriate permissions from the relevant highways authority before submitting an application for an environmental permit to the Environment Agency. A copy of the written permission from the relevant highways authority must be submitted with the environmental permit application.

Document reference for the written permission from the relevant highways authority

Appendix 5 – Discharges to non-tidal river, stream or canal

Answer all the questions below. Use a separate line for each effluent if more than one effluent discharges using this discharge point. Remember, when linking your effluent to a discharge point you must use the name you gave to your effluent in answer to question 1b in the effluent form.

5.1 Give the discharge point a unique name

For example, 'Outlet 1' (you must use this name to identify the discharge point on the plan)

5.2 Give the national grid reference of the discharge point

5.3 Give the name of the watercourse, canal or the main watercourse it is a tributary of if you know it

5.4 Is the discharge into a

Non-tidal river

Stream

Canal

5.5 Does the discharge reach the watercourse or canal by flowing through a surface water sewer?

Yes Give the national grid reference where the discharge enters the surface water sewer

No

5.6 Does the watercourse dry up for part of the year?

No

Yes How many months per year is the watercourse dry?

Do you agree to install perforated pipe work before the discharge point?

The discharge must be made via a perforated pipe. Any section of that pipe which lies within 10 metres of the bank of any watercourse shall be perforated, but this perforated section shall not extend more than 10 metres from the bank of any watercourse.

Yes

No

5.61 If the watercourse does dry up for part of the year can you indicate a typical period when the surface water runs dry each year – start and finish (in months)

Watercourse typically becomes dry in:

January

February

March

April

May

June

July

August

September

October

November

December

Watercourse typically flows again in:

January	May	September
February	June	October
March	July	November
April	August	December

5.6.2 If the watercourse does dry up for part of the year, how many metres downstream of the discharge is it before the discharged effluent soaks in?

5.7 Is the discharge made to a roadside drain or ditch?

No

Yes If yes, it is your responsibility to ascertain whether the relevant highways authority is responsible for the roadside drain or ditch. If it is, you need to secure the appropriate permissions from the relevant highways authority before submitting an application for an environmental permit to the Environment Agency. A copy of the written permission from the relevant highways authority must be submitted with the environmental permit application.

Document reference for the written permission from the relevant highways authority

Appendix 6 – Discharges to a lake or pond

Answer all the questions below. Use a separate line for each effluent if more than one effluent discharges using this discharge point. Remember, when linking your effluent to a discharge point you must use the name you gave to your effluent in answer to question 1b in the effluent form.

6.1 Give the discharge point a unique name

For example, 'Outlet 1' (you must use this name to identify the discharge point on the plan)

6.2 Give the national grid reference of the discharge point

6.3 Give the name of the lake or pond if you know it

6.4 Select from the following table the type of lake or pond you will be discharging to and answer the relevant questions

Type of lake or pond	Relevant questions
Lake or pond which is not connected to a river or watercourse	Permit not required*
Lake or pond which is not connected to a river or watercourse, where you have had a notice served under paragraph 5 of Schedule 21 of the Environmental Permitting (England and Wales) Regulations 2016	6.5, 6.6, 6.7
Lake or pond that discharges into a river or watercourse	6.5, 6.6, 6.7

* Unless a Notice has been served under paragraph 5 of Schedule 21 of the Environmental Permitting (England and Wales) Regulations 2016

6.5 What is the surface area of the lake or pond?

_____ square metres

6.6 What is the maximum depth of the lake or pond?

_____ metres

6.7 What is the average depth of the lake or pond?

_____ metres