

Danny Dunstan

From: SM-Defra-RESP-notifications (DEFRA)
Sent: 24 March 2026 13:11
To: Emma Greenhalgh
Cc: Naomi Daniel
Subject: EPR/GP3925SF/A001 We Need More Information About Your Application CRM:0831143

Dear Emma Greenhalgh

Environmental Permitting (England and Wales) Regulations 2016

Application reference: EPR/GP3925SF/A001

Operator: Enviroo Project Co Limited

Facility: Enviroo Plastic Recycling Facility, Marsh Lane, Ince, CH2 4FP

Thank you for your application received on 03/02/2026.

Thank you for your time last week and providing further forms, documentation and payment.

To make clear your application is for an installation and waste operation permit, and this permit will not cover the package treatment plants on site for domestic effluent. We have advised you on the charging for these applications and provided you with the advice on general binding rules for you to ascertain if you need to apply.

[General binding rules: small sewage discharge to a surface water - GOV.UK](#)

You do not need a permit for a small sewage discharge if it can meet the General Binding Rules for small sewage discharges (“the General Binding Rules”).

We will not be assessing, determining or providing further information in relation to the package treatment plants.

We need to ask you for some missing information before we can do any more work on your application. Please provide us with more information to the following questions

We need to know

Form B2 General new bespoke permit

1: Confirm relevant offences Q3 and Appendix 2 details

You have ticked no relevant offences for Q3, but in Appendix 2 completed a named person with relevant offences. Please confirm which is correct.

Form B4 New bespoke waste operation permit

2: Provide an assessment against Appropriate Measures (AM)

Your application indicates in Table 3a Technical standards that AM applies. Provide an Appropriate Measures assessment against Non-hazardous and inert waste for the waste operation and installation activities.

[Non-hazardous and inert waste: appropriate measures for permitted facilities – Guidance – GOV.UK](#)

Form B6 Bespoke point source emission to water from an installation

3: Provide one completed B6 form with the discharges from the installation only.

You have provided 3 B6 forms, each one advising of 0.75m³ discharge from package treatment plant and surface water. Two of the forms have ticked effluent discharge but still refer to package treatment plant sanitary domestic waste. The forms you have provided have not demonstrated why you can not connect to sewer or described the discharge correctly. We have advised in the last application and our meeting that we will not permit PTP with this application, and they need to be applied for separately.

Your application states the installation has 3 discharges, 2 are for uncontaminated surface water from the yard and roofs and do not require any assessment. The discharge from the WwTW does require an assessment and to be completed on the B6 form.

4: Provide H1 tool to accompany surface water assessment and B6 form

You have provided the assessment documents but not the H1 tool with the data used for the assessment. We require the H1 tool to check the data inputs.

Please reply directly to this email with your information and copy in naomi.daniel01@environment-agency.gov.uk.

You must send us the information by 09/04/2026.

If we do not receive this by this deadline we will return your application.

If we receive what is missing by the deadline, we will continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by email whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application, we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application. This maximum amount we'll retain is capped at £1,613. Further information on charging can be found at: <https://www.gov.uk/government/publications/environmental-permits-and-abstraction-licences-tables-of-charges>

Note: Our email system has a file size limit of 25MB, if your information exceeds this limit you will have to arrange an online file transfer. Please ensure the file transfer link does not have a time limit on it.

If you have any questions, please phone me on 02087 200 395 or email naomi.daniel01@environment-agency.gov.uk.

Yours sincerely,

Naomi Daniel