

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 39182

NATERIA MP 40

Date of the previous version: 20	17-05-31	Revision Date: 2017-10-31	Version 3.03
Section 1: IDENTIFICATIO COMPANY/UNDERTAKING		ANCE/MIXTURE AND OF THE	
1.1. Product identifier			
Product name Number Substance/mixture	NATERIA MP 40 1XN Mixture		
1.2. Relevant identified us	ses of the substan	ce or mixture and uses advised against	
Identified uses	industrial gas engine		
1.3. Details of the supplie	r of the safety dat	a sheet	
Supplier	A - TOTAL UK LIMIT 183 Eversholt St, Kir London, NW1 1BU UNITED KINGDOM Tel: +44 (0)20 7339 3 Fax: +44 (0)20 7339 B - TOTAL LUBRIFI/ 562 Avenue du Parc 92029 Nanterre Ced FRANCE Tél: +33 (0)1 41 35 4	igs Cross 8000 8033 ANTS de L'ile ex 0 00	
For further information, please co	Fax: +33 (0)1 41 35 and a fact:	24 / 1	

Contact Point	A - HSE
E-mail Address	B - HSE A - rm.gb-msds@total.co.uk
	B - rm.msds-lubs@total.com

1.4. Emergency telephone number

Emergency telephone: +44 1235 239670

UK: National Poisons Information Service (NPIS): NHS on 111 or a doctor

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008

Signal word None

Hazard Statements None***

Precautionary statements None***

Supplemental Hazard Statements EUH210 - Safety data sheet available on request***

EUH208 - Contains Calcium long chain alkaryl sulfonate. May produce an allergic reaction

2.3. Other hazards	
Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.
Environmental properties	The product may form an oil film on the water surface that may stop the oxygen exchange.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Mineral oil of petroleum origin. **Chemical nature Chemical Name** EC-No REACH CAS-No Weight % **GHS Classification** Registration Number 84605-20-9 Aquatic Chronic 4 (H413) Amines, polyethylenepoly-, 617-593-2*** no data available 1-<2.5 reaction products with succinic anhydride polyisobutenyl derivs Phenol, dodecyl-, sulfurized, 272-234-3** 01-2119524004-56 68784-26-9 1-<2.5 Aquatic Chronic 4 (H413) carbonates, calcium salts, overbased 01-0000015551-76 Aquatic Chronic 4 (H413) reaction mass of isomers of: 406-040-9*** 125643-61-0 1-<2.5 C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydro xyphenyl)propionate Calcium long chain alkaryl 722503-68-6 0.25-<1 Aquatic Chronic 4 (H413) _ -



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

sulfonate					Skin Sens.1 (H317)
Phenol, dodecyl-, branched	310-154-3***	01-2119513207-49-0 002	121158-58-5	0.1-<0.25	Skin Corr. 1C (H314) Eye Dam. 1 (H318) Repr. 1B (H360F) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M factor acute = 10 M factor chronic =10***

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4:	FIRST	AID MEASURES
------------	-------	--------------

4.1. Description of first aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse.
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration.
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.
Protection of first-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
4.2. Most important sympto	oms and effects, both acute and delayed
Eye contact	Not classified based on available data.
Skin contact	Not classified based on available data. May produce an allergic reaction.
Inhalation	Not classified based on available data. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
4.3. Indication of any imme	ediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazardIncomplete combustion and thermolysis may produce gases of varying toxicity such as
carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may
be highly dangerous if inhaled in confined spaces or at high concentration. Phosphorous
oxides. Hydrogen chloride. Nitrogen oxides (NOx). Zinc oxides.

5.3. Precautions for fire-fighters

Special protective equipment for Wear self-contained breathing apparatus and protective suit.

fire-fighters

Other information

Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General InformationDo not touch or walk through spilled material. Contaminated surfaces will be extremely
slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all
sources of ignition.

6.2. Environmental precautions

General InformationDo not allow material to contaminate ground water system. Prevent entry into waterways,
sewers, basements or confined areas. Local authorities should be advised if significant
spillages cannot be contained. See Section 12 for additional Ecological Information.***

6.3. Methods and material for containment and cleaning up

- Methods for containment Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or similar non-combustible materials.
- Methods for cleaning up Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

Waste treatment	See section 13.						
Section 7: HANDLING AND	Section 7: HANDLING AND STORAGE						
7.1. Precautions for safe h	andling						
Advice on safe handling	For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.						
Prevention of fire and explosion	Take precautionary measures against static discharges.						
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.						
7.2. Conditions for safe st	prage, including any incompatibilities						
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or						

Materials to avoid

Strong oxidising agents.***

7.3. Specific use(s)

Specific use(s)

Please refer to Technical Data Sheet for further information.

electrical contacts. Store at room temperature. Protect from moisture.***

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined).

Legend

See section 16

Derived No Effect Level (DNEL)

DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Phenol, dodecyl-,	80 mg/kg Dermal		20.8 mg/kg Dermal	
sulfurized, carbonates,	167 mg/m ³ Inhalation		70.52 mg/m ³ Inhalation	



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

calcium salts, overbased 68784-26-9				
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-trans-butyl-4-hy droxyphenyl)propionate 125643-61-0		1 mg/cm2 Dermal	0.22 mg/kg Dermal	0.006 mg/cm2 Dermal
Phenol, dodecyl-, branched 121158-58-5	44.18 mg/m ³ Inhalation 166 mg/kg Dermal		1.7621 mg/m ³ Inhalation 0.25 mg/kg Dermal	

DNEL Consumer

Chemical Name	Short term, systemic	Short term, local effects	Long term, systemic	Long term, local effects
	effects		effects	
Phenol, dodecyl-,	0.167 mg/m ³ Inhalation		10.42 mg/kg Dermal	
sulfurized, carbonates,	40 mg/kg Dermal		52.6 mg/m ³ Inhalation	
calcium salts, overbased	50 mg/kg Oral		5 mg/kg Oral	
68784-26-9			0.0	
Phenol, dodecyl-,	13.26 mg/m ³ Inhalation		0.79 mg/m ³ Inhalation	
branched	50 mg/kg Dermal		0.075 mg/kg Dermal	
121158-58-5	1.26 mg/kg Oral		0.075 mg/kg Oral	
			~ ~ ~	

Predicted No Effect Concentration (PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Phenol, dodecyl-,	0.5 mg/l fw	43500 mg/kg fw	8850 mg/kg			
sulfurized,	0.04 mg/l mw	3480 mg/kg mw				
carbonates, calcium						
salts, overbased						
68784-26-9						
reaction mass of	0.0043 mg/l fw	233 mg/kg fw dw	189 mg/kg			
isomers of:	0.00043 mg/l mw	23.3 mg/kg mw				
C7-9-alkyl		dw				
3-(3,5-di-trans-butyl-						
4-hydroxyphenyl)pro						
pionate						
125643-61-0						
Phenol, dodecyl-,	0.000074 mg/l fw	0.226 mg/kg dw	0.118 mg/kg dw		100 mg/l	4 mg/kg food
branched	0.0000074 mg/l	fw				
121158-58-5		0.0266 mg/kg dw				
	0.00037 mg/l or	mw				

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal protective equipment

General Information Protective engineering solutions should be implemented and in use before personal



SDS #: 39182	NATERIA MP 40	
	Revision Date: 2017-10-31	Version 3.03
	protective equipment is considered. The personal protective equipm recommendations apply to the product AS DELIVERED. In case of r formulations, it is suggested that you contact the relevant PPE supp	mixtures or
Respiratory protection	None under normal use conditions. When workers are facing concel exposure limit they must use appropriate certified respirators. Respi filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters duration. The use of breathing apparatus must comply strictly with the instructions and the regulations governing their choices and uses.***	rator with combination have a limited use ne manufacturer's
Eye protection	If splashes are likely to occur, wear:. Safety glasses with side-shield	ls. EN 166.***
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sl 4/6.***	leeved clothing. Type
Hand protection	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case with the product, it is recommended to wear gloves complying with E standards, protecting at least for 480 minutes and having a thicknes. These values are indicative only. The level of protection is provided glove, its technical characteristics, its resistance to the chemicals to appropriateness of its use and its replacement frequency. Please of regarding permeability and breakthrough time which are provided by gloves. Also take into consideration the specific local conditions und used, such as the danger of cuts, abrasion, and the contact time.***	EN 420 and EN 374 s of 0,38 mm at least. by the material of the be handled, the oserve the instructions / the supplier of the ler which the product is

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Physical state @20°C Odour Odour Threshold		Clear brown liquid characteristic No information available	
<u>Property</u> pH Melting point/range	<u>Values</u>	<u>Remarks</u> No information available No information available	<u>Method</u>
Boiling point/boiling range		No information available	
Flash point	284 °C 543 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evapouration rate Flammability Limits in Air	040 1	No information available No information available	



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

Upper Lower Vapour pressure Vapour density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature Decomposition temperature Viscosity, kinematic	0.861 - 0.881 861 - 881 kg/m ³ 122.5 mm2/s	No information available No information available No information available No information available @ 15 °C @ 15 °C Insoluble No information available No information available No information available No information available @ 40 °C	ISO 12185 ISO 12185 ISO 3104
Explosive properties Oxidising properties Possibility of hazardous reactions	Not explosive Not applicable None under normal pro	cessing	
9.2. Other information			
Freezing point		No information available	
Section 10: STABILITY AND	REACTIVITY		
10.1. Reactivity			
General Information	None under normal pro	cessing.	
10.2. Chemical stability			
Stability	Stable under recommen	nded storage conditions.	
10.3. Possibility of hazardo	ous reactions		
Hazardous reactions	No dangerous reaction	known under conditions of norn	nal use.
10.4. Conditions to avoid			
Conditions to avoid	Keep away from open f and sparks.	lames, hot surfaces and source	s of ignition. Keep away from heat
10.5. Incompatible materia	ls_		
Materials to avoid	Strong oxidising agents		
10.6. Hazardous Decompos	sition Products		
Hazardous Decomposition Product	carbon monoxide, carbo	on dioxide, various hydrocarbon	



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified based on available data. May produce an allergic reaction.
Eye contact	. Not classified based on available data.
Inhalation	. Not classified based on available data. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
ATEmix (oral)	88,588.00 mg/kg
ATEmix (dermal)	83,320.00 mg/kg
ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapour)	> 20,000.00 ppm 264.00 mg/l > 20.00 mg/l

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol, dodecyl-, sulfurized, carbonates,	LD50 >5000 mg/kg (Rat -	LD50 >4000 mg/kg (Rabbit -	
calcium salts, overbased	OECD401)	OECD 402)	
reaction mass of isomers of: C7-9-alkyl	LD50 > 2000 mg/kg (Rat - OECD	LD50 > 2000 mg/kg (Rat - OECD	
3-(3,5-di-trans-butyl-4-hydroxyphenyl)propi	401)	402)	
onate			
Phenol, dodecyl-, branched	LD50 2200 mg/kg (Rat)	LD50 15000 mg/kg (Rabbit - male	
		- OECD402)	
<u>Sensitisation</u>			
	Not classified based on available data. Contains senitizer(s). May produce an allergic reaction.		
Specific effects			
	Not classified based on available data. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.		
Germ cell mutagenicity	Not classified based on available data.		
• •	This product does not present any known or suspected reproductive hazards. Contains a known or suspected reproductive toxin.		
Chemical Nam	e	European	Union



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

Not classified based on av Not classified based on av	
Not classified based on av	vailable data.
Not classified based on av	vailable data.
Not classified based on av	vailable data.
Not classified based on av	vailable data.
Not classified based on av	vailable data.
Characteristic skin lesions exposures (contact with co	(oil blisters) may develop following prolonged and repeated ontaminated clothing).
	Not classified based on av Not classified based on av Characteristic skin lesions

12.1. Toxicity

Not classified. An additive present in the composition of this product would require a classification, however available experimental data indicate that no classification is required. This product contains one or more components that have a branched alkylphenol impurity which is very toxic to aquatic life (disclosed in section 3). Components containing the impurity have been tested and are not toxic to aquatic life. Therefore, the data in Section 3 for the alkylphenol impurity should not be used to classify the product for aquatic toxicity.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased 68784-26-9		EL50 (48h) >1000 mg/l Daphnia magna static (OECD 202)	LL50 (96h) > 1000 mg/l Pimephales promelas semi-static (OECD 203)	
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-trans-butyl-4-hydro xyphenyl)propionate 125643-61-0	(Scenedesmus sp OECD	EC50(24h) > 100 mg/l (Daphnia magan - OECD 202)	LC50 (96h) > 74 mg/l (Brachydanio rerio - semi static - OECD 203)	
Phenol, dodecyl-, branched 121158-58-5	EbC50 (72h) 0.15 mg/l (Scenedesmus subspicatus -	EC50 (48h) 0.037 mg/l (Daphnia magna -OECD	EL50 (96h) 40 mg/l (Pimephales promelas -	



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

OECD 201)	202)	OECD 203)	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Phenol, dodecyl-, branched 121158-58-5		NOEC (21d) 0.004 mg/l (Daphnia magna - semi static - OECD211)		

Effects on terrestrial organisms

No information available.

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

No information available.

logPow

No information available

Component Information

Chemical Name	log Pow
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased -	9.5
68784-26-9	
reaction mass of isomers of: C7-9-alkyl	9.2
3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate - 125643-61-0	
Phenol, dodecyl-, branched - 121158-58-5	7.14

12.4. Mobility in soil

Soil Given its physical and chemical characteristics, the product generally shows low soil mobility.

Air Loss by evaporation is limited.

Water The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

- PBT and vPvB assessment No information available.
- 12.6. Other adverse effects

General Information

No information available.



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Should not be released into the environment. Do not empty into drains. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration.
Contaminated packageing	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions:. 13 02 05.
Other information	Refer to section 8 for safety and protective measures for disposal personnel.

Section 14: TRANSPORT INFORMATION

ADR/RID	not regulated
IMDG/IMO	not regulated
ICAO/IATA	not regulated
ADN	not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available



NATERIA MP 40

Revision Date: 2017-10-31

Version 3.03

15.3. National regulatory information

The United Kingdom

Avoid exceeding occupational exposure limits (see section 8).

Ireland

Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H360 May damage fertility or the unborn child if swallowed
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H413 May cause long lasting harmful effects to aquatic life

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists bw = body weight bw/day = body weight/day EC x = Effect Concentration associated with x% response GLP = Good Laboratory Practice IARC = International Agency for Research of Cancer LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading NIOSH = National Institute of Occupational Safety and Health NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration NOEL = No Observed Effect Level OECD = Organization for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material DNEL = Derived No Effect Level PNEC = Predicted No Effect Concentration dw = dry weightfw = fresh water mw = marine water or = occasional release Legend Section 8 TWA: Time Weight Average STEL: Short Time Exposure Limit

Sensitiser +

Hazard Designation

C:

Skin designation Carcinogen



SDS # : 39182			
		Revision Date: 2017-10-31	Version 3.03
M:	Mutagen	R: Toxic to reproduction	
Revision Date: Revision Note		2017-10-31 *** Indicates updated section. &. 1.***	
This safety data	sheet complies	s with the requirements of Regulation (EC) No. 1907/2006	
		o complete but not to replace the technical product sheets. The informat d is accurate to the best of knowledge at the date indicated above.It is u	

herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet