



**Erin Viney**

Mayer Environmental  
Transport Avenue  
Brentford  
Middlesex  
TW8 9HA

i2 Analytical Ltd.  
7 Woodshots Meadow,  
Croxley Green  
Business Park,  
Watford,  
Herts,  
WD18 8YS

**t:** 020 8847 3637  
**f:** 020 8847 3638  
**e:** Mayer

**t:** 01923 225404  
**f:** 01923 237404  
**e:** reception@i2analytical.com

## **Analytical Report Number : 19-67422**

Replaces Analytical Report Number : 19-67422, issue no. 1

<b>Project / Site name:</b>	EMR Boreham	<b>Samples received on:</b>	22/10/2019
<b>Your job number:</b>	73580.004	<b>Samples instructed on:</b>	22/10/2019
<b>Your order number:</b>		<b>Analysis completed by:</b>	30/10/2019
<b>Report Issue Number:</b>	2	<b>Report issued on:</b>	30/10/2019
<b>Samples Analysed:</b>	3 water samples		

**Signed:** \_\_\_\_\_

Rachel Bradley

Deputy Quality Manager  
**For & on behalf of i2 Analytical Ltd.**

Standard Geotechnical, Asbestos and Chemical Testing Laboratory located at: ul. Pionierów 39, 41 -711 Ruda Śląska, Poland.

Accredited tests are defined within the report, opinions and interpretations expressed herein are outside the scope of accreditation.

Standard sample disposal times, unless otherwise agreed with the laboratory, are :

soils	- 4 weeks from reporting
leachates	- 2 weeks from reporting
waters	- 2 weeks from reporting
asbestos	- 6 months from reporting

Excel copies of reports are only valid when accompanied by this PDF certificate.

Any assessments of compliance with specifications are based on actual analytical results with no contribution from uncertainty of measurement. Application of uncertainty of measurement would provide a range within which the true result lies. An estimate of measurement uncertainty can be provided on request.

Iss No 19-67422-2 EMR Boreham 73580.004

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report are representative of the samples submitted for analysis.

Page 1 of 5



Analytical Report Number: 19-67422

Project / Site name: EMR Boreham

Lab Sample Number				1338584	1338585	1338586		
Sample Reference				UPST1	DP1	DNST1		
Sample Number				None Supplied	None Supplied	None Supplied		
Depth (m)				None Supplied	None Supplied	None Supplied		
Date Sampled				21/10/2019	21/10/2019	21/10/2019		
Time Taken				None Supplied	None Supplied	None Supplied		
Analytical Parameter (Water Analysis)	Units	Limit of detection	Accreditation Status					

**General Inorganics**

pH	pH Units	N/A	ISO 17025	8.0	7.4	7.9		
Electrical Conductivity at 20 °C	µS/cm	10	ISO 17025	670	1000	670		
Total Cyanide (Low Level)	mg/l	0.001	ISO 17025	< 0.001	< 0.001	< 0.001		
Sulphate as SO <sub>4</sub>	µg/l	45	ISO 17025	89100	249000	85400		
Sulphate as SO <sub>4</sub>	mg/l	0.045	ISO 17025	89.1	249	85.4		
Sulphide	mg/l	0.005	NONE	< 0.005	< 0.005	< 0.005		
Chloride	mg/l	0.15	ISO 17025	79	100	78		
Total Phosphate as P	mg/l	0.02	ISO 17025	0.05	0.09	0.05		
Ammoniacal Nitrogen as N	mg/l	0.015	ISO 17025	0.026	3.1	0.051		
Ammonia as NH <sub>3</sub>	mg/l	0.015	ISO 17025	0.032	3.798	0.062		
Nitrate as N	mg/l	0.01	ISO 17025	2.03	0.51	1.82		
Nitrate as NO <sub>3</sub>	mg/l	0.05	ISO 17025	9.00	2.26	8.08		
Alkalinity	mgCaCO <sub>3</sub> /l	3	ISO 17025	150	74	140		
Chemical Oxygen Demand (Total)	mg/l	2	ISO 17025	20	230	24		
BOD (Biochemical Oxygen Demand) (Total) - PL	mg/l	1	ISO 17025	13	1.7	2.2		
Total Suspended Solids	mg/l	2	ISO 17025	4.8	100	5.9		

**Total Phenols**

Total Phenols (monohydric)	mg/l	0.01	ISO 17025	< 0.010	< 0.010	< 0.010		
----------------------------	------	------	-----------	---------	---------	---------	--	--

**Heavy Metals / Metalloids**

Arsenic (dissolved)	mg/l	0.00015	ISO 17025	0.0012	0.0007	0.0013		
Boron (dissolved)	mg/l	0.01	ISO 17025	0.03	0.47	0.04		
Cadmium (dissolved)	mg/l	0.00002	ISO 17025	0.0000	0.0000	< 0.00002		
Chromium (dissolved)	mg/l	0.0002	ISO 17025	0.0003	0.0006	0.0002		
Copper (dissolved)	mg/l	0.0005	ISO 17025	0.0040	0.0012	0.0024		
Iron (dissolved)	mg/l	0.004	ISO 17025	0.15	0.16	0.27		
Lead (dissolved)	mg/l	0.0002	ISO 17025	0.0006	0.0032	0.0013		
Manganese (dissolved)	mg/l	0.00005	ISO 17025	0.070	0.18	0.034		
Mercury (dissolved)	mg/l	0.00005	ISO 17025	< 0.00005	0.0001	< 0.00005		
Nickel (dissolved)	mg/l	0.0005	ISO 17025	0.0051	0.043	0.0082		
Selenium (dissolved)	mg/l	0.0006	ISO 17025	0.0007	0.0021	0.0007		
Zinc (dissolved)	mg/l	0.0005	ISO 17025	0.0036	0.0267	0.0156		

**Petroleum Hydrocarbons**

Mineral Oil (C10 - C40)	mg/l	0.01	NONE	< 0.01	< 0.01	< 0.01		
-------------------------	------	------	------	--------	--------	--------	--	--

U/S = Unsuitable Sample I/S = Insufficient Sample



**Analytical Report Number : 19-67422**

**Project / Site name: EMR Boreham**

**Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)**

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Alkalinity in Water (by discreet analyser)	Determination of Alkalinity by discreet analyser (colorimetry). Accredited matrices: SW, PW, GW.	In house method based on MEWAM & USEPA Method 310.2.	L082-PL	W	ISO 17025
Ammonia as NH <sub>3</sub> in water	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the colorimetric salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Ammoniacal Nitrogen as N in water	Determination of Ammonium/Ammonia/ Ammoniacal Nitrogen by the discrete analyser (colorimetric) salicylate/nitroprusside method. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025
Biological oxygen demand (total) of water	Determination of biochemical oxygen demand in water (5 days). Accredited matrices: SW, PW, GW.	In-house method based on standard method 5210B.	L086-PL	W	ISO 17025
Boron in water	Determination of boron in water by acidification followed by ICP-OES. Accredited matrices: SW PW GW	In-house method based on MEWAM	L039-PL	W	ISO 17025
Chemical Oxygen Demand in Water (Total)	Determination of total COD in water by reflux oxidation with acidified K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> followed by colorimetry. Accredited matrices: SW, PW, GW.	HACH DR/890 Colorimeter Procedures Manual (48470-22) (Ref 0170.2)	L065-PL	W	ISO 17025
Chloride in water	Determination of Chloride colorimetrically by discrete analyser.	In house based on MEWAM Method ISBN 0117516260. Accredited matrices: SW, PW, GW.	L082-PL	W	ISO 17025
Electrical conductivity at 20oC of water	Determination of electrical conductivity in water by electrometric measurement. Accredited Matrices SW, GW, PW	In-house method	L031-PL	W	ISO 17025
EPH C8-C40 (with Min. Oil by calc.) water	Determination of dichloromethane/hexane extractable hydrocarbons in soil by GC-MS.	In-house method	L070-PL	W	NONE
Low level total cyanide in water	Determination of total cyanide by distillation followed by colorimetry. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (Skalar)	L080-PL	W	ISO 17025
Metals in water by ICP-MS (dissolved)	Determination of metals in water by acidification followed by ICP-MS. Accredited Matrices: SW, GW, PW except B=SW,GW, Hg=SW,PW, Al=SW,PW.	In-house method based on USEPA Method 6020 & 200.8 "for the determination of trace elements in water by ICP-MS.	L012-PL	W	ISO 17025
Metals in water by ICP-OES (dissolved)	Determination of metals in water by acidification followed by ICP-OES. Accredited Matrices SW, GW, PW, PrW.(Al, Cu,Fe,Zn).	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025
Monohydric phenols in water	Determination of phenols in water by continuous flow analyser. Accredited matrices: SW PW GW	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton (skalar)	L080-PL	W	ISO 17025
Nitrate as N in water	Determination of nitrate by reaction with sodium salicylate and colorimetry. Accredited matrices SW, GW, PW.	In-house method based on Examination of Water and Wastewater & Polish Standard Method PN-82/C-04579.08,	L078-PL	W	ISO 17025
Nitrate in water	Determination of nitrate by reaction with sodium salicylate and colorimetry. Accredited matrices SW, GW, PW	In-house method based on Examination of Water and Wastewater & Polish Standard Method PN-82/C-04579.08,	L078-PL	W	ISO 17025
pH at 20oC in water (automated)	Determination of pH in water by electrometric measurement. Accredited matrices: SW PW GW	In-house method based on BS1377 Part 3, 1990, Chemical and Electrochemical Tests	L099-PL	W	ISO 17025
Sulphate in water	Determination of sulphate in water by acidification followed by ICP-OES. Accredited matrices: SW PW GW, PrW.	In-house method based on MEWAM 2006 Methods for the Determination of Metals in Soil.	L039-PL	W	ISO 17025

Iss No 19-67422-2 EMR Boreham 73580.004

This certificate should not be reproduced, except in full, without the express permission of the laboratory.

The results included within the report are representative of the samples submitted for analysis.

Page 3 of 5



**Analytical Report Number : 19-67422**

**Project / Site name: EMR Boreham**

**Water matrix abbreviations: Surface Water (SW) Potable Water (PW) Ground Water (GW) Process Water (PrW)**

Analytical Test Name	Analytical Method Description	Analytical Method Reference	Method number	Wet / Dry Analysis	Accreditation Status
Sulphide in water in mg l	Determination of sulphide in water by ion selective electrode.	In-house method	L029-PL	W	NONE
Suspended solids in water	Determined gravimetrically with GFC filtration papers.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L004-PL	W	ISO 17025
Total Phosphate as P in water	Determination of ortho phosphate in water by addition of ammonium molybdate, potassium antimonyl tartrate and ascorbic acid followed by colorimetry. Accredited matrices: SW, PW, GW.	In-house method based on Examination of Water and Wastewater 20th Edition: Clesceri, Greenberg & Eaton	L082-PL	W	ISO 17025

**For method numbers ending in 'UK' analysis have been carried out in our laboratory in the United Kingdom.**

**For method numbers ending in 'PL' analysis have been carried out in our laboratory in Poland.**

**Soil analytical results are expressed on a dry weight basis. Where analysis is carried out on as-received the results obtained are multiplied by a moisture correction factor that is determined gravimetrically using the moisture content which is carried out at a maximum of 30oC.**

Sample Deviation Report



Sample ID	Other ID	Sample Type	Job	Sample Number	Sample Deviation Code	test_name	test_ref	Test Deviation code
DNST1		W	19-67422	1338586	c	Biological oxygen demand (total) of water	L086-PL	c
DP1		W	19-67422	1338585	c	Biological oxygen demand (total) of water	L086-PL	c
UPST1		W	19-67422	1338584	c	Biological oxygen demand (total) of water	L086-PL	c