

Drainage Review for Badcocks Farm Poultry Unit

Farm comprises two present day poultry houses used for rearing turkeys Nos.1-2. Proposing refurbish the interior and equipment in the larger house No.1 for rearing broiler chickens, without any material changes to construction or size as constructed in 2009. Proposing demolish the smaller house No.2 to erect a larger house in same place for rearing broiler chickens. Conducted a housing review to demonstrate there will be no pollution from the design and management of the drainage systems and run-off in accordance with Environment Agency (2010) EPR 6.09 Sector Guidance Note: How to comply – Intensive Farming Version 2, Appendix 8; Undertaking a drainage review as shown on the Powell & Co 03205 W Grove Smith – Badcocks – EA License Rev A plan included with application for EPR/EP3228LA: -

Table 1 Summary of drainage

Name of building	Function	Is Drainage Management BAT or not BAT?	Is Drainage Design BAT or not BAT?	Is it identified in Drainage Improvement Plan?
Poultry houses No.1	Rearing broiler chickens	BAT	BAT	No

Table 2 Drainage improvement plan

Area needing improvement	What needs to be done – possible solutions	Proposed cost	Proposed timescale for completion	Timescale agreed with the Environment Agency
N/a	N/a	N/a	N/a	N/a

On the site drainage plan a receptor may be identified as either an engineered structure for the storage and subsequent managed disposal or a point of unmanaged discharge to controlled waters:

- Engineered structures = lagoons, above ground tanks, below ground tanks, reception pits – usually only receive contaminated water or slurries.
- Surface waters – ponds, rivers, and ditches – these only receive uncontaminated water.
- Groundwater – swales and soakaways – these may only receive uncontaminated or lightly contaminated water

No.	Question	Guidance	Answer Yes/No/N/a	Comments
-----	----------	----------	----------------------	----------

Table 3 Receptors – where does the drainage end up – the outfall or destination of liquids

1	Are the receptors clearly identified on the plan?	Show the location and boundary of engineered structures. Ensure plans also show the location of surface waters and groundwater, swales, and soakaways.	Yes	French drains filled with stones under eaves act as soakaways Lined attenuation basin Outfall to existing drainage system (offsite ditch) Dirty water tank.
2	Are they accessible at all times?	Access paths should be kept clear of nettles/thistles, etc to allow inspection by both the operator and the Environment Agency at all times. Answer for each receptor identified if more than one.	Yes	
3	Are all sources identified that discharge to your receptors?	Where are the discharge points into ponds and ditches? As this water must be clean sources must be identified.	Yes	Outfall to existing drainage system (offsite ditch)
		Have you identified the source of all of the pipes	Yes	Uncontaminated roof water from poultry house 1 and runoff the concrete apron (excluding during periods of depopulating & washing out)

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		discharging to your engineered structures and other receptors?		Dirty water tank (during periods of depopulating & washing out).
4a	Are inlet points known?	The inlet and outlet points to dirty water stores should be identified.	Yes	Central drain in yard Catchpits installed in central drain Dirty/clean diverter valve Dirty water tank (below ground).
		The inlet points to swales and soakaways should be identified.	Yes	French drains filled with stones under eaves act as soakaways
4b	Are outlet points known?	How is water level maintained in ponds? Is there an outflow, where is it and to what does it discharge and is it controlled? Where there is no outflow and the pond does not overflow, is the pond leaking to groundwater?	N/a N/a	
5	Are structures appropriately sized and constructed?	Engineered structures should be of sound design and maintained to ensure their integrity. They should be of sufficient size to meet	Yes	Specified by professional designers

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<p>both the operational requirements of the individual installation and to meet statutory long term storage requirements.</p> <p>These are the Control of Pollution (Silage, Slurry and Fuel Oil) Regulations at all installations (and the Nitrate Vulnerable Zones Regulations where appropriate).</p> <p>Structures should be managed to make sure the correct freeboard is maintained, and that overfilling doesn't occur.</p> <p>Good construction, management, maintenance, and appropriate sizing also apply to swales.</p>	N/a N/a	
6	Can receptors be managed to protect the environment?	<p>Can all the receptors be protected?</p> <p>Can all discharges to them be contained, blocked, by-</p>	Yes Yes	<p>No foreseeable risk of pollution in any French drains filled with stones</p> <p>See Environmental Risk Assessment for mitigation/ management measures for moderate risk of nutrient enrichment of watercourse e.g.</p>

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<p>passed, or isolated if necessary (this should be established in the accident management plan)?</p> <p>Can they be monitored in an emergency? How do you know when they are full or empty?</p>	Yes	feedstuffs and major risk of contamination of surface and groundwater from fuel, disinfectant, etc.
7	Is the quality of run-off consistent in all cases even though the quantities may fluctuate?	<p>The quality of run-off can change.</p> <p>Clean water flows can become temporarily dirty (for example concrete driveways during shed cleanouts). If this can happen, you will need a diversion system in place. If there's no diversion system installed, then the run-off will need to be permanently treated as dirty water and directed to a suitable receptor. This may place a large storage burden on an engineered structure. There</p>	Yes	<p>Uncontaminated roof water from poultry house 1 and runoff the concrete apron (excluding during periods of depopulating & washing out)</p> <p>Dirty water tank (during periods of depopulating & washing out).</p>

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		may also be subsequent disposal costs. This may be an area where operators can make cost effective improvements to their site drainage.		

On the site drainage plan the pathway should be identified by arrows showing the direction of flows, the location of drain inlets and access points (manhole covers and inspection chambers). The pathways are likely to be one of the following three categories: -

- Gutters, downpipes, and drains – may be piped pathways fixed or temporary (rigid or flexible), above ground or buried, gravity fed or pumped
- Overland flow – may be planned and marshalled (yards and slopes)
- Channels, gullies and drain inlets – may be directing flow or intercepting it (to protect the buildings and structures).

Table 4 Pathways – how does the drainage get there – the route that liquids take

8	Are all pathways shown on the plan?	The route should be shown in its entirety including direction of flow.	Yes	
9	Are all manholes and inspection cover shown on the plan?	Use the standard symbols to describe these. The key to symbols to use is in the introduction to this document.	Yes	

No.	Question	Guidance	Answer Yes/No/N/a	Comments
10	Are they identified as - clean, dirty, or lightly contaminated on the plan?	This refers to their identification and designation on the plan. Where a diverter is in place to deal with the flows of variable quality then the plan should show this and identify all of the categories that may use the pathway.	Yes	
11	Are they identified on site as clean or dirty by coloured paints?	Are all manholes, inspection chambers, drain inlets, etc identified by paint marks of the appropriate colour to signify their contents – red for dirty, blue for clean? Mark the direction of flow in the appropriate colour.	No	Not considered necessary
12	Are all gutters, downpipes and drains in good condition?	Are they entire (are there missing or broken gutters)? Do they connect to a satisfactory downpipe? Does it discharge to a drain and does the drain exclusively service the	N/a N/a	

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<p>gutter (is the water clean, and will it remain uncontaminated)?</p> <p>Are they adequately sized (downpipe frequency, diameter, etc?)</p> <p>Are they fitted with filters? Are they maintained and do they work?</p>	N/a N/a	
13	Are sleeping policeman diverters or interceptors identified on the plan?	<p>Overland flow is a major feature of all farm installations. For each surface flow pathway, the following points should be considered and documented:</p> <ul style="list-style-type: none"> • Is it concrete and is it impermeable (not cracked or potholed)? • Are there any deviation devices – sleeping policeman, interceptors? 	Yes Yes	<p>Impermeable drainage system capable of handling dirty water</p> <p>Dirty/ clean diverter valve</p>

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<ul style="list-style-type: none"> • Is there any sectioning for clean and dirty water separation and is this permanent or temporary? If so does it change during the year at peak times such as mucking out or stock movement? • Is the flow ever impeded or contaminated by temporary storage of manures, straw, feedstuffs, etc. If so, is it diverted if it was previously clean? 	Yes N/a	Conveyed into ditch via attenuation basin or diverted into the below ground dirty water tank during periods of litter removal and wash-out
14	Does the plan show the limits of both concreted and grassed areas?	<p>Some clean water/rainfall may be disposed of on grassed areas or soakaways.</p> <p>Some run-off may initiate from grassed and non-concreted areas.</p>	Yes No	Unmade ground either side of poultry house No.1

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<p>Some areas may have surfaces made from tarmac, bitmac or compacted road planings.</p> <p>They should be shown on the plan as a source, pathway, or receptor (or a combination).</p>	No N/a	
15	Are all drain inlets, channels and gullies identified on the plan?	<ul style="list-style-type: none"> Where are they? Are they part of an integrated system with junctions and inspection chambers? What is near them and are there high-risk activities upslope of them? If so are safeguards in place (kerbs installed, emergency drain covers etc)? 	Yes Yes Yes	See Environmental Risk Assessment for mitigation/ management measures for moderate risk of nutrient enrichment of watercourse e.g. feedstuffs and major risk of contamination of surface and groundwater from fuel, disinfectant, etc.

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<ul style="list-style-type: none"> • Do they take clean or potentially clean water? 	Yes	
16	Do they take clean or contaminated water and does the plan show this?	Are they identified by either red or blue colouring on the plan as appropriate? If there are flows of variable quality, then use more than one colour as appropriate.	Yes	Blue – uncontaminated roof water and surface water runoff Red – dirty water.

On the site drainage plan a source will be shown as a physical structure. This may include:

- Buildings, tanks, hoppers, raceways, yards, reception pits, clamps, incinerators, wheel washes etc.

Depending on what the structure is, it will generate a range of liquids and possible contaminants.

Table 5 Sources and pollutants – where does the drainage come from and what is it

17	Are all sources included on the plan and are they clearly identified?	Are all the buildings included on the plan?	Yes	
18	Is the roof water from the structure	The collection of rainwater from the roofs is the most obvious source of potentially uncontaminated liquid	Yes	Uncontaminated roof water from poultry house 1 and runoff the concrete apron (excluding during periods of depopulating & washing out) Outfall to existing drainage system (offsite ditch).

No.	Question	Guidance	Answer Yes/No/N/a	Comments
	uncontaminated ?	(clean water). This, and run-off from clean yard surfaces is the only material that can be directed straight to a watercourse. However, where there are roof vents, roof water is assumed to be contaminated and should be intercepted.		
19	Is the rainfall collected from yard areas uncontaminated ?	Provided that they are kept clean, run-off from yards can be classed as uncontaminated. Yard cleanliness may be periodic. During shed emptying or livestock removal they may be dirty, and some form of drainage diversion will be necessary.	Yes	Diverted into the below ground dirty water tank during periods of litter removal and wash-out
20	Are all contaminated liquids directed to a managed receptor?	Other materials may be generated from buildings may include: <ul style="list-style-type: none"> • Slurry (from manure stores, seepage from buildings and 	Yes	See Environmental Risk Assessment for mitigation/ management measures for moderate risk of nutrient enrichment of watercourse e.g. feedstuffs and major risk of contamination of surface and groundwater from fuel, disinfectant, etc.

No.	Question	Guidance	Answer Yes/No/N/a	Comments
		<p>passageways, scraping routes, etc)</p> <ul style="list-style-type: none"> • Fuels and oils, pesticides, disinfectants • Feedstuffs – spillages and dust from milled products • Pressure washing areas can also be sources of contaminated water. 		
21	Are any lightly contaminated sources directed to swales and soakaways?	Dust from buildings with side-wall ventilation systems and rainfall from roof-vented sheds may create contaminated water. This may be disposed of via a swale or a soakaway taking account of groundwater vulnerability. Soakaways may not be appropriate if the site is on a major aquifer.	N/a	
22	Has the release of all contaminants	The risk from contaminants may occur continuously from rainfall, scraping down, seepage, ventilation fans	Yes	See Environmental Risk Assessment for mitigation/ management measures for moderate risk of nutrient enrichment of watercourse e.g. feedstuffs and major risk of contamination of surface and groundwater from fuel, disinfectant, etc.

No.	Question	Guidance	Answer Yes/No/N/a	Comments
	been minimised where possible?	etc. Other contaminants may be only occasionally released from delivery of fuels, pesticides, feedstuffs, shed clearance and cleaning at the end of rearing cycles. Rarer risks arise from accident and emergency situations. Most sources and risks can be minimised by bunding stores, kerbing muck pads, installing sleeping policeman in muck passage doorways etc.		

Table 6 Checklist – are the following included on your drainage plan

Points to be shown on plan	Tick if included on plan
The location of all receptors	✓
All buildings, structures, and other sources of drainage	✓
Points where clean water discharges to ditches, rivers, and watercourses	✓
Outfall points into dirty water lagoons and their emptying points	N/a
Boundaries of grassed areas, swales, and soakaways	N/a
Pathways using blue where the flows are clean water	✓
Pathways using purple where flows are lightly contaminated water	N/a
Pathways using red where the flows are dirty water	✓

No.	Question	Guidance	Answer Yes/No/N/a	Comments
	Access points into the pathways and coloured accordingly			✓
	Inspection points and manholes and coloured accordingly			✓
	Diverters, interceptors and sleeping policemen			✓