

Kingsgate (Floor 3) Wellington Road North Stockport SK4 1LW

Tel: +44 (0)161 476 0032 Fax: +44 (0)161 474 0618

26 September 2018

**Our reference:** S1552-0710-0202SMO

Environment Agency
Permitting Support Centre
Quadrant 2
99 Parkway Avenue
Parkway Business Park
Sheffield
S9 4WF

## Ref: Gent Fairhead and Co. Limited - Rivenhall IWMF - EPR/FP3335YU

Dear Sir/Madam,

Please find enclosed an application for a variation to the Environmental Permit for the Rivenhall Integrated Waste Management Facility. This application has been the subject of enhanced preapplication advice.

As required by Application Form F1, enclosed with this letter is an electronic application pack which contains the following documents:

- The Application Form Parts A, C2, C3 and F1;
- (2) The supporting information (Ref: S1552-0740-0001) with four Appendices;
  - a) Appendix A Detailed Results at Sensitive Receptors (included in supporting information);
  - b) Appendix B Ecological Impacts (included in supporting information);
  - c) Appendix C Abnormal Emissions Assessment; and
  - d) Appendix D Original Air Quality Assessment.
- (3) Modelling files.

For the avoidance of doubt, and as explained in the supporting information, we have provided a copy of the air quality assessment submitted with the original application for the environmental permit. This has been provided for convenience. The actual air quality impacts of the proposed variation have been reassessed and this is reported in the supporting information, but reference should be made to the original air quality assessment for the aspects of the modelling methodology which have not changed.



E-mail: Sales@Fichtner.co.uk Registered No: 2 605 319 England



22/10/18 Page 2 of 2

Finally, as identified in Application Form F1, the application fee is being paid by BACs. The reference for the payment is PSCAPPGENTF181. The application fee was agreed with NPS.

Yours sincerely FICHTNER Consulting Engineers Limited

**Stephen Othen** Technical Director

**James Sturman** Senior Consultant