

PSC Land

From: Andrew Lake <andrew@wisergroup.co.uk>
Sent: 24 January 2020 11:12
To: PSC Land
Subject: RE: We need more information about your application EPR/HB3705UM/A001
Categories: Connor

Helen

Thank you for taking my call and further clarity on the scale you would prefer for the permit boundary.

As discussed the requirement of a NIA within a 10 working day deadline would be impossible for us to meet. To produce the NIA a company would have to be instructed, monitoring carried out, report written and then integrated in to the NVMP. Unfortunately 10 days is simply not enough for this work.

Options

Option A: Extension of dead line on the not duly made request until the 20 February 2020, to enable completion of the requested information. (there is a cost implication to this and would need signing off by the client).

Option B: **Preferred Option.** Continue permitting process to being duly made (pending submission of plan) and in to the determination process. Statement form Wisser/Client that the northern permitted area would not be operated in until the pre operation condition has been met. Improvement condition included in permit that states that no activity occurs in the northern permitted area until an NIA and NVMP is accepted and approved by the Environment Agency.

Option C: **Least Preferred Option.** Remove northern permitted area from application pack.

As mentioned on the phone due to the tight deadline of the 6 th February set by the Environment Agency to this not duly making response I am keen to get a solution and way forward ASAP. Can you please update me prior to 15:00 today (24/01/2020) even if its just a time scale of when things might be discussed/ happen. I look forward to catching up with you later today.

Regards

Andrew Lake Bsc (Hons), MCIWM.
Senior Environmental Consultant

Wiser Environment has opened a satellite office in Vietnam to provide environmental and management system consultancy services, environmental awareness and waste management training to European and Vietnamese businesses operating in the region. [Find out more](#)

11 MANOR MEWS | BRIDGE STREET | ST IVES | PE27 5UW
www.wisergroup.co.uk | 01480 462 232



Wiser Environment Ltd | Reg No: 04733248

Wiser Recycling Ltd | Reg No: 04920416

Registered address: Suite 11 Manor Mews | Bridge Street | St Ives | Cambridgeshire | PE27 5UW

Disclaimer: The information contained in this message is for the intended addressee only and may contain confidential and/or privileged information. If you are not the intended addressee, please delete this message and notify the sender; do not copy or distribute this message or disclose its contents to anyone. Any views or opinions expressed in this message are those of the author and do not necessarily represent those of WISER *Environment* Limited or of any of its associated companies. WISER *Environment* Limited cannot guarantee this email or attachments to be free from computer viruses and cannot be held liable for any damage caused by them.



Exchange in the Cloud, Provided by [Antechs](#)



From: PSC Land <PSC@environment-agency.gov.uk>

Sent: 23 January 2020 16:46

To: Andrew Lake <andrew@wisergroup.co.uk>

Subject: We need more information about your application EPR/HB3705UM/A001

Dear Mr Andrew Lake

We need more information about your application

Application reference: EPR/HB3705UM/A001

Operator: T & K Weavers Demolition Ltd

Facility: Ferriers Pit

Thank you for your application received on 22/11/2019.

I need to ask you for some missing information before I can do any more work on your application. Please provide us with the following information :

Part B2

Section 5a

Please send a revised site plan of a smaller scale than the plan submitted with the application

Part B4

Section 3b

Provide a Noise Impact Assessment (NIA) and an updated Noise Management Plan (NMP)

1. Provide a Noise Impact Assessment (NIA) for your site which follows the BS4142: 2014 assessment methodology and contains the information detailed within our guidance on gov.uk [here](#)
2. Complete additional background monitoring at locations representative of the existing soundscape at the closest residential receptors. The background monitoring should be completed in line with Section 8 of BS4142: 2014, and the data used to derive appropriate LA90 values for use in the BS4142: 2014 assessment.
3. Update the Noise Management Plan to contain full details of any mitigation and appropriate measures put in place to achieve acceptable noise emissions from the site at source or on the pathway to sensitive receptors. The expected reduction in noise emissions from the whole site or specific plant that each of the described mitigation measures will achieve should be provided and evidenced. Your NMP must take the findings from the NIA and use them to inform management processes for the maintenance of low noise impacts at local receptors.

Guidance on completing the NIA and NMP:

Guidance on how to complete your quantitative noise assessments and the information that you must submit with your application to the Environment Agency can be found here <https://www.gov.uk/guidance/noise-impact-assessments-involving-calculations-or-modelling>

Guidance on how to write your Noise Management Plan can be found here <https://www.gov.uk/guidance/control-and-monitor-emissions-for-your-environmental-permit#noise-and-vibration-management-plan> and in our H3 guidance <https://www.gov.uk/government/publications/environmental-permitting-h3-part-2-noise-assessment-and-control> which contains a template that you can use to help you decide what to include in your plan.

Reason: Due to the close proximity of sensitive receptors to the proposed waste site

Please send the information, quoting the above application reference, to:

Email address: psc@environment-agency.gov.uk.

Postal address:

Permitting and Support Centre

Quadrant 2

99 Parkway Avenue

Sheffield
S9 4WF

Please send the information by 06/02/2020. If we don't hear from you, we must return your application.

When we receive the requested information, we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by letter whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application and requesting information. This maximum amount we'll retain is capped at £1,500. Further information on charging can be found at: <https://www.gov.uk/government/publications/environmental-permitting-ep-charges-scheme>

If you have any questions please phone Helen Gregory on 0203 02 52709 or email helen.gregory@environment-agency.gov.uk

Kind regards,

Connor Hugill

Permitting Support Advisor
National Permitting Service (part of Operations, Regulation, Monitoring and Customer)

 02077142778

✉ Regulated Industry Team, Environment Agency, Quadrant 2, 99 Parkway, Avenue, Sheffield, S9 4WF

✉ Email: connor.hugill@environment-agency.gov.uk

✉ Email: PSC@environment-agency.gov.uk

Help us to improve our service and complete our customer survey - Click [NPS Survey](#)

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.