

[REDACTED]

---

**From:** [REDACTED]  
**Sent:** 31 March 2023 09:33  
**To:** [REDACTED]  
**Subject:** RE: Beddington Waste Transfer Station - Permit Variation Application (EPR/JB3136RD/V004) - Not Duly Made Letter

Reference: S3191-0020-0080

[REDACTED]

We have discussed with the Client, and they advised that the shredder run hours are normally approx. 25-30 hours per week. Therefore, conservatively assuming 30 hours operation per week, this would take us to 1,560 hours each year.

Kind regards,

[REDACTED]

Associate Senior Consultant

**FICHTNER**  
Consulting Engineers Limited

Kingsgate House  
Wellington Road North  
Stockport  
Cheshire  
SK4 1LW  
United Kingdom

[REDACTED]

[www.fichtner.co.uk](http://www.fichtner.co.uk)



Registered in England: 2605319

CONFIDENTIALITY. This email and any attachments are confidential and may also be privileged. If you are not the named recipient, please notify the sender immediately and do not disclose the contents to another person, use it for any purpose or store or copy the information in any medium.

---

**From:** [REDACTED]  
**Sent:** Thursday, March 23, 2023 3:55 PM  
**To:** [REDACTED]  
**Subject:** RE: Beddington Waste Transfer Station - Permit Variation Application (EPR/JB3136RD/V004) - Not Duly Made Letter

**CAUTION:** This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

[Redacted]

Thank you for sending this information to me, I can confirm that your application is now duly made.

As we discussed please can you send me the number of hours the shredder is expected to operate per year, I will then seek advice from our air quality specialists with regards assessing it emissions to air.

Kind regards

[Redacted]

---

**From:** [Redacted]

**Sent:** 21 March 2023 11:40

**To:** [Redacted] - Not Duly

Made Letter

Reference: S3191-0020-0076

Dear [Redacted]

Please find our response to the duly making queries contained within the link below:

[https://drive.google.com/drive/folders/1m3FUC3x2328OO47GS9ZoXkifWdpbdz\\_z?usp=share\\_link](https://drive.google.com/drive/folders/1m3FUC3x2328OO47GS9ZoXkifWdpbdz_z?usp=share_link)

We trust that you are able to access the files from the link, but please let us know if you have any issues.

With thanks and kind regards,

[Redacted]

**FICHTNER**  
Consulting Engineers Limited

Kingsgate House  
Wellington Road North  
Stockport  
Cheshire  
SK4 1LW  
United Kingdom

[Redacted]

[www.fichtner.co.uk](http://www.fichtner.co.uk)



Registered in England: 2605319

CONFIDENTIALITY. This email and any attachments are confidential and may also be privileged. If you are not the named recipient, please notify the sender immediately and do not disclose the contents to another person, use it for any purpose or store or copy the information in any medium.

---

**From:** [REDACTED]  
**Sent:** 15 March 2023 15:22  
**To:** [REDACTED]  
**Subject:** RE: Beddington Waste Transfer Station - Permit Variation Application (EPR/JB3136RD/V004) - Not Duly Made Letter

**CAUTION:** This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

[REDACTED]

Yes a short extension is acceptable. Would you be able to return the information by 21 March?

Kind regards

[REDACTED]

---

**From:** [REDACTED]  
**Sent:** 15 March 2023 15:16  
**To:** [REDACTED]  
**Cc:** [REDACTED] Permit Variation Application (EPR/JB3136RD/V004) - Not Duly Made Letter

Reference: S3191-0020-0075

Hi [REDACTED]

Would it be possible to request a short extension of the deadline to 22/03/2023 for the Not Duly Made response?

We are just in the process of pulling together a table of estimated storage capacities for hazardous waste, as discussed during our call yesterday, and need a little more time to finalise this before submission.

We trust this is acceptable to you but please feel free to give me a call if you would like to discuss.

Thank you,

Kind regards,

[REDACTED]

**FICHTNER**  
Consulting Engineers Limited

Kingsgate House  
Wellington Road North  
Stockport

Cheshire  
SK4 1LW  
United Kingdom



[www.fichtner.co.uk](http://www.fichtner.co.uk)



Registered in England: 2605319

CONFIDENTIALITY. This email and any attachments are confidential and may also be privileged. If you are not the named recipient, please notify the sender immediately and do not disclose the contents to another person, use it for any purpose or store or copy the information in any medium.

---

**From:** [Redacted]  
**Sent:** 01 March 2023 10:56  
**To:** [Redacted]  
**Subject:** Beddington Waste Transfer Station - Permit Variation Application (EPR/JB3136RD/V004) - Not Duly Made Letter

Reference: S3191-0020-0074

**CAUTION:** This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.



Please find attached the not duly made letter for the Beddington Waste Transfer Station permit variation application (EPR/JB3136RD/V004)

Kind regards



**Environment Agency**



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to

make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.