



Waste Recovery Plan Addendum

Banana Field

NRS Meriden Aggregates Ltd.

Document Reference: 415/9—R1.1 – WRP Addendum



Minerals
Waste
Environment

The Mineral Planning Group Ltd.
The Rowan Suite, Oakdene House,
Cottingley Business Park, Bingley,
West Yorkshire BD16 1PE

01274 884599/884699
headoffice@mpgyorks.co.uk

www.mpgyorks.co.uk

Document Title: Waste Recovery Plan Addendum
Document Reference: 415/9—R1.1 –WRP Addendum
Site / Project: Banana Field
Client: NRS Meriden Aggregates Ltd.

Document Versions

1.0 10/04/2026

Prepared by: CC
Checked by: MS/JMS/AS
Approved by: JMS

The Mineral Planning Group Ltd. has prepared this report in accordance with the instruction of, and exclusively for the use of, its commissioning client. Any other person or body using the information contained herein does so at their own risk. The opinions expressed with this report are the true and professional opinions of The Mineral Planning Group Ltd. The content of this report may, in part, be based upon information provided by others, including the commissioning client, and on the assumption that those parties, when requested, have truthfully and accurately provided all relevant information. No section or element of this report may be removed or reproduced in any form without the written permission of The Mineral Planning Group Ltd.

© The Mineral Planning Group Ltd. 2026

1.0 Waste Recovery Plan Addendum

- 1.1 This document is an addendum to the approved Waste Recovery Plan (WRP) for the NRS Meriden 'Banana Field' Deposit for Recovery Permit application, Document ref: *415-2—R1.3-WRP*, approval reference: EPR/YP3828LS/P001.
- 1.2 The purpose of the addendum is to update the WRP with the addition of EWC code 19 02 06 (sludges from physico/chemical treatment other than those mentioned in 19 02 05). This addition is to allow the acceptance of suitable filter cake material that meets the waste acceptance at the site.
- 1.3 Below shows the full list of waste codes, with the newly added code highlighted in light green:

Waste Code	Description	Extra Details
01 01 02	Waste from non-metalliferous excavation	Restricted waste overburden and interburden only
01 04 08	Waste gravel and crushed rocks other than those containing dangerous substances	
01 04 09	Waste sand and clays	
02 04 09	Soil from cleaning and washing beet	
10 12 08	Waste ceramics, bricks, tiles and construction products (after thermal processing)	
17 01 01	Concrete	
17 01 02	Bricks	
17 01 03	Tiles and ceramics	
17 01 07	Mixtures of concrete, bricks, tiles and ceramics	Metal from reinforced concrete must have been removed
17 03 02	Bituminous mixtures other than those mentioned in 17 03 01	Road planings only. Only to be used on tracks/access roads
17 05 04	Soils and stones (topsoil, peat, subsoil and stones)	Restricted to topsoil, peat, subsoil and stones only
19 02 06	Sludges from physico/chemical treatment other than those mentioned in 19 02 05	This would only include filter cake from both the on-site washplant and off site washplants.
19 12 09	Minerals (such as sand and stones) from the treatment of waste aggregates that are otherwise naturally occurring materials	Restricted to wastes from treatment of waste aggregates that are otherwise naturally occurring minerals. Does not include fines from treatment of any non-hazardous waste or gypsum from recovered plasterboard

19 12 12	Crushed bricks, tiles, concrete and ceramics, including mixtures of materials	Restricted to crushed bricks, tiles, concrete and ceramics only. Metal from reinforced concrete must be removed. Does not include fines from treatment of any non-hazardous waste or gypsum from recovered plasterboard
20 02 02	Soil and stones (topsoil, peat, subsoil and stones)	Restricted topsoil, peat, subsoil and stones only.

1.4 The new waste code is a mirror non-hazardous waste code, and therefore, additional testing will be conducted. The filter cakes will be tested in accordance with Annex II of the Landfill Directive and the Council Decision 2003/33/EC to demonstrate that it is inert. Additionally, a hazardous property assessment will be carried out in accordance with WM3 guidance to determine whether the waste is hazardous or non-hazardous.

1.5 Additionally, the waste must meet the following criteria:

- The waste will only be from filter presses/wash plants that accept inert waste.
- Is physically and chemically suitable for use as a fill material.
- Has a pollution potential less than or equal to the natural chemical quality of the geology against which the liner/filling will be constructed

1.6 The waste will also be subjected to the same testing and Waste Acceptance Criteria as all other incoming waste, as laid out in the Waste Acceptance Procedures (Document ref: *415/9-R1.1-NRS WAP*) and the site's EMS.