

Pre-application request, including nature and heritage conservation screening

Your details

Are you the
Consultant or Agent

Your contact details: We will send all correspondence to the email address you give us below. This will ensure we both have a record of your requirements and our decisions.	
Title (Mr., Mrs., Dr. etc)	Mr
Full Name	Dave Annells
Email	dannells@arlconsulting.co.uk
Daytime phone number	01244 344233

If you are a customer who has had basic pre-application advice for this proposal, and now wants enhanced advice, please click the first option. Otherwise, please click on the 'continue with form' button to continue.
Continue with form.

Nature and heritage conservation

Do you only want a nature and heritage conservation screening? This is not required if you want an intensive farming ammonia screening assessment
No, I need other pre-application permitting advice (we will do a nature and heritage conservation screen if it is needed)

Permit type

Please complete the following details:	
Applicant/Business Name:	PGFI III Ltd
Company No. (if applicable):	11317908
Building name or number	100
Road Name	New Bridge Street
Town	London,
County	-
Postcode	EC4V 6JA

Does your proposal relate to one of the following:

OTHER - Regulatory Industry Activity/Activities - waste, installation or water quality

Installation - your proposal

Does your proposal relate to 'Installation' activities?

Yes

Installation - your proposal

Select all the options you want to include in your application.

New bespoke permit (new site)

Does your proposal involve a number of different schedule 1 activities taking place on the site?

Yes

If "Yes", please state how many activities:

2

Installation - your proposal - new permit or activity

Does your proposal relate to a permit for a new site or new activity being added to an existing permit?

Yes

Installation - your proposal - new permit or activity

Please give a brief description of the proposed new activity/activities you are looking to carry out

Bottled water and soft drink plant, with a capacity of approximately 300 million litres/yr, expanding to approximately 600 million litres/yr within 5 years.
Hence activities are food industry (Treatment and processing, other than exclusively packaging, of (ii) only vegetable raw materials with a finished product production capacity greater than 300 tonnes per day
and an effluent treatment plant (Disposal of non-hazardous waste with a capacity exceeding 50 tonnes per day involving
(i) biological treatment;
(ii) physico-chemical treatment;
or Recovery or a mix of recovery and disposal of non-hazardous waste with a capacity exceeding 75 tonnes per day)

Please list all the Schedule 1 listed activities and any related directly associated activities you are proposing to carryout as part of your proposals.

SECTION 6.8

The treatment of animal and vegetable matter and food industries

SECTION 5.4

Disposal, recovery or a mix of disposal and recovery of non-hazardous waste

Installation - your proposal - new permit or activity

For all non-waste installation activities (waste activities will be addressed in the next question) please give us the following details: Any proposed treatment capacity (tonnes per day) Number of repeat lines carrying out the same activity Proposed maximum storage limits If this does not apply to your proposal please state N/A below, otherwise please provide this information

825 m3/d rising to 1650 m3/d for the bottled water/soft drinks.

Not yet defined the number of repeat lines

Not yet defined the storage capacity

Installation - your proposal - new permit or activity

Does your proposal include any activities involving the acceptance of waste on site for storage, treatment or disposal purposes?

No

Installation - your proposal variation

Does your proposal involve varying an existing permit?

No

Installation - your proposal transfer

Does your proposal involve transfer of the permit or activity?

No

Installation - your proposal surrender

Does your proposal involve the surrender of the permit or an activity?

No

Waste - your proposal

Does your proposal relate to 'waste' activities?

Yes

Waste - your proposal 'deposit for recovery' or 'deployment'

Does your proposal relate to one of the following:

Other - Regulatory Waste Activity/Activities

Waste - your proposal

Select all the options you want to include in your application.

New bespoke permit (new site)

Does the proposal involve a number of different permitted activities taking place on site?

Yes

If "Yes", please state how many activities:

2 - see previous answer

Waste - your new waste activity proposal

Does your proposal relate to a permit for a new site or new activity being added to an existing permit?

No

Waste - your proposal variations

Does your proposal involve the variation of an existing permit?

No

Waste - your proposal transfer

Does your proposal involve transfer of the permit or activity?

No

Waste - your proposal surrender

Does your proposal involve the surrender of the permit or an activity?

No

Water quality - your proposal

Does your proposal include 'water quality' activities?

Yes

Water quality - your proposal

What type of application are you making?

New permit or permit variation

Water quality - your proposal

Are you:

Other

Water quality - your proposal

How much do you want to discharge in cubic metres per day? (One cubic metre is 1000 litres) This is the maximum volume that will be discharged on any one day. You must ensure that you choose a volume you can always comply with. You should use the industry Code of practice: flows and loads ([opens new tab](#)) to calculate your maximum daily flow.

approximately 600 m³/d rising to 1000 m³/d

Please read our position on discharges in sewered areas here ([opens new tab](#)) and tell us whether your discharge should be made to the foul sewer?

No

What is your discharge made up of?

A combination of the two

Water quality - your proposal

Please give us details about your discharge proposal:

Type of premises	Industrial
Effluent generated	trade effluent
Substances listed in 'Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater' likely to enter the sewerage system upstream of the discharge through any authorised or known inputs. (Check guidance form B6)	Risk assessment not yet completed
Harmful or specific substances in your effluent not mentioned in 'Risk assessment for treated sewage or trade effluent discharges to surface water or groundwater'? If so, list them. (Check guidance form B6)	N/A
Maximum temperature of your discharge in degrees	not yet defined, probably less than 30 C
Maximum expected temperature change compared to the incoming water supply	not yet defined

Water quality - your proposal

For domestic sewage only: Is this effluent discharged through more than one outlet?

No

Water quality - your proposal

Is your discharge new or existing?

New

Will you treat your effluent?

Yes

Water quality - your proposal

Is your treatment system compliant with British Standards BS 12566?

Don't know

How will the effluent be treated?

Likely to be biological aerobic treatment, possibly preceded by physical-chemical treatment

If you are not using a BS 12566-compliant treatment system, do you know what the effluent quality of your discharge is likely to be for BOD, suspended solids and ammonia. If so please detail below (in milligrams per litre)?

Depends on discharge route

Water quality - your proposal

Where will you be discharging to?

Lake or pond

Water quality - your proposal

Does the lake or pond discharge into a river or watercourse, either directly, or through another pond or lake?

Don't know

Permit or pre-application reference

Permit or pre-application reference number. For example, EPR/AB1234CD/A001. If you don't have a number, enter 'Do not have'.

Do not have

What is this reference for?

I do not have a reference

About your site or discharge points

Do you have a site or discharge location?

Yes, it's a waste or installation site

Grid reference for centre of the site

National Grid reference for the centre of the site For example ST 12345 67890

SK 20164 32591

Maximum distance in metres from the centre of the site to boundary

250

Site details

Site name and address (England only)

Site name Dove Valley Park,

Site address 1 Church Broughton

Site address 2 South Derbyshire,

Site address 3 Derbyshire,

Site address 4 -

Postcode DE65 5AY

Pre-application advice

What type of pre-application advice do you require?

Basic (free of charge)

Basic pre-application advice

What do you want basic pre-application advice about? Basic pre-application advice can include the items below. If you need other advice, you may have to pay for our enhanced service. If you only need an intensive farm ammonia screening assessment, please state that. Please include any issues or questions you have.

Confirmation of installation application categories
Advice re discharge options
Advice re potential discharge consent values
Nature and Heritage conservation screening
Bespoke or standard rules permit
What risk assessments are required

Intensive farming applications

Installations only: Does your proposal relate to the intensive farming sector?

No