

© Copyright, 4R Group

Part B4_1a Waste Operations

Table 1a – Waste operations which do not form part of an installation

Name of the waste operation	Description of the waste operation	Annex I (D codes) and Annex II (R codes) and descriptions	Hazardous waste treatment capacity (if this applies). See note 1	Non-hazardous waste treatment capacity (if this applies). See note 1
Site-based treatment of waste	Non-hazardous sludge biological, chemical and physical treatment site	R13: Storage of wastes pending and post treatment		The maximum quantity of waste treated under this activity shall not exceed 75,000 tonnes per year
	Treatment plant for conditioning of wastes with water or clean water treatment sludge only	R13: Storage of wastes pending and post conditioning with water	The maximum quantity of waste treated shall not exceed 10 tonnes per day. No more than 50 tonnes pending treatment will be stored a day. These limits do not apply to hazardous wastes pre-treated prior to import to the site or to wastes post-treatment at the site	The maximum quantity of waste treated shall not exceed 10,000 tonnes per year
	Treatment plant for sorting and separation, and Treatment plant for	D15: Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site	N/A	The maximum quantity of waste treated under this activity shall not exceed 15,000 tonnes per year









	blending, mixing, bulking, screening, shredding, particle size reduction and / or particle separation in order to facilitate remedial action	where it is produced) R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced) D14: Repackaging prior to submission to any of the operations numbered D1 to 13 D9: Physico-chemical treatment not specified elsewhere in Annex IIA R3: Recycling/reclamation of organic substances which are not used as solvents R4: Recycling/reclamation of metals and metal compounds R5: Recycling/reclamation of other inorganic materials		
Storage of wastes	Storage of wastes to be used in land treatment (storage of waste prior to use).	R13: Storage of wastes pending recovery by land treatment	No more than 50 tonnes pending treatment will be stored a day	The maximum quantity of waste accepted shall not exceed 75,000 tonnes per year The maximum storage capacity of the site shall not exceed 75,000 cubic







		metres



