



## Safety Data Sheet CALCIUM CHLORIDE (All Grades)

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

**Product name** CALCIUM CHLORIDE (All Grades)  
**Product code** PID204  
**Country Limitations** For use only in North Sea countries (NSG)  
**Molecular weight** 111

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Weighting agent.

**Uses advised against** Consumer use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

M-I Drilling Fluids UK Limited  
Westhill Business Park  
Westhill AB32 6JL Aberdeenshire  
Scotland United Kingdom

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

**Emergency telephone** - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

<b>Denmark</b>	Poison Control Hotline (DK): +45 82 12 12 12
<b>Netherlands</b>	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
<b>Norway</b>	Poison information centre: +47 22 59 13 00

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

##### Health hazards

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

Environmental hazards Not classified

Physical Hazards Not classified

## 2.2 Label elements



**Signal word**  
WARNING

### **Hazard Statements**

H319 - Causes serious eye irritation

### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### **Contains**

Calcium chloride

## 2.3 Other hazards

May release hydrogen gas (explosive) on contact with metals

Not classified as PBT/vPvB by current EU criteria

## 3. Composition/information on Ingredients

### 3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Calcium chloride	233-140-8	10043-52-4	60-100	Eye Irrit. 2 (H319)	01-2119494219-2 8-xxxx

### 3.2 Mixtures

Not applicable

## 4. First Aid Measures

### 4.1 First aid measures

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Ingestion</b>	Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation persists.
<b>Eye Contact</b>	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

#### **Symptoms**

<b>Inhalation</b>	Please see Section 11. Toxicological Information for further information.
<b>Ingestion</b>	Please see Section 11. Toxicological Information for further information.
<b>Skin contact</b>	Please see Section 11. Toxicological Information for further information.
<b>Eye contact</b>	Please see Section 11. Toxicological Information for further information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

## 5. Firefighting Measures

### 5.1 Extinguishing media

#### **Suitable extinguishing media**

Use extinguishing media appropriate for surrounding material.

#### **Extinguishing media which must not be used for safety reasons**

None known.

### 5.2. Special hazards arising from the substance or mixture

#### **Unusual fire and explosion hazards**

None known.

**Hazardous combustion products**

Fire or high temperatures create: Chlorine, May release hydrogen gas (explosive) on contact with metals.

**5.3 Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

**6. Accidental Release Measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8.

**6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

**Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

**Methods for containment**

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

**Methods for cleaning up**

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

**6.4 Reference to other sections**

See section 13 for more information.

**7. Handling and Storage**

**7.1 Precautions for safe handling**

**Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

**Hygiene Measures**

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

**7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures/precautions** Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

<b>Storage precautions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place Protect from moisture Avoid contact with: Metals Strong oxidising agents Strong acids
<b>Storage class</b>	Chemical storage.
<b>Packaging materials</b>	Use specially constructed containers only

**7.3 Specific end uses**

See Section 1.2.

**8. Exposure Controls/Personal Protection**

**8.1 Control parameters**

**Exposure Limits** NUI = Nuisance dust, TWA 4mg/m<sup>3</sup> Respirable Dust, 10mg/m<sup>3</sup> Total Dust.

**Component Information**

Chemical Name	EU OEL - Third List	Austria	Denmark
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	France	Germany	Hungary
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
Calcium chloride	Not determined	Not determined	Not determined

**Derived No Effect Level (DNEL)**

**Short term exposure local effects**

**Calcium chloride**  
 Inhalation 10 mg/m<sup>3</sup>

**Long term exposure local effects**

**Calcium chloride**  
 Inhalation 5 mg/m<sup>3</sup>

**8.2 Exposure controls**

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

**Engineering Controls**

Ensure adequate ventilation. See section 7 for more information.

**Personal protective equipment**

**Eye protection** Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.

**Hand protection** Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Neoprene Nitrile Rubber  
 Break through time >480 minutes

**Respiratory protection** Glove thickness 0.5 mm  
 Frequent change is advisable  
 No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

**Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

**Hygiene Measures** Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



**8.2.3 Environmental exposure controls**

**Environmental exposure** Use appropriate containment to avoid environmental contamination See section 6 for more information

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

**Physical state** Solid  
**Appearance** Powder Dust  
**Odour** Odourless  
**Colour** Off-white  
**Odour threshold** Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	Not applicable	
pH @ dilution	7 - 10	5% sol
Melting / freezing point	772 °C / 1421.6 °F	
Boiling point/range	> 1600 °C / >2912 °F	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	No information available	
Bulk density	No information available	
Relative density	2.1 g/cm <sup>3</sup>	@ 20 °C.
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	

**Dynamic viscosity** No information available  
**log Pow** No information available

**Explosive properties** Not applicable  
**Oxidising properties** None known

**9.2 Other information**

**Pour point** No information available  
**Molecular weight** 111  
**VOC content(%)** None  
**Density** No information available

**Comments**

The data listed above are typical physical and chemical properties and should not be construed as product specification.

## 10. Stability and Reactivity

### 10.1 Reactivity

No specific reactivity hazards associated with this product.

### 10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3 Possibility of Hazardous Reactions

#### **Hazardous polymerisation**

Hazardous polymerisation does not occur.

### 10.4 Conditions to avoid

Avoid contact with water and moist air - product is hygroscopic.

### 10.5 Incompatible materials

Metals. Strong oxidising agents. Strong acids.

### 10.6 Hazardous decomposition products

See Section 5.2.

## 11. Toxicological Information

### 11.1 Information on toxicological effects

#### **Acute toxicity**

**Inhalation** Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

**Eye contact** Causes serious eye irritation.

**Skin contact** Prolonged contact may cause redness and irritation.

**Ingestion** Ingestion may cause stomach discomfort.

**Unknown acute toxicity** Not applicable.

**Toxicology data for the components**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium chloride	= 1000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	No data available

**Sensitisation** This product does not contain any components suspected to be sensitizing.

**Mutagenic effects** This product does not contain any known or suspected mutagens.

**Carcinogenicity** This product does not contain any known or suspected carcinogens.

**Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.

**Routes of exposure** Eye contact. Inhalation.

**Routes of entry** Inhalation.

**Specific target organ toxicity - Single exposure** Not classified

**Specific target organ toxicity - Repeated exposure** Not classified.

**Aspiration hazard** Not applicable.

**Other information** Key literature references and sources for data. See Section 16 for more information.

**12. Ecological Information**

**12.1 Toxicity**

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Listed on PLONOR list of OSPAR

**Toxicity to algae**  
 See component information below.

**Toxicity to fish**  
 See component information below.

**Toxicity to daphnia and other aquatic invertebrates**  
 See component information below.

**Toxicology data for the components**

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other



Calcium chloride	= 10650 mg/L LC50 Lepomis macrochirus 96 h	No information available	<b>aquatic invertebrates</b> 2,400 mg/L EC50 (Daphnia magna) = 48 h
------------------	--	--------------------------	--

### 12.2 Persistence and degradability

See component information below.

Chemical Name	Persistence and degradability
Calcium chloride	Inorganic compound

### 12.3 Bioaccumulative potential

See component information below.

Chemical Name	Bioaccumulation
Calcium chloride	Product/Substance is inorganic

### 12.4 Mobility

#### **Mobility**

See component information below.

Chemical Name	Mobility
Calcium chloride	Soluble in water

#### **Mobility in soil**

See component information below.

Chemical Name	Mobility in soil
Calcium chloride	After release, disperses through ground water

### 12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

### 12.6 Other adverse effects.

None known.

### 12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

## 13. Disposal Considerations

### 13.1 Waste treatment methods

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EWC Waste Disposal No</b>	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 06 03 14 - solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13 Waste Code: 7091 Inorganic salts and other solids.

## 14. Transport information

### 14.1. UN number

Not regulated

### 14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

### 14.3. Hazard class(es)

<b>ADR/RID/ADN/ADG Hazard class</b>	Not regulated
<b>IMDG Hazard class</b>	Not regulated
<b>ICAO Hazard class/division</b>	Not regulated

### 14.4 Packing group

<b>ADR/RID/ADN/ADG Packing Group</b>	Not regulated
<b>IMDG Packing group</b>	Not regulated
<b>ICAO Packing group</b>	Not regulated

### 14.5 Environmental hazard

No

### 14.6 Special precautions

Not applicable

### 14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

#### International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no.	46238
Denmark Pr. no.	988590

For use only in North Sea countries (NSG)

### 15.2 Chemical Safety Report

No information available

## 16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	23/Jan/2018
Revision date	02/Oct/2018

**Version** 8

**This SDS has been revised in the following section(s)** 1, 12, 15, 16 For use only in North Sea countries (NSG)  
No changes with regard to classification have been made.

**Key literature references and sources for data**

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

**Training Advice**

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

**Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation

**Disclaimer**

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

**This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.**

Safety data sheet number PID218  
Version 8  
Revision date 09/Jan/2017  
Supersedes Date: 21/Apr/2014



## Safety Data Sheet CALCIUM CHLORIDE BRINE

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

Product name CALCIUM CHLORIDE BRINE  
Product code PID218

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Drilling fluid additive. Completion brine.

Uses advised against Consumer use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

M-I Drilling Fluids UK Limited  
Westhill Business Park  
Westhill AB32 6JL Aberdeenshire  
Scotland United Kingdom

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Netherlands	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poison information centre: +47 22 59 13 00

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

##### Health hazards

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

Environmental hazards Not classified

Physical Hazards Not classified

## 2.2 Label elements



**Signal word**  
WARNING

### **Hazard Statements**

H319 - Causes serious eye irritation

### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

-

### **Contains**

Calcium chloride

## 2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

## **3. Composition/information on Ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Calcium chloride	233-140-8	10043-52-4	30-60%	Eye Irrit. 2 (H319)	01-2119494219-2 8-xxxx

#### Comments

The product contains other ingredients which do not contribute to the overall classification.

## 4. First Aid Measures

### 4.1 First aid measures

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.
<b>Eye Contact</b>	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

#### Symptoms

<b>Inhalation</b>	Please see Section 11. Toxicological Information for further information.
<b>Ingestion</b>	Please see Section 11. Toxicological Information for further information.
<b>Skin contact</b>	Please see Section 11. Toxicological Information for further information.
<b>Eye contact</b>	Please see Section 11. Toxicological Information for further information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

## 5. Firefighting Measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

#### Extinguishing media which must not be used for safety reasons

None known.

### 5.2. Special hazards arising from the substance or mixture

#### Unusual fire and explosion hazards

None known.

**Hazardous combustion products**

Thermal decomposition can lead to release of irritating gases and vapours

**5.3 Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

**6. Accidental Release Measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8.

**6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

**Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

**Methods for containment**

Prevent further leakage or spillage if safe to do so. Dyke far ahead of liquid spill for later disposal.

**Methods for cleaning up**

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. After cleaning, flush away traces with water.

**6.4 Reference to other sections**

See section 13 for more information.

**7. Handling and Storage**

**7.1 Precautions for safe handling**

**Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use.

**Hygiene Measures**

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

**7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures/precautions** Ensure adequate ventilation.



**Storage precautions** Keep containers tightly closed in a dry, cool and well-ventilated place Avoid contact with:  
 Strong oxidising agents Strong reducing agents

**Storage class** Chemical storage.

**Packaging materials** Use specially constructed containers only

**7.3 Specific end uses**

See Section 1.2.

**8. Exposure Controls/Personal Protection**

**8.1 Control parameters**

**Exposure Limits** Because this product is a liquid, the dust-related Workplace Exposure Limits for the components do not apply.

No biological limit allocated

**Component Information**

Chemical Name	EU OEL - Third List	Austria	Denmark
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	France	Germany	Hungary
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania
Calcium chloride	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
Calcium chloride	Not determined	Not determined	Not determined

**Derived No Effect Level (DNEL)**

**Short term exposure local effects**

Calcium chloride  
 Inhalation 10 mg/m<sup>3</sup>

**Long term exposure local effects**

Calcium chloride  
 Inhalation 5 mg/m<sup>3</sup>

**8.2 Exposure controls**

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

**Engineering Controls**

Ensure adequate ventilation. Provide mechanical general and/or local exhaust ventilation to prevent release of vapor or mist into work environment.

**Personal protective equipment**

**Eye protection** Tightly fitting safety goggles. Safety glasses with side-shields.  
**Hand protection** Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training  
 Impervious gloves made of: Neoprene Nitrile PVC  
 Break through time >480 minutes  
 Glove thickness >=0.4 mm  
**Respiratory protection** Be aware that liquid may penetrate the gloves. Frequent change is advisable.  
 No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit, Type B/P2, At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.  
**Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

**Hygiene Measures**

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



**8.2.3 Environmental exposure controls**

**Environmental exposure** Use appropriate containment to avoid environmental contamination See section 6 for more information

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

**Physical state** Liquid  
**Appearance** Clear  
**Odour** Odourless  
**Colour** Colourless  
**Odour threshold** Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	6.5 - 7.5	
pH @ dilution	No information available	
Melting / freezing point	-14 °C / 7 °F	
Boiling point/range	> 100 °C / >212 °F	
Flash point	No information available	
Evaporation rate	Not applicable	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	9 mmHg	@ 20 °C
Vapour density	No information available	
Specific gravity	1.01 - 1.41	@ 20 °C
Bulk density	No information available	

<b>Relative density</b>	No information available
<b>Water solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>log Pow</b>	No information available

<b>Explosive properties</b>	Not applicable
<b>Oxidising properties</b>	None known

#### **9.2 Other information**

<b>Pour point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content(%)</b>	None
<b>Density</b>	No information available

#### **Comments**

The data listed above are typical physical and chemical properties and should not be construed as product specification.

## **10. Stability and Reactivity**

### **10.1 Reactivity**

No specific reactivity hazards associated with this product.

### **10.2 Chemical stability**

Stable under normal temperature conditions and recommended use.

### **10.3 Possibility of Hazardous Reactions**

#### **Hazardous polymerisation**

Hazardous polymerisation does not occur.

### **10.4 Conditions to avoid**

None known.

### **10.5 Incompatible materials**

Strong oxidising agents. Strong reducing agents.

### **10.6 Hazardous decomposition products**

See Section 5.2.

## **11. Toxicological Information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

<b>Inhalation</b>	Inhalation of vapours in high concentration may cause irritation of respiratory system.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Skin contact</b>	Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Ingestion may cause stomach discomfort.
<b>Unknown acute toxicity</b>	Not applicable.

**Toxicology data for the components**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium chloride	= 1000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	No data available

<b>Sensitisation</b>	This product does not contain any components suspected to be sensitizing.
<b>Mutagenic effects</b>	This product does not contain any known or suspected mutagens.
<b>Carcinogenicity</b>	This product does not contain any known or suspected carcinogens.
<b>Reproductive toxicity</b>	This product does not contain any known or suspected reproductive hazards.
<b>Routes of exposure</b>	Eye contact.
<b>Routes of entry</b>	None known.
<b>Specific target organ toxicity - Single exposure</b>	Not classified
<b>Specific target organ toxicity - Repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not applicable.
<b>Other information</b>	Key literature references and sources for data. See Section 16 for more information.

**12. Ecological Information**

**12.1 Toxicity**

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.  
 Listed on PLONOR list of OSPAR

**Toxicity to algae**  
 This product is not considered toxic to algae.

**Toxicity to fish**  
 This product is not considered toxic to fish.

**Toxicity to daphnia and other aquatic invertebrates**

This product is not considered toxic to invertebrates.

**Toxicology data for the components**

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Calcium chloride	= 10650 mg/L LC50 Lepomis macrochirus 96 h	No information available	2,400 mg/L EC50 (Daphnia magna) = 48 h

**12.2 Persistence and degradability**

Not Applicable - Inorganic chemical.

**12.3 Bioaccumulative potential**

Does not bioaccumulate.

**12.4 Mobility**

**Mobility**

Soluble in water.

**Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT/vPvB by current EU criteria.

**12.6 Other adverse effects.**

None known.

**12.7 Other information**

Key literature references and sources for data. See Section 16 for more information.

**13. Disposal Considerations**

**13.1 Waste treatment methods**

---

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EWC Waste Disposal No</b>	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 06 03 14 - solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13 Waste Code: 7097

## 14. Transport information

### 14.1. UN number

Not regulated

### 14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

### 14.3. Hazard class(es)

**ADR/RID/ADN/ADG Hazard class** Not regulated

**IMDG Hazard class** Not regulated

**ICAO Hazard class/division** Not regulated

### 14.4 Packing group

**ADR/RID/ADN/ADG Packing Group** Not regulated

**IMDG Packing group** Not regulated

**ICAO Packing group** Not regulated

### 14.5 Environmental hazard

No

### 14.6 Special precautions

Not applicable

### 14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

The product has been assessed and contained in Chapters 17/18 of the IBC Code and the latest MEPC.2/Circular and is permitted to be carried under Annex II of MARPOL and resolution A.673 (16) Offshore Supply Vessel Code. Ship Type:- 3. Pollution Category:- Z.

Proper Shipping Name: : Drilling brines, including: calcium bromide solution, calcium chloride solution and sodium chloride solution.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Classes (VwVwS) Water endangering class = 1

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

#### International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no. 120037  
 Denmark Pr. no. 988603

### 15.2 Chemical Safety Report

No information available

## 16. Other Information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse  
 Supersedes Date: 21/Apr/2014

---

<b>Revision date</b>	09/Jan/2017
<b>Version</b>	8
<b>This SDS has been revised in the following section(s)</b>	All sections Product Code change No changes with regard to classification have been made.

**Key literature references and sources for data**

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

**Training Advice**

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

**Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation

**Disclaimer**

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.





## Safety Data Sheet ECOTROL\* RD

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

**Product name** ECOTROL\* RD  
**Product code** PID10792  
**REACH Registration Name** Exempt

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Filtration-control.  
**Uses advised against** Consumer use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

M-I Drilling Fluids UK Limited  
Westhill Business Park  
Westhill AB32 6JL Aberdeenshire  
Scotland United Kingdom

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

**Emergency telephone** - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

<b>Denmark</b>	Poison Control Hotline (DK): +45 82 12 12 12
<b>Norway</b>	Poison information centre: +47 22 59 13 00

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

**Health hazards** Not classified  
**Environmental hazards** Not classified  
**Physical Hazards** Not classified

## 2.2 Label elements

### Signal word

None

### Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

### Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

### Contains

Silica, amorphous

## 2.3 Other hazards

Thermal decomposition can lead to release of irritating gases and vapours  
Not classified as PBT/vPvB by current EU criteria

## **3. Composition/information on Ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Silica, amorphous	Listed	Proprietary	<=2	Not classified	Exempt

### Comments

The product contains other ingredients which do not contribute to the overall classification.

## **4. First Aid Measures**

### 4.1 First aid measures

#### **Inhalation**

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

#### **Ingestion**

Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

#### **Skin contact**

Wash skin thoroughly with soap and water. Get medical attention if irritation persists.

**Eye Contact** Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

**4.2. Most important symptoms and effects, both acute and delayed**

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

**Symptoms**

**Inhalation** Please see Section 11. Toxicological Information for further information.

**Ingestion** Please see Section 11. Toxicological Information for further information.

**Skin contact** Please see Section 11. Toxicological Information for further information.

**Eye contact** Please see Section 11. Toxicological Information for further information.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

**5. Firefighting Measures**

**5.1 Extinguishing media**

**Suitable extinguishing media**

Use extinguishing agent suitable for type of surrounding fire.

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2. Special hazards arising from the substance or mixture**

**Unusual fire and explosion hazards**

Dust may form explosive mixture in air.

**Hazardous combustion products**

Fire or high temperatures create: Carbon oxides (COx), Hydrocarbon.

**5.3 Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

**6. Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8. Material becomes slippery when wet. Use caution if wet.

### **6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

#### **Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

### **6.3 Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

#### **Methods for cleaning up**

Take precautionary measures against static discharges. Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water.

### **6.4 Reference to other sections**

See section 13 for more information.

## **7. Handling and Storage**

### **7.1 Precautions for safe handling**

#### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Material becomes slippery when wet. Use caution if wet.

#### **Hygiene Measures**

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

### **7.2 Conditions for safe storage, including any incompatibilities**

<b>Technical measures/precautions</b>	Ensure adequate ventilation. Take precautionary measures against static discharges. Keep airborne concentrations below exposure limits.
<b>Storage precautions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Suspended dust may present a dust explosion hazard. Avoid heat, flames and other sources of ignition. Protect from moisture. Avoid contact with: Strong oxidising agents.
<b>Storage class</b>	Chemical storage.
<b>Packaging materials</b>	Use specially constructed containers only.

### **7.3 Specific end uses**

See Section 1.2.

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits** No biological limit allocated

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Silica, amorphous	Not determined	4 mg/m <sup>3</sup> TWA inhalable fraction	Not determined
Chemical Name	France	Germany	Hungary
Silica, amorphous	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
Silica, amorphous	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania
Silica, amorphous	10.0 mg/m <sup>3</sup> TWA NDS 2 mg/m <sup>3</sup> TWA NDS	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
Silica, amorphous	Not determined	4 mg/m <sup>3</sup> TWA MAK	Not determined

### 8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

#### Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

#### Personal protective equipment

##### Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.

##### Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Neoprene Nitrile PVC Frequent change is advisable

##### Respiratory protection

No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

##### Skin and body protection

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

#### Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



### 8.2.3 Environmental exposure controls

**Environmental exposure** Use appropriate containment to avoid environmental contamination See section 6 for more information

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	Solid
<b>Appearance</b>	Powder Dust
<b>Odour</b>	Odourless
<b>Colour</b>	White
<b>Odour threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	1.03	20 °C
Bulk density	No information available	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	400 °C / 752 °F	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	

<b>Explosive properties</b>	Suspended dust may present a dust explosion hazard
<b>Oxidising properties</b>	No information available

### 9.2 Other information

<b>Pour point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content(%)</b>	No information available
<b>Density</b>	No information available

#### Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

## 10. Stability and Reactivity

### 10.1 Reactivity

Dust may form explosive mixture in air.

**10.2 Chemical stability**

Stable under normal temperature conditions and recommended use.

**10.3 Possibility of Hazardous Reactions**

**Hazardous polymerisation**

Hazardous polymerisation does not occur.

**10.4 Conditions to avoid**

Take precautionary measures against static charges. Avoid heat, flames and other sources of ignition. Avoid dust formation. Protect from moisture.

**10.5 Incompatible materials**

Strong oxidising agents.

**10.6 Hazardous decomposition products**

See Section 5.2.

**11. Toxicological Information**

**11.1 Information on toxicological effects**

**Acute toxicity**

<b>Inhalation</b>	Inhalation of dust in high concentration may cause irritation of respiratory system.
<b>Eye contact</b>	Dust may cause mechanical irritation.
<b>Skin contact</b>	Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Ingestion may cause stomach discomfort.
<b>Unknown acute toxicity</b>	Not applicable.

**Toxicology data for the components**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silica, amorphous	No data available	No data available	> 2.2 mg/L ( Rat ) 1 h

<b>Sensitisation</b>	This product does not contain any components suspected to be sensitizing.
<b>Mutagenic effects</b>	This product does not contain any known or suspected mutagens.
<b>Carcinogenicity</b>	This product does not contain any known or suspected carcinogens.
<b>Reproductive toxicity</b>	This product does not contain any known or suspected reproductive hazards.

<b>Routes of exposure</b>	Inhalation.
<b>Routes of entry</b>	Inhalation.
<b>Specific target organ toxicity - Single exposure</b>	Not classified
<b>Specific target organ toxicity - Repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not applicable.
<b>Other information</b>	Key literature references and sources for data. See Section 16 for more information.

**12. Ecological Information**

**12.1 Toxicity**

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Toxicity to algae**

This product is not considered toxic to algae.

**Toxicity to fish**

This product is not considered toxic to fish.

**Toxicity to daphnia and other aquatic invertebrates**

This product is not considered toxic to invertebrates.

**Toxicology data for the components**

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Silica, amorphous	= 5000 mg/L LC50 Brachydanio rerio 96 h	= 440 mg/L EC50 Pseudokirchneriella subcapitata 72 h	= 7600 mg/L EC50 Ceriodaphnia dubia 48 h

**12.2 Persistence and degradability**

Not readily biodegradable.

**12.3 Bioaccumulative potential**

Does not bioaccumulate.

**12.4 Mobility**

**Mobility**



Insoluble in water.

**Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT/vPvB by current EU criteria.

**12.6 Other adverse effects.**

None known.

**12.7 Other information**

Key literature references and sources for data. See Section 16 for more information.

## 13. Disposal Considerations

**13.1 Waste treatment methods**

**Waste from residues / unused products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 99.

## 14. Transport information

**14.1. UN number**

Not regulated

**14.2. UN proper shipping name**

The product is not covered by international regulation on the transport of dangerous goods

**14.3. Hazard class(es)**

ADR/RID/ADN/ADG Hazard class Not regulated

IMDG Hazard class Not regulated

ICAO Hazard class/division Not regulated

**14.4 Packing group**

**ADR/RID/ADN/ADG Packing Group** Not regulated  
**IMDG Packing group** Not regulated  
**ICAO Packing group** Not regulated

**14.5 Environmental hazard**

No

**14.6 Special precautions**

Not applicable

**14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code**

Please contact SDS@slb.com for info regarding transport in Bulk.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

#### International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Does not comply
Inventory - Japan - Existing and New Chemicals list	Does not comply
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 1918172

### 15.2 Chemical Safety Report

No information available

## 16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	26/Jun/2015
Revision date	28/May/2018
Version	6
This SDS has been revised in the	All sections Product Code change No changes with regard to classification have been

---

following section(s) made.

**Key literature references and sources for data**

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

**Training Advice**

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

**HMIS classification**

Health	1
Flammability	1
Physical hazard	0
PPE	E

**Full text of H-Statements referred to under sections 2 and 3**

This product is not classified as hazardous therefore no (H) hazard statements assigned.

\*A mark of M-I L.L.C., a Schlumberger Company

**Disclaimer**

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.



# Safety Data Sheet

## LIME

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

**Product name** LIME  
**Product code** PID904  
**Synonyms** CALCIUM HYDROXIDE, HYDRATKALK

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Drilling fluid additive. pH modifier  
**Uses advised against** Consumer use

#### 1.3 Details of the supplier of the safety data sheet

**Supplier**  
M-I Drilling Fluids UK Limited  
Westhill Business Park  
Westhill AB32 6JL Aberdeenshire  
Scotland United Kingdom

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

**Emergency telephone** - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

<b>Denmark</b>	Poison Control Hotline (DK): +45 82 12 12 12
<b>Netherlands</b>	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
<b>Norway</b>	Poison information centre: +47 22 59 13 00

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

#### Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Specific target organ toxicity - Single exposure	Category 3
--	------------

**Environmental hazards** Not classified

**Physical Hazards** Not classified

## 2.2 Label elements



### Signal word

DANGER

### Hazard Statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

### Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Supplementary precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P362 + P364 - Take off contaminated clothing and wash it before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Contains

Calcium hydroxide

## 2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

## **3. Composition/information on Ingredients**

### 3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Calcium hydroxide	215-137-3	1305-62-0	60-100	Eye Dam. 1 (H318) Skin Irrit. 2 (H315) STOT SE 3 (H335)	01-2119475151-4 5-xxxx

### 3.2 Mixtures

Not applicable

## 4. First Aid Measures

### 4.1 First aid measures

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation persists.
<b>Eye Contact</b>	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Continue to rinse for at least 15 minutes. Seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

#### Symptoms

<b>Inhalation</b>	Please see Section 11. Toxicological Information for further information.
<b>Ingestion</b>	Please see Section 11. Toxicological Information for further information.
<b>Skin contact</b>	Please see Section 11. Toxicological Information for further information.
<b>Eye contact</b>	Please see Section 11. Toxicological Information for further information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

## 5. Firefighting Measures

### 5.1 Extinguishing media

**Suitable extinguishing media**

Alcohol Foam, CO<sub>2</sub>, Dry Chemical.

**Extinguishing media which must not be used for safety reasons**

Water.

**5.2. Special hazards arising from the substance or mixture**

**Unusual fire and explosion hazards**

None known.

**Hazardous combustion products**

Fire or high temperatures create: Calcium oxide.

**5.3 Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

## 6. Accidental Release Measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8.

**6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

**Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

**Methods for containment**

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry.

**Methods for cleaning up**

Avoid dust formation. Sweep up and shovel into suitable containers for disposal.

**6.4 Reference to other sections**

See section 13 for more information.

## 7. Handling and Storage

**7.1 Precautions for safe handling**



### Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

### Hygiene Measures

Use good work and personal hygiene practices to avoid exposure Do not eat, drink or smoke when using this product Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing

### 7.2 Conditions for safe storage, including any incompatibilities

<b>Technical measures/precautions</b>	Ensure adequate ventilation. Keep airborne concentrations below exposure limits.
<b>Storage precautions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place Protect from moisture Avoid contact with: Acids
<b>Storage class</b>	Chemical storage.
<b>Packaging materials</b>	Use specially constructed containers only

### 7.3 Specific end uses

See Section 1.2.

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Calcium hydroxide	Not determined	4 mg/m <sup>3</sup> STEL inhalable fraction 2 mg/m <sup>3</sup> TWA inhalable fraction	5 mg/m <sup>3</sup> TWA
Chemical Name	France	Germany	Hungary
Calcium hydroxide	5 mg/m <sup>3</sup> TWA	1 mg/m <sup>3</sup> TWA	5mg/m <sup>3</sup> TWA
Chemical Name	Italy	Netherlands	Norway
Calcium hydroxide	Not determined	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup> STEL
Chemical Name	Poland	Portugal	Romania
Calcium hydroxide	4 mg/m <sup>3</sup> STEL NDsch 6 mg/m <sup>3</sup> STEL NDsch 2 mg/m <sup>3</sup> TWA NDS 1 mg/m <sup>3</sup> TWA NDS	5 mg/m <sup>3</sup> TWA indicative limit value	5mg/m <sup>3</sup> TWA
Chemical Name	Spain	Switzerland	UK
Calcium hydroxide	5 mg/m <sup>3</sup> TWA VLA-ED	5 mg/m <sup>3</sup> TWA MAK	15 mg/m <sup>3</sup> STEL calculated 5 mg/m <sup>3</sup> TWA

### Derived No Effect Level (DNEL)

#### Short term exposure local effects

Calcium hydroxide  
Inhalation 4 mg/m<sup>3</sup>

#### Long term exposure local effects

Calcium hydroxide  
Inhalation 1 mg/m<sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

Calcium hydroxide  
Fresh Water 0.49 mg/L

Sea Water	0.32 mg/L
Soil	1080 mg/kg
Impact on sewage treatment	3 mg/L
Intermittent release	0.49 mg/L

**8.2 Exposure controls**

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

**Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Provide appropriate exhaust ventilation at places where dust is formed. See section 7 for more information.

**Personal protective equipment**

- Eye protection** Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
- Hand protection** Wear gloves according to EN 374 to protect against skin effects from powders  
Wear protective nitrile rubber gloves  
Frequent change is advisable
- Respiratory protection** No personal respiratory protective equipment normally required, Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust), Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
- Skin and body protection** Wear suitable protective clothing and gloves, Eye wash and emergency shower must be available at the work place.

**Hygiene Measures**

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



**8.2.3 Environmental exposure controls**

**Environmental exposure** Use appropriate containment to avoid environmental contamination See section 6 for more information

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Appearance</b>	Powder
<b>Odour</b>	Odourless
<b>Colour</b>	White - Off-white
<b>Odour threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	12.4	

<b>pH @ dilution</b>	No information available	
<b>Melting / freezing point</b>	> 450 °C / > 842 °F	
<b>Boiling point/range</b>	No information available	
<b>Flash point</b>	No information available	
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	Not applicable	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit</b>	Not applicable	
<b>Lower flammability limit</b>	Not applicable	
<b>Vapour pressure</b>	No information available	
<b>Vapour density</b>	No information available	
<b>Specific gravity</b>	2.24	20 °C
<b>Bulk density</b>	400 Kg/m <sup>3</sup>	
<b>Relative density</b>	No information available	
<b>Water solubility</b>	Soluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Autoignition temperature</b>	No information available	
<b>Decomposition temperature</b>	No information available	
<b>Kinematic viscosity</b>	No information available	
<b>Dynamic viscosity</b>	No information available	
<b>log Pow</b>	No information available	

**Explosive properties** No information available  
**Oxidising properties** No information available

**9.2 Other information**

<b>Pour point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content(%)</b>	No information available
<b>Density</b>	No information available
<b>Particle Size (Micron)</b>	< 500

**Comments**

The data listed above are typical physical and chemical properties and should not be construed as product specification.

**10. Stability and Reactivity**

**10.1 Reactivity**

No specific reactivity hazards associated with this product.

**10.2 Chemical stability**

Stable under normal temperature conditions and recommended use.

**10.3 Possibility of Hazardous Reactions**

**Hazardous polymerisation**

Hazardous polymerisation does not occur.

**10.4 Conditions to avoid**

Avoid dust formation. Protect from moisture.

**10.5 Incompatible materials**

Acids. Water.

**10.6 Hazardous decomposition products**

See Section 5.2.

**11. Toxicological Information**

**11.1 Information on toxicological effects**

**Acute toxicity**

<b>Inhalation</b>	May cause respiratory irritation. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.
<b>Eye contact</b>	Causes serious eye damage.
<b>Skin contact</b>	Causes skin irritation.
<b>Ingestion</b>	Ingestion may cause stomach discomfort. May cause additional affects as listed under "Inhalation".
<b>Unknown acute toxicity</b>	Not applicable.

**Toxicology data for the components**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium hydroxide	= 7340 mg/kg ( Rat )	No data available	No data available

<b>Sensitisation</b>	This product does not contain any components suspected to be sensitizing.
<b>Mutagenic effects</b>	This product does not contain any known or suspected mutagens.
<b>Carcinogenicity</b>	This product does not contain any known or suspected carcinogens.
<b>Reproductive toxicity</b>	This product does not contain any known or suspected reproductive hazards.
<b>Routes of exposure</b>	Eye contact. Skin contact. Inhalation.
<b>Routes of entry</b>	Inhalation.
<b>Specific target organ toxicity - Single exposure</b>	Category 3
<b>Specific target organ toxicity - Repeated exposure</b>	Not classified.
<b>Target organ effects</b>	Respiratory system.

**Aspiration hazard** Not applicable.

**Other information** Key literature references and sources for data. See Section 16 for more information.

**12. Ecological Information**

**12.1 Toxicity**

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms. Listed on PLONOR list of OSPAR

**Toxicity to algae**  
 This product is not considered toxic to algae.

**Toxicity to fish**  
 This product is not considered toxic to fish.

**Toxicity to daphnia and other aquatic invertebrates**  
 This product is not considered toxic to invertebrates.

**Toxicology data for the components**

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Calcium hydroxide	= 160 mg/L LC50 Gambusia affinis 96 h	No information available	No information available

**12.2 Persistence and degradability**

Not Applicable - Inorganic chemical.

Chemical Name	Persistence and degradability
Calcium hydroxide	Hydrolyzes

**12.3 Bioaccumulative potential**

Not Applicable - Inorganic chemical.

Chemical Name	Bioaccumulation
Calcium hydroxide	No bioaccumulation potential

**12.4 Mobility**

**Mobility**  
 Soluble in water.

Chemical Name	Mobility

Calcium hydroxide	Easily soluble
-------------------	----------------

**Mobility in soil**

No information available.

Chemical Name	Mobility in soil
Calcium hydroxide	Not expected to adsorb on soil

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT/vPvB by current EU criteria.

**12.6 Other adverse effects.**

None known.

**12.7 Other information**

Key literature references and sources for data. See Section 16 for more information.

**13. Disposal Considerations**

**13.1 Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 06 03 14 - solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13 Waste Code: 7132 Inorganic bases.

**14. Transport information**

**14.1. UN number**

Not regulated

**14.2. UN proper shipping name**

The product is not covered by international regulation on the transport of dangerous goods

**14.3. Hazard class(es)**

**ADR/RID/ADN/ADG Hazard class** Not regulated

**IMDG Hazard class** Not regulated

**ICAO Hazard class/division** Not regulated

**14.4 Packing group**

<b>ADR/RID/ADN/ADG Packing Group</b>	Not regulated
<b>IMDG Packing group</b>	Not regulated
<b>ICAO Packing group</b>	Not regulated

**14.5 Environmental hazard**

No

**14.6 Special precautions**

Not applicable

**14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code**

Please contact SDS@slb.com for info regarding transport in Bulk.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Classes (VwVwS) Water endangering class = 1

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

#### International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no. 46235  
Denmark Pr. no. 342757

### 15.2 Chemical Safety Report

No information available

## 16. Other Information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Sandra McWilliam  
Supersedes Date: 09/Jul/2015



---

Revision date 06/Jul/2018

Version 8

**This SDS has been revised in the following section(s)** All sections No changes with regard to classification have been made.

**Key literature references and sources for data**

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

**Training Advice**

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

**HMIS classification**

Health 3

Flammability 0

Physical hazard 0

**Full text of H-Statements referred to under sections 2 and 3**

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

**Disclaimer**

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.



## Safety Data Sheet M-I WATE\*

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

Product name M-I WATE\*  
Product code PID13503

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Weighting agent. Drilling fluid additive.

Uses advised against Consumer use

#### 1.3 Details of the supplier of the safety data sheet

**Supplier**  
Schlumberger Oilfield UK PLC  
Schlumberger House, Buckingham Gate  
Gatwick Airport  
West Sussex RH6 0NZ

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

**Emergency telephone** (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

#### **National Poison Center Numbers**

Norway	Poison information centre: +47 22 59 13 00
--------	--

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

**Health hazards** Not classified

**Environmental hazards** Not classified

**Physical Hazards** Not classified

**2.2 Label elements**

**Signal word**

None

**Hazard Statements**

This product is not classified as hazardous therefore no (H) hazard statements assigned.

**Precautionary Statements**

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

**Contains**

Barite

Crystalline silica (impurity)

**2.3 Other hazards**

Not classified as PBT/vPvB by current EU criteria

Thermal decomposition can lead to release of irritating gases and vapours

**3. Composition/information on Ingredients**

**3.1 Substances**

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Barite	236-664-5	13462-86-7	60 - 100	Not classified	Exempt
Crystalline silica (impurity)	238-878-4	14808-60-7	5 - <10	STOT RE. 2 (H373)	Not applicable

**3.2 Mixtures**

Not applicable

**Comments**

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

## 4. First Aid Measures

### 4.1 First aid measures

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
<b>Eye Contact</b>	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

#### **Symptoms**

<b>Inhalation</b>	Please see Section 11. Toxicological Information for further information.
<b>Ingestion</b>	Please see Section 11. Toxicological Information for further information.
<b>Skin contact</b>	Please see Section 11. Toxicological Information for further information.
<b>Eye contact</b>	Please see Section 11. Toxicological Information for further information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician** Treat symptomatically.

## 5. Firefighting Measures

### 5.1 Extinguishing media

#### **Suitable extinguishing media**

Use extinguishing media appropriate for surrounding material.

#### **Extinguishing media which must not be used for safety reasons**

None known.

### 5.2. Special hazards arising from the substance or mixture

#### **Unusual fire and explosion hazards**

None known.

#### **Hazardous combustion products**

Thermal decomposition can lead to release of irritating gases and vapours

### **5.3 Advice for firefighters**

#### **Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

#### **Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

## **6. Accidental Release Measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8. Do not breathe dust. Material becomes slippery when wet. Use caution if wet.

### **6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

#### **Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

### **6.3 Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

#### **Methods for cleaning up**

Sweep up and shovel into suitable containers for disposal. Avoid generating or breathing dust. Product is slippery if wet. After cleaning, flush away traces with water.

### **6.4 Reference to other sections**

See section 13 for more information.

## **7. Handling and Storage**

### **7.1 Precautions for safe handling**

#### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Avoid dust formation. Do not breathe dust. Material becomes slippery when wet. Use caution if wet.

#### **Hygiene Measures**

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

### **7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures/precautions** Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

**Storage precautions** Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid wet and humid conditions.

**Storage class** Chemical storage.

**Storage class, TRGS 510, Germany** Storage class 9: no classification

**Packaging materials** Use specially constructed containers only

**7.3 Specific end uses**

See Section 1.2.

**8. Exposure Controls/Personal Protection**

**8.1 Control parameters**

**Component Information**

Chemical Name	EU OEL - Third List	Austria	Denmark
Barite	Not determined	Not determined	Not determined
Crystalline silica (impurity)	0.1 mg/m <sup>3</sup> TWA respirable fraction	0.15 mg/m <sup>3</sup> TWA alveolar dust, respirable fraction	0.1mg/m <sup>3</sup>
Chemical Name	France	Germany	Hungary
Barite	Not determined	Not determined	Not determined
Crystalline silica (impurity)	0.1 mg/m <sup>3</sup> TWA	Not determined	0.15mg/m <sup>3</sup> TWA
Chemical Name	Italy	Netherlands	Norway
Barite	Not determined	Not determined	Not determined
Crystalline silica (impurity)	Not determined	0.075 mg/m <sup>3</sup>	0.3 mg/m <sup>3</sup> TWA total dust 0.1 mg/m <sup>3</sup> TWA respirable dust 0.9 mg/m <sup>3</sup> STEL total dust 0.3 mg/m <sup>3</sup> STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania
Barite	Not determined	Not determined	Not determined
Crystalline silica (impurity)	0.1 mg/m <sup>3</sup> TWA NDS	0.025 mg/m <sup>3</sup> TWA respirable fraction	0.1mg/m <sup>3</sup> TWAdust, respirable fraction
Chemical Name	Spain	Switzerland	UK
Barite	Not determined	Not determined	Not determined
Crystalline silica (impurity)	0.05 mg/m <sup>3</sup> TWA VLA-ED	0.15 mg/m <sup>3</sup> TWA MAK	Not determined

**8.2 Exposure controls**

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

**Engineering Controls**

Ensure adequate ventilation. Provide appropriate exhaust ventilation at places where dust is formed.

**Personal protective equipment**

**Eye protection**

Use eye protection according to EN 166, designed to protect against powders and dusts.  
Tightly fitting safety goggles. Safety glasses with side-shields.

**Hand protection**

Wear gloves according to EN 374 to protect against skin effects from powders  
Use protective gloves made of: Neoprene PVC Nitrile  
Frequent change is advisable

**Respiratory protection**

No personal respiratory protective equipment normally required, Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust), Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

**Skin and body protection**

Wear suitable protective clothing and gloves, Eye wash and emergency shower must be available at the work place.

**Hygiene Measures**

Wash hands before breaks and immediately after handling the product, Remove and wash contaminated clothing before re-use.



**8.2.3 Environmental exposure controls**

**Environmental exposure**

Use appropriate containment to avoid environmental contamination See section 6 for more information

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Appearance</b>	Powder Dust
<b>Odour</b>	Odourless
<b>Colour</b>	Grey - Tan - Pink
<b>Odour threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	Not applicable	
pH @ dilution	No information available	
Melting / freezing point	1580 °C / 2876 °F	
Boiling point/range	No information available	
Flash point	Not applicable	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	4.1 - 4.25	20 °C
Bulk density	1920 - 2400 kg/m <sup>3</sup>	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	Not applicable	
Dynamic viscosity	No information available	
log Pow	No information available	

**Explosive properties** Not applicable  
**Oxidising properties** None known

**9.2 Other information**

**Pour point** No information available  
**Molecular weight** No information available  
**VOC content(%)** No information available  
**Density** No information available

**Comments**

The data listed above are typical physical and chemical properties and should not be construed as product specification.

## 10. Stability and Reactivity

**10.1 Reactivity**

No specific reactivity hazards associated with this product.

**10.2 Chemical stability**

Hazardous polymerisation does not occur.

**10.3 Possibility of Hazardous Reactions**

**Hazardous polymerisation**

Hazardous polymerisation does not occur.

**Hazardous Reactions**

None known.

**10.4 Conditions to avoid**

Avoid dust formation. Avoid wet and humid conditions.

**10.5 Incompatible materials**

No materials to be especially mentioned.

**10.6 Hazardous decomposition products**

See Section 5.

## 11. Toxicological Information

**11.1 Information on toxicological effects**

**Acute toxicity**

**Product information**

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis.

Respirable quartz < 0.3% . Report number: N0600517.



**Inhalation** Inhalation of dust in high concentration may cause irritation of respiratory system.

**Eye contact** Dust may cause mechanical irritation.

**Skin contact** Prolonged contact may cause redness and irritation.

**Ingestion** Ingestion may cause stomach discomfort.

**Unknown acute toxicity** Not applicable.

**Toxicology data for the components**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Barite	> 15000 mg/kg ( Rat )	No data available	No data available
Crystalline silica (impurity)	No data available	No data available	No data available

**Sensitisation** This product does not contain any components suspected to be sensitizing.

**Mutagenic effects** This product does not contain any known or suspected mutagens.

**Carcinogenicity** Contains a known or suspected carcinogen. Crystalline silica dust is listed by IARC in Group 1 as known to cause lung cancer in humans, if inhaled.

**Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.

**Routes of Exposure** Inhalation.

**Routes of entry** Inhalation.

**Specific target organ toxicity - Single exposure** Not classified

**Specific target organ toxicity - Repeated exposure** Not classified.

**Aspiration hazard** Not applicable.

**Other information** Key literature references and sources for data. See Section 16 for more information.

**12. Ecological Information**

**12.1 Toxicity**

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.  
 Listed on PLONOR list of OSPAR

**Toxicity to algae**  
 See component information below.

**Toxicity to fish**

See component information below.

**Toxicity to daphnia and other aquatic invertebrates**

See component information below.

**Toxicology data for the components**

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Barite	No information available	No information available	No information available
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

**12.2 Persistence and degradability**

See component information below.

Chemical Name	Persistence and degradability
Barite	Inorganic compound
Crystalline silica (impurity)	Inorganic compound

**12.3 Bioaccumulative potential**

See component information below.

Chemical Name	Bioaccumulation
Barite	Product/Substance is inorganic
Crystalline silica (impurity)	Product/Substance is inorganic

**12.4 Mobility**

**Mobility**

Insoluble in water. See component information below.

Chemical Name	Mobility
Barite	Insoluble in water
Crystalline silica (impurity)	Insoluble in water

**Mobility in soil**

See component information below.

Chemical Name	Mobility in soil
Barite	Not expected to adsorb on soil
Crystalline silica (impurity)	Not expected to adsorb on soil

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT/vPvB by current EU criteria.

**12.6 Other adverse effects.**

None known.

**12.7 Other information**

Key literature references and sources for data. See Section 16 for more information.

**13. Disposal Considerations**

**13.1 Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 01 05 07

**14. Transport information**

**14.1. UN number**

Not regulated

**14.2. UN proper shipping name**

The product is not covered by international regulation on the transport of dangerous goods

**14.3. Hazard class(es)**

**ADR/RID/ADN/ADG Hazard class** Not regulated

**IMDG Hazard class** Not regulated

**ICAO Hazard class/division** Not regulated

**14.4 Packing group**

**ADR/RID/ADN/ADG Packing Group** Not regulated

**IMDG Packing group** Not regulated

**ICAO Packing group** Not regulated

**14.5 Environmental hazard**

No

**14.6 Special precautions**

Not applicable

**14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code**

Please contact [SDS@slb.com](mailto:SDS@slb.com) for info regarding transport in Bulk.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:  
 Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008  
 Commission Regulation (EU) No 2015/830 of 28 May 2015  
 Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

#### Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

#### Netherlands

**Dutch Mining Regulations:** In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

**SZW list; Crystalline Silica (respirable)** is listed in the SZW list of carcinogenic substances and processes

#### Germany

Regulations governing systems for handling substances hazardous to waters  
 Hazardous substances ordinance

**Germany, Water Endangering Classes (VwVwS)**                      Water endangering class = nwg

**Technical Rules for Hazardous Substances (TRGS)**                      TRGS 220 National aspects when compiling safety data sheets  
    TRGS 510 Storage of hazardous substances in non stationary containers  
    TRGS 900 Occupational exposure limits  
    TRGS 905 List of substances that are carcinogenic, mutagenic or toxic for reproduction

#### International inventories

<b>USA, Toxic Substances Control Act inventory (TSCA)</b>	Complies
<b>Canada (DSL)</b>	Complies
<b>Philippines (PICCS)</b>	Complies
<b>Inventory - Japan - Existing and New Chemicals list</b>	Complies
<b>China (IECSC)</b>	Complies
<b>Australia (AICS)</b>	Complies
<b>Korea (KECL)</b>	Complies
<b>Inventory - New Zealand - Inventory of Chemicals (NZIoC)</b>	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

### 15.2 Chemical Safety Report

No information available

## 16. Other Information

<b>Prepared by</b>	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
<b>Supersedes Date:</b>	01/Aug/2019
<b>Revision date</b>	20/Jan/2020
<b>Version</b>	5
<b>This SDS has been revised in the following section(s)</b>	1, 2, 3, 8, 11, 12, 15, 16 No changes with regard to classification have been made. Updated according to GHS/CLP.

### Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

### Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

### HMIS classification

Health	1*
Flammability	0
Physical hazard	0
PPE	E

### Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure

\*A mark of M-I L.L.C., a Schlumberger Company

### Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.



Edition Number: 4  
Date Prepared: 01 May 2012  
Supersedes: 16 Aug 2004

---

SDS No. SMDS-04a

**SHELL SARALINE 185V**

---

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

**Product name:** Shell Saraline 185V  
**Product type:** Synthetic Drilling Base Fluid  
**Supplier:** Shell MDS Malaysia Sdn. Bhd.  
**Address:** Tanjong Kidurong, P.O. Box 1084, 97008 Bintulu  
Sarawak, Malaysia.  
**Contact numbers:**  
**Telephone:** +60 (86) 292 222  
**Telex:** MA 73113  
**Fax:** +60 (86) 252 211  
**Emergency telephone number:**  
**24hr Answering Service** +60 (86) 292 222

---

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance Formal Name** C9 to C21 Alkanes, Linear and Branched.  
**Substance Chemical Family** Aliphatic Hydrocarbons  
**CAS number** 90622-53-0

---

## 3. HAZARDS IDENTIFICATION

**Human health hazards:** If swallowed, aspiration into the lungs may cause chemical pneumonitis.  
**Safety hazards:** Not classified as flammable but will burn.  
**Environmental hazards:** None known.

---

## 4. FIRST AID MEASURES

**First Aid - Inhalation:** Remove to fresh air. If rapid recovery does not occur obtain medical attention.  
**First Aid - Skin:** Wash skin with water using soap frequently. Contaminated clothing must be removed as soon as possible. It must be laundered before reuse.

<b>First Aid - Eye:</b>	Flush eye with water. If persistent irritation occurs, obtain medical attention.
<b>First Aid - Ingestion:</b>	DO NOT DELAY. Do not induce vomiting. Protect the airway if vomiting begins. Give nothing by mouth. If breathing but unconscious, place in the recovery position. If breathing has stopped, apply artificial respiration. OBTAIN MEDICAL ATTENTION IMMEDIATELY.
<b>Advice to physicians:</b>	Treat symptomatically.

---

## 5. FIRE FIGHTING MEASURES

<b>Specific hazards:</b>	Combustion products may include carbon monoxide and unburnt hydrocarbons. The vapour is heavier than air, spreads along the ground and distant ignition is possible.
<b>Extinguishing media:</b>	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
<b>Unsuitable extinguishing media:</b>	Do not use water in a jet. Use of Halon extinguishers should be avoided for environmental reasons.
<b>Other information:</b>	Keep adjacent drums and tanks cool by spraying with water.

---

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	Remove all possible sources of ignition in the surrounding area and evacuate all personnel. Do not breathe vapour, mists. Avoid contact with skin, eyes and clothing. Take off immediately all contaminated clothing.
<b>Personal protection:</b>	Wear protective clothing specified for normal operations (see Section 8).
<b>Environmental precautions:</b>	Prevent from entering into drains, ditches or rivers. Use appropriate containment to avoid environmental contamination.
<b>Clean-up methods - small spillage:</b>	Absorb or contain liquid with sand, earth or spill control material. Shovel up and place in a labelled sealable container for subsequent safe disposal. Do not disperse using water.
<b>Clean-up methods - large spillage:</b>	Transfer to a labelled, sealable container for product recovery or safe disposal. Otherwise treat as for small spillage.
<b>Other information:</b>	Local authorities should be advised if significant spillages couldn't be contained. Observe all relevant local regulations. See Section 13 for information on disposal.

---

## 7. HANDLING AND STORAGE

<b>Handling:</b>	When using do not eat, drink or smoke. Only use in well-ventilated areas. Take precautionary measures against static discharges. Earth or bond all equipment.
------------------	---



<b>Handling temperature:</b>	Ambient.
<b>Storage:</b>	Locate tanks away from heat and other sources of ignition. Do not store in unsuitable, unlabelled or incorrectly labelled containers. Keep container tightly closed in a dry, well-ventilated place away from direct sunlight and other sources of heat or ignition. Drums should be correctly stacked to a maximum of 3 high. Prevent ingress of water. Keep in a bunded area. Keep out of reach of children.
<b>Storage temperature:</b>	Ambient.
<b>Product transfer:</b>	Electrostatic charges may be generated during pumping. Ensure electrical continuity by bonding all equipment. Avoid splash filling. Particular care must be taken when 'switch loading' road/rail tankers which have previously contained gasoline. Wait 10 minutes after tank filling before opening hatches or manholes.
<b>Tank cleaning:</b>	Cleaning, inspection and maintenance of storage tanks is a specialist operation, which requires the implementation of strict procedures and precautions. These include issuing work permits, gas-freeing of tanks, using a manned harness and lifeline and wearing air-supplied breathing apparatus. Prior to entry and whilst cleaning is underway, the atmosphere within the tank must be monitored using an oxygen meter and/or explosimeter.
<b>Recommended materials:</b>	Use mild steel, stainless steel for containers. Aluminium may also be used for applications where it does not present an unnecessary fire hazard. Use amine-adduct cured epoxy paint for container linings. Use compressed asbestos fibre, PTFE, Viton A, Viton B for seals and gaskets.
<b>Unsuitable materials:</b>	Materials for the construction of facilities for storing, handling and distributing this product should neither present unnecessary safety hazards nor adversely affect its quality. Examples of materials to avoid are: copper, copper alloys (ferrous and nonferrous). Synthetic materials such as plastics and fibreglass may also be unsuitable, depending on the material specification and intended use. Materials for packages, containers (including containers for the retention or despatch of samples) and container linings must not adversely affect the quality of the product. They must be impermeable and must not be weakened or otherwise affected by the product. Examples of materials to avoid are: natural rubber, polymethyl methacrylate, polystyrene, polyvinyl chloride, polyisobutylene. Polyethylene and polypropylene are also unsuitable unless they are high-density types, which have been specifically tested for compatibility with this product.
<b>Other information:</b>	Ensure that all local regulations regarding handling and storage facilities are followed. Never siphon by mouth.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Occupational exposure standards:</b>	None Established
<b>Respiratory protection:</b>	Not normally required. In a confined space self-contained breathing apparatus may be required.
<b>Hand protection:</b>	PVC or nitrile rubber gloves if splashes are likely to occur.
<b>Eye protection:</b>	Monogoggles if splashes are likely to occur.
<b>Body protection:</b>	Wear overalls to minimise contamination of personal clothing. Launder overalls and undergarments regularly. Safety shoes or boots - chemical resistant.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Liquid at ambient temperature.
<b>Colour:</b>	Colourless
<b>Odour:</b>	Odourless
<b>Initial boiling point:</b>	Circa 200°C
<b>Final boiling point:</b>	Circa 320°C
<b>Vapour pressure:</b>	<0.1 kPa at 40°C
<b>Density:</b>	Circa 780 kg/m <sup>3</sup> at 15°C
<b>Kinematic viscosity:</b>	Circa 2.8 mm <sup>2</sup> /s at 40°C
<b>Vapour density (air=1):</b>	> 5
<b>Pour point:</b>	Circa -27°C
<b>Flash point:</b>	> 85°C (PMCC)
<b>Flammability limit - lower:</b>	Circa 1%(V/V)
<b>Flammability limit - upper:</b>	Circa 6%(V/V)
<b>Auto-ignition temperature:</b>	> 220°C
<b>Explosive properties:</b>	In use, may form flammable/explosive vapour-air mixtures.
<b>Oxidizing properties:</b>	None
<b>Solubility in water:</b>	Insoluble

---

## 10. STABILITY/REACTIVITY

<b>Stability:</b>	Stable.
<b>Conditions to avoid:</b>	Heat, flames and sparks.
<b>Materials to avoid:</b>	Strong oxidizing agents.
<b>Hazardous decomposition products:</b>	None known.

---

## 11. TOXICOLOGICAL INFORMATION

<b>Basis for assessment:</b>	Toxicological studies have not been carried out on this product. Information given is based on a knowledge of available data on the hydrocarbon streams, available data on similar products and on toxicological knowledge of the constituents.
<b>Acute toxicity - oral:</b>	LD <sub>50</sub> >5000 mg/kg. Ingestion may lead to vomiting and aspiration into the lungs, this may result in chemical pneumonitis, which may be fatal.
<b>Acute toxicity - dermal:</b>	LD <sub>50</sub> >2000 mg/kg.
<b>Acute toxicity - inhalation:</b>	LC <sub>50</sub> expected to be >5 mg/l.
<b>Eye irritation:</b>	Expected to be slightly irritating.
<b>Skin irritation:</b>	Expected to be slightly irritating. Repeated exposure may cause skin dryness or cracking.
<b>Respiratory irritation:</b>	Expected to be slightly irritating.
<b>Skin sensitization:</b>	Not expected to be a skin sensitizer
<b>Sub chronic/Chronic Toxicity:</b>	Repeated skin exposure may cause moderate to severe irritation. Repeated inhalation of mists is expected to cause irritation of the respiratory tract.
<b>Carcinogenicity:</b>	Based on compositional analysis of this product, which shows that it contains linear and branched alkanes and virtually no aromatic compounds, dermal application is not expected to produce skin tumours in mice.
<b>Mutagenicity:</b>	In vitro mutagenicity studies have indicated that mutagenic activity for middle distillates is related to 4- to 6-ring polycyclic aromatic content, which is virtually zero in this product. Therefore this product is not expected to be mutagenic.
<b>Reproductive Toxicity:</b>	Not expected to be a developmental toxicant.
<b>Human effects:</b>	Prolonged/repeated contact may cause defatting of the skin, which can lead to dermatitis and may make the skin more susceptible to irritation and penetration by other materials. See Section 4 for information regarding acute effects to humans.

---

## 12. ECOLOGICAL INFORMATION

<b>Basis for assessment:</b>	Ecotoxicity/biodegradability studies have been performed on this product. Other information given is based on the knowledge of similar products.
<b>Mobility:</b>	Floats on water. Partly evaporates from water or soil surfaces, but a significant proportion will remain after one day. Large volumes may penetrate soil and could contaminate groundwater.
<b>Persistence/degradability:</b>	Readily biodegradable. Oxidizes rapidly by photochemical reactions in air.
<b>Bioaccumulation:</b>	Not expected to bioaccumulate significantly.

<b>Ecotoxicity:</b>	Poorly soluble mixture. Films formed on water may affect oxygen transfer and damage organisms. Product is not harmful to aquatic organisms, LL/EL <sub>50</sub> > 100 mg/l. (LL/EL <sub>50</sub> expressed as the nominal amount of product required to prepare aqueous test extract)
<b>Sewage treatment:</b>	Not toxic at the limit of water solubility.

---

### 13. DISPOSAL CONSIDERATIONS

<b>Precautions:</b>	See Section 8.
<b>Waste disposal:</b>	Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. Do not dispose into the environment, in drains or in water courses.
<b>Product disposal:</b>	Recycle if possible, otherwise incineration.
<b>Container disposal:</b>	200 litre drums should be drained and returned to the supplier or sent to a drum conditioner without removing or defacing markings or labels. Drums should not be reused without first obliterating all markings.

---

### 14. TRANSPORT INFORMATION

Not classified as dangerous for conveyance under UN, IMO, ADR/RID and IATA/ICAO codes

---

### 15. REGULATORY INFORMATION

<b>EC Classification:</b>	Harmful.
<b>EC Symbol:</b>	Xn
<b>EC Risk Phrases:</b>	R65 Harmful : may cause lung damage if swallowed.
<b>EC Safety Phrases:</b>	S62 If swallowed , do not induce vomiting; seek medical advice and show this container or label.

---

### 16. OTHER INFORMATION

<b>Uses and restrictions:</b>	Used as synthetic drilling base fluid
<b>Technical contact point:</b>	Norazlam Norbi
<b>Technical contact number:</b>	
<b>Telephone:</b>	+60 (3) 2091 2218
<b>Fax:</b>	+60 (3) 2051 2535

**SDS history:**

Edition number: 4  
First issued: 10/07/2003  
Revised: 03/03/2004  
Revised: 16/08/2004  
Revised: 01/05/2005

**SDS distribution:**

This document contains important information to ensure the safe storage, handling and use of this product. The information in this document should be brought to the attention of the person in your organisation responsible for advising on safety matters.

---

DISCLAIMER: This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not be construed as guaranteeing any specific property of the product.

## Shell Saraline 185V

Not Available

Chemwatch Hazard Alert Code: 1

Chemwatch: 4669-99

Version No: 3.1.1.1

Safety Data Sheet according to HSNO Regulations

Issue Date: 27/06/2017

Print Date: 08/05/2019

L.GHS.NZLEN.RISK

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### Product Identifier

Product name	Shell Saraline 185V
Synonyms	aliphatic hydrocarbons; C9-C21 alkanes, Linear and Branched
Other means of identification	Not Available

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Used as synthetic drilling base fluid.
--------------------------	--

#### Details of the supplier of the safety data sheet

Registered company name	Not Available
Address	Not Available
Telephone	Not Available
Fax	Not Available
Website	Not Available
Email	Not Available

#### Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

### SECTION 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

**Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not regulated for transport of Dangerous Goods.**

#### CHEMWATCH HAZARD RATINGS

	Min	Max
Flammability	1	
Toxicity	1	
Body Contact	1	
Reactivity	1	
Chronic	0	

0 = Minimum  
1 = Low  
2 = Moderate  
3 = High  
4 = Extreme

Classification [1]	Flammable Liquid Category 4, Acute Toxicity (Oral) Category 5, Acute Toxicity (Inhalation) Category 5, Specific target organ toxicity - single exposure Category 3 (narcotic effects), Aspiration Hazard Category 1 <i>*LIMITED EVIDENCE</i>
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI
Determined by Chemwatch using GHS/HSNO criteria	3.1D, 6.1E (aspiration), 6.1E (inhalation), 6.1E (oral), 6.9 (narcotic) <i>*LIMITED EVIDENCE</i>

#### Label elements

Hazard pictogram(s)	
---------------------	--

SIGNAL WORD	<b>DANGER</b>
-------------	---------------

#### Hazard statement(s)

H227	Combustible liquid.
H303	May be harmful if swallowed.
H333	May be harmful if inhaled.
H336	May cause drowsiness or dizziness.
H304	May be fatal if swallowed and enters airways.

\*LIMITED EVIDENCE

**Supplementary statement(s)**

Not Applicable

**Precautionary statement(s) Prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement(s) Response**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.
P304+P312	IF INHALED: Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.

**Precautionary statement(s) Storage**

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

**Precautionary statement(s) Disposal**

P501	Dispose of contents/container in accordance with local regulations.
------	---

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS****Substances**

See section below for composition of Mixtures

**Mixtures**

CAS No	%[weight]	Name
90622-53-0.	>90	<u>alkanes, C12-26, branched and linear</u>

**SECTION 4 FIRST AID MEASURES****Description of first aid measures**

<b>Eye Contact</b>	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>▶ Wash out immediately with fresh running water.</li> <li>▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
<b>Skin Contact</b>	<p>If skin or hair contact occurs:</p> <ul style="list-style-type: none"> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>▶ If fumes or combustion products are inhaled remove from contaminated area.</li> <li>▶ Lay patient down. Keep warm and rested.</li> <li>▶ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>▶ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>▶ Transport to hospital, or doctor.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>▶ If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.</li> <li>▶ <b>If swallowed do NOT induce vomiting.</b></li> <li>▶ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>▶ Observe the patient carefully.</li> <li>▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>▶ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>▶ Seek medical advice.</li> <li>▶ Avoid giving milk or oils.</li> <li>▶ Avoid giving alcohol.</li> </ul>

**Indication of any immediate medical attention and special treatment needed**

Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours.

Continued...

For acute or short term repeated exposures to petroleum distillates or related hydrocarbons:

- ▶ Primary threat to life, from pure petroleum distillate ingestion and/or inhalation, is respiratory failure.
- ▶ Patients should be quickly evaluated for signs of respiratory distress (e.g. cyanosis, tachypnoea, intercostal retraction, obtundation) and given oxygen. Patients with inadequate tidal volumes or poor arterial blood gases (pO<sub>2</sub> 50 mm Hg) should be intubated.
- ▶ Arrhythmias complicate some hydrocarbon ingestion and/or inhalation and electrocardiographic evidence of myocardial injury has been reported; intravenous lines and cardiac monitors should be established in obviously symptomatic patients. The lungs excrete inhaled solvents, so that hyperventilation improves clearance.
- ▶ A chest x-ray should be taken immediately after stabilisation of breathing and circulation to document aspiration and detect the presence of pneumothorax.
- ▶ Epinephrine (adrenalin) is not recommended for treatment of bronchospasm because of potential myocardial sensitisation to catecholamines. Inhaled cardioselective bronchodilators (e.g. Alupent, Salbutamol) are the preferred agents, with aminophylline a second choice.
- ▶ Lavage is indicated in patients who require decontamination; ensure use of cuffed endotracheal tube in adult patients. [Ellenhorn and Barceloux: Medical Toxicology]

## SECTION 5 FIREFIGHTING MEASURES

### Extinguishing media

- ▶ Foam.
- ▶ Dry chemical powder.
- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

### Special hazards arising from the substrate or mixture

<b>Fire Incompatibility</b>	▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
-----------------------------	--

### Advice for firefighters

<b>Fire Fighting</b>	<ul style="list-style-type: none"> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear full body protective clothing with breathing apparatus.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water course.</li> <li>▶ Use water delivered as a fine spray to control fire and cool adjacent area.</li> </ul>
<b>Fire/Explosion Hazard</b>	<ul style="list-style-type: none"> <li>▶ Combustible.</li> <li>▶ Slight fire hazard when exposed to heat or flame.</li> <li>▶ Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>▶ On combustion, may emit toxic fumes of carbon monoxide (CO).</li> </ul> <p>Combustion products include: carbon monoxide (CO) carbon dioxide (CO<sub>2</sub>) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes.</p>

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

See section 8

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

<b>Minor Spills</b>	<ul style="list-style-type: none"> <li>▶ Remove all ignition sources.</li> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid breathing vapours and contact with skin and eyes.</li> <li>▶ Control personal contact with the substance, by using protective equipment.</li> </ul>																																																																											
<b>Major Spills</b>	<p>Chemical Class: aliphatic hydrocarbons For release onto land: recommended sorbents listed in order of priority.</p> <table border="1"> <thead> <tr> <th>SORBENT TYPE</th> <th>RANK</th> <th>APPLICATION</th> <th>COLLECTION</th> <th>LIMITATIONS</th> </tr> </thead> <tbody> <tr> <td colspan="5">LAND SPILL - SMALL</td> </tr> <tr> <td>cross-linked polymer - particulate</td> <td>1</td> <td>shovel</td> <td>shovel</td> <td>R, W, SS</td> </tr> <tr> <td>cross-linked polymer - pillow</td> <td>1</td> <td>throw</td> <td>pitchfork</td> <td>R, DGC, RT</td> </tr> <tr> <td>wood fiber - pillow</td> <td>2</td> <td>throw</td> <td>pitchfork</td> <td>R, P, DGC, RT</td> </tr> <tr> <td>treated wood fibre- pillow</td> <td>2</td> <td>throw</td> <td>pitchfork</td> <td>DGC, RT</td> </tr> <tr> <td>sorbent clay - particulate</td> <td>3</td> <td>shovel</td> <td>shovel</td> <td>R, I, P</td> </tr> <tr> <td>foamed glass - pillow</td> <td>3</td> <td>throw</td> <td>pitchfork</td> <td>R, P, DGC, RT</td> </tr> <tr> <td colspan="5">LAND SPILL - MEDIUM</td> </tr> <tr> <td>cross-linked polymer - particulate</td> <td>1</td> <td>blower</td> <td>skiploader</td> <td>R,W,SS</td> </tr> <tr> <td>cross-linked polymer - pillow</td> <td>2</td> <td>throw</td> <td>skiploader</td> <td>R, DGC, RT</td> </tr> <tr> <td>sorbent clay - particulate</td> <td>3</td> <td>blower</td> <td>skiploader</td> <td>R, I, P</td> </tr> <tr> <td>polypropylene - particulate</td> <td>3</td> <td>blower</td> <td>skiploader</td> <td>W, SS, DGC</td> </tr> <tr> <td>expanded mineral - particulate</td> <td>4</td> <td>blower</td> <td>skiploader</td> <td>R, I, W, P, DGC</td> </tr> <tr> <td>polypropylene - mat</td> <td>4</td> <td>throw</td> <td>skiploader</td> <td>DGC, RT</td> </tr> </tbody> </table>	SORBENT TYPE	RANK	APPLICATION	COLLECTION	LIMITATIONS	LAND SPILL - SMALL					cross-linked polymer - particulate	1	shovel	shovel	R, W, SS	cross-linked polymer - pillow	1	throw	pitchfork	R, DGC, RT	wood fiber - pillow	2	throw	pitchfork	R, P, DGC, RT	treated wood fibre- pillow	2	throw	pitchfork	DGC, RT	sorbent clay - particulate	3	shovel	shovel	R, I, P	foamed glass - pillow	3	throw	pitchfork	R, P, DGC, RT	LAND SPILL - MEDIUM					cross-linked polymer - particulate	1	blower	skiploader	R,W,SS	cross-linked polymer - pillow	2	throw	skiploader	R, DGC, RT	sorbent clay - particulate	3	blower	skiploader	R, I, P	polypropylene - particulate	3	blower	skiploader	W, SS, DGC	expanded mineral - particulate	4	blower	skiploader	R, I, W, P, DGC	polypropylene - mat	4	throw	skiploader	DGC, RT
SORBENT TYPE	RANK	APPLICATION	COLLECTION	LIMITATIONS																																																																								
LAND SPILL - SMALL																																																																												
cross-linked polymer - particulate	1	shovel	shovel	R, W, SS																																																																								
cross-linked polymer - pillow	1	throw	pitchfork	R, DGC, RT																																																																								
wood fiber - pillow	2	throw	pitchfork	R, P, DGC, RT																																																																								
treated wood fibre- pillow	2	throw	pitchfork	DGC, RT																																																																								
sorbent clay - particulate	3	shovel	shovel	R, I, P																																																																								
foamed glass - pillow	3	throw	pitchfork	R, P, DGC, RT																																																																								
LAND SPILL - MEDIUM																																																																												
cross-linked polymer - particulate	1	blower	skiploader	R,W,SS																																																																								
cross-linked polymer - pillow	2	throw	skiploader	R, DGC, RT																																																																								
sorbent clay - particulate	3	blower	skiploader	R, I, P																																																																								
polypropylene - particulate	3	blower	skiploader	W, SS, DGC																																																																								
expanded mineral - particulate	4	blower	skiploader	R, I, W, P, DGC																																																																								
polypropylene - mat	4	throw	skiploader	DGC, RT																																																																								

Continued...



<p>Legend</p> <p>DGC: Not effective where ground cover is dense</p> <p>R: Not reusable</p> <p>I: Not incinerable</p> <p>P: Effectiveness reduced when rainy</p> <p>RT: Not effective where terrain is rugged</p> <p>SS: Not for use within environmentally sensitive sites</p> <p>W: Effectiveness reduced when windy</p> <p>Reference: Sorbents for Liquid Hazardous Substance Cleanup and Control;</p> <p>R.W Melvold et al: Pollution Technology Review No. 150: Noyes Data Corporation 1988</p> <p>Moderate hazard.</p> <ul style="list-style-type: none"> <li>▶ Clear area of personnel and move upwind.</li> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear breathing apparatus plus protective gloves.</li> </ul>
---

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 HANDLING AND STORAGE

### Precautions for safe handling

<b>Safe handling</b>	<ul style="list-style-type: none"> <li>▶ Containers, even those that have been emptied, may contain explosive vapours.</li> <li>▶ Do NOT cut, drill, grind, weld or perform similar operations on or near containers.</li> <li>▶ Electrostatic discharge may be generated during pumping - this may result in fire.</li> <li>▶ Ensure electrical continuity by bonding and grounding (earthing) all equipment.</li> <li>▶ Restrict line velocity during pumping in order to avoid generation of electrostatic discharge (<math>\leq 1</math> m/sec until fill pipe submerged to twice its diameter, then <math>\leq 7</math> m/sec).</li> <li>▶ Avoid splash filling.</li> <li>▶ Avoid all personal contact, including inhalation.</li> <li>▶ Wear protective clothing when risk of exposure occurs.</li> <li>▶ Use in a well-ventilated area.</li> <li>▶ Prevent concentration in hollows and sumps.</li> </ul>
<b>Other information</b>	<ul style="list-style-type: none"> <li>▶ Store in original containers.</li> <li>▶ Keep containers securely sealed.</li> <li>▶ No smoking, naked lights or ignition sources.</li> <li>▶ Store in a cool, dry, well-ventilated area.</li> </ul>

### Conditions for safe storage, including any incompatibilities

<b>Suitable container</b>	<ul style="list-style-type: none"> <li>▶ Metal can or drum</li> <li>▶ Packaging as recommended by manufacturer.</li> <li>▶ Check all containers are clearly labelled and free from leaks.</li> </ul>
<b>Storage incompatibility</b>	<ul style="list-style-type: none"> <li>▶ Avoid reaction with oxidising agents</li> </ul>



+	X	+	O	X	+	+
<b>X</b>	— Must not be stored together					
<b>O</b>	— May be stored together with specific preventions					
<b>+</b>	— May be stored together					

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Not Available

#### EMERGENCY LIMITS


Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Shell Saraline 185V	Not Available	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
alkanes, C12-26, branched and linear	Not Available	Not Available

#### MATERIAL DATA

### Exposure controls

<b>Appropriate engineering controls</b>	<p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.</p> <p>The basic types of engineering controls are:</p> <p>Process controls which involve changing the way a job activity or process is done to reduce the risk.</p> <p>Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.</p>
---	--

<b>Personal protection</b>	
<b>Eye and face protection</b>	<ul style="list-style-type: none"> <li>▶ Safety glasses with side shields.</li> <li>▶ Chemical goggles.</li> <li>▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	<p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</p> <p>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</p> <p>Personal hygiene is a key element of effective hand care.</p> <ul style="list-style-type: none"> <li>▶ Wear chemical protective gloves, e.g. PVC.</li> <li>▶ Wear safety footwear or safety gumboots, e.g. Rubber</li> </ul>
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	<ul style="list-style-type: none"> <li>▶ Overalls.</li> <li>▶ P.V.C. apron.</li> <li>▶ Barrier cream.</li> </ul>

### Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1 P2	-
up to 50	1000	-	A-AUS / Class 1 P2
up to 50	5000	Airline *	-
up to 100	5000	-	A-2 P2
up to 100	10000	-	A-3 P2
100+			Airline**

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO<sub>2</sub>), G = Agricultural chemicals, K = Ammonia(NH<sub>3</sub>), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	Colourless liquid with no odour; does not mix with water.		
<b>Physical state</b>	Liquid	<b>Relative density (Water = 1)</b>	0.78@15C
<b>Odour</b>	Not Available	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Available
<b>pH (as supplied)</b>	Not Applicable	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	Not Available	<b>Viscosity (cSt)</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	200-320	<b>Molecular weight (g/mol)</b>	Not Applicable
<b>Flash point (°C)</b>	>85 (PMCC)	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available
<b>Flammability</b>	Combustible.	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	6 (v/v)	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Available
<b>Lower Explosive Limit (%)</b>	1 (v/v)	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water</b>	Immiscible	<b>pH as a solution (1%)</b>	Not Applicable
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	<ul style="list-style-type: none"> <li>▶ Unstable in the presence of incompatible materials.</li> <li>▶ Product is considered stable.</li> <li>▶ Hazardous polymerisation will not occur.</li> </ul>

<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

<b>Inhaled</b>	<p>Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual. Limited evidence or practical experience suggests that the material may produce irritation of the respiratory system, in a significant number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage. The repair process, which initially evolved to protect mammalian lungs from foreign matter and antigens, may however, produce further lung damage resulting in the impairment of gas exchange, the primary function of the lungs. Respiratory tract irritation often results in an inflammatory response involving the recruitment and activation of many cell types, mainly derived from the vascular system.</p> <p>Inhalation hazard is increased at higher temperatures.</p> <p>Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by narcosis, reduced alertness, loss of reflexes, lack of coordination and vertigo.</p> <p>Acute effects from inhalation of high concentrations of vapour are pulmonary irritation, including coughing, with nausea; central nervous system depression - characterised by headache and dizziness, increased reaction time, fatigue and loss of co-ordination</p> <p>Some aliphatic hydrocarbons produce axonal neuropathies. Isoparaffinic hydrocarbons produce injury to the kidneys of male rats. When albino rats were exposed to isoparaffins at 21.4 mg/l for 4 hours, all animals experienced weakness, tremors, salivation, mild to moderate convulsions, chromodacryorrhoea and ataxia within the first 24 hours. Symptoms disappeared after 24 hours.</p> <p>High inhaled concentrations of mixed hydrocarbons may produce narcosis characterised by nausea, vomiting and lightheadedness. Inhalation of aerosols may produce severe pulmonary oedema, pneumonitis and pulmonary haemorrhage. Inhalation of petroleum hydrocarbons consisting substantially of low molecular weight species (typically C2-C12) may produce irritation of mucous membranes, incoordination, giddiness, nausea, vertigo, confusion, headache, appetite loss, drowsiness, tremors and anaesthetic stupor. Massive exposures may produce central nervous system depression with sudden collapse and deep coma; fatalities have been recorded.</p>
<b>Ingestion</b>	<p>Accidental ingestion of the material may be damaging to the health of the individual.</p> <p>Swallowing of the liquid may cause aspiration of vomit into the lungs with the risk of haemorrhaging, pulmonary oedema, progressing to chemical pneumonitis; serious consequences may result.</p> <p>Signs and symptoms of chemical (aspiration) pneumonitis may include coughing, gasping, choking, burning of the mouth, difficult breathing, and bluish coloured skin (cyanosis).</p> <p>Ingestion of petroleum hydrocarbons may produce irritation of the pharynx, oesophagus, stomach and small intestine with oedema and mucosal ulceration resulting; symptoms include a burning sensation in the mouth and throat. Large amounts may produce narcosis with nausea and vomiting, weakness or dizziness, slow and shallow respiration, swelling of the abdomen, unconsciousness and convulsions. Myocardial injury may produce arrhythmias, ventricular fibrillation and electrocardiographic changes. Central nervous system depression may also occur.</p> <p>Many aliphatic hydrocarbons create a burning sensation because they are irritating to the GI mucosa. Vomiting has been reported in up to one third of all hydrocarbon exposures. While most aliphatic hydrocarbons have little GI absorption, aspiration frequently occurs, either initially or in a semi-delayed fashion as the patient coughs or vomits, thereby resulting in pulmonary effects. Once aspirated, the hydrocarbons can create a severe pneumonitis.</p> <p>Central nervous system (CNS) depression may include nonspecific discomfort, symptoms of giddiness, headache, dizziness, nausea, anaesthetic effects, slowed reaction time, slurred speech and may progress to unconsciousness. Serious poisonings may result in respiratory depression and may be fatal.</p>
<b>Skin Contact</b>	<p>The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.</p> <p>Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</p>
<b>Eye</b>	<p>Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).</p>
<b>Chronic</b>	<p>Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical systems.</p> <p>Repeated or prolonged exposure to mixed hydrocarbons may produce narcosis with dizziness, weakness, irritability, concentration and/or memory loss, tremor in the fingers and tongue, vertigo, olfactory disorders, constriction of visual field, paraesthesias of the extremities, weight loss and anaemia and degenerative changes in the liver and kidney. Chronic exposure by petroleum workers, to the lighter hydrocarbons, has been associated with visual disturbances, damage to the central nervous system, peripheral neuropathies (including numbness and paraesthesias), psychological and neurophysiological deficits, bone marrow toxicities (including hypoplasia possibly due to benzene) and hepatic and renal involvement. Chronic dermal exposure to petroleum hydrocarbons may result in defatting which produces localised dermatoses. Surface cracking and erosion may also increase susceptibility to infection by microorganisms.</p>

<b>Shell Saraline 185V</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
<b>alkanes, C12-26, branched and linear</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	dermal (rat) LD50: >2000 mg/kg <sup>[2]</sup> Oral (rat) LD50: >5000 mg/kg <sup>[1]</sup>	Not Available

**Legend:** 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. \* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

<b>ALKANES, C12-26, BRANCHED AND LINEAR</b>	<p>No significant acute toxicological data identified in literature search.</p> <p>Studies indicate that normal, branched and cyclic paraffins are absorbed from the mammalian gastrointestinal tract and that the absorption of n-paraffins is inversely proportional to the carbon chain length, with little absorption above C30. With respect to the carbon chain lengths likely to be present in mineral oil, n-paraffins may be absorbed to a greater extent than iso- or cyclo-paraffins.</p> <p>The major classes of hydrocarbons have been shown to be well absorbed by the gastrointestinal tract in various species. In many cases, the hydrophobic</p>
---	--

	hydrocarbons are ingested in association with dietary lipids.		
Acute Toxicity	✓	Carcinogenicity	✗
Skin Irritation/Corrosion	✗	Reproductivity	✗
Serious Eye Damage/Irritation	✗	STOT - Single Exposure	✓
Respiratory or Skin sensitisation	✗	STOT - Repeated Exposure	✗
Mutagenicity	✗	Aspiration Hazard	✓

Legend: ✗ – Data either not available or does not fill the criteria for classification  
 ✓ – Data available to make classification

## SECTION 12 ECOLOGICAL INFORMATION

### Toxicity

Shell Saraline 185V	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available

alkanes, C12-26, branched and linear	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.13mg/L	2
	EC50	48	Crustacea	2mg/L	2
	EC50	72	Algae or other aquatic plants	1.714mg/L	2
	NOEC	96	Crustacea	=0.002mg/L	1

**Legend:** Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For hydrocarbons:

#### Environmental fate:

The lower molecular weight hydrocarbons are expected to form a "slick" on the surface of waters after release in calm sea conditions. This is expected to evaporate and enter the atmosphere where it will be degraded through reaction with hydroxy radicals.

Some hydrocarbon will become associated with benthic sediments, and it is likely to be spread over a fairly wide area of sea floor. Marine sediments may be either aerobic or anaerobic.

Drinking Water Standards: hydrocarbon total: 10 ug/l (UK max.).

**DO NOT discharge into sewer or waterways.**

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

### Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

### Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

Product / Packaging disposal
<ul style="list-style-type: none"> <li>▶ Recycle wherever possible or consult manufacturer for recycling options.</li> <li>▶ Consult State Land Waste Authority for disposal.</li> <li>▶ Bury or incinerate residue at an approved site.</li> <li>▶ Recycle containers if possible, or dispose of in an authorised landfill.</li> </ul>

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

### Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

The package must be disposed according to the manufacturer's directions taking into account the material it is made of.

Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous.

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

Continued...

<b>Marine Pollutant</b>	NO Not Applicable
<b>HAZCHEM</b>	Not Applicable

**Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Transport in bulk according to Annex II of MARPOL and the IBC code**

Not Applicable

## SECTION 15 REGULATORY INFORMATION

### Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002525	Cleaning Products (Combustible) Group Standard 2017
HSR002617	N.O.S. (Combustible) Group Standard 2017
HSR002596	Laboratory Chemicals and Reagent Kits Group Standard 2017
HSR002597	Leather and Textile Products (Combustible) Group Standard 2017
HSR002490	Additives, Process Chemicals and Raw Materials (Combustible) Group Standard 2017
HSR002647	Reagent Kits Group Standard 2017
HSR002640	Polymers (Combustible) Group Standard 2017
HSR002635	Photographic Chemicals (Combustible) Group Standard 2017
HSR002561	Embalming Products (Combustible) Group Standard 2017
HSR002581	Fuel Additives (Combustible) Group Standard 2017
HSR002554	Dental Products (Combustible) Group Standard 2017
HSR002574	Food Additives and Fragrance Materials (Combustible) Group Standard 2017
HSR100425	Pharmaceutical Active Ingredients Group Standard 2017
HSR002602	Lubricants (Combustible) Group Standard 2017
HSR002546	Corrosion Inhibitors (Combustible) Group Standard 2017
HSR002649	Solvents (Combustible) Group Standard 2017
HSR100757	Veterinary Medicine (Limited Pack Size, Finished Dose) Standard 2017
HSR100758	Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2017
HSR100759	Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2017
HSR002657	Surface Coatings and Colourants (Combustible) Group Standard 2017
HSR002552	Cosmetic Products Group Standard 2017

### ALKANES, C12-26, BRANCHED AND LINEAR(90622-53-0.) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

### Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity beyond which controls apply for closed containers	Quantity beyond which controls apply when use occurring in open containers
Not Applicable	Not Applicable	Not Applicable

### Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

### Tracking Requirements

Not Applicable

### National Inventory Status

National Inventory	Status
Australia - AICS	No (alkanes, C12-26, branched and linear)
Canada - DSL	No (alkanes, C12-26, branched and linear)
Canada - NDSL	No (alkanes, C12-26, branched and linear)

China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (alkanes, C12-26, branched and linear)
Korea - KECI	Yes
New Zealand - NZIoC	No (alkanes, C12-26, branched and linear)
Philippines - PICCS	No (alkanes, C12-26, branched and linear)
USA - TSCA	No (alkanes, C12-26, branched and linear)
Taiwan - TCSI	Yes
Mexico - INSQ	No (alkanes, C12-26, branched and linear)
Vietnam - NCI	No (alkanes, C12-26, branched and linear)
Russia - ARIPS	Yes
Thailand - TECl	No (alkanes, C12-26, branched and linear)
<b>Legend:</b>	Yes = All declared ingredients are on the inventory No = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

## SECTION 16 OTHER INFORMATION

<b>Revision Date</b>	27/06/2017
<b>Initial Date</b>	Not Available

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

### Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average  
 PC—STEL: Permissible Concentration-Short Term Exposure Limit  
 IARC: International Agency for Research on Cancer  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 STEL: Short Term Exposure Limit  
 TEEL: Temporary Emergency Exposure Limit.  
 IDLH: Immediately Dangerous to Life or Health Concentrations  
 OSF: Odour Safety Factor  
 NOAEL :No Observed Adverse Effect Level  
 LOAEL: Lowest Observed Adverse Effect Level  
 TLV: Threshold Limit Value  
 LOD: Limit Of Detection  
 OTV: Odour Threshold Value  
 BCF: BioConcentration Factors  
 BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



## Safety Data Sheet VERSACLEAN\* CBE

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

Product name VERSACLEAN\* CBE  
Product code PID14427

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Emulsifier

Uses advised against Consumer use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

M-I Drilling Fluids UK Limited  
Westhill Business Park  
Westhill AB32 6JL Aberdeenshire  
Scotland United Kingdom

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

#### National Poison Center Numbers

Netherlands	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
-------------	---

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

**Health hazards**

Skin sensitisation	Category 1
--------------------	------------

**Environmental hazards** Not classified

**Physical Hazards** Not classified

**2.2 Label elements**



**Signal word**

WARNING

**Hazard Statements**

H317 - May cause an allergic skin reaction

**Precautionary Statements**

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**Supplementary precautionary statements**

P362 + P364 - Take off contaminated clothing and wash it before reuse

**Contains**

Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics\*

(2-methoxymethylethoxy)propanol

**2.3 Other hazards**

Not classified as PBT/vPvB by current EU criteria

**3. Composition/information on Ingredients**

**3.1 Substances**

Not applicable



### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	273-601-0	68990-47-6	60-100	Skin Sens. 1 (H317)	01-2119496070-4 2-xxxx
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	926-141-6	RM1004246	10-30	Asp. Tox. 1 (H304) EUH066	01-2119456620-4 3-xxxx 01-2119484819-1 8-xxxx
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	5-10	Not classified	01-2119450011-6 0-xxxx

#### **Comments**

The product contains other ingredients which do not contribute to the overall classification.

The viscosity of this product is high enough that it is not an aspiration risk and the H304 phrase does not apply.

\*Substances which have an EC Number that begins with the number "9" is a Provisional List Number. The list numbers published by ECHA do not have any legal significance. The EC substance definition and related classification & labelling has been developed in the framework of the Regulation (EC) No 1907/2006 (REACH). For information about the related CAS number see section 15 of this SDS.

## 4. First Aid Measures

### 4.1 First aid measures

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
<b>Eye Contact</b>	Remove contact lenses, if worn. Promptly wash eyes with lots of water while lifting eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>General advice</b>	The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.
<b>Symptoms</b>	
<b>Inhalation</b>	Please see Section 11. Toxicological Information for further information.
<b>Ingestion</b>	Please see Section 11. Toxicological Information for further information.

**Skin contact** Please see Section 11. Toxicological Information for further information.

**Eye contact** Please see Section 11. Toxicological Information for further information.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

### **5. Firefighting Measures**

#### **5.1 Extinguishing media**

**Suitable extinguishing media**

Water Fog, Alcohol Foam, CO<sub>2</sub>, Dry Chemical.

**Extinguishing media which must not be used for safety reasons**

Do not use halon type extinguisher.

#### **5.2. Special hazards arising from the substance or mixture**

**Unusual fire and explosion hazards**

Vapours are heavier than air and may spread along floors.

**Hazardous combustion products**

Fire or high temperatures create: Amines, Carbon oxides (CO<sub>x</sub>), Hydrocarbon, Nitrogen oxides (NO<sub>x</sub>), Aldehydes, Ketones.

#### **5.3 Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

### **6. Accidental Release Measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8.

#### **6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

**Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

#### **6.3 Methods and material for containment and cleaning up**

**Methods for containment**

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

**Methods for cleaning up**

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. After cleaning, flush away traces with water.

**6.4 Reference to other sections**

See section 13 for more information.

**7. Handling and Storage**

**7.1 Precautions for safe handling**

**Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use. Persons susceptible to allergic reactions should not handle this product.

**Hygiene Measures**

Use good work and personal hygiene practices to avoid exposure When using do not smoke, eat or drink. Wash hands before eating, drinking or smoking Remove contaminated clothing

**7.2 Conditions for safe storage, including any incompatibilities**

- Technical measures/precautions**      Ensure adequate ventilation. Keep airborne concentrations below exposure limits.
- Storage precautions**                      Keep containers tightly closed in a dry, cool and well-ventilated place Keep away from open flames, hot surfaces and sources of ignition Avoid contact with: Aluminium Acids Strong bases Strong oxidising agents Strong reducing agents Avoid: Exposure to air
- Storage class**                                      Chemical storage.
- Storage class, TRGS 510, Germany**      LGK12 - Non-combustible liquids
- Packaging materials**                      Use specially constructed containers only

**7.3 Specific end uses**

See Section 1.2.

**8. Exposure Controls/Personal Protection**

**8.1 Control parameters**

**Exposure Limits**                                      Oil mist (mineral) workplace exposure limits are currently under review by legislative authorities. This workplace exposure limit (WEL) standard is applicable to highly refined mineral oils and is provided as a guidance limit only LT. EXP = 5mg/m<sup>3</sup> and ST. EXP = 10mg/m<sup>3</sup>.

**Component Information**

Chemical Name	EU OEL - Third List	Austria	Denmark
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and	Not determined	Not determined	Not determined

triethylenetetramine			
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Not determined	Not determined	Not determined
(2-methoxymethylethoxy)propanol	50 ppm TWA 308 mg/m <sup>3</sup> TWA Possibility of significant uptake through the skin	100 ppm STEL 614 mg/m <sup>3</sup> STEL 50 ppm TWA 307 mg/m <sup>3</sup> TWA	50 ppm TWA 309 mg/m <sup>3</sup> TWA Potential for cutaneous absorption
<b>Chemical Name</b>	<b>France</b>	<b>Germany</b>	<b>Hungary</b>
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	Not determined	Not determined	Not determined
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Not determined	Not determined	Not determined
(2-methoxymethylethoxy)propanol	50 ppm TWA 308 mg/m <sup>3</sup> TWA	50 ppm TWA 310 mg/m <sup>3</sup> TWA	308 mg/m <sup>3</sup> TWA 308 mg/m <sup>3</sup> STEL
<b>Chemical Name</b>	<b>Italy</b>	<b>Netherlands</b>	<b>Norway</b>
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	Not determined	Not determined	Not determined
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Not determined	Not determined	Not determined
(2-methoxymethylethoxy)propanol	Not determined	300 mg/m <sup>3</sup>	50 ppm TWA 300 mg/m <sup>3</sup> TWA 75 ppm STEL 375 mg/m <sup>3</sup> STEL Skin
<b>Chemical Name</b>	<b>Poland</b>	<b>Portugal</b>	<b>Romania</b>
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	Not determined	Not determined	Not determined
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Not determined	Not determined	Not determined
(2-methoxymethylethoxy)propanol	480 mg/m <sup>3</sup> STEL NDSCh mixture of isomers: Propanol, 1(or 2)-(2-methoxymethylethoxy)-, Propanol, 1-(1-methoxymethylethoxy) 240 mg/m <sup>3</sup> TWA NDS mixture of isomers	Skin 150 ppm STEL VLE-CD 50 ppm TWA indicative limit value 308 mg/m <sup>3</sup> TWA indicative limit value	50 ppm TWA 308 mg/m <sup>3</sup> TWA
<b>Chemical Name</b>	<b>Spain</b>	<b>Switzerland</b>	<b>UK</b>
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	Not determined	Not determined	Not determined
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Not determined	Not determined	Not determined
(2-methoxymethylethoxy)propanol	Skin 50 ppm TWA VLA-ED 308 mg/m <sup>3</sup> TWA VLA-ED	50 ppm STEL 300 mg/m <sup>3</sup> STEL 50 ppm TWA MAK 300 mg/m <sup>3</sup> TWA MAK	150 ppm STEL calculated 924 mg/m <sup>3</sup> STEL calculated Skin 50 ppm TWA 308 mg/m <sup>3</sup> TWA

**Derived No Effect Level (DNEL)**

**Short term exposure local effects**

<b>Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine</b>	
Dermal	1388 µg/cm <sup>2</sup>
Inhalation	14693 µg/m <sup>3</sup>

**Long term exposure local effects**

<b>Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine</b>	
Dermal	1388 µg/cm <sup>2</sup>
Inhalation	14693 µg/m <sup>3</sup>

**Short term exposure systemic effects**

<b>Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine</b>	
Dermal	33332 µg/kg
Inhalation	29386 µg/m <sup>3</sup>

**Long term exposure systemic effects**

<b>Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine</b>	
Dermal	16666 µg/kg
Inhalation	14693 µg/m <sup>3</sup>

**(2-methoxymethylethoxy)propanol**

Dermal	283 mg/kg
Inhalation	308 mg/m <sup>3</sup>

**Predicted No Effect Concentration (PNEC)**

<b>Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine</b>	
Fresh Water	0.00217 mg/L
Sea Water	0.000217 mg/L
Freshwater sediment	180 mg/kg
Sea sediment	18 mg/kg
Soil	146 mg/kg
Impact on sewage treatment	1 mg/l
Intermittent release	0.0217 mg/l

**(2-methoxymethylethoxy)propanol**

Fresh Water	19 mg/L
Sea Water	1.9 mg/L
Freshwater sediment	70.2 mg/kg
Sea sediment	7.02 mg/kg
Soil	2.74 mg/kg
Impact on sewage treatment	4168 mg/L

**8.2 Exposure controls**

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

**Engineering Controls**

Ensure adequate ventilation. Provide mechanical general and/or local exhaust ventilation to prevent release of vapor or mist into work environment.

**Personal protective equipment**

<b>Eye protection</b>	Use eye protection according to EN 166, designed to protect against liquid splashes. Tightly fitting safety goggles. Safety glasses with side-shields.
<b>Hand protection</b>	Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training Use protective gloves made of: Neoprene Butyl rubber Be aware that liquid may penetrate the gloves. Frequent change is advisable.

**Respiratory protection**

No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Respirator with a vapor filter (EN 141), Use respirator with organic vapor protection (A, brown), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

**Skin and body protection**

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

**Hygiene Measures**

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



**8.2.3 Environmental exposure controls**

**Environmental exposure**

Use appropriate containment to avoid environmental contamination See section 6 for more information

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	Viscous
<b>Odour</b>	Characteristic
<b>Colour</b>	Dark amber
<b>Odour threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
<b>pH</b>	No information available	
<b>pH @ dilution</b>	No information available	
<b>Melting / freezing point</b>	No information available	
<b>Boiling point/range</b>	> 200 °C / 392 °F	
<b>Flash point</b>	> 70 °C / > 158 °F	
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	Not applicable	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit</b>	Not applicable	
<b>Lower flammability limit</b>	Not applicable	
<b>Vapour pressure</b>	No information available	
<b>Vapour density</b>	No information available	
<b>Specific gravity</b>	No information available	
<b>Bulk density</b>	No information available	
<b>Relative density</b>	0.94 sg	@ 25 °C.
<b>Water solubility</b>	Insoluble in water	
<b>Solubility in other solvents</b>	Oil soluble.	
<b>Autoignition temperature</b>	No information available	
<b>Decomposition temperature</b>	No information available	
<b>Kinematic viscosity</b>	670 mm <sup>2</sup> /s	@ 40 °C
<b>Dynamic viscosity</b>	620 mPa s	@ 40 °C
<b>log Pow</b>	No information available	

**Explosive properties** Not applicable  
**Oxidising properties** None known

**9.2 Other information**

**Pour point** -5°C to -10°C / 23°F to 14°F  
**Molecular weight** No information available  
**VOC content(%)** None  
**Density** No information available

**Comments**

The data listed above are typical physical and chemical properties and should not be construed as product specification.

## 10. Stability and Reactivity

**10.1 Reactivity**

No specific reactivity hazards associated with this product.

**10.2 Chemical stability**

Stable under normal temperature conditions and recommended use.

**10.3 Possibility of Hazardous Reactions**

**Hazardous polymerisation**

Hazardous polymerisation does not occur.

**10.4 Conditions to avoid**

Keep away from open flames, hot surfaces and sources of ignition. Exposure to air.

**10.5 Incompatible materials**

Aluminium. Acids. Strong bases. Strong oxidising agents. Strong reducing agents.

**10.6 Hazardous decomposition products**

See Section 5.2.

## 11. Toxicological Information

**11.1 Information on toxicological effects**

**Acute toxicity**

**Inhalation** Inhalation of vapours in high concentration may cause irritation of respiratory system.

**Eye contact** May cause slight irritation.

**Skin contact** May cause an allergic skin reaction. May be absorbed through the skin in harmful amounts.

**Ingestion** Ingestion may cause stomach discomfort.

**Unknown acute toxicity** Not applicable.

**Toxicology data for the components**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	> 2020 mg/kg (Rat) Literature data	> 2000 mg/kg (Rat) OECD 402 - Duration: 24h Literature data	No data available
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
(2-methoxymethylethoxy)propanol	= 5400 µL/kg (Rat)	= 9500 mg/kg (Rabbit)	LC50 > 275 ppm Literature data

**Sensitisation** May cause allergic skin reaction.

**Mutagenic effects** This product does not contain any known or suspected mutagens.

**Carcinogenicity** This product does not contain any known or suspected carcinogens.

**Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.

**Routes of exposure** Skin contact.

**Routes of entry** Skin contact.

**Specific target organ toxicity - Single exposure** Not classified

**Specific target organ toxicity - Repeated exposure** Not classified.

**Aspiration hazard** The viscosity of this product is high enough that it is not an aspiration risk and the H304 phrase does not apply.

**Other information** Key literature references and sources for data. See Section 16 for more information.

**12. Ecological Information**

**12.1 Toxicity**

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Toxicity to algae**  
 See component information below.

**Toxicity to fish**  
 See component information below.

**Toxicity to daphnia and other aquatic invertebrates**



See component information below.

**Toxicology data for the components**

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	OECD 203 Fish LC50 > 100 mg/l - Duration h: 96 Literature data	OECD 201 Algae EC50 > 100 mg/l - Duration h: 72 Literature data	OECD 202 Daphnia magna NOEC = 100 mg/l - Duration h: 48 Literature data
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	LC50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: Information given is based on data obtained from similar substances.	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 Remarks: Information given is based on data obtained from similar substances.	EL50 (Water flea (Daphnia magna)): 1,4 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 Remarks: Information given is based on data obtained from similar substances.
(2-methoxymethylethoxy)propanol	> 10000 mg/L LC50 Pimephales promelas 96 h	OECD 201 Algae EC50 > 969 mg/l - Duration h: 72 Literature data	= 1919 mg/L LC50 Daphnia magna 48 h

**12.2 Persistence and degradability**

See component information below.

Chemical Name	Persistence and degradability
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	Inherently biodegradable
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Inherently biodegradable OECD 301F : 58.6% Duration 28 days
(2-methoxymethylethoxy)propanol	Readily biodegradable

**12.3 Bioaccumulative potential**

See component information below.

Chemical Name	Bioaccumulation
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	No bioaccumulation expected due to high molecular weight.
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Does not bioaccumulate
(2-methoxymethylethoxy)propanol	No information available

**12.4 Mobility**

**Mobility**

Insoluble in water. See component information below.

Chemical Name	Mobility
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	No information available
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	Insoluble in water
(2-methoxymethylethoxy)propanol	Completely soluble

#### Mobility in soil

See component information below.

Chemical Name	Mobility in soil
Fatty acids, tall-oil, reaction products with diethylenetriamine, maleic anhydride, tetraethylenepentamine and triethylenetetramine	No information available
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics*	No information available
(2-methoxymethylethoxy)propanol	No information available

#### 12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

#### 12.6 Other adverse effects.

None known.

#### 12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

## 13. Disposal Considerations

#### 13.1 Waste treatment methods

##### Waste from residues/unused products

Dispose of in accordance with local regulations.

##### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

##### EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 04

## 14. Transport information

**14.1. UN number**

Not regulated

**14.2. UN proper shipping name**

The product is not covered by international regulation on the transport of dangerous goods

**14.3. Hazard class(es)**

**ADR/RID/ADN/ADG Hazard class** Not regulated

**IMDG Hazard class** Not regulated

**ICAO Hazard class/division** Not regulated

**14.4 Packing group**

**ADR/RID/ADN/ADG Packing Group** Not regulated

**IMDG Packing group** Not regulated

**ICAO Packing group** Not regulated

**14.5 Environmental hazard**

No

**14.6 Special precautions**

Not applicable

**14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code**

Please contact SDS@slb.com for info regarding transport in Bulk.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

#### International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Does not comply
China (IECSC)	Complies
Australia (AICS)	Does not comply
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

CAS Number 64742-47-8 can be used to identify the substance given a list number in section 3 in areas not subject to the REACH regulation.

### 15.2 Chemical Safety Report

No information available

## 16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Sandra McWilliam
Supersedes Date:	10/Mar/2015
Revision date	13/Dec/2018

---

**Version** 4

**This SDS has been revised in the following section(s)** All sections There have been changes with regard to classification.

**Key literature references and sources for data**

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

**Training Advice**

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

**Full text of H-Statements referred to under sections 2 and 3**

H317 - May cause an allergic skin reaction

H304 - May be fatal if swallowed and enters airways

EUH066 - Repeated exposure may cause skin dryness or cracking

\*A mark of M-I L.L.C., a Schlumberger Company

**Disclaimer**

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.



## Safety Data Sheet VERSATROL\* M

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

#### 1.1 Product identifier

Product name VERSATROL\* M  
Product code PID15065

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fluid loss reducer.

Uses advised against Consumer use

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

M-I Drilling Fluids UK Limited  
Westhill Business Park  
Westhill AB32 6JL. Aberdeenshire  
Scotland United Kingdom

+47 51577424

SDS@slb.com

#### 1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

#### National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Norway	Poison information centre: +47 22 59 13 00

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

**Health hazards** Not classified

**Environmental hazards** Not classified

**Physical Hazards** Not classified

## 2.2 Label elements

### Signal word

None

### Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

### Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

**Contains** , No hazardous components

### 2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria  
Suspended dust may present a dust explosion hazard

## **3. Composition/information on Ingredients**

### 3.1 Substances

This product does not contain any hazardous ingredients, or ingredients with national workplace exposure limits.

### 3.2 Mixtures

Not applicable

## **4. First Aid Measures**

### 4.1 First aid measures

#### **Inhalation**

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

#### **Ingestion**

Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

#### **Skin contact**

Wash skin thoroughly with soap and water. Get medical attention if irritation persists.

**Eye Contact** Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

**4.2. Most important symptoms and effects, both acute and delayed**

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

**Symptoms**

**Inhalation** Please see Section 11. Toxicological Information for further information.

**Ingestion** Please see Section 11. Toxicological Information for further information.

**Skin contact** Please see Section 11. Toxicological Information for further information.

**Eye contact** Please see Section 11. Toxicological Information for further information.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

**5. Firefighting Measures**

**5.1 Extinguishing media**

**Suitable extinguishing media**

Use extinguishing agent suitable for type of surrounding fire.

**Extinguishing media which must not be used for safety reasons**

None known.

**5.2. Special hazards arising from the substance or mixture**

**Unusual fire and explosion hazards**

Dust may form explosive mixture in air.

**Hazardous combustion products**

Fire or high temperatures create: Carbon oxides (COx), Nitrogen oxides (NOx).

**5.3 Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

**6. Accidental Release Measures**



## **6.1. Personal precautions, protective equipment and emergency procedures**

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8. Material becomes slippery when wet. Use caution if wet.

## **6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

### **Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

## **6.3 Methods and material for containment and cleaning up**

### **Methods for containment**

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

### **Methods for cleaning up**

Sweep up and shovel into suitable containers for disposal. Take precautionary measures against static discharges. After cleaning, flush away traces with water.

## **6.4 Reference to other sections**

See section 13 for more information.

# **7. Handling and Storage**

## **7.1 Precautions for safe handling**

### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Remove all sources of ignition. Material becomes slippery when wet. Use caution if wet.

### **Hygiene Measures**

Use good work and personal hygiene practices to avoid exposure. When using do not eat, drink, smoke, sniff. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

## **7.2 Conditions for safe storage, including any incompatibilities**

<b>Technical measures/precautions</b>	Ensure adequate ventilation. Keep airborne concentrations below exposure limits.
<b>Storage precautions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid heat, flames and other sources of ignition. Avoid contact with: Strong oxidising agents
<b>Storage class</b>	Chemical storage.
<b>Storage class, TRGS 510, Germany</b>	LGK11 - Combustible solids
<b>Packaging materials</b>	Use specially constructed containers only

## **7.3 Specific end uses**

See Section 1.2.

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits** NUI = Nuisance dust, TWA 4mg/m<sup>3</sup> Respirable Dust, 10mg/m<sup>3</sup> Total Dust.

No biological limit allocated

### 8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

#### Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

#### Personal protective equipment

##### Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.

##### Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Repeated or prolonged contact Use protective gloves made of: Neoprene Nitrile Frequent change is advisable

##### Respiratory protection

No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

##### Skin and body protection

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

#### Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



### 8.2.3 Environmental exposure controls

**Environmental exposure** Use appropriate containment to avoid environmental contamination See section 6 for more information

## 9. Physical and Chemical Properties

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Appearance</b>	Powder Dust
<b>Odour</b>	Odourless
<b>Colour</b>	Black
<b>Odour threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
<b>pH</b>	No information available	
<b>pH @ dilution</b>	No information available	
<b>Melting / freezing point</b>	140 - 205 °C / 284-401 °F	
<b>Boiling point/range</b>	No information available	
<b>Flash point</b>	316 °C / 600 °F	Cleveland Open Cup (COC)
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	Not applicable	
<b>Flammability Limit in Air</b>		
Upper flammability limit	250-500 g/m <sup>3</sup>	
Lower flammability limit	Not applicable	
<b>Vapour pressure</b>	No information available	
<b>Vapour density</b>	No information available	
<b>Specific gravity</b>	1.04 - 1.06	20 °C
<b>Bulk density</b>	540 kg/m <sup>3</sup> / ~34 lb/ft <sup>3</sup>	
<b>Relative density</b>	No information available	
<b>Water solubility</b>	Insoluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Autoignition temperature</b>	500 °C / 932 °F	
<b>Decomposition temperature</b>	288 °C / 550 °F	
<b>Kinematic viscosity</b>	No information available	
<b>Dynamic viscosity</b>	No information available	
<b>log Pow</b>	No information available	

<b>Explosive properties</b>	Suspended dust may present a dust explosion hazard
<b>Oxidising properties</b>	None known

**9.2 Other information**

<b>Pour point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content(%)</b>	None
<b>Density</b>	No information available
<b>Softening point</b>	185-204°C / 365-400°F

**Comments**

The data listed above are typical physical and chemical properties and should not be construed as product specification.

**10. Stability and Reactivity**

**10.1 Reactivity**

Dust may form explosive mixture in air.

**10.2 Chemical stability**

Stable under normal temperature conditions and recommended use.

### 10.3 Possibility of Hazardous Reactions

#### **Hazardous polymerisation**

Hazardous polymerisation does not occur.

### 10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid dust formation.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

See Section 5.2.

## **11. Toxicological Information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

##### **Inhalation**

Inhalation of dust in high concentration may cause irritation of respiratory system.

##### **Eye contact**

Dust may cause mechanical irritation.

##### **Skin contact**

Prolonged contact may cause redness and irritation.

##### **Ingestion**

Ingestion may cause stomach discomfort.

##### **Unknown acute toxicity**

Not applicable.

#### **Sensitisation**

This product does not contain any components suspected to be sensitizing.

#### **Mutagenic effects**

This product does not contain any known or suspected mutagens.

#### **Carcinogenicity**

This product does not contain any known or suspected carcinogens.

#### **Reproductive toxicity**

This product does not contain any known or suspected reproductive hazards.

#### **Routes of exposure**

Inhalation.

#### **Routes of entry**

Inhalation.

#### **Specific target organ toxicity - Single exposure**

Not classified

#### **Specific target organ toxicity - Repeated exposure**

Not classified.

---

<b>Aspiration hazard</b>	Not applicable.
<b>Other information</b>	Key literature references and sources for data. See Section 16 for more information.

## 12. Ecological Information

### 12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Toxicity to algae**

This product is not considered toxic to algae.

#### **Toxicity to fish**

This product is not considered toxic to fish.

#### **Toxicity to daphnia and other aquatic invertebrates**

This product is not considered toxic to invertebrates.

### 12.2 Persistence and degradability

The product is not biodegradable.

### 12.3 Bioaccumulative potential

Does not bioaccumulate.

### 12.4 Mobility

#### **Mobility**

Insoluble in water.

#### **Mobility in soil**

No information available.

### 12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

**12.6 Other adverse effects.**

None known.

**12.7 Other information**

Key literature references and sources for data. See Section 16 for more information.

**13. Disposal Considerations**

**13.1 Waste treatment methods**

**Waste from residues/unused products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 99.

**14. Transport information**

**14.1. UN number**

Not regulated

**14.2. UN proper shipping name**

The product is not covered by international regulation on the transport of dangerous goods

**14.3. Hazard class(es)**

**ADR/RID/ADN/ADG Hazard class** Not regulated

**IMDG Hazard class** Not regulated

**ICAO Hazard class/division** Not regulated

**14.4 Packing group**

**ADR/RID/ADN/ADG Packing Group** Not regulated

**IMDG Packing group** Not regulated

**ICAO Packing group** Not regulated

**14.5 Environmental hazard**

No

**14.6 Special precautions**

Not applicable

**14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code**

Please contact [SDS@slb.com](mailto:SDS@slb.com) for info regarding transport in Bulk.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Germany, Water Endangering Classes (VwVwS)** Water endangering class = nwg

**Technical Rules for Hazardous Substances (TRGS)** TRGS 220 National aspects when compiling safety data sheets  
 TRGS 510 Storage of hazardous substances in non stationary containers  
 TRGS 900 Occupational exposure limits

**Germany**  
 Regulations governing systems for handling substances hazardous to waters  
 Chemicals act

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

#### International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

#### Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 2303874

### 15.2 Chemical Safety Report

No information available



## 16. Other Information

<b>Prepared by</b>	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
<b>Supersedes Date:</b>	11/May/2017
<b>Revision date</b>	28/Dec/2018
<b>Version</b>	5
<b>This SDS has been revised in the following section(s)</b>	1, 2, 6, 7, 8, 15, 16 No changes with regard to classification have been made.

### Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

### Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

### HMIS classification

Health	0
Flammability	1
Physical hazard	0
PPE	E

### Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

\*A mark of M-I L.L.C., a Schlumberger Company

### Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

Safety data sheet number PID10001  
Version 3  
Revision date 13/Mar/2017  
Supercedes date 20/May/2015



## Safety Data Sheet VG-SUPREME\*

### 1. Identification of the substance/preparation and of the Company/undertaking

#### 1.1 Product identifier

Product name VG-SUPREME\*  
Product code PID10001  
Denmark Pr. no. 1543788

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Invert emulsion drilling fluid. Viscosifier.

Uses advised against Consumer use

#### 1.3 Details of the supplier of the safety data sheet

Supplier  
M-I Drilling Fluids UK Limited  
C/O Schlumberger  
Enterprise Drive  
Westhill Industrial Estate  
Westhill, AB32 6TQ  
Scotland UK  
+47 51577424

MISDS@slb.com

#### 1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Norway	Poison information centre: +47 22 59 13 00

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards Not classified

Environmental hazards Not classified

Physical Hazards Not classified

#### 2.2 Label elements

**Signal word**

None

**Hazard statements**

This product is not classified as hazardous therefore no (H) hazard statements assigned.

**Precautionary Statements - EU (§28, 1272/2008)**

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

**Contains**

Crystalline silica (impurity)

**2.3 Other hazards**

Not classified as PBT/vPvB by current EU criteria

**Australian statement of hazardous/dangerous nature**

Classified as Non-Hazardous according to the criteria of NOHSC.  
NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

**3. Composition/information on ingredients**

**3.1 Substances**

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Regulation (EC) No 1272/2008	REACH registration number
Crystalline silica (impurity)	238-878-4	14808-60-7	<3	Xn; R48/20	STOT Rep. 2 - H373	Exempt

**3.2 Mixtures**

Not applicable

**Comments**

Naturally occurring mineral.

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

The product contains other ingredients which do not contribute to the overall classification.

**4. First aid measures**

#### **4.1 First Aid**

<b>Inhalation</b>	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
<b>Ingestion</b>	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Remove contact lenses. Promptly wash eyes with lots of water while lifting eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### **4.2 Most important symptoms and effects, both acute and delayed**

**General advice** The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

#### **Main symptoms**

<b>Inhalation</b>	Please see Section 11. Toxicological Information for further information.
<b>Ingestion</b>	Please see Section 11. Toxicological Information for further information.
<b>Skin contact</b>	Please see Section 11. Toxicological Information for further information.
<b>Eye contact</b>	Please see Section 11. Toxicological Information for further information.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

## **5. Fire-fighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Water spray, fog or alcohol-resistant foam, Carbon dioxide (CO<sub>2</sub>), Dry powder, Dry sand.

##### **Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

#### **5.2 Special hazards arising from the substance or mixture**

##### **Unusual fire and explosion hazards**

Dust may form explosive mixture in air.

##### **Hazardous combustion products**

Fire or high temperatures create: Carbon oxides (CO<sub>x</sub>), Hydrogen chloride gas, Nitrogen oxides (NO<sub>x</sub>).

### **5.3 Advice for firefighters**

#### **Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

#### **Special Fire-Fighting Procedures**

Containers close to fire should be removed immediately or cooled with water.

## **6. Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.

### **6.2 Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

#### **Environmental exposure controls**

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

### **6.3 Methods and material for containment and cleaning up**

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

#### **Methods for cleaning up**

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Take precautionary measures against static discharges. After cleaning, flush away traces with water. Do not flush into surface water or sanitary sewer system.

### **6.4 Reference to other sections**

See section 13 for more information.

## **7. Handling and storage**

### **7.1 Precautions for safe handling**

#### **Handling**

Avoid contact with skin and eyes. Avoid dust formation. Take precautionary measures against static discharges. If spilled, take caution, as material can cause surfaces to become very slippery.

#### **Hygiene measures**

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands before eating, drinking or smoking. Remove contaminated clothing.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Technical measures/precautions**

Ensure adequate ventilation. Keep airborne concentrations below exposure limits. Take precautionary measures against static discharges.

#### **Storage precautions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Avoid contact with: Heat, flames and sparks Strong oxidising agents

**Storage class** Chemical storage.

**Packaging materials** Use specially constructed containers only

**7.3 Specific end uses**

See Section 1.2.

**8. Exposure controls/personal protection**

**8.1 Control parameters**

**Exposure Limits** No biological limit allocated

Chemical Name	EU OEL - Third List	Austria	Australia	Denmark
Crystalline silica (impurity)	Not determined	0.15 mg/m <sup>3</sup> TWA alveolar dust, respirable fraction	0.1 mg/m <sup>3</sup> TWA respirable dust	0.1 mg/m <sup>3</sup>
Chemical Name	Malaysia	France	Germany	Hungary
Crystalline silica (impurity)	0.1 mg/m <sup>3</sup> TWA	0.1 mg/m <sup>3</sup> TWA	Not determined	0.15 mg/m <sup>3</sup> TWA
Chemical Name	New Zealand	Italy	Netherlands	Norway
Crystalline silica (impurity)	0.2 mg/m <sup>3</sup> TWA Known or presumed human carcinogen	Not determined	0.075 mg/m <sup>3</sup>	0.3 mg/m <sup>3</sup> TWA total dust 0.1 mg/m <sup>3</sup> TWA respirable dust 0.3 mg/m <sup>3</sup> STEL total dust 0.1 mg/m <sup>3</sup> STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania	Russia
Crystalline silica (impurity)	2 mg/m <sup>3</sup> TWA NDS >50% free crystalline silica 0.3 mg/m <sup>3</sup> TWA NDS >50% free crystalline silica 4.0 mg/m <sup>3</sup> TWA NDS 2% to 50% free crystalline silica 1.0 mg/m <sup>3</sup> TWA NDS 2% to 50% free crystalline silica	0.025 mg/m <sup>3</sup> TWA respirable fraction	0.1 mg/m <sup>3</sup> TWA respirable fraction, dust	3 mg/m <sup>3</sup> STEL 1123 disintegration aerosol, total mass of aerosols 3 mg/m <sup>3</sup> STEL 1124 total mass of aerosols 1 mg/m <sup>3</sup> TWA 1123 1 mg/m <sup>3</sup> TWA 1124 Fibrogenic substance glass; regulated under Quartz 1123, 1124
Chemical Name	Spain	Switzerland	Turkey	UK
Crystalline silica (impurity)	0.05 mg/m <sup>3</sup> TWA VLA-ED	0.15 mg/m <sup>3</sup> TWA MAK	Not determined	Not determined

**8.2 Exposure controls**

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

**Engineering measures to reduce exposure**

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

**Personal protective equipment**

<b>Eye protection</b>	Use eye protection according to EN 166, designed to protect against dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
<b>Hand protection</b>	Wear gloves according to EN 374 to protect against skin effects from powders Repeated or prolonged contact Use protective gloves made of: Neoprene Nitrile Frequent change is advisable
<b>Respiratory protection</b>	Respirator must be worn if exposed to dust, Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
<b>Skin and body protection</b>	Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

**Hygiene measures**

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



**9. Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Appearance</b>	Powder Dust
<b>Odour</b>	Odourless
<b>Colour</b>	Off-white
<b>Odour threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	Not applicable	
pH @ dilution		
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	No information available	
Bulk density	No information available	
Relative density	1.7 sg	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	

**Autoignition temperature** No information available  
**Decomposition temperature** No information available  
**Kinematic viscosity** No information available  
**Dynamic viscosity** No information available  
**log Pow** No information available

**Explosive properties** Suspended dust may present a dust explosion hazard  
**Oxidising properties** None known

#### **9.2 Other information**

**Pour point** No information available  
**Molecular weight** No information available  
**VOC content(%)** None  
**Density** No information available

## **10. Stability and reactivity**

### **10.1 Reactivity**

Dust may form explosive mixture in air.

### **10.2 Chemical stability**

Stable under normal temperature conditions and recommended use.

### **10.3 Possibility of Hazardous Reactions**

#### **Hazardous polymerisation**

Hazardous polymerisation does not occur.

### **10.4 Conditions to avoid**

Protect from moisture. Avoid dust formation. Heat, flames and sparks. Take precautionary measures against static charges.

### **10.5 Incompatible materials**

Strong oxidising agents.

### **10.6 Hazardous decomposition products**

See Section 5.2.

## **11. Toxicological information**

### **11.1 Information on toxicological effects**

#### **Acute toxicity**

**Inhalation** Inhalation of dust in high concentration may cause irritation of respiratory system.

**Eye contact** Dust may cause mechanical irritation.

**Skin contact** Prolonged contact may cause redness and irritation.



**Ingestion** Ingestion may cause stomach discomfort.

**Unknown acute toxicity** Not applicable.

**LD50 Oral** > 8000 mg/kg (rat) (based on similar product)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (impurity)	= 500 mg/kg ( Rat )	No data available	No data available

**Sensitisation** This product does not contain any components suspected to be sensitizing.

**Mutagenic effects** This product does not contain any known or suspected mutagens.

**Carcinogenicity** Crystalline silica dust is listed by IARC in Group 1 as known to cause lung cancer in humans, if inhaled.

**Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.

**Routes of exposure** Inhalation.

**Routes of entry** Inhalation.

**Specific target organ toxicity - Single exposure** Not classified

**Specific target organ toxicity - Repeated exposure** Not classified.

**Aspiration hazard** Not applicable.

## 12. Ecological information

### 12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Toxicity to algae

This product is not considered toxic to algae. PRODUCT: > 1000 mg/L (Marine alga; 48 hrs).

#### Toxicity to fish

This product is not considered toxic to fish.

#### Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates. PRODUCT: > 2000 mg/L (Marine invertebrate; 48 hrs).

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Crystalline silica (impurity)	No information available	No information available	No information available

**12.2 Persistence and degradability**

The product is not biodegradable.

**12.3 Bioaccumulative potential**

Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility**

Insoluble in water.

**12.5 Results of PBT and vPvB assessment**

Not classified as PBT/vPvB by current EU criteria.

**12.6 Other adverse effects.**

None known.

**13. Disposal considerations**

**13.1 Waste treatment methods**

**Waste from residues / unused products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.

**EWC Waste Disposal No**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 01 05 99 - wastes not otherwise specified

## 14. Transport information

### 14.1. UN number

Not regulated

### 14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

### 14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

### 14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

### 14.5 Environmental hazard

No

### 14.6 Special precautions

Not applicable

### 14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact MISDS@slb.com for info regarding transport in Bulk.

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Germany, Water Endangering Classes (VwVwS)** Water endangering class = 1

#### **Australian Standard for the Uniform Scheduling of Drugs and Poisons**

No poisons schedule number allocated

**New Zealand hazard classification** Not classified.

**HSNO approval no.** Not required.

**Group number** Not required.

**Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals**

Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011 (2003)].  
 National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) 3rd Edition].  
 National Occupational Health and Safety Commission's Exposure Standards for Atmospheric Contaminants in the occupational Environment [NOHSC:1003 (1995)].

Safe Work Australia.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U.(A) 310/2013] (CLASS Regulations)

The Industry Code of Practice on Chemical Classification and Hazard Communication 2014 [P.U. (B) 128/2014] (ICOP)  
 International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
European Union - EINECS and ELINCS	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

### 15.2 Chemical Safety Report

No information available

## 16. Other information

<b>Prepared by</b>	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
<b>Supersedes date</b>	20/May/2015
<b>Revision date</b>	13/Mar/2017
<b>Version</b>	3
<b>This SDS has been revised in the following section(s)</b>	2, 5, 6, 7, 8, 9, 11, 12, 15, 16 Product Code change No changes with regard to classification have been made.

**Text of R phrases mentioned in Section 3**

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

**Full text of H-Statements referred to under sections 2 and 3**

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

\*A mark of M-I L.L.C., a Schlumberger Company

**Disclaimer**

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.