

Safety data sheet number PID360
Version 9
Revision date 05/Oct/2018
Supercedes Date: 06/Jul/2018



Safety Data Sheet CITRIC ACID

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name CITRIC ACID
Product code PID360
Country Limitations For use only in North Sea countries (NSG)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use pH modifier

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Netherlands	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

Health hazards

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word
 WARNING

Hazard Statements

H319 - Causes serious eye irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Contains

2-hydroxypropane-1,2,3-tricarboxylic acid

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

Combustible dust

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
2-hydroxypropane-1,2,3-tricarboxylic acid	611-842-9	5949-29-1	60-100	Eye Irrit. 2 (H319)	01-2119457026-4 2-XXXX

3.2 Mixtures

Not applicable

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Continue to rinse for at least 15 minutes. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water Fog, Alcohol Foam, CO₂, Dry Chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (COx).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8. Material becomes slippery when wet. Use caution if wet.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Take precautionary measures against static discharges. Avoid dust formation. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Remove all sources of ignition. Material becomes slippery when wet. Use caution if wet.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions	Ensure adequate ventilation. Take precautionary measures against static discharges. Keep airborne concentrations below exposure limits.
Storage precautions	Keep containers tightly closed in a dry, cool and well-ventilated place Suspended dust may present a dust explosion hazard Avoid heat, flames and other sources of ignition. Avoid dust formation Protect from moisture Avoid contact with: Strong oxidising agents Strong alkalis.
Storage class	Chemical storage.
Packaging materials	Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits NUI = Nuisance dust, TWA 4mg/m³ Respirable Dust, 10mg/m³ Total Dust.

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
2-hydroxypropane-1,2,3-tricarboxylic acid	Not determined	Not determined	Not determined
Chemical Name	France	Germany	Hungary
2-hydroxypropane-1,2,3-tricarboxylic acid	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
2-hydroxypropane-1,2,3-tricarboxylic acid	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania
2-hydroxypropane-1,2,3-tricarboxylic acid	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
2-hydroxypropane-1,2,3-tricarboxylic acid	Not determined	Not determined	Not determined

2-hydroxypropane-1,2,3-tricarboxylic acid

Fresh Water	0.44 mg/L
Sea Water	0.044 mg/L
Freshwater sediment	34.6 mg/kg
Sea sediment	3.46 mg/kg
Soil	33.1 mg/kg
Impact on sewage treatment	1000 mg/L

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Provide appropriate exhaust ventilation at places where dust is formed. See section 7 for more information.

Personal protective equipment

- Eye protection** Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
- Hand protection** Wear gloves according to EN 374 to protect against skin effects from powders
 Repeated or prolonged contact Use protective gloves made of: Nitrile rubber
 Break through time >480 minutes
 Glove thickness 0.11 mm
 Frequent change is advisable
- Respiratory protection** No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
- Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Crystalline Dust
Odour	Odourless
Colour	White
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	1.6	@ 100 g/l
Melting / freezing point	153 °C / 307.4 °F	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	

Vapour density	No information available
Specific gravity	No information available
Bulk density	900 kg/m ³
Relative density	1.542 g/cm ³ @ 20 °C.
Water solubility	Soluble in water
Solubility in other solvents	No information available
Autoignition temperature	1010 °C / 1850 °F
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
log Pow	No information available

Explosive properties	Suspended dust may present a dust explosion hazard
Oxidising properties	None known

9.2 Other information

Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition. Take precautionary measures against static charges. Avoid dust formation. Protect from moisture.

10.5 Incompatible materials

Strong oxidising agents. Strong alkalis.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.
Eye contact	Causes serious eye irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Unknown acute toxicity	Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-hydroxypropane-1,2,3-tricarboxylic acid	No data available	No data available	No data available

Sensitisation	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	This product does not contain any known or suspected carcinogens.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Routes of exposure	Eye contact. Inhalation.
Routes of entry	Inhalation.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Not classified.
Aspiration hazard	Not applicable.
Other information	Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Listed on PLONOR list of OSPAR

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
2-hydroxypropane-1,2,3-tricarboxylic acid	= 1516 mg/L LC50 Lepomis macrochirus 96 h	No information available	= 120 mg/L EC50 Daphnia magna 72 h

12.2 Persistence and degradability

See component information below.

Chemical Name	Persistence and degradability
2-hydroxypropane-1,2,3-tricarboxylic acid	Readily biodegradable

12.3 Bioaccumulative potential

See component information below.

Chemical Name	Bioaccumulation
2-hydroxypropane-1,2,3-tricarboxylic acid	Bioconcentration factor (BCF) : 3.5 L/kg Calculation method

12.4 Mobility

Mobility

See component information below.

Chemical Name	Mobility
2-hydroxypropane-1,2,3-tricarboxylic acid	Completely soluble

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
2-hydroxypropane-1,2,3-tricarboxylic acid	No information available

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 99. Waste Code: 7134 organic acids.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no.	76247
Denmark Pr. no.	701692

For use only in North Sea countries (NSG)

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	06/Jul/2018

Revision date 05/Oct/2018

Version 9

This SDS has been revised in the following section(s) All sections For use only in North Sea countries (NSG)
No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

SAFETY DATA SHEET



A DIVISION OF CHEVRON PHILLIPS
CHEMICAL COMPANY LP

DYNARED™ (Seepage Control Fiber)

Version 1.5

Revision Date 2016-05-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : DYNARED™ (Seepage Control Fiber)
Material : 1016830, 1016829, 1016828

Company : Chevron Phillips Chemical Company LP
Drilling Specialties Company LLC
10001 Six Pines Drive
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
Airport Plaza (Stockholm Building)
Leonardo Da Vincilaan 19
1831 Diegem
Belgium

SDS Requests: (800) 852-5530
Technical Information: (832) 813-4862
Responsible Party: Product Safety Group
Email:sds@cpchem.com

Emergency telephone:

Health:

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

DYNARED™ (Seepage Control Fiber)

SAFETY DATA SHEET

Version 1.5

Revision Date 2016-05-30

SECTION 2: Hazards identification

Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

SECTION 3: Composition/information on ingredients

Synonyms : DYNARED™ Medium
DYNARED™ Fine
DYNARED™ Coarse

Molecular formula : Not Applicable

Contains no hazardous ingredients according to GHS. :

Remarks : Contains no hazardous ingredients according to GHS.

SECTION 4: First aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : Not applicable

Autoignition temperature : Not applicable

Specific hazards during fire fighting : Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.

Special protective : Wear self-contained breathing apparatus for firefighting if

DYNARED™ (Seepage Control Fiber)

Version 1.5

Revision Date 2016-05-30

- equipment for fire-fighters : necessary.
- Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Fire and explosion protection : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.
- Hazardous decomposition products : None.

SECTION 6: Accidental release measures

- Personal precautions : Avoid dust formation.
- Environmental precautions : No special environmental precautions required.
- Methods for cleaning up : Pick up and arrange disposal without creating dust. Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.
- Additional advice : Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient.
- Advice on protection against fire and explosion : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.

Storage

- Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.
- Advice on common storage : No materials to be especially mentioned.

DYNARED™ (Seepage Control Fiber)

Version 1.5

Revision Date 2016-05-30

SECTION 8: Exposure controls/personal protection**Engineering measures**

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection** : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection** : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection** : Eye wash bottle with pure water. Safety glasses.
- Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Protective suit. Safety shoes.
- Hygiene measures** : General industrial hygiene practice.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Form** : Powder
- Physical state** : Solid
- Color** : Reddish brown
- Odor** : Mild, earthy
- Odor Threshold** : No data available

Safety data

- Flash point** : Not applicable

DYNARED™ (Seepage Control Fiber)

Version 1.5

Revision Date 2016-05-30

Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Oxidizing properties	: No
Autoignition temperature	: Not applicable
Thermal decomposition	: No data available
Molecular formula	: Not Applicable
Molecular weight	: Not applicable
pH	: Not applicable
Pour point	: Not applicable
Boiling point/boiling range	: Not applicable
Vapor pressure	: Not applicable
Relative density	: Not applicable
Water solubility	: Partly soluble
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: No data available

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid : Generation of Dusts.

Thermal decomposition : No data available

Hazardous decomposition products : None

Other data : No decomposition if stored and applied as directed.

DYNARED™ (Seepage Control Fiber)

Version 1.5

Revision Date 2016-05-30

SECTION 11: Toxicological information**DYNARED™ (Seepage Control Fiber)**

Further information : The product contains no substances classified as hazardous to health in concentrations which should be taken into account.

SECTION 12: Ecological information

Elimination information (persistence and degradability)

Biodegradability : Expected to be biodegradable

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

DYNARED™ (Seepage Control Fiber)

SAFETY DATA SHEET

Version 1.5

Revision Date 2016-05-30

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

Major Accident Hazard Legislation : 96/82/EC Update: 2003
Directive 96/82/EC does not apply

Water contaminating class (Germany) : nwg not water endangering

Notification status

Europe REACH	:	On the inventory, or in compliance with the inventory
United States of America TSCA	:	On the inventory, or in compliance with the inventory
Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

DYNARED™ (Seepage Control Fiber)


SAFETY DATA SHEET

Version 1.5

Revision Date 2016-05-30

SECTION 16: Other information

NFPA Classification : Health Hazard: 0
Fire Hazard: 2
Reactivity Hazard: 0



Further information

Legacy SDS Number : 647920

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average

DYNARED™ (Seepage Control Fiber)

Version 1.5

Revision Date 2016-05-30

	Substances in China		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Section 1. Identification

GHS product identifier : EDC 95-11 US

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Manufacture of substance - Industrial
Distribution of substance - Industrial
Formulation and (re)packing of substances and mixtures - Industrial
Use in oil and gas field drilling and production operations - Industrial
Use in oil and gas field drilling and production operations - Professional
Use in water treatment agents - Industrial
Use in water treatment agents - Professional
Use in laboratories - Industrial
Use in laboratories - Professional

Supplier's details : TotalEnergies Marketing USA, Inc.
1201 Louisiana St. Suite 1800
Houston, TX 77002
Phone: 713-483-5000
ProductSafety@total.com

TotalEnergies Fluids
24, cours Michelet.
92800 PUTEAUX.
FRANCE
Tel: +33 (0)1 41 35 40 00
Fax: +33 (0)1 41 35 82 88
mfs.fds@totalenergies.com

Emergency telephone number (with hours of operation) :

1-866-928-0789 (For Emergencies, call CARECHEM 24/7 Domestic)
1-215-207-0061 (For Emergencies, call CARECHEM 24/7 International)
1-800-424-9300 (CHEMTREC 24/7 Domestic)
1-703-527-3887 (CHEMTREC 24/7 International)

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : ASPIRATION HAZARD - Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : May be fatal if swallowed and enters airways.

Precautionary statements

- Prevention** : Not applicable.
- Response** : SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.
- Storage** : Not applicable.
- Disposal** : Not applicable.
- Hazards not otherwise classified** : Vapor may be irritating to eyes and respiratory system.
Hazard of slipping on spilled product.

Section 3. Composition/information on ingredients

Substance/mixture : Substance

CAS number/other identifiers

CAS number : 64742-46-7

Ingredient name	% (w/w)	CAS number
<input checked="" type="checkbox"/> Distillates (petroleum), hydrotreated middle	100	64742-46-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Additional information : Content of aromatic compounds <0.03%

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

- Inhalation** : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : May be fatal if swallowed and enters airways.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : Adverse symptoms may include the following:
nausea or vomiting

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : If swallowed accidentally, the product may enter the lungs due to its low viscosity and lead to the rapid development of very serious pulmonary lesions (medical survey during 48 hours)
Specific treatments : No specific treatment.
Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
 Use adequate personal protective equipment as needed

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam. Sand.
Unsuitable extinguishing media : Do not use water jet.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
Carbon dioxide (CO₂).
carbon monoxide
various hydrocarbons
Aldehyde.
Soot

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark : Not considered explosive based on chemical structure and oxygen balance considerations

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
<input checked="" type="checkbox"/> Distillates (petroleum), hydrotreated middle	None.

Advisory OEL : Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Repeated or prolonged exposure

Glove material: Nitrile rubber; Glove thickness > 0.55 mm; Break through time > 480 min.

Glove material: Fluorinated rubber; any thickness; Break through time > 480 min.

Glove material: polyvinyl alcohol (PVA); any thickness; Break through time > 480 min. In case of contact through splashing

Glove material: Nitrile rubber; Glove thickness > 0.38 mm; Break through time > 60 min.

Glove material: Neoprene; Glove thickness > 0.75 mm; Break through time > 60 min.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wear gloves according to EN374 resistant to the solvent(s) in use.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



- Respiratory protection** : Ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry into confined spaces. In case of inadequate ventilation wear respiratory protection: Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated.

Appearance

- Physical state** : Liquid.
- Color** : Colorless.
- Odor** : Hydrocarbon-like.
- Odor threshold** : Not available.
- pH** : Not applicable.
- Melting point/freezing point** : Not available.
- Boiling point** : 250 to 335°C (482 to 635°F) [ISO 3405]
- Flash point** : Closed cup: >115°C (>239°F) [ISO 2719]
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Lower: 1%
Upper: 6%
- Vapor pressure** : 0.0003 kPa (<0.0022502 mm Hg)
- Vapor density** : Not available.
- Relative density** : 0.815 [ISO 12185]
- Density** : 0.815 g/cm³ [15°C] [ISO 12185]
- Solubility** : Insoluble in the following materials: cold water and hot water.
- Miscible with water** : No.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : 230°C (>446°F) [ASTM E 659]
- Decomposition temperature** : Not available.
- Viscosity** : Kinematic (40°C (104°F)): <20.5 mm²/s (<20.5 cSt) [ISO 3104]
- Flow time (ISO 2431)** : Not available.
- Particle characteristics**
- Median particle size** : Not applicable.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Heat, open flames, sparks and static discharge.

Incompatible materials : Reactive or incompatible with the following materials:
strong acids
Strong oxidizing agents

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
<input checked="" type="checkbox"/> Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	LC50 Inhalation Dusts and mists	Rat	>5266 mg/m ³	4 hours	OECD 403
	LD50 Dermal	Rabbit	>3160 mg/kg	-	OECD 402
	LD50 Oral	Rat	>5000 mg/kg	-	OECD 401

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Skin : Based on available data, the classification criteria are not met.

Eyes : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Sensitization

Skin : Based on available data, the classification criteria are not met.

Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.



- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : Adverse symptoms may include the following:
nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Not available.

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

Toxicity

Product/substance	Result	Species	Exposure	Test
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	Acute EC50 10000 mg/l	Algae - Skeletonema costatum	72 hours	ISO 10253
	Acute EC50 3193 mg/l	Daphnia - Acartia tonsa	48 hours	ISO 14669
	Acute LC50 1028 mg/l	Fish	96 hours	-

Persistence and degradability

Product/substance	Test	Result	Dose	Inoculum
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	OECD 306	74 % - Readily - 28 days	-	-



TotalEnergies

EDC 95-11 US

SDS # : 084462

Product/substance	Aquatic half-life	Photolysis	Biodegradability
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	-	-	Readily

Bioaccumulative potential

Product/substance	LogK _{ow}	BCF	Potential
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	-	171	low

Mobility in soil

Soil/water partition coefficient (K_{oc})

: Not available.

Mobility in soil

: Given its physical and chemical characteristics, the product generally shows low soil mobility. The product is insoluble and floats on water.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	ICAO/IATA
UN/ID No	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Additional information

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : ASPIRATION HAZARD - Category 1

Composition/information on ingredients

Name	%	Classification
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	100	ASPIRATION HAZARD - Category 1

State regulations

Massachusetts : This material is not listed.

New York : This material is not listed.

New Jersey : This material is not listed.

Pennsylvania : This material is not listed.

California Prop. 65

To the best of our knowledge, this product does not contain any substances known to the State of California to cause cancer, developmental and/or reproductive harm

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia inventory (AIC)** : This material is listed or exempted.
- Canada inventory (DSL/NDL)** : This material is listed or exempted.
- China inventory (IECSC)** : This material is listed or exempted.
- Europe inventory (EINECS/ELINCS/NLP)** : This material is listed or exempted.
- Japan inventory** : **Japan inventory (CSCL)**: This material is listed or exempted.
Japan inventory (ISHL): This material is listed or exempted.
- New Zealand Inventory of Chemicals (NZIoC)** : This material is listed or exempted.
- Philippines inventory (PICCS)** : This material is listed or exempted.
- Korea inventory (KECI)** : This material is listed or exempted.
- Taiwan Chemical Substances Inventory (TCSI)** : This material is listed or exempted.
- Thailand inventory** : This material is listed or exempted.
- Turkey inventory** : This material is listed or exempted.
- United States inventory (TSCA 8b)** : This material is listed or exempted.
- Vietnam inventory** : This material is listed or exempted.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	3
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)





Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
ASPIRATION HAZARD - Category 1	Expert judgment

History

Date of revision : 2022/03/03

Date of previous revision : 2021/10/23

Version : 2.02

Key to abbreviations

- : ATE = Acute Toxicity Estimate
- : BCF = Bioconcentration Factor
- : GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- : IATA = International Air Transport Association
- : IBC = Intermediate Bulk Container
- : IMDG = International Maritime Dangerous Goods
- : LogPow = logarithm of the octanol/water partition coefficient
- : MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- : N/A = Not available
- : SGG = Segregation Group
- : UN = United Nations

References

: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Safety data sheet number PID16796
Version 3
Revision date 08/Jan/2019
Supercedes Date: 02/Feb/2015



Safety Data Sheet FORM-A-BLOK*

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name FORM-A-BLOK*
Product code PID16796

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lost circulation material.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited / ALPINE
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Norway	Poison information centre: +47 22 59 13 00



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

Health hazards	Not classified
Environmental hazards	Not classified
Physical Hazards	Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

Contains

Wollastonite (Ca(SiO₃))

Cellulose

Kaolin

Polyvinyl alcohol

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria
Suspended dust may present a dust explosion hazard

3. Composition/information on Ingredients

3.1 Substances

Not applicable

3.2 Mixtures



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Wollastonite (Ca(SiO ₃))	237-772-5	13983-17-0	30-60	Not classified	No data available
Cellulose	232-674-9	9004-34-6	10-30	Not classified	Exempt
Kaolin	310-194-1	1332-58-7	5-10	Not classified	No data available
Polyvinyl alcohol	polymer	9002-89-5	5-10	Not classified	No data available

Comments

The product contains other ingredients which do not contribute to the overall classification.

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures



FORM-A-BLOK[®]

Safety data sheet number PID16796
Revision date 08/Jan/2019

5.1 Extinguishing media

Suitable extinguishing media

Water Fog, Alcohol Foam, CO₂, Dry Chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours Carbon oxides (CO_x).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8. Material becomes slippery when wet. Use caution if wet.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Take precautionary measures against static discharges. Avoid dust



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

formation. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation. Material becomes slippery when wet. Use caution if wet.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure When using do not eat, drink, smoke, sniff Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Take precautionary measures against static discharges. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place Keep away from open flames, hot surfaces and sources of ignition Suspended dust may present a dust explosion hazard Protect from moisture Avoid contact with: Strong oxidising agents

Storage class Chemical storage.

Storage class, TRGS 510, Germany LGK11 - Combustible solids

Packaging materials Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits No biological limit allocated

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Wollastonite (Ca(SiO ₃))	Not determined	Not determined	1 fiber/cm ³ TWA
Cellulose	Not determined	Not determined	Not determined
Kaolin	Not determined	Not determined	2 mg/m ³ TWA
Polyvinyl alcohol	Not determined	Not determined	Not determined



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

Chemical Name	France	Germany	Hungary
Wollastonite (Ca(SiO ₃))	Not determined	Not determined	Not determined
Cellulose	10 mg/m ³ TWA	Not determined	Not determined
Kaolin	10 mg/m ³ TWA	Not determined	Not determined
Polyvinyl alcohol	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
Wollastonite (Ca(SiO ₃))	Not determined	Not determined	Not determined
Cellulose	Not determined	Not determined	Not determined
Kaolin	Not determined	Not determined	Not determined
Polyvinyl alcohol	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania
Wollastonite (Ca(SiO ₃))	Not determined	Not determined	Not determined
Cellulose	Not determined	10 mg/m ³ TWA	10mg/m ³ TWAdust, inhalable fraction
Kaolin	10.0 mg/m ³ TWA NDS <2% free crystalline silica and containing no asbestos	2 mg/m ³ TWA respirable fraction, particulate matter containing no Asbestos and <1% Crystalline silica	Not determined
Polyvinyl alcohol	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
Wollastonite (Ca(SiO ₃))	Not determined	Not determined	Not determined
Cellulose	10 mg/m ³ TWA VLA-ED	3 mg/m ³ TWA MAK	20 mg/m ³ STEL inhalable dust 12 mg/m ³ STEL calculated respirable dust 10 mg/m ³ TWA inhalable dust 4 mg/m ³ TWA respirable dust
Kaolin	2 mg/m ³ TWA VLA-ED	3 mg/m ³ TWA MAK	6 mg/m ³ STEL calculated respirable dust 2 mg/m ³ TWA respirable dust
Polyvinyl alcohol	Not determined	Not determined	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.

Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Nitrile Neoprene Frequent change is advisable

Respiratory protection

No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

Skin and body protection

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure

Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder Dust
Odour	Odourless
Colour	Grey
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	1.98	
Bulk density	No information available	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	

Explosive properties Suspended dust may present a dust explosion hazard



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

Oxidising properties No information available

9.2 Other information

Pour point No information available
Molecular weight No information available
VOC content(%) No information available
Density No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static charges. Protect from moisture. Avoid dust formation.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact Dust may cause mechanical irritation.



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

Skin contact Prolonged contact may cause redness and irritation.
Ingestion Ingestion may cause stomach discomfort.
Unknown acute toxicity Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Wollastonite (Ca(SiO ₃))	No data available	No data available	No data available
Cellulose	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h
Kaolin	No data available	No data available	No data available
Polyvinyl alcohol	= 23854 mg/kg (Rat) > 20 g/kg (Rat)	No data available	No data available

Sensitisation This product does not contain any components suspected to be sensitizing.
Mutagenic effects This product does not contain any known or suspected mutagens.
Carcinogenicity This product does not contain any known or suspected carcinogens.
Reproductive toxicity This product does not contain any known or suspected reproductive hazards.
Routes of exposure Inhalation.
Routes of entry Inhalation.
Specific target organ toxicity - Single exposure Not classified
Specific target organ toxicity - Repeated exposure Not classified.
Aspiration hazard Not applicable.
Other information Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Wollastonite (Ca(SiO ₃))	No information available	No information available	No information available
Cellulose	No information available	No information available	No information available
Kaolin	No information available	No information available	No information available
Polyvinyl alcohol	No information available	No information available	No information available

12.2 Persistence and degradability

Not readily biodegradable.

12.3 Bioaccumulative potential

Does not bioaccumulate.

12.4 Mobility

Mobility

Insoluble in water.

Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 01 05 99

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable



FORM-A-BLOK®

Safety data sheet number PID16796

Revision date 08/Jan/2019

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Classes (VwVwS) Water endangering class = 1

Technical Rules for Hazardous Substances (TRGS) TRGS 220 National aspects when compiling safety data sheets
TRGS 510 Storage of hazardous substances in non stationary containers
TRGS 900 Occupational exposure limits

Germany
Regulations governing systems for handling substances hazardous to waters
Chemicals act

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Does not comply
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Does not comply
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 2313300



FORM-A-BLOK*

Safety data sheet number PID16796
Revision date 08/Jan/2019

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	02/Feb/2015
Revision date	08/Jan/2019
Version	3
This SDS has been revised in the following section(s)	All sections Product Code change No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

HMIS classification

Health	1
Flammability	1
Physical hazard	0
PPE	E

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the



FORM-A-BLOK®

Safety data sheet number PID16796

Revision date 08/Jan/2019

maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

Safety data sheet number PID12351
Version 5
Revision date 08/Jul/2018
Supersedes Date: 19/Feb/2016



Safety Data Sheet G-SEAL* PLUS

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name G-SEAL* PLUS
Product code PID12351
REACH Registration Name Exempt

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Plugging agent.
Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

Health hazards Not classified
Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

Contains

Graphite

Crystalline silica (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria
May cause slight irritation
Suspended dust may present a dust explosion hazard

3. Composition/information on Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Graphite	231-955-3	7782-42-5	5-10	Not Classified	Exempt
Crystalline silica (impurity)	238-878-4	14808-60-7	< 1	STOT RE. 2 (H373)	Not applicable

Comments

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

The product contains other ingredients which do not contribute to the overall classification.

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (COx), Sulphur oxides.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Take precautionary measures against static discharges. Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands before eating, drinking or smoking. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions

Ensure adequate ventilation. Keep airborne concentrations below exposure limits. Take precautionary measures against static discharges.

Storage precautions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Suspended dust may present a dust explosion hazard. Avoid contact with: Oxidizing agents.

Storage class Chemical storage.

Storage class, TRGS 510, Germany LGK11 - Combustible solids

Packaging materials Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits No biological limit allocated

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Graphite	Not determined	10 mg/m ³ STEL alveolar dust with <1% Quartz, respirable fraction 5 mg/m ³ TWA alveolar dust with <1% Quartz, respirable fraction	2.5 mg/m ³ TWA
Crystalline silica (impurity)	Not determined	0.15 mg/m ³ TWA alveolar dust, respirable fraction	0.1mg/m ³
Chemical Name	France	Germany	Hungary
Graphite	2 mg/m ³ TWA	1.5 mg/m ³ TWA 4 mg/m ³ TWA	Not determined
Crystalline silica (impurity)	0.1 mg/m ³ TWA	Not determined	0.15mg/m ³ TWA
Chemical Name	Italy	Netherlands	Norway
Graphite	Not determined	Not determined	5 mg/m ³ TWA total dust 2 mg/m ³ TWA respirable dust 10 mg/m ³ TWA total dust 4 mg/m ³ TWA respirable dust 10 mg/m ³ STEL total dust 4 mg/m ³ STEL respirable dust 15 mg/m ³ STEL total dust 8 mg/m ³ STEL respirable dust
Crystalline silica (impurity)	Not determined	0.075 mg/m ³	0.3 mg/m ³ TWA total dust 0.1 mg/m ³ TWA respirable dust 0.9 mg/m ³ STEL total dust 0.3 mg/m ³ STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania
Graphite	4.0 mg/m ³ TWA NDS natural 1.0 mg/m ³ TWA NDS natural 6.0 mg/m ³ TWA NDS synthetic	2 mg/m ³ TWA all forms except Graphite fibers respirable fraction	2mg/m ³ TWAdust, respirable fraction
Crystalline silica (impurity)	2 mg/m ³ TWA NDS >50% free crystalline silica 0.3 mg/m ³ TWA NDS >50% free crystalline silica 4.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica 1.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica	0.025 mg/m ³ TWA respirable fraction	0.1mg/m ³ TWAdust, respirable fraction
Chemical Name	Spain	Switzerland	UK
Graphite	2 mg/m ³ TWA VLA-ED	2.5 mg/m ³ TWA MAK natural 5 mg/m ³ TWA MAK natural	30 mg/m ³ STEL calculated inhalable dust

			12 mg/m ³ STEL calculated respirable dust 10 mg/m ³ TWA inhalable dust 4 mg/m ³ TWA respirable dust
Crystalline silica (impurity)	0.05 mg/m ³ TWA VLA-ED	0.15 mg/m ³ TWA MAK	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts. Safety glasses with side-shields. Tightly fitting safety goggles.

Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Neoprene Nitrile Frequent change is advisable

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment, Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

Skin and body protection

Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure

Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder
Odour	Odourless
Colour	Grey - Black
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	6 - 8	
pH @ dilution	No information available	

Melting / freezing point	3652 °C / 6605.6 °F	
Boiling point/range	4827 °C / 8720.6 °F	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		Not applicable
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	1.9 - 2.1	@ 20 °C
Bulk density	No information available	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	> 500 °C / >932 °F	
Decomposition temperature	> 400°C / >752°F	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	Not determined	
Explosive properties	Suspended dust may present a dust explosion hazard	
Oxidising properties	None known	

9.2 Other information

Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Take precautionary measures against static charges. Avoid dust formation. Heat, flames and sparks.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Unknown acute toxicity	Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Graphite	No data available	No data available	No data available
Crystalline silica (impurity)	= 500 mg/kg (Rat)	No data available	No data available

Sensitisation This product does not contain any components suspected to be sensitizing.

Mutagenic effects This product does not contain any known or suspected mutagens.

Carcinogenicity Contains a known or suspected carcinogen.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

Routes of exposure Inhalation.

Routes of entry Inhalation.

Specific target organ toxicity - Single exposure Not classified

Specific target organ toxicity - Repeated exposure Not classified.

Aspiration hazard Not applicable.

Other information Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Graphite	No information available	No information available	No information available
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

Not Applicable - Inorganic chemical.

12.3 Bioaccumulative potential

Not Applicable - Inorganic chemical.

12.4 Mobility

Mobility

Insoluble in water.

Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 01 05 99 - wastes not otherwise specified

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Classes (VwVwS)	Water endangering class = nwg
Technical Rules for Hazardous Substances (TRGS)	TRGS 220 National aspects when compiling safety data sheets TRGS 510 Storage of hazardous substances in non stationary containers TRGS 900 Occupational exposure limits

Germany
 Regulations governing systems for handling substances hazardous to waters
 Hazardous substances ordinance

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Does not comply
Inventory - Japan - Existing and New Chemicals list	Does not comply
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 1950850

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	19/Feb/2016
Revision date	08/Jul/2018
Version	5
This SDS has been revised in the following section(s)	All sections No changes with regard to classification have been made. Updated according to GHS/CLP.

Key literature references and sources for data

www.ChemADVISOR.com
Supplier
National Chemical Inventories
National regulatory information
National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood
Follow general hygiene considerations recognised as common good workplace practices

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.



A HUBER COMPANY

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
Print Date: 21/Mar/2018

Revision Number: 1.2
Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kwik-Seal® NS Regular

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Stabilizer. Thickening agent.

1.3. Details of the supplier of the safety data sheet

Company: Kelco Oil Field Group
Division of CP KELCO ApS
10920 W. Sam Houston Parkway North
Suite 800
Houston, Texas 77064 USA

Tel: +1 (713) 895-7575
Tel: +1 (800) 331-3677
Fax: +1 (713) 895-7586

E-mail customer.request@cpkelco.com

Internet www.cpkelco.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product contains wood fiber. Wood dust may be present.

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
 Print Date: 21/Mar/2018

Revision Number: 1.2
 Page 2 of 9

GHS Classification Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

2.2. Label elements

Symbols/Pictograms None

Signal Word Warning

Hazard Statements May form combustible dust concentrations in air

Precautionary Statements

Prevention Employ good industrial hygiene practice
 Do not handle until all safety precautions have been read and understood.
 Do not breathe dust
 Wear protective gloves/protective clothing/eye protection/face protection
 Combustible dust may form combustible (explosive) dust-air mixtures
 Take precautionary measures against static discharges

Response IF exposed or concerned: Get medical advice/attention
 Wash with plenty of soap and water

Storage Store away from incompatible materials
 Keep in a dry place

Disposal Dispose of contents/containers in accordance with local regulations

Hazards not otherwise classified (HNOC) COMBUSTIBLE DUST MAY FORM COMBUSTIBLE (EXPLOSIVE) DUST/ AIR MIXTURES. Slippery, can cause falls if walked on.

SECTION 3: Composition/information on ingredients
--

Legend

X / Y: Complies - / N: Not Listed , Exempt

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Ingestion Rinse mouth thoroughly with water.

Inhalation Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
Print Date: 21/Mar/2018

Revision Number: 1.2
Page 3 of 9

rest in a position comfortable for breathing.

Aspiration hazard

Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Avoid dust formation.

Dust Explosion Hazard

Can contain sufficient fines to cause a combustible dust explosion. Do not breathe smoke, gases or vapors generated

Hazardous Combustion Products

Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. Combustible dust may form combustible (explosive) dust-air mixtures.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Ensure adequate ventilation. Avoid dust formation. Use only non-sparking tools. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use personal protection recommended in Section 8.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Small Spill: Vacuum or sweep material and place in a

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
 Print Date: 21/Mar/2018

Revision Number: 1.2
 Page 4 of 9

disposal container. The use of water wash down is not recommended unless the spilled material is already wet.

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage
--

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use
 Do not handle until all safety precautions have been read and understood.
 Minimize dust generation and accumulation
 Do not breathe dust
 Ensure adequate ventilation
 Wear appropriate personal protective clothing to prevent skin contact
 Handle in accordance with good industrial hygiene and safety practice
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Use only non-sparking tools

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters**Occupational exposure limits**

Predicted No Effect Concentration (PNEC) No information available

Derived No Effect Level (DNEL) No information available

Biological Limit Values: No information available

8.2. Exposure controls**Engineering Measures**

Provide a good standard of controlled ventilation (5 to 10 air changes per hour).
 Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
 Print Date: 21/Mar/2018

Revision Number: 1.2
 Page 5 of 9

Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Flakes.
Color	Tan to brown
Odor	Slight odor (Do not attempt to detect the odor)
Odor Threshold	No information available
Melting Point / Melting Range	Not applicable
Boiling Point	Not applicable
Flash Point:	Not applicable
Evaporation Rate	Not applicable
Flammability (solid, gas)	Combustible
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Water Solubility	Insoluble
Partition coefficient	No information available
Autoignition Temperature	Not determined
Oxidizing Properties	Not applicable
Fat solubility (g/l)	Not soluble in fats

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Dust formation Keep away from heat, sparks and flame Strong oxidizing agents
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust.
Skin	Not a skin sensitizer. Prolonged or repeated contact may dry skin and cause irritation.

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
Print Date: 21/Mar/2018

Revision Number: 1.2
Page 6 of 9

Eyes	Dust contact with the eyes can lead to mechanical irritation.
Ingestion	Ingestion is not a likely route of exposure.
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Acute Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met.
Skin Sensitization	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	No data available.

SECTION 12: Ecological information

12.1. Ecotoxicity	Not considered to be harmful to aquatic life.
12.2. Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
Partition coefficient	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
 Print Date: 21/Mar/2018

Revision Number: 1.2
 Page 7 of 9

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations
--

13.1. Waste treatment methods

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Disposal Methods Dispose of waste product or used containers according to local regulations

SECTION 14: Transport information
--

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
US DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Global Inventories****Legend**

X / Y: Complies - / N: Not Listed Exempt

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
 Print Date: 21/Mar/2018

Revision Number: 1.2
 Page 8 of 9

US Federal Regulations

EPA

CERCLA

Not listed

SARAH 302 RQ, lbs

This product does not contain any components regulated under Section 302 (40 CFR 355) as Extremely Hazardous Substances.

CAA (Clean Air Act)

Not listed

CWA (Clean Water Act)

Not listed

U.S. State Right-to-Know Regulations

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by	CP Kelco Global Regulatory Affairs Email: Regulatory.Affairs@cpkelco.com
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value

Safety Data Sheet

Kwik-Seal® NS Regular

Issue Date: 21/Mar/2018
Print Date: 21/Mar/2018

Revision Number: 1.2
Page 9 of 9

Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



Safety Data Sheet M-I-X* II (All Grades)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name M-I-X* II (All Grades)
Product code PID11307

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lost circulation material.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

2. Hazards Identification

2.1 Classification of the substance or mixture

GHS Classification

Health hazards Not classified

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

Contains

Cellulose fibre

Crystalline silica (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria
 Suspended dust may present a dust explosion hazard
 Product dust may be irritating to eyes, skin and respiratory system

Australian statement of hazardous/dangerous nature

Classified as Non-Hazardous according to the criteria of NOHSC.
 NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%
Cellulose fibre	Listed	Proprietary	60-100
Crystalline silica (impurity)	238-878-4	14808-60-7	<2

3.2 Mixtures

Not applicable

Comments

Naturally occurring mineral.
 This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly after handling. Get medical attention immediately if symptoms occur.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation Please see Section 11. Toxicological Information for further information.

Ingestion Please see Section 11. Toxicological Information for further information.

Skin contact Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water Fog, Alcohol Foam, CO₂, Dry Chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours Carbon oxides (CO_x).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8. Material becomes slippery when wet. Use caution if wet.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry.

Methods for cleaning up

Take precautionary measures against static discharges. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions	Ensure adequate ventilation. Keep airborne concentrations below exposure limits.
Storage precautions	Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid heat, flames and other sources of ignition. Suspended dust may present a dust explosion hazard. Protect from moisture. Avoid contact with: Oxidizing agents.
Storage class	Chemical storage.
Packaging materials	Use specially constructed containers only.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits No biological limit allocated

Component Information

Chemical Name	Arabic	Australia	Egypt
Cellulose fibre	10 mg/m ³ TWA	10mg/m ³ TWAINhalable dust	Not determined
Crystalline silica (impurity)	0.1 mg/m ³ TWA	0.1mg/m ³ TWArespirable dust	Not determined
Chemical Name	India	Indonesian	Japan
Cellulose fibre	Not determined	10 mg/m ³ TWA	Not determined
Crystalline silica (impurity)	Not determined	0.1 mg/m ³ TWA	Not determined
Chemical Name	Kazakhstan	Kuwait	New Zealand
Cellulose fibre	2 mg/m ³ MAC	Not determined	10 mg/m ³ TWA
Crystalline silica (impurity)	1 mg/m ³ MAC	Not determined	0.1 mg/m ³ TWA Confirmed carcinogen
Chemical Name	Malaysia	Philippines	Russia
Cellulose fibre	10 mg/m ³ TWA	Not determined	10 mg/m ³ MAC
Crystalline silica (impurity)	0.1 mg/m ³ TWA	Not determined	3 mg/m ³ STEL 1 mg/m ³ TWA Fibrogenic substance glass;regulated under Quartz 1123, 1124
Chemical Name	Thailand	Vietnam	Turkey
Cellulose fibre	Not determined	10 mg/m ³ TWA 5 mg/m ³ TWA 20 mg/m ³ STEL	Not determined
Crystalline silica (impurity)	0.025 mg/m ³ TWA	Not determined	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts
Tightly fitting safety goggles Safety glasses with side-shields

Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Nitrile Neoprene Frequent change is advisable

Respiratory protection

No personal respiratory protective equipment normally required In case of insufficient ventilation, wear suitable respiratory equipment Suitable mask with particle filter P3 (European Norm 143) At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

Skin and body protection

Wear suitable protective clothing Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking Remove and wash contaminated clothing before re-use



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Solid
Appearance Powder Dust
Odour Slight
Colour Tan
Odour threshold Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	1.4 - 1.65	20 °C
Bulk density	352-513 kg/m ³ / 22-32 lb/ft ³	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	

Explosive properties Suspended dust may present a dust explosion hazard
Oxidising properties No information available

9.2 Other information

Pour point No information available
Molecular weight No information available
VOC content(%) None
Density No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Take precautionary measures against static charges. Avoid heat, flames and other sources of ignition. Avoid dust formation. Protect from moisture.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Product information

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis.

Inhalation

Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact

Dust may cause mechanical irritation.

Skin contact

Prolonged contact may cause redness and irritation.

Ingestion

Ingestion may cause stomach discomfort.

Unknown acute toxicity

Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cellulose fibre	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m ³ (Rat) 4 h
Crystalline silica (impurity)	= 500 mg/kg (Rat)	No data available	No data available

Sensitisation	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	Contains a known or suspected carcinogen.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Routes of exposure	Inhalation.
Routes of entry	Inhalation.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Not classified.
Aspiration hazard	Not applicable.
Other information	Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Listed on PLONOR list of OSPAR

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Cellulose fibre	No information available	No information available	No information available
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

This product is expected to be readily biodegradable.

Chemical Name	Persistence and degradability
Crystalline silica (impurity)	Inorganic compound

12.3 Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

Chemical Name	Bioaccumulation
Crystalline silica (impurity)	Product/Substance is inorganic

12.4 Mobility

Mobility

Insoluble in water.

Chemical Name	Mobility
Crystalline silica (impurity)	Insoluble in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
Crystalline silica (impurity)	Not expected to adsorb on soil

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class Not regulated

IMDG Hazard class Not regulated

ICAO Hazard class/division Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group Not regulated

IMDG Packing group Not regulated

ICAO Packing group Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Australian Standard for the Uniform Scheduling of Drugs and Poisons

No poisons schedule number allocated

New Zealand Hazard Classification Not classified

HSNO approval no. Not required

Group number Not required

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011 (2003)].

National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) 3rd Edition].

National Occupational Health and Safety Commission's Exposure Standards for Atmospheric Contaminants in the occupational Environment [NOHSC:1003 (1995)].

Safe Work Australia.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U.(A) 310/2013] (CLASS Regulations)

The Industry Code of Practice on Chemical Classification and Hazard Communication 2014 [P.U. (B) 128/2014] (ICOP)

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	19/Feb/2016
Revision date	08/Jul/2018
Version	9
This SDS has been revised in the following section(s)	All sections No changes with regard to classification have been made. Updated according to GHS/CLP.

Key literature references and sources for data

www.ChemADVISOR.com
Supplier
National Chemical Inventories
National regulatory information
National occupational exposure limits

HMIS classification

Health	1
Flammability	1
Physical hazard	0
PPE	E

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

Safety data sheet number PID14677

Version 7

Revision date 09/Feb/2019

Supersedes Date: 08/Jul/2018



Safety Data Sheet NUT SHELLS (All Grades)

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name NUT SHELLS (All Grades)
Product code PID14677

Synonyms NUT SHELL FINE, NUT SHELL MEDIUM, NUT SHELL COARSE
REACH Registration Name Exempt

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lost circulation material.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards Not classified
Environmental hazards Not classified
Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

Contains

Crystalline silica (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria
 Product dust may be irritating to eyes, skin and respiratory system
 Suspended dust may present a dust explosion hazard

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Crystalline silica (impurity)	238-878-4	14808-60-7	<1	STOT RE. 2 (H373)	Not applicable

3.2 Mixtures

Not applicable

Comments

The product contains other ingredients which do not contribute to the overall classification.

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol.

68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water Fog, Alcohol Foam, CO₂, Dry Chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours Carbon oxides (COx).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Take precautionary measures against static discharges. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions

Ensure adequate ventilation. Take precautionary measures against static discharges. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place Keep away from open flames, hot surfaces and sources of ignition Suspended dust may present a dust explosion hazard Avoid contact with: Oxidizing agents

Storage class Chemical storage.

Storage class, TRGS 510, Germany LGK11 - Combustible solids

Packaging materials Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Crystalline silica (impurity)	0.1 mg/m ³ TWA (respirable fraction)	0.15 mg/m ³ TWA alveolar dust, respirable fraction	0.1mg/m ³
Chemical Name	France	Germany	Hungary
Crystalline silica (impurity)	0.1 mg/m ³ TWA	Not determined	0.15mg/m ³ TWA
Chemical Name	Italy	Netherlands	Norway
Crystalline silica (impurity)	Not determined	0.075 mg/m ³	0.3 mg/m ³ TWA total dust 0.1 mg/m ³ TWA respirable dust 0.9 mg/m ³ STEL total dust 0.3 mg/m ³ STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania
Crystalline silica (impurity)	2 mg/m ³ TWA NDS >50% free crystalline silica 0.3 mg/m ³ TWA NDS >50% free crystalline silica 4.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica 1.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica	0.025 mg/m ³ TWA respirable fraction	0.1mg/m ³ TWAdust, respirable fraction
Chemical Name	Spain	Switzerland	UK
Crystalline silica (impurity)	0.05 mg/m ³ TWA VLA-ED	0.15 mg/m ³ TWA MAK	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection	Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
Hand protection	Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Neoprene Nitrile Frequent change is advisable
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators, Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
Skin and body protection	Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Granular Solid
Appearance	Powder Dust
Odour	Odourless
Colour	Brown
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	No information available	
Bulk density	1200 - 1400 kg/m ³	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	

Decomposition temperature	No information available
Kinematic viscosity	Not applicable
Dynamic viscosity	No information available
log Pow	Not determined

Explosive properties	Suspended dust may present a dust explosion hazard
Oxidising properties	None known

9.2 Other information

Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available
Particle Size (Micron)	0 - 4000 µm

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Take precautionary measures against static charges. Avoid dust formation. Keep away from sources of ignition - No smoking.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Product information

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis.

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Unknown acute toxicity	Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (impurity)	= 500 mg/kg (Rat)	No data available	No data available

Sensitisation	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	Crystalline silica dust is listed by IARC in Group 1 as known to cause lung cancer in humans, if inhaled.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Routes of Exposure	Inhalation.
Routes of entry	Inhalation.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Not classified.
Aspiration hazard	Not applicable.
Other information	Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
 Listed on PLONOR list of OSPAR

Toxicity to algae
 This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

Not Applicable - Inorganic chemical.

Chemical Name	Persistence and degradability
Crystalline silica (impurity)	Inorganic compound

12.3 Bioaccumulative potential

Not Applicable - Inorganic chemical.

Chemical Name	Bioaccumulation
Crystalline silica (impurity)	Product/Substance is inorganic

12.4 Mobility

Mobility

Insoluble in water.

Chemical Name	Mobility
Crystalline silica (impurity)	Insoluble in water

Mobility in soil

No information available.

Chemical Name	Mobility in soil
Crystalline silica (impurity)	Not expected to adsorb on soil

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 01 05 99 - wastes not otherwise specified

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Commission Regulation (EU) No 2015/830 of 28 May 2015
Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

Netherlands

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

Germany

Regulations governing systems for handling substances hazardous to waters
Hazardous substances ordinance

Germany, Water Endangering Classes (VwVWS) Water endangering class = 1

Technical Rules for Hazardous Substances (TRGS) TRGS 220 National aspects when compiling safety data sheets
TRGS 510 Storage of hazardous substances in non stationary containers
TRGS 900 Occupational exposure limits

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 2212227

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Sandra McWilliam

Supersedes Date: 08/Jul/2018

Revision date 09/Feb/2019

Version 7

This SDS has been revised in the following section(s) 2, 8, 15, 16 No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.



Safety Data Sheet SAFE-CARB* (All Grades)

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name SAFE-CARB* (All Grades)
Product code PID1361

REACH Registration Name With respect to minerals, Article 2 § 7(b) and Annex V point 7 explicitly exempt from registration and evaluation "minerals which occur in nature, if they are not chemically modified." This product is exempt from registration. Exempt Annex V ENTRY 7.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lost circulation material. Weighting agent. Bridging material.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier
M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards Not classified

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

Contains

Calcium carbonate

Crystalline silica (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

Product dust may be irritating to eyes, skin and respiratory system

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Calcium carbonate	207-439-9	471-34-1	60-100	Not classified	Exempt
Crystalline silica (impurity)	238-878-4	14808-60-7	<1	STOT RE. 2 (H373)	Not applicable

3.2 Mixtures

Not applicable

Comments

Naturally occurring mineral.

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (COx).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions	Ensure adequate ventilation. Keep airborne concentrations below exposure limits.
Storage precautions	Keep containers tightly closed in a dry, cool and well-ventilated place Protect from moisture
Storage class	Chemical storage.
Storage class, TRGS 510, Germany	Storage class 9: no classification
Packaging materials	Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits No biological limit allocated

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Calcium carbonate	Not determined	Not determined	Not determined
Crystalline silica (impurity)	0.1 mg/m ³ TWA (respirable fraction)	0.15 mg/m ³ TWA alveolar dust, respirable fraction	0.1mg/m ³
Chemical Name	France	Germany	Hungary
Calcium carbonate	10 mg/m ³ TWA	Not determined	Not determined
Crystalline silica (impurity)	0.1 mg/m ³ TWA	Not determined	0.15mg/m ³ TWA
Chemical Name	Italy	Netherlands	Norway
Calcium carbonate	Not determined	Not determined	Not determined
Crystalline silica (impurity)	Not determined	0.075 mg/m ³	0.3 mg/m ³ TWA total dust 0.1 mg/m ³ TWA respirable dust 0.9 mg/m ³ STEL total dust 0.3 mg/m ³ STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania
Calcium carbonate	10 mg/m ³ TWA NDS <2% free crystalline silica	10 mg/m ³ TWA particulate matter containing no Asbestos and <1% Crystalline silica	Not determined
Crystalline silica (impurity)	2 mg/m ³ TWA NDS >50% free crystalline silica 0.3 mg/m ³ TWA NDS >50% free crystalline silica 4.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica 1.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica	0.025 mg/m ³ TWA respirable fraction	0.1mg/m ³ TWAdust, respirable fraction
Chemical Name	Spain	Switzerland	UK
Calcium carbonate	Not determined	3 mg/m ³ TWA MAK	Not determined
Crystalline silica (impurity)	0.05 mg/m ³ TWA VLA-ED	0.15 mg/m ³ TWA MAK	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may

be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required. Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

- Eye protection** Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
- Hand protection** Repeated or prolonged contact
Use protective gloves made of: Nitrile Neoprene
Frequent change is advisable
- Respiratory protection** No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
- Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder Dust
Odour	Odourless
Colour	White
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	Not applicable	
pH @ dilution	8.5 - 9.5	@ 100 g/l
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	

Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	2.6 - 2.8	@ 20 °C
Bulk density	No information available	
Relative density	No information available	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	825 °C / 1517°F	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	

Explosive properties	Not applicable
Oxidising properties	None known

9.2 Other information

Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid dust formation. Protect from moisture.

10.5 Incompatible materials

No materials to be especially mentioned.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Product information	This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis.
Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Unknown acute toxicity	Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium carbonate	= 6450 mg/kg (Rat)	No data available	No data available
Crystalline silica (impurity)	= 500 mg/kg (Rat)	No data available	No data available

Sensitisation	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	Crystalline silica dust is listed by IARC in Group 1 as known to cause lung cancer in humans, if inhaled.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Routes of Exposure	Inhalation.
Routes of entry	Inhalation.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Not classified.
Target organ effects	Respiratory system. Lungs.
Aspiration hazard	Not applicable.
Other information	Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
 Listed on PLONOR list of OSPAR

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Calcium carbonate	No information available	No information available	No information available
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

Not Applicable - Inorganic chemical.

Chemical Name	Persistence and degradability
Calcium carbonate	Not Applicable - Inorganic chemical.
Crystalline silica (impurity)	Inorganic compound

12.3 Bioaccumulative potential

Not Applicable - Inorganic chemical.

Chemical Name	Bioaccumulation
Calcium carbonate	Product/Substance is inorganic
Crystalline silica (impurity)	Product/Substance is inorganic

12.4 Mobility

Mobility

Insoluble in water. See component information below.

Chemical Name	Mobility
Calcium carbonate	Insoluble in water
Crystalline silica (impurity)	Insoluble in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
Calcium carbonate	Not expected to adsorb on soil
Crystalline silica (impurity)	Not expected to adsorb on soil

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 06 03 99.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated

ICAO Packing group Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Commission Regulation (EU) No 2015/830 of 28 May 2015
Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

Netherlands

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

SZW list; Crystalline Silica (respirable) is listed in the SZW list of carcinogenic substances and processes

Germany

Regulations governing systems for handling substances hazardous to waters
Chemicals act
Hazardous substances ordinance

Germany, Water Endangering Classes (VwVwS) Water endangering class = nwg

Technical Rules for Hazardous Substances (TRGS) TRGS 220 National aspects when compiling safety data sheets
TRGS 510 Storage of hazardous substances in non stationary containers
TRGS 903 (Biological limit values (BLV))

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 2175905

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Sandra McWilliam
Supersedes Date: 07/Jul/2018
Revision date 09/Feb/2019
Version 10
This SDS has been revised in the following section(s) 1, 8, 15, 16 No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com
Supplier
National Chemical Inventories
National regulatory information
National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood
Follow general hygiene considerations recognised as common good workplace practices

HMIS classification

Health	1*
Flammability	1
Physical hazard	0
PPE	E

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

SDS no. PID17341
Version 5
Revision date 13/Jan/2021
Supersedes Date: 02/Feb/2018



Safety Data Sheet SAFE-SCAV* HSN

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SAFE-SCAV* HSN
Product code PID17341

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Hydrogen Sulphide Scavenger.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

Schlumberger Oilfield UK PLC
Schlumberger House, Buckingham Gate
Gatwick Airport
West Sussex RH6 0NZ

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity - Repeated exposure	Category 1

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word

DANGER

Hazard Statements

- H302 - Harmful if swallowed
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H330 - Fatal if inhaled
- H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements

- P260 - Do not breathe dust, fume, gas, mist, vapors, spray
- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P310 - Immediately call a POISON CENTER or physician
- P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Supplementary precautionary statements

- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P271 - Use only outdoors or in a well-ventilated area
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves/protective clothing and eye/face protection
- P281 - Use personal protective equipment as required
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P330 - Rinse mouth
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P337 + P313 - If eye irritation persists: Get medical advice/attention
- P362 + P364 - Take off contaminated clothing and wash it before reuse
- P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Contains

2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol

2-aminoethanol (Impurity)

Formaldehyde (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

H330 classification is applied due to Inhalation Acute Toxicity studies carried out in Aerosol form
Prevent the formation of aerosols.

3. Composition/information on Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	225-208-0	4719-04-4	30-60	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) STOT RE 1 (H372)	EU: 01-2119529226-4 1-xxxx
2-aminoethanol (Impurity)	205-483-3	141-43-5	<2	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1B (H314) STOT SE 3 (H335)	Not applicable
Formaldehyde (impurity)	200-001-8	50-00-0	<0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Muta 2 (H341) Carc 1B (H350) STOT SE 3 (H335) Note B, Note D	Not applicable

Comments

The product contains other ingredients which do not contribute to the overall classification.
Formaldehyde is not present as a substance. It is formed during decomposition.

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

4. First Aid Measures

4.1 First aid measures

Inhalation

Call a physician or poison control center immediately. Move the exposed person to fresh air

at once. Keep at rest. If breathing is difficult, (trained personnel should) give oxygen.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Seek medical attention at once.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek medical attention at once.

Eye Contact

Remove contact lenses, if worn. Immediately flush eyes with water for 15 minutes while holding eyelids open. Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General advice

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation

Please see Section 11. Toxicological Information for further information.

Ingestion

Please see Section 11. Toxicological Information for further information.

Skin contact

Please see Section 11. Toxicological Information for further information.

Eye contact

Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, dry chemical, carbon dioxide (CO₂), or foam.

Extinguishing media which must not be used for safety reasons

Do not use halon type extinguisher.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (COx), Nitrogen oxides (NOx), Formaldehyde.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not get on skin or clothing. Wash thoroughly after handling. Do not breathe vapors or spray mist. Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see Section 13).

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapors or spray mist. Avoid contact with skin and eyes. Avoid spills and splashing during use. Persons susceptible to allergic reactions should not handle this product. Prevent the formation of vapors, mists and aerosols.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions	Ensure adequate ventilation.
Storage precautions	Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid heat, flames and other sources of ignition. Avoid frost. Avoid contact with: Strong acids, Strong oxidizing agents.
Storage class	Toxic storage.
Storage class, TRGS 510, Germany	LGK6.1BL - Non-combustible toxic substances (liquid)
Packaging materials	Use specially constructed containers only.

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure limits Formaldehyde is not present as a substance. It is formed during decomposition.

Component Information

Chemical Name	EU OEL	Austria	Denmark
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Not determined	Not determined	Not determined
2-aminoethanol (Impurity)	3 ppm STEL 7.6 mg/m ³ STEL 1 ppm TWA 2.5 mg/m ³ TWA Possibility of significant uptake through the skin	3 ppm STEL 7.6 mg/m ³ STEL 1 ppm TWA 2.5 mg/m ³ TWA	1 ppm TWA 2.5 mg/m ³ TWA Potential for cutaneous absorption
Formaldehyde (impurity)	Not determined	0.5 ppm TWA; 0.6 mg/m ³ TWA	0.3 ppm Ceiling; 0.4 mg/m ³ Ceiling
Chemical Name	France	Germany	Hungary
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Not determined	Not determined	Not determined
2-aminoethanol (Impurity)	3ppmSTEL 7.6mg/m ³ STEL 1 ppmTWA 2.5 mg/m ³ TWA	0.2 ppm TWA 0.51 mg/m ³ TWA	2.5mg/m ³ TWA 7.6mg/m ³ STEL
Formaldehyde (impurity)	0.5 ppm TWA	0.3 ppm TWA MAK; 0.37 mg/m ³ TWA MAK	0.6 mg/m ³ TWA
Chemical Name	Italy	Netherlands	Norway
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Not determined	Not determined	Not determined
2-aminoethanol (Impurity)	Not determined	7.6mg/m ³ STEL 2.5 mg/m ³	1 ppm TWA 2.5 mg/m ³ TWA 2 ppm STEL 5 mg/m ³ STEL Skin
Formaldehyde (impurity)	0.3 ppm Ceiling; 0.37 mg/m ³ Ceiling	0.5mg/m ³ STEL 0.15 mg/m ³	0.5 ppm TWA 0.6 mg/m ³ TWA 1 ppm Ceiling; 1.2 mg/m ³ Ceiling Carcinogen Sensitizing substance
Chemical Name	Poland	Portugal	Romania
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Not determined	Not determined	Not determined
2-aminoethanol (Impurity)	7.5 mg/m ³ STEL NDSh 2.5 mg/m ³ TWA NDS	Skin 3 ppm STEL VLE-CD 7.6 mg/m ³ STEL VLE-CD 1 ppm TWA indicative limit value 2.5 mg/m ³ TWA indicative limit value	3ppmSTEL 7.6mg/m ³ STEL 1ppmTWA 2.5mg/m ³ TWA
Formaldehyde (impurity)	0.5 mg/m ³ TWA	0.3 ppm Ceiling	1 ppm TWA; 1.20 mg/m ³ TWA
Chemical Name	Spain	Switzerland	UK
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Not determined	Not determined	Not determined
2-aminoethanol (Impurity)	3 ppm STEL 7.5 mg/m ³ STEL Skin 1 ppm TWA VLA-ED 2.5 mg/m ³ TWA VLA-ED	4 ppm STEL 10 mg/m ³ STEL 2 ppm TWA MAK 5 mg/m ³ TWA MAK	3 ppm STEL 7.6 mg/m ³ STEL Skin 1 ppm TWA 2.5 mg/m ³ TWA
Formaldehyde (impurity)	0.3 ppm STEL; 0.37 mg/m ³ STEL	0.3 ppm TWA; 0.37 mg/m ³ TWA	2 ppm TWA; 2.5 mg/m ³ TWA

Europe - REACH
Derived No Effect Level (DNEL)

Long term exposure local effects

2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol
Inhalation 0.2 mg/m³

Predicted No Effect Concentration (PNEC)

2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol
Fresh Water 0.007 mg/l
Sea Water 0.001 mg/L
Freshwater sediment 0.03 mg/kg
Sea sediment 0.003 mg/kg
Soil 0.002 mg/kg
Impact on sewage treatment 5.5 mg/l
Intermittent release 0.007 mg/L

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Local exhaust ventilation. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal protective equipment

- Eye protection** Use eye protection according to EN 166, designed to protect against liquid splashes. Chemical splash goggles and/or face shield.
- Hand protection** Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training
Impervious gloves made of: Nitrile Neoprene Butyl Rubber
Break through time >480 minutes
Glove thickness >=0.4 mm
- Respiratory protection** Be aware that liquid may penetrate the gloves. Frequent change is advisable. Respirator with combination filter for vapour/particulate (EN 141), Use respirator with organic vapor protection (A, brown), If there are conditions in which this triazine containing product produces a vapor, a chemical respirator with A1 + Formaldehyde and P3 particulate pre-filter combination would be required.
- Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance	Clear
Odor	Amine
Color	Colorless - Pale yellow
Odor threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	10.0 - 11.5	
pH @ dilution	No information available	
Melting point	No information available	
Boiling point/range	No information available	
Flash point	67 °C / 152.6 °F	ASTM D 93-11
Evaporation rate (BuAc =1)	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapor pressure	No information available	
Vapor density	No information available	
Specific gravity	No information available	
Bulk density	No information available	
Relative density	No information available	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	Not applicable	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	
Explosive properties	Not applicable	
Oxidizing properties	None known.	

9.2 Other information

Pour point	< -20°C / -4°F
Molecular weight	No information available
VOC content(%)	None
Density	1.05 - 1.15 g/ml @ 20°C

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Contact with strong acids develops formaldehyde.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid frost.

10.5 Incompatible materials

Strong oxidizing agents. Strong acids.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Product information	This product may contain or release trace amounts of formaldehyde. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 carcinogen (limited evidence in humans, sufficient evidence in animals). Exposure to formaldehyde has been linked to adverse reproductive effects in some human and animal studies. In other reproductive studies, however, no adverse effects were noted. (Meditext). Formaldehyde may also cause skin sensitisation (allergic reaction).
Inhalation	Fatal if inhaled. Causes damage to organs through prolonged or repeated exposure.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	Harmful if swallowed. May cause additional affects as listed under "Inhalation".
Unknown acute toxicity	Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethano l	1000 mg/kg (Rat) (BASF AG, 1997)	> 4000 mg/kg (Rat) (BASF AG, 1997)	0.371 mg/L (Aerosol) (Rat) (Triazine Taskforce, 2011)
2-aminoethanol (Impurity)	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit) = 1 mL/kg (Rabbit)	No data available
Formaldehyde (impurity)	= 100 mg/kg (Rat)	= 270 mg/kg (Rabbit)	= 0.578 mg/L (Rat) 4 h

Sensitization	May cause allergic skin reaction.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	Formaldehyde is listed by IARC in Group 1 as carcinogenic to humans.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Routes of Exposure	Inhalation (Aerosol). Skin contact. Eye contact. Ingestion.
Routes of entry	Inhalation. Skin contact. Ingestion. Eye contact.
Specific target organ toxicity - Single exposure	Not classified

Specific target organ toxicity - Repeated exposure	Category 1.
Target organ effects	Respiratory system.
Aspiration hazard	Not applicable.
Other information	Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

Toxicity to algae

See component information below.

Toxicity to fish

See component information below.

Toxicity to daphnia and other aquatic invertebrates

See component information below.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	> 168 mg/l LC50 96h Sheepshead Minnow (SLB data)	1.624 mg/l EC50 72h Skeletonema (SLB data)	99.68 mg/l KC50 48h Acartia (SLB data)
2-aminoethanol (Impurity)	> 200 mg/L LC50 Oncorhynchus mykiss 96 h 114 - 196 mg/L LC50 Oncorhynchus mykiss 96 h 300 - 1000 mg/L LC50 Lepomis macrochirus 96 h = 3684 mg/L LC50 Brachydanio rerio 96 h = 227 mg/L LC50 Pimephales promelas 96 h	= 15 mg/L EC50 Desmodesmus subspicatus 72 h	= 65 mg/L EC50 Daphnia magna 48 h
Formaldehyde (impurity)	23.2 - 29.7 mg/L LC50 Pimephales promelas 96 h 100 - 136 mg/L LC50 Oncorhynchus mykiss 96 h 0.032 - 0.226 mL/L LC50 Oncorhynchus mykiss 96 h = 41 mg/L LC50 Brachydanio rerio 96 h = 1510 µg/L LC50 Lepomis macrochirus 96 h 22.6 - 25.7 mg/L LC50 Pimephales promelas 96 h	No information available	11.3 - 18 mg/L EC50 Daphnia magna 48 h = 2 mg/L LC50 Daphnia magna 48 h

12.2 Persistence and degradability

See component information below.

Chemical Name	Persistence and degradability
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Readily biodegradable
2-aminoethanol (Impurity)	Readily biodegradable
Formaldehyde (impurity)	Rapidly biodegradable

12.3 Bioaccumulative potential

See component information below.

Chemical Name	Bioaccumulation
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Not likely to bioaccumulate log Kow <=3
2-aminoethanol (Impurity)	Product does not bioaccumulate due to reaction with water
Formaldehyde (impurity)	Does not bioaccumulate log Pow =0.35

12.4 Mobility

Mobility

See component information below.

Chemical Name	Mobility
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Soluble in water
Formaldehyde (impurity)	Miscible in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
2,2',2''-(Hexahydro-1,3,5-triazin-1,3,5-triyl)triethanol	Study does not need to be conducted because the substance is readily biodegradable
2-aminoethanol (Impurity)	Study does not need to be conducted because the substance is readily biodegradable
Formaldehyde (impurity)	Henry's Law Constant 0.034 (in Pa m ³ /mol) @ 25 °C

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No

According to the European Waste Catalog, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 04 Waste Code: 7152 Organic waste without halogen.

14. Transport information

14.1. UN number

UN/ID No. (ADR/RID/ADN/ADG) UN2810
UN No. (IMDG/ANTAQ) UN2810
UN No. (ICAO/ANAC) UN2810

14.2. UN proper shipping name

TOXIC LIQUID, ORGANIC, N.O.S. (Hexahydro-1,3,5-tris(2-hydroxyethyl)-sym-triazine)

14.3 Hazard class(es)

ADR/RID/ADN/ADG Hazard class 6.1
IMDG/ANTAQ Hazard class 6.1
ICAO/ANAC Hazard class/division 6.1

14.4 Packing group

ADR/RID/ADN/ADG Packing group II
IMDG/ANTAQ Packing group II
ICAO/ANAC Packing group II



14.5 Environmental hazard

No

14.6 Special precautions

Hazard identification no (ADR) 60
EmS (IMDG) F-A, S-A
Emergency Action Code (EAC) 2X
Tunnel restriction code (D/E)

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

MEPC.2_circ.24, annex I, List 1. 1,3,5-hexahydrotriethanol-1,3,5-triazine solution Ship Type:- 2. Pollution Category:- Y.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Commission Regulation (EU) No 2015/830 of 28 May 2015
Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

Netherlands

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

Germany

Regulations governing systems for handling substances hazardous to waters
Hazardous substances ordinance

Germany, Water Endangering Classes (VwVwS) Hazardous to water/Class 1

Technical Rules for Hazardous Substances (TRGS) TRGS 905 List of substances that are carcinogenic, mutagenic or toxic for reproduction
TRGS 907 List of sensitizing substances and activities involving sensitizing substances
TRGS 510 Storage of hazardous substances in non stationary containers
TRGS 220 National aspects when compiling safety data sheets
TRGS 900 Occupational exposure limits

International inventories

USA (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Japan (ENCS)	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korean (KECL)	Complies
New Zealand (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no. 303850
Denmark Pr. no: 2303866

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Sandra McWilliam

Supersedes Date: 02/Feb/2018

Revision date 13/Jan/2021

Version 5

This SDS has been revised in the following section(s) All sections. No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

HMIS classification

Health	3*
Flammability	1
Physical hazard	0
PPE	X

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness

of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

SDS no. PID20170
Version 2
Revision date 09/Aug/2018
Supersedes Date: 08/Jul/2016



Safety Data Sheet SAFE-SURF* EU

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SAFE-SURF* EU
Product code PID20170

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Completion fluid additive.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

Schlumberger Oilfield UK PLC
Schlumberger House, Buckingham Gate
Gatwick Airport
West Sussex RH6 0NZ

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
-------------	---

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Health hazards

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word

DANGER

Hazard Statements

- H302 - Harmful if swallowed
- H312 - Harmful in contact with skin
- H315 - Causes skin irritation
- H318 - Causes serious eye damage
- H332 - Harmful if inhaled

Precautionary Statements

- P280 - Wear protective gloves, protective clothing, eye protection
- P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Supplementary precautionary statements

- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P271 - Use only outdoors or in a well-ventilated area
- P310 - Immediately call a POISON CENTER or physician
- P330 - Rinse mouth
- P332 + P313 - If skin irritation occurs: Get medical attention
- P362 + P364 - Take off contaminated clothing and wash it before reuse

Contains

- 2-butoxyethanol
- D-Glucopyranose, oligomeric, C8-10 glycosides

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

Thermal decomposition can lead to release of irritating and toxic gases and vapors

3. Composition/information on Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
2-butoxyethanol	203-905-0	111-76-2	30-60	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	EU: 01-2119475108-3 6-xxxx
D-Glucopyranose, oligomeric, C8-10 glycosides	500-220-1	68515-73-1	5-10	Eye Dam.1 (H318)	EU: 01-2119488530-3 6-xxxx

Comments

The product contains other ingredients which do not contribute to the overall classification.

4. First Aid Measures

4.1 First aid measures

Inhalation	Move to fresh air. Keep at rest. If breathing is difficult, (trained personnel should) give oxygen. Seek immediate medical attention/advice.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek medical attention if irritation occurs.
Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Seek medical attention at once.

4.2. Most important symptoms and effects, both acute and delayed

General advice	The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.
Symptoms	
Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (COx).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place

Storage class Chemical storage.

Packaging materials Use specially constructed containers only.

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure limits No biological limit allocated

Component Information

Chemical Name	EU OEL	Austria	Denmark
2-butoxyethanol	50 ppm STEL 246 mg/m ³ STEL 20 ppm TWA 98 mg/m ³ TWA Possibility of significant uptake through the skin*1)	40 ppm STEL 200 mg/m ³ STEL 20 ppm TWA 98 mg/m ³ TWA	20 ppm 98 mg/m ³
D-Glucopyranose, oligomeric, C8-10 glycosides	Not determined	Not determined	Not determined
Chemical Name	France	Germany	Hungary
2-butoxyethanol	50ppmSTEL 246mg/m ³ STEL 10 ppmTWA 49 mg/m ³ TWA	10 ppm TWA 49 mg/m ³ TWA	98mg/m ³ TWA 246mg/m ³ STEL
D-Glucopyranose, oligomeric, C8-10 glycosides	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
2-butoxyethanol	Not determined	100 mg/m ³ TWA	10 ppm TWA 50 mg/m ³ TWA 15 ppm STEL 75 mg/m ³ STEL Skin
D-Glucopyranose, oligomeric, C8-10 glycosides	Not determined	Not determined	Not determined

Chemical Name	Poland	Portugal	Romania
2-butoxyethanol	200 mg/m ³ STEL NDSh 98 mg/m ³ TWA NDS	Skin 50 ppm STEL VLE-CD 246 mg/m ³ STEL VLE-CD 20 ppm TWA indicative limit value 98 mg/m ³ TWA indicative limit value	50ppmSTEL 246mg/m ³ STEL 20ppmTWA 98mg/m ³ TWA
D-Glucopyranose, oligomeric, C8-10 glycosides	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
2-butoxyethanol	50 ppm STEL 245 mg/m ³ STEL Skin*2) 20 ppm TWA VLA-ED 98 mg/m ³ TWA VLA-ED	20 ppm STEL 98 mg/m ³ STEL Skin*2) 10 ppm TWA MAK 49 mg/m ³ TWA MAK	50 ppm STEL 246 mg/m ³ STEL Skin*2) 25 ppm TWA 123 mg/m ³ TWA
D-Glucopyranose, oligomeric, C8-10 glycosides	Not determined	Not determined	Not determined

Europe - REACH

Derived No Effect Level (DNEL)

Short term exposure local effects

2-butoxyethanol

Inhalation 246 mg/m³

Short term exposure systemic effects

2-butoxyethanol

Dermal 89 mg/kg
Inhalation 1091 mg/m³

Long term exposure systemic effects

2-butoxyethanol

Dermal 125 mg/kg
Inhalation 98 mg/m³

D-Glucopyranose, oligomeric, C8-10 glycosides

Dermal 595000 mg/kg
Inhalation 420 mg/m³

Predicted No Effect Concentration (PNEC)

2-butoxyethanol

Fresh Water 8.8 mg/l
Sea Water 0.88 mg/l
Freshwater sediment 34.6 mg/kg
Sea sediment 3.46 mg/kg
Soil 2.33 mg/kg
Impact on sewage treatment 463 mg/l
Intermittent release 26.4 mg/l

D-Glucopyranose, oligomeric, C8-10 glycosides

Fresh Water 0.176 mg/L
Sea Water 0.018 mg/L
Freshwater sediment 1.516 mg/kg
Sea sediment 0.152 mg/kg
Soil 0.654 mg/kg
Impact on sewage treatment 560 mg/L
Intermittent release 0.27 mg/L

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

- Eye protection** Use eye protection according to EN 166, designed to protect against liquid splashes. Tightly fitting safety goggles. Safety glasses with side-shields.
- Hand protection** Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training Impervious gloves made of: Neoprene Nitrile Butyl
Break through time >480 minutes
Glove thickness >=0.4 mm
Be aware that liquid may penetrate the gloves. Frequent change is advisable.
- Respiratory protection** No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Respirator with a vapor filter (EN 141), Use respirator with organic vapor protection (A, brown), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
- Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Odor	Sweet
Color	Colorless - Light orange
Odor threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	3.2	
pH @ dilution	No information available	
Melting point	No information available	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate (BuAc =1)	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapor pressure	~ 16 mmHg	@ 20 °C
Vapor density	No information available	
Specific gravity	No information available	
Bulk density	No information available	
Relative density	0.99 s.g	@ 20°C.
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	

Decomposition temperature No information available
Kinematic viscosity No information available
Dynamic viscosity No information available
log Pow No information available

Explosive properties Not applicable
Oxidizing properties None known.

9.2 Other information

Pour point No information available
Molecular weight No information available
VOC content(%) None
Density No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Not known.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

No materials to be especially mentioned.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation Harmful by inhalation. Inhalation of vapors in high concentration may cause shortness of breath (lung edema).

Eye contact Causes serious eye damage.

Skin contact Causes skin irritation. Components of the product may be absorbed into the body through the skin.

Ingestion Harmful if swallowed.

Unknown acute toxicity Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-butoxyethanol	1200 mg/kg (Guinea pigs)	> 2000 mg/kg (Rat)	400 ppm (Rabbit)
D-Glucopyranose, oligomeric, C8-10 glycosides	> 2000 mg/kg bw (Rat) ECHA Data	> 2000 mg/kg (Rabbit) ECHA Data	No data available

Sensitization This product does not contain any components suspected to be sensitizing.

Mutagenic effects This product does not contain any known or suspected mutagens.

Carcinogenicity This product does not contain any known or suspected carcinogens.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

Routes of Exposure Inhalation. Eye contact. Skin contact. Ingestion.

Routes of entry Inhalation. Eye contact. Skin contact. Ingestion.

Specific target organ toxicity - Single exposure Not classified

Specific target organ toxicity - Repeated exposure Not classified.

Aspiration hazard Not applicable.

Other information Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

Toxicity to algae
This product is not considered toxic to algae.

Toxicity to fish
This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates
This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
2-butoxyethanol	= 2950 mg/L LC50 Lepomis macrochirus 96 h = 1490 mg/L LC50 Lepomis macrochirus 96 h	No information available	= 1698 - 1940 mg/L (LC50; Daphnia magna) = 1720 mg/L (EC50; water flea)

D-Glucopyranose, oligomeric, C8-10 glycosides	170 mg/l LC50 Zebra fish	37 mg/L (= 21 mg a.i./L) EC50 to the freshwater algae <i>Scenedesmus subspicatus</i> 72h	> 100 mg/l EC50 <i>Daphnia magna</i> 48h
---	--------------------------	--	--

12.2 Persistence and degradability

Readily biodegradable. See component information below.

Chemical Name	Persistence and degradability
2-butoxyethanol	Readily biodegradable
D-Glucopyranose, oligomeric, C8-10 glycosides	OECD 301 Readily biodegradable

12.3 Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating. See component information below.

Chemical Name	Bioaccumulation
2-butoxyethanol	Not likely to bioaccumulate
D-Glucopyranose, oligomeric, C8-10 glycosides	Not likely to bioaccumulate

12.4 Mobility

Mobility

Soluble in water. See component information below.

Chemical Name	Mobility
2-butoxyethanol	Soluble in water
D-Glucopyranose, oligomeric, C8-10 glycosides	Partially soluble

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
2-butoxyethanol	No information available
D-Glucopyranose, oligomeric, C8-10 glycosides	No information available

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalog, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 04 Waste Code: 7152 Organic waste without halogen.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3 Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG/ANTAQ Hazard class	Not regulated
ICAO/ANAC Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing group	Not regulated
IMDG/ANTAQ Packing group	Not regulated
ICAO/ANAC Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Commission Regulation (EU) No 2015/830 of 28 May 2015
Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

Netherlands

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

International inventories

USA (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Japan (ENCS)	Does not comply
China (IECSC)	Complies
Australia (AICS)	Complies
Korean (KECL)	Complies
New Zealand (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	08/Jul/2016
Revision date	09/Aug/2018
Version	2
This SDS has been revised in the following section(s)	1, 2, 3, 8, 11, 12, 15, 16 Product Code change No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognized as common good workplace practices

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H319 - Causes serious eye irritation

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

Safety data sheet number PID1436
Version 2
Revision date 06/Jul/2017
Supersedes date 11/Jun/2014



Safety Data Sheet SAPP

1. Identification of the substance/preparation and of the Company/undertaking

1.1 Product identifier

Product name SAPP
Product code PID1436
Molecular weight 222.15
Denmark Pr. no. 2212219

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use SAPP dispersant. Thinner.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Netherlands	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards

Serious eye damage/eye irritation	Category 2
-----------------------------------	------------

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word

WARNING

Hazard statements

H319 - Causes serious eye irritation

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Contains

Disodium dihydrogen diphosphate

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

Australian statement of hazardous/dangerous nature

Classified as Hazardous according to the criteria of NOHSC.

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Regulation (EC) No 1272/2008	REACH registration number
Disodium dihydrogen diphosphate	231-835-0	7758-16-9	60-100	Eye Irrit. 2 (H319)	01-2119489793-19-xxxx

3.2 Mixtures

Not applicable

4. First aid measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.
Eye Contact	Remove contact lenses, if worn. Promptly wash eyes with lots of water while lifting eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Fire or high temperatures create: Oxides of phosphorus.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Cover powder spill with plastic sheet or tarp to minimise spreading. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions

Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place Avoid excessive heat for prolonged periods of time. Protect from moisture Avoid contact with: Strong alkalis.

Storage class Chemical storage.

Packaging materials Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure controls/personal protection

8.1 Control parameters

Exposure Limits NUI = Nuisance dust, TWA 4mg/m³ Respirable Dust, 10mg/m³ Total Dust.
No biological limit allocated

Chemical Name	EU OEL - Third List	Austria	Australia	Denmark
Disodium dihydrogen diphosphate	Not determined	Not determined	Not determined	Not determined
Chemical Name	Malaysia	France	Germany	Hungary
Disodium dihydrogen diphosphate	Not determined	Not determined	Not determined	Not determined
Chemical Name	New Zealand	Italy	Netherlands	Norway
Disodium dihydrogen diphosphate	Not determined	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania	Russia
Disodium dihydrogen diphosphate	Not determined	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	Turkey	UK
Disodium dihydrogen diphosphate	Not determined	Not determined	Not determined	Not determined

Derived No Effect Level (DNEL)

Long term exposure systemic effects

Disodium dihydrogen diphosphate
Inhalation 2.79 mg/m³

Predicted No Effect Concentration (PNEC)

Disodium dihydrogen diphosphate
Fresh Water 0.05 mg/l
Sea Water 0.05 mg/l
Impact on sewage treatment 50 mg/l

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls
Ensure adequate ventilation.

Personal protective equipment

Eye protection	Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
Hand protection	Wear gloves according to EN 374 to protect against skin effects from powders Repeated or prolonged contact Use protective gloves made of: Nitrile Neoprene PVC Frequent change is advisable
Respiratory protection	No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
Skin and body protection	Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.
Hygiene measures	Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Crystalline Powder
Odour	Odourless
Colour	White
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	4.0 - 5.0	@ 10 g/l
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	n/a No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	1.8 - 1.9 sg	20 °C
Bulk density	1000-1200 kg/m ³	
Relative density	No information available	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	

Dynamic viscosity No information available
log Pow No information available

Explosive properties Not applicable
Oxidising properties None known

9.2 Other information

Pour point No information available
Molecular weight 222.15
VOC content(%) None
Density No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Protect from moisture. Avoid excessive heat for prolonged periods of time.

10.5 Incompatible materials

Strong alkalis.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

Eye contact Causes serious eye irritation.

Skin contact Prolonged skin contact may cause skin irritation.

Ingestion Ingestion may cause stomach discomfort.

Unknown acute toxicity Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Disodium dihydrogen diphosphate	= 1800 mg/kg (Rat)	No data available	> 0.58 mg/L (Rat) 4 h

Sensitisation This product does not contain any components suspected to be sensitizing.

Mutagenic effects This product does not contain any known or suspected mutagens.

Carcinogenicity This product does not contain any known or suspected carcinogens.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

Routes of exposure Eye contact.

Routes of entry No route of entry noted.

Specific target organ toxicity - Single exposure Not classified

Specific target organ toxicity - Repeated exposure Not classified.

Aspiration hazard Not applicable.

12. Ecological information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Listed on PLONOR list of OSPAR

Toxicity to algae
 This product is not considered toxic to algae.

Toxicity to fish
 This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates
 This product is not considered toxic to invertebrates.

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Disodium dihydrogen diphosphate	No information available	No information available	No information available

12.2 Persistence and degradability

Not Applicable - Inorganic chemical.

12.3 Bioaccumulative potential

Not Applicable - Inorganic chemical.

12.4 Mobility in soil

Mobility

Soluble in water.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.

EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 01 04 10 – dusty and powdery wastes other than those mentioned in 01 04 07, EWC waste disposal No: 7091 Inorganic salts and other solids.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Standard for the Uniform Scheduling of Drugs and Poisons

No poisons schedule number allocated

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011 (2003)].
 National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) 3rd Edition].
 National Occupational Health and Safety Commission's Exposure Standards for Atmospheric Contaminants in the occupational Environment [NOHSC:1003 (1995)].

Safe Work Australia.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U.(A) 310/2013] (CLASS Regulations)

The Industry Code of Practice on Chemical Classification and Hazard Communication 2014 [P.U. (B) 128/2014] (ICOP)
 International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
European Union - EINECS and ELINCS	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

15.2 Chemical Safety Report

No information available

16. Other information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes date	11/Jun/2014
Revision date	06/Jul/2017
Version	2
This SDS has been revised in the following section(s)	All sections Product Code change No changes with regard to classification have been made.

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SOBO S GOLD 08

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Oil Technics Ltd
Linton Business Park
Gourdon
Aberdeenshire
DD10 0NH
United Kingdom, Scotland

Tel: +44 (0) 1561 361515

Email: info@oiltechnics.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1561 361515 (24 Hours)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements

Label elements under CLP:

Hazard statements: H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313: If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

TETRAPOTASSIUM PYROPHOSPHATE (TKPP) - REACH registered number(s): 01-2119489369-18

EINECS	CAS	CHIP Classification	CLP Classification	Percent
230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-5%

ALKYLPOLYGLYCOSIDE C9-11

603-654-0	132778-08-6	-	Eye Dam. 1: H318	1-5%
-----------	-------------	---	------------------	------

Non-classified ingredients:

WATER

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	7732-18-5	-	-	>80%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 3

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

TETRAPOTASSIUM PYROPHOSPHATE (TKPP)

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL

[cont...]

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 4

UK	1mg/m3	2mg/m3	-	-
----	--------	--------	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: An environmental assessment must be made to ensure compliance with local environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Barely perceptible odour

Evaporation rate: Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Kinematic viscosity: <10 mPas

Viscosity test method: Kinematic viscosity in 10⁻⁶ m²/s at 40°C (ISO 3104/3105)

Boiling point/range °C: 100

Flash point °C: >93

Relative density: 1.05

pH: 8.5 - 9.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 5

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	>5000	mg/kg

Hazardous ingredients:

TETRAPOTASSIUM PYROPHOSPHATE (TKPP)

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

ALKYLPOLYGLYCOSIDE C9-11

ORAL	-	LD50	2000	mg/kg
------	---	------	------	-------

Excluded effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	-	Classified as non-hazardous because of lack of data
Acute toxicity (toxic)	-	Classified as non-hazardous because of lack of data
Acute toxicity (very toxic)	-	Classified as non-hazardous because of lack of data
Irritation	-	Classified as non-hazardous because of lack of data
Corrosivity	-	Classified as non-hazardous because of lack of data
Sensitisation	-	Classified as non-hazardous because of lack of data
Repeated dose toxicity	-	Classified as non-hazardous because of lack of data
Carcinogenicity	-	Classified as non-hazardous because of lack of data

[cont...]

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 6

Mutagenicity	-	Classified as non-hazardous because of lack of data
Toxicity for reproduction	-	Classified as non-hazardous because of lack of data

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
Bacteria	48H EC50	>100	mg/l
FISH	96H LC50	>10	mg/l

Hazardous ingredients:

TETRAPOTASSIUM PYROPHOSPHATE (TKPP)

ALGAE	72H IC50	>100	mg/l
Daphnia magna	48H EC50	>100	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>100	mg/l

ALKYLPOLYGLYCOSIDE C9-11

FISH	96H LC50	10	mg/l
------	----------	----	------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

[cont...]

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 7

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes).

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

Phrases used in s.2 and s.3: H318: Causes serious eye damage.

H319: Causes serious eye irritation.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

[cont...]

SAFETY DATA SHEET

SOBO S GOLD 08

Page: 8

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

SAFETY DATA SHEET

**Soltex® E Additive**

Version 1.8

Revision Date 2017-02-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Soltex® E Additive
 Material : 1110476

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Asphalt, Sulfonated, Sodium Salt	68201-32-1 269-212-0	Chevron Phillips Chemicals International NV 01-2119510713-49-0000

Relevant Identified Uses Supported : Use in Oil and Gas field drilling and production operations - Industrial

Company : Chevron Phillips Chemical Company LP
 Drilling Specialties Company LLC
 10001 Six Pines Drive
 The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
 Airport Plaza (Stockholm Building)
 Leonardo Da Vincilaan 19
 1831 Diegem
 Belgium

SDS Requests: (800) 852-5530
 Technical Information: (832) 813-4862
 Responsible Party: Product Safety Group
 Email:sds@cpchem.com

Emergency telephone:**Health:**

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: +800 CHEMCALL (+800 2436 2255) China: +86-21-22157316

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture****REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture.

Label elements**Labeling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

SECTION 3: Composition/information on ingredientsSynonyms : DRILLING MUD ADDITIVE
Shale Inhibitor

Molecular formula : UVCB

Contains no hazardous ingredients according to GHS. :

Remarks : Contains no hazardous ingredients according to GHS.

SECTION 4: First aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

SECTION 5: Firefighting measures

Flash point	:	Not applicable
Autoignition temperature	:	No data available
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and explosion protection	:	Provide appropriate exhaust ventilation at places where dust is formed.

SECTION 6: Accidental release measures

Personal precautions	:	Avoid dust formation.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.

Storage

Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.

SECTION 8: Exposure controls/personal protection

DNEL	:	End Use: Workers Routes of exposure: Skin contact Potential health effects: Chronic effects, Systemic effects Value: 14,3 mg/kg
DNEL	:	End Use: Workers Routes of exposure: Inhalation Potential health effects: Chronic effects, Systemic effects

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

Value: 25,2 mg/m³

PNEC : Marine water
Value: 0,12 mg/l

PNEC : Marine sediment
Value: 0,097 mg/kg

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Wear as appropriate: Choose body protection according to the amount and concentration of the dangerous substance at the work place. Lightweight protective clothing.

Hygiene measures : General industrial hygiene practice.

For additional details, see the Exposure Scenario in the Annex portion

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

Form : Powder
Physical state : Solid

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

Color : Dark Brown, Black
 Odor : No odor
 Odor Threshold : Not applicable

Safety data

Flash point : Not applicable

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Autoignition temperature : No data available

Thermal decomposition : No data available

Molecular formula : UVCB

pH : 7 - 10

Boiling point/boiling range : Not applicable

Vapor pressure : Not applicable

Relative density : Not applicable

Density : 1,54 g/cm³

Water solubility : Partly soluble

Partition coefficient: n-octanol/water : No data available

Viscosity, kinematic : No data available

Relative vapor density : Not applicable

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Thermal decomposition : No data available

Other data : No decomposition if stored and applied as directed.

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

SECTION 11: Toxicological information**Soltex® E Additive**

Acute oral toxicity : LD50: > 5.000 mg/kg
Species: Rat
Sex: male and female

Soltex® E Additive

Acute inhalation toxicity : LC50: > 5,3 mg/l
Exposure time: 4 h
Species: Rat
Sex: male and female
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Rats exposed to a 5.3 mg/L dust aerosol for 4-hr resulted in effects generally expected with high concentrations of dust aerosols made of relatively dense particles. Higher lung weight and atelectasis persisted after the 14-day recovery period. There were no reports of lethality or any significant clinical observations. There was however an acute inflammatory response with evidence of recovery after 14-days. The presence of particulate matter with indication of partial clearance from the lung after the 14-day recovery period was noted. These effects would not be expected during normal operating conditions when using this substance.

Soltex® E Additive

Acute dermal toxicity : No data available

Soltex® E Additive

Skin irritation : No skin irritation

Soltex® E Additive

Eye irritation : No eye irritation

Soltex® E Additive

Sensitization : Did not cause sensitization on laboratory animals.

Soltex® E Additive

Repeated dose toxicity : Species: Rat, male and female
Sex: male and female
Application Route: oral gavage
Dose: 0, 250, 500, 1000 mg/kg
Exposure time: 43 - 54 D
Number of exposures: daily
NOEL: 1.000 mg/kg
Method: OECD Guideline 422

Soltex® E Additive

Reproductive toxicity : Species: Rat
Sex: male and female

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

Application Route: oral gavage
 Dose: 0, 250, 500, 1000 mg/kg
 Exposure time: 43-54 D
 Number of exposures: daily
 Method: OECD Guideline 422
 NOAEL Parent: 1.000 mg/kg
 NOAEL F1: 1.000 mg/kg

**Soltex® E Additive
Developmental Toxicity**

: Species: Rat
 Application Route: oral gavage
 Dose: 0, 250, 500, 1000 mg/kg
 Number of exposures: daily
 Test period: 54 D
 NOAEL Teratogenicity: 1.000 mg/kg
 NOAEL Maternal: 1.000 mg/kg

Toxicology Assessment**Soltex® E Additive
CMR effects**

: Carcinogenicity:
 Not available
 Mutagenicity:
 Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
 Teratogenicity:
 Animal testing did not show any effects on fetal development.
 Reproductive toxicity:
 Animal testing did not show any effects on fertility.

SECTION 12: Ecological information**Ecotoxicity effects****Toxicity to fish**

: LC50: > 240 mg/l
 Exposure time: 96 h
 Species: *Scophthalmus maximus* (Flatfish, Flounder)
 semi-static test Method: OECD Test Guideline 203

**Toxicity to daphnia and
other aquatic invertebrates**

: LC50: 380 mg/l
 Exposure time: 48 h
 Species: *Acartia tonsa* (Marine Copepod)
 static test Method: ISO TC147/SC5/WG2

Toxicity to algae

: EbC50: 240 mg/l
 Exposure time: 72 h
 Species: *Skeletonema costatum* (Marine Algae)
 static test Method: ISO 10253

 ErC50: 390 mg/l
 Exposure time: 72 h
 Species: *Skeletonema costatum* (Marine Algae)
 static test Method: ISO 10253

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

Elimination information (persistence and degradability)

Biodegradability : 3 %
Testing period: 28 d
Method: Closed Bottle test
According to the results of tests of biodegradability this product is not readily biodegradable.

Ecotoxicology Assessment

Additional ecological information : This material is not expected to be harmful to aquatic organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

For additional details, see the Exposure Scenario in the Annex portion

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO /IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF
DANGEROUS GOODS (EUROPE))**
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE
OF DANGEROUS GOODS BY INLAND WATERWAYS)**
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation****Chemical Safety Assessment**

Ingredients : Asphalt, 269-212-0
sulfonated, sodium
salt

**Major Accident Hazard
Legislation** : 96/82/EC Update: 2003
Directive 96/82/EC does not apply

**Water contaminating class
(Germany)** : WGK 1 slightly water endangering
Classification according VwVwS, Annex 3.

Other Registrations

Regulation Registration number
Danish PR number: 2318865

Notification status

Europe REACH : This mixture contains only ingredients which have been
registered according to Regulation (EU) No. 1907/2006
(REACH).
United States of America (USA) : On TSCA Inventory
TSCA
Canada DSL : All components of this product are on the Canadian
DSL
Australia AICS : On the inventory, or in compliance with the inventory
New Zealand NZIoC : Not in compliance with the inventory
Japan ENCS : On the inventory, or in compliance with the inventory
Korea KECI : On the inventory, or in compliance with the inventory

Soltex® E Additive


Version 1.8

Revision Date 2017-02-28

Philippines PICCS : On the inventory, or in compliance with the inventory
 China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 1
 Fire Hazard: 2
 Reactivity Hazard: 0

**Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

Annex**1. Short title of Exposure Scenario: Use in Oil and Gas field drilling and production operations - Industrial**

Main User Groups	:	SU 3: Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	SU2b: Offshore industries
Process category	:	PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises
Environmental release category	:	ERC4: Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Oil field well drilling and production operations (including drilling muds and well cleaning) including material transfers, on-site formulation, well head operations, shaker room activities and related maintenance.

2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles**Product characteristics**

Remarks Substance is complex UVCB.

Other given operational conditions affecting environmental exposure

Continuous use/release

Technical conditions and measures / Organizational measures

Remarks : Not applicable

Conditions and measures related to municipal sewage treatment plant

Remarks : Not applicable as there is no release to wastewater.

Conditions and measures related to external treatment of waste for disposal

Waste treatment : Drilling muds are recycled and reused

Conditions and measures related to external recovery of waste

Remarks : Drilling muds are recycled and reused

2.2 Contributing scenario controlling worker exposure for: PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises**Product characteristics**

Remarks Substance is complex UVCB.

Physical Form (at time of use) : Solid, low dustiness

Frequency and duration of use

Soltex® E Additive

Version 1.8

Revision Date 2017-02-28

Frequency of use : 3 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor, Outdoor

Remarks : Assumes a good basic standard of occupational hygiene is implemented., Operation is carried out at elevated temperature (> 20°C above ambient temperature).

Technical conditions and measures

Provide adequate ventilation., Bags of dry powder should be emptied into hopper and pulled down by Venturi effect to minimize dust in the air., Hoppers should be regularly washed down with water to rinse any residual product., Empty bags into hopper when facing downwind.

Conditions and measures related to personal protection, hygiene and health evaluation

Respirator with a dust filter, Wear protective gloves/ protective clothing/ eye protection/ face protection.

3. Exposure estimation and reference to its source**Environment**

Contributing Scenario	Exposure Assessment Method	Specific conditions	Compartment	Value type	Level of Exposure	Risk characterization ratio
ERC4	EGEST		Marine water		0,0005 mg/L	0,00413
			Marine sediment		31,4 mg/L	0,598

ERC4: Industrial use of processing aids in processes and products, not becoming part of articles

Workers/Consumers

Contributing Scenario	Exposure Assessment Method	Specific conditions	Value type	Level of Exposure	Risk characterization ratio
PROC4	ECETOC TRA		Worker – dermal, long-term – systemic	6,86 mg/kg/d	0,480
			Worker – inhalation, long-term – systemic	0,420 mg/m ³	0,017
			Worker – long-term – systemic Combined routes		0,497

PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

When the recommended risk management measures (RMMs) and operational conditions (OCs) are observed, exposures are not expected to exceed the predicted PNECs and the resulting risk characterization ratios are expected to be less than 1.

When the recommended risk management measures (RMMs) and operational conditions (OCs) are observed, exposures are not expected to exceed the predicted DNELs and the resulting risk characterisation ratios are expected to be less than 1

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.



Safety Data Sheet SUGAR

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name SUGAR
Product code PID1537
Country Limitations For use only in North Sea countries (NSG)
Synonyms Saccharose

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Used as a cementing additive in oilfield applications
Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Commission Regulation (EU) No 2015/830 of 28 May 2015

Health hazards Not classified
Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard Statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

Contains

Sucrose

Crystalline silica (impurity)

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria
Combustible dust

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
Sucrose	200-334-9	57-50-1	60-100	Not classified	Exempt
Crystalline silica (impurity)	238-878-4	14808-60-7	< 1	STOT RE. 2 (H373)	Not applicable

3.2 Mixtures

Not applicable

Comments

This product contains a small quantity of quartz, crystalline silica. Prolonged and repeated exposure to concentrations of crystalline silica exceeding the workplace exposure limit (WEL) may lead to chronic lung disease such as silicosis. IARC Monographs, Vol. 68, 1997, concludes that there is sufficient evidence that inhaled crystalline silica in the form of quartz or cristobalite from occupational sources causes cancer in humans. IARC Classification Group I.

4. First Aid Measures

4.1 First aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

Inhalation Please see Section 11. Toxicological Information for further information.

Ingestion Please see Section 11. Toxicological Information for further information.

Skin contact Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing media appropriate for surrounding material.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (COx).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Cover powder spill with plastic sheet or tarp to minimise spreading. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Take precautionary measures against static discharges. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Avoid contact with skin and eyes. Avoid dust formation.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits. Take precautionary measures against static discharges.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place. Suspended dust may present a dust explosion hazard. Keep away from open flames, hot surfaces and sources of ignition. Protect from moisture. Avoid contact with: Strong oxidising agents.

Storage class Chemical storage.

Packaging materials Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Sucrose	Not determined	Not determined	Not determined
Crystalline silica (impurity)	Not determined	0.15 mg/m ³ TWA alveolar dust, respirable fraction	0.1mg/m ³
Chemical Name	France	Germany	Hungary
Sucrose	10 mg/m ³ TWA	Not determined	Not determined
Crystalline silica (impurity)	0.1 mg/m ³ TWA	Not determined	0.15mg/m ³ TWA
Chemical Name	Italy	Netherlands	Norway
Sucrose	Not determined	Not determined	Not determined
Crystalline silica (impurity)	Not determined	0.075 mg/m ³	0.3 mg/m ³ TWA total dust 0.1 mg/m ³ TWA respirable dust 0.9 mg/m ³ STEL total dust 0.3 mg/m ³ STEL respirable dust Carcinogen
Chemical Name	Poland	Portugal	Romania
Sucrose	Not determined	10 mg/m ³ TWA	Not determined
Crystalline silica (impurity)	2 mg/m ³ TWA NDS >50% free crystalline silica 0.3 mg/m ³ TWA NDS >50% free crystalline silica 4.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica 1.0 mg/m ³ TWA NDS 2% to 50% free crystalline silica	0.025 mg/m ³ TWA respirable fraction	0.1mg/m ³ TWAdust, respirable fraction
Chemical Name	Spain	Switzerland	UK
Sucrose	10 mg/m ³ TWA VLA-ED	Not determined	20 mg/m ³ STEL 10 mg/m ³ TWA
Crystalline silica (impurity)	0.05 mg/m ³ TWA VLA-ED	0.15 mg/m ³ TWA MAK	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection

Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.

Hand protection

Wear gloves according to EN 374 to protect against skin effects from powders Repeated or

Respiratory protection prolonged contact Use protective gloves made of: Nitrile Frequent change is advisable No personal respiratory protective equipment normally required, In case of insufficient ventilation wear suitable respiratory equipment, Suitable mask with particle filter P3 (European Norm 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.

Skin and body protection Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Solid
Appearance Crystalline Powder Dust
Odour Odourless
Colour White
Odour threshold Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	170-180 °C / 338-356 °F	
Boiling point/range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	No information available	
Bulk density	1587 kg/m ³	
Relative density	0.94 g/cm ³	@ 20 °C.
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	

log Pow	Not determined
Explosive properties	Suspended dust may present a dust explosion hazard
Oxidising properties	None known
9.2 Other information	
Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static charges. Protect from moisture. Avoid dust formation.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation

Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact

Dust may cause mechanical irritation.

Skin contact

Prolonged contact may cause redness and irritation.

Ingestion Ingestion may cause stomach discomfort.

Unknown acute toxicity Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sucrose	= 29700 mg/kg (Rat)	No data available	No data available
Crystalline silica (impurity)	= 500 mg/kg (Rat)	No data available	No data available

Sensitisation This product does not contain any components suspected to be sensitizing.

Mutagenic effects This product does not contain any known or suspected mutagens.

Carcinogenicity Crystalline silica dust is listed by IARC in Group 1 as known to cause lung cancer in humans, if inhaled.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

Routes of exposure Inhalation.

Routes of entry Inhalation.

Specific target organ toxicity - Single exposure Not classified

Specific target organ toxicity - Repeated exposure Not classified.

Aspiration hazard Not applicable.

Other information Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
 Listed on PLONOR list of OSPAR

Toxicity to algae
 This product is not considered toxic to algae.

Toxicity to fish
 This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates
 This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Sucrose	No information available	No information available	No information available
Crystalline silica (impurity)	LC50 Danio rerio (zebra fish) : > 10000 mg/l 96h	EC50: > 1000 mg/l 72h	LC50 Daphnia magna (Water flea): > 10000 mg/l 24h

12.2 Persistence and degradability

No product level data available. See component information below.

Chemical Name	Persistence and degradability
Crystalline silica (impurity)	Inorganic compound

12.3 Bioaccumulative potential

No product level data available. See component information below.

Chemical Name	Bioaccumulation
Crystalline silica (impurity)	Product/Substance is inorganic

12.4 Mobility

Mobility

Soluble in water. See component information below.

Chemical Name	Mobility
Crystalline silica (impurity)	Insoluble in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
Crystalline silica (impurity)	Not expected to adsorb on soil

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 99.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and 453/2010 including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

SZW list; Crystalline Silica (respirable) is listed in the SZW list of carcinogenic substances and processes

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no. 1899864

For use only in North Sea countries (NSG)

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	11/Jul/2015
Revision date	08/Oct/2018

Version 4

This SDS has been revised in the following section(s) All sections For use only in North Sea countries (NSG)
No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.
H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

Safety data sheet number PID1661
Version 3
Revision date 07/Aug/2017
Supersedes date 27/Jun/2014



Safety Data Sheet VERSAGEL* HT

1. Identification of the substance/preparation and of the Company/undertaking

1.1 Product identifier

Product name VERSAGEL* HT
Product code PID1661

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Viscosifier.

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards Not classified

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements

Signal word

None

Hazard statements

This product is not classified as hazardous therefore no (H) hazard statements assigned.

Precautionary Statements - EU (§28, 1272/2008)

This product is not classified as hazardous therefore has no (P) precautionary statements assigned.

-

-

Contains

2.3 Other hazards

Combustible dust
Not classified as PBT/vPvB by current EU criteria

Australian statement of hazardous/dangerous nature

Classified as Non-Hazardous according to the criteria of NOHSC.
NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on ingredients

3.1 Substances

This product does not contain any hazardous ingredients, or ingredients with national workplace exposure limits.

3.2 Mixtures

Not applicable

4. First aid measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice	The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.
Symptoms	
Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical, CO₂, alcohol-resistant foam or water spray, Dry sand.

Extinguishing media which must not be used for safety reasons

Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

Dust may form explosive mixture in air.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (CO_x), Nitrogen oxides (NO_x), Hydrogen chloride gas.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimise spreading.

Methods for cleaning up

Take precautionary measures against static discharges. Avoid dust formation. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Avoid contact with skin and eyes.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Take precautionary measures against static discharges. Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from heat and sources of ignition. Do not store and transport with oxidizers.

Storage class Chemical storage.

Packaging materials Use specially constructed containers only.

7.3 Specific end uses

See Section 1.2.

8. Exposure controls/personal protection

8.1 Control parameters

Exposure Limits NUI = Nuisance dust, TWA 4mg/m³ Respirable Dust, 10mg/m³ Total Dust.
No biological limit allocated

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection	Use eye protection according to EN 166, designed to protect against powders and dusts. Tightly fitting safety goggles. Safety glasses with side-shields.
Hand protection	Wear gloves according to EN 374 to protect against skin effects from powders Use protective gloves made of: Neoprene Frequent change is advisable
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment, Half mask with a particle filter P2 (BS EN 143), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
Skin and body protection	Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures

Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure	Use appropriate containment to avoid environmental contamination See section 6 for more information
-------------------------------	---

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder Dust
Odour	Odourless
Colour	White - Off-white
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	No information available	

Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	No information available	
Bulk density	No information available	
Relative density	1.7 sg	@ 20 °C.
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	
Explosive properties	Suspended dust may present a dust explosion hazard	
Oxidising properties	None known	

9.2 Other information

Pour point	No information available
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and reactivity

10.1 Reactivity

Dust may form explosive mixture in air.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Avoid dust formation. Avoid contact with heat, sparks, open flame, and static discharge.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Dust may cause mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation.
Ingestion	Ingestion may cause stomach discomfort.
Unknown acute toxicity	Not applicable.

LD50 Oral 20 000 mg/kg (rat) (Product)

Sensitisation This product does not contain any components suspected to be sensitizing.

Mutagenic effects This product does not contain any known or suspected mutagens.

Carcinogenicity This product does not contain any known or suspected carcinogens.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards.

Routes of exposure Inhalation.

Routes of entry Inhalation.

Specific target organ toxicity - Single exposure Not classified

Specific target organ toxicity - Repeated exposure Not classified.

Aspiration hazard Not applicable.

12. Ecological information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

12.2 Persistence and degradability

The product is not biodegradable.

12.3 Bioaccumulative potential

Does not bioaccumulate.

12.4 Mobility in soil

Mobility

Insoluble in water.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.

EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC

waste disposal No: Waste Code: 01 05 99

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Germany, Water Endangering Classes (VwVwS) Hazardous to water/Class 1

Australian Standard for the Uniform Scheduling of Drugs and Poisons

No poisons schedule number allocated

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011 (2003)].
 National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) 3rd Edition].
 National Occupational Health and Safety Commission's Exposure Standards for Atmospheric Contaminants in the occupational Environment [NOHSC:1003 (1995)].

Safe Work Australia.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U.(A) 310/2013] (CLASS Regulations)

The Industry Code of Practice on Chemical Classification and Hazard Communication 2014 [P.U. (B) 128/2014] (ICOP) International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
European Union - EINECS and ELINCS	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Does not Comply
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Denmark Pr. no. 1120355

15.2 Chemical Safety Report

No information available

16. Other information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes date	27/Jun/2014
Revision date	07/Aug/2017
Version	3
This SDS has been revised in the following section(s)	All sections Product Code change No changes with regard to classification have been made.

Full text of H-Statements referred to under sections 2 and 3

This product is not classified as hazardous therefore no (H) hazard statements assigned.

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

Safety data sheet number PID1699
Version 8
Revision date 26/May/2020
Supercedes Date: 15/Aug/2018



Safety Data Sheet VERSAWET*

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name VERSAWET*
Product code PID1699

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Wetting agent

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

Schlumberger Oilfield UK PLC
Schlumberger House, Buckingham Gate
Gatwick Airport
West Sussex RH6 0NZ

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Netherlands	National Poisons Information Centre (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards

Skin corrosion/irritation	Category 2
Skin sensitisation	Category 1

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word

WARNING

Hazard Statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

Precautionary Statements

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Supplementary precautionary statements

P272 - Contaminated work clothing should not be allowed out of the workplace

P362 + P364 - Take off contaminated clothing and wash it before reuse

Contains

Tall oil, polymerized, oxidized

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component	REACH
---------------	-------	--------	----------	-----------	-------

				information	registration number
Tall oil, polymerized, oxidized	683-326-1	68815-17-8	60-100	Skin Irrit. 2 (H315) Skin Sens. 1 (H317)	01-2120791677-3 5-XXXX

3.2 Mixtures

Not applicable

4. First Aid Measures

4.1 First aid measures

- Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
- Ingestion** Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention.
- Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek medical attention if irritation occurs.
- Eye Contact** Remove contact lenses, if worn. Promptly wash eyes with lots of water while lifting eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.

Symptoms

- Inhalation** Please see Section 11. Toxicological Information for further information.
- Ingestion** Please see Section 11. Toxicological Information for further information.
- Skin contact** Please see Section 11. Toxicological Information for further information.
- Eye contact** Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing media
 Water spray, dry chemical, carbon dioxide (CO₂), or foam.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapours. Fire or high temperatures create: Carbon oxides (COx).

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use. Persons susceptible to allergic reactions should not handle this product.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product. Remove contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

- Technical measures/precautions** Ensure adequate ventilation.
- Storage precautions** Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid contact with:
Strong oxidising agents
- Storage class** Chemical storage.
- Storage class, TRGS 510, Germany** LGK12 - Non-combustible liquids
- Packaging materials** Use specially constructed containers only

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits Contains no substances with occupational exposure limit values

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
Tall oil, polymerized, oxidized	Not determined	Not determined	Not determined
Chemical Name	France	Germany	Hungary
Tall oil, polymerized, oxidized	Not determined	Not determined	Not determined
Chemical Name	Italy	Netherlands	Norway
Tall oil, polymerized, oxidized	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania
Tall oil, polymerized, oxidized	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	UK
Tall oil, polymerized, oxidized	Not determined	Not determined	Not determined

Derived No Effect Level (DNEL)

Long term exposure systemic effects

- Tall oil, polymerized, oxidized**
- Oral 9.87 mg/m³
- Dermal 2.8 mg/kg

Predicted No Effect Concentration (PNEC)

- Tall oil, polymerized, oxidized**
- Fresh Water 11 µg/L
- Sea Water 1.1 µg/L
- Freshwater sediment 44 µg/kg
- Sea sediment 4.4 µg/kg

Soil 2.34 µg/kg

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls
 Ensure adequate ventilation.

Personal protective equipment

- Eye protection** Use eye protection according to EN 166, designed to protect against liquid splashes. Tightly fitting safety goggles. Safety glasses with side-shields.
- Hand protection** Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training Impervious gloves made of: Neoprene Nitrile PVC
 Break through time >480 minutes
 Glove thickness >=0.4 mm
 Be aware that liquid may penetrate the gloves. Frequent change is advisable.
- Respiratory protection** No protective equipment is needed under normal use conditions, In case of insufficient ventilation wear suitable respiratory equipment, Respirator with a vapor filter (EN 141), Use respirator with organic vapor protection (A, brown), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
- Skin and body protection** Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.

Hygiene Measures Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscous
Odour Slight
Colour Dark
Odour threshold Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	

Melting / freezing point	0 °C / 32 °F	
Boiling point/range	302 °C / 575.6 °F	
Flash point	167 °C / 332.6 °F	(Pensky-Martens)
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	72,59 Pa	@ 20 °C
Vapour density	No information available	
Specific gravity	0.93 - 0.98	
Bulk density	No information available	
Relative density	0.96	@ 20 °C.
Water solubility	Insoluble in water	
Solubility in other solvents	Miscible organic solvents	
Autoignition temperature	> 302 °C / > 575.6 °F	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
log Pow	No information available	@20 °C
Explosive properties	No information available	
Oxidising properties	No information available	

9.2 Other information

Pour point	~ 6.7°C / 44°F
Molecular weight	No information available
VOC content(%)	None
Density	No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

No specific reactivity hazards associated with this product.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

- Inhalation** Inhalation of vapours in high concentration may cause irritation of respiratory system.
- Eye contact** May cause eye irritation.
- Skin contact** Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** Ingestion may cause stomach discomfort.
- Unknown acute toxicity** Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tall oil, polymerized, oxidized	5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available

- Sensitisation** May cause allergic skin reaction.
- Mutagenic effects** This product does not contain any known or suspected mutagens.
- Carcinogenicity** This product does not contain any known or suspected carcinogens.

- Reproductive toxicity** This product does not contain any known or suspected reproductive hazards.
- Routes of Exposure** Skin contact.
- Routes of entry** Skin contact.
- Specific target organ toxicity - Single exposure** Not classified
- Specific target organ toxicity - Repeated exposure** Not classified.
- Aspiration hazard** Not applicable.
- Other information** Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

See component information below.

Toxicity to fish

See component information below.

Toxicity to daphnia and other aquatic invertebrates

See component information below.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Tall oil, polymerized, oxidized	18 mg/l LC50 96 h (Supplier data)	21 mg/l EC50/LC50 72 h (Supplier data)	17.96 mg/l LC50 24 h (Supplier data)

12.2 Persistence and degradability

See component information below.

Chemical Name	Persistence and degradability
Tall oil, polymerized, oxidized	Readily biodegradable, Test: OECD 301, 28 days: 61.4% (Supplier data)

12.3 Bioaccumulative potential

See component information below.

Chemical Name	Bioaccumulation
Tall oil, polymerized, oxidized	Test: Log Kow 3 (Supplier data)

12.4 Mobility

Mobility

See component information below.

Chemical Name	Mobility
Tall oil, polymerized, oxidized	Insoluble in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
Tall oil, polymerized, oxidized	Test: Koc: 4 (Supplier data)

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be transported/delivered using a registered waste carrier for local recycling or waste disposal.

EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 07 01 04 Waste Code: 7152 Organic waste without halogen.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class Not regulated

IMDG Hazard class Not regulated

ICAO Hazard class/division Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group Not regulated

IMDG Packing group Not regulated

ICAO Packing group Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:
 Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
 Commission Regulation (EU) No 2015/830 of 28 May 2015
 Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

Netherlands

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

Germany

Regulations governing systems for handling substances hazardous to waters
 Hazardous substances ordinance

Germany, Water Endangering Classes (VwVwS) Water endangering class = 2 (self classification)

Technical Rules for Hazardous Substances (TRGS) TRGS 220 National aspects when compiling safety data sheets
 TRGS 510 Storage of hazardous substances in non stationary containers
 TRGS 900 Occupational exposure limits
 TRGS 907 List of sensitizing substances and activities involving sensitizing substances

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Does not comply
Inventory - Japan - Existing and New Chemicals list	Does not comply
China (IECSC)	Does not comply
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no. 621186
Denmark Pr. no. 4182471

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse
Supersedes Date:	15/Aug/2018
Revision date	26/May/2020
Version	8
This SDS has been revised in the following section(s)	All sections There have been changes with regard to classification. Updated according to GHS/CLP.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

HMIS classification

Health	2
Flammability	1
Physical hazard	0
PPE	J

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

*A mark of M-I L.L.C., a Schlumberger Company

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.

Safety data sheet number PID12007
Version 8
Revision date 15/May/2019
Supersedes Date: 26/Jan/2016



Safety Data Sheet WT-1040

1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1 Product identifier

Product name WT-1040
Product code PID12007

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Water treatment chemical

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

M-I Drilling Fluids UK Limited
Westhill Business Park
Westhill AB32 6JL Aberdeenshire
Scotland United Kingdom

+47 51577424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 561 1600

National Poison Center Numbers

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Norway	Poison information centre: +47 22 59 13 00

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Vapours)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements



Signal word

WARNING

Hazard Statements

- H302 - Harmful if swallowed
- H312 - Harmful in contact with skin
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H332 - Harmful if inhaled

Precautionary Statements

- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Supplementary precautionary statements

- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P271 - Use only outdoors or in a well-ventilated area
- P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P312 - Call a POISON CENTER or doctor/physician if you feel unwell
- P330 - Rinse mouth
- P332 + P313 - If skin irritation occurs: Get medical advice/attention
- P337 + P313 - If eye irritation persists: Get medical advice/attention
- P362 - Take off contaminated clothing and wash before reuse

Contains

2-Butoxyethanol

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria
Combustible liquid

3. Composition/information on Ingredients

3.1 Substances

Chemical Name	EC No	CAS No	Weight-%	Component information	REACH registration number
2-Butoxyethanol	203-905-0	111-76-2	60-100	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	01-2119475108-3 6-xxxx

3.2 Mixtures

Not applicable

4. First Aid Measures

4.1 First aid measures

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek medical attention if irritation occurs.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation persists.
Eye Contact	Promptly wash eyes with lots of water while lifting eye lids. Remove contact lenses, if worn. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General advice	The severity of the symptoms described will vary dependant of the concentration and the length of exposure. If adverse symptoms develop, the casualty should be transferred to hospital as soon as possible.
Symptoms	
Inhalation	Please see Section 11. Toxicological Information for further information.
Ingestion	Please see Section 11. Toxicological Information for further information.
Skin contact	Please see Section 11. Toxicological Information for further information.
Eye contact	Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Firefighting Measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray, dry chemical, carbon dioxide (CO₂), or foam.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture**Unusual fire and explosion hazards**

Vapours may form explosive mixture with air. Vapours are heavier than air and may spread along floors. Heating of containers may cause pressure rise, with risk of bursting.

Hazardous combustion products

Fire or high temperatures create: Carbon oxides (CO_x).

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental Release Measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. See also section 8. Contaminated surfaces will be extremely slippery. Avoid contact with heat, sparks, open flame, and static discharge. Wash thoroughly after handling.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up**Methods for containment**

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Take precautionary measures against static discharges. Use non-sparking tools and equipment.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and Storage

7.1 Precautions for safe handling

Handling

Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use. Take precautionary measures against static discharges. Avoid static electricity build up with connection to earth.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure When using do not smoke, eat or drink. Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits. Take precautionary measures against static discharges.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place Keep away from open flames, hot surfaces and sources of ignition Keep away from direct sunlight Avoid contact with: Oxidizing agents Strong bases

Storage class Chemical storage.

Storage class, TRGS 510, Germany LGK10 - Combustible liquids unless storage class 3

Packaging materials Use specially constructed containers only

Packaging materials to be avoided Aluminium Copper

7.3 Specific end uses

See Section 1.2.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component Information

Chemical Name	EU OEL - Third List	Austria	Denmark
2-Butoxyethanol	50 ppm STEL 246 mg/m ³ STEL 20 ppm TWA 98 mg/m ³ TWA Possibility of significant uptake through the skin*1)	40 ppm STEL 200 mg/m ³ STEL 20 ppm TWA 98 mg/m ³ TWA	20 ppm 98 mg/m ³
Chemical Name	France	Germany	Hungary

2-Butoxyethanol	50ppmSTEL 246mg/m ³ STEL 10 ppmTWA 49 mg/m ³ TWA	10 ppm TWA 49 mg/m ³ TWA	98mg/m ³ TWA 246mg/m ³ STEL
Chemical Name	Italy	Netherlands	Norway
2-Butoxyethanol	Not determined	100 mg/m ³ TWA	10 ppm TWA 50 mg/m ³ TWA 15 ppm STEL 75 mg/m ³ STEL Skin
Chemical Name	Poland	Portugal	Romania
2-Butoxyethanol	200 mg/m ³ STEL NDsch 98 mg/m ³ TWA NDS	Skin 50 ppm STEL VLE-CD 246 mg/m ³ STEL VLE-CD 20 ppm TWA indicative limit value 98 mg/m ³ TWA indicative limit value	50ppmSTEL 246mg/m ³ STEL 20ppmTWA 98mg/m ³ TWA
Chemical Name	Spain	Switzerland	UK
2-Butoxyethanol	50 ppm STEL 245 mg/m ³ STEL Skin*2) 20 ppm TWA VLA-ED 98 mg/m ³ TWA VLA-ED	20 ppm STEL 98 mg/m ³ STEL Skin*2) 10 ppm TWA MAK 49 mg/m ³ TWA MAK	50 ppm STEL 246 mg/m ³ STEL Skin*2) 25 ppm TWA 123 mg/m ³ TWA

Derived No Effect Level (DNEL)

Short term exposure local effects

2-Butoxyethanol

Inhalation 246 mg/m³

Short term exposure systemic effects

2-Butoxyethanol

Dermal 89 mg/kg
Inhalation 1091 mg/m³

Long term exposure systemic effects

2-Butoxyethanol

Dermal 125 mg/kg
Inhalation 98 mg/m³

Predicted No Effect Concentration (PNEC)

2-Butoxyethanol

Fresh Water 8.8 mg/l
Sea Water 0.88 mg/l
Freshwater sediment 34.6 mg/kg
Sea sediment 3.46 mg/kg
Soil 2.33 mg/kg
Impact on sewage treatment 463 mg/l
Intermittent release 26.4 mg/l

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Mechanical ventilation or local exhaust ventilation is required. Ensure adequate ventilation. Local exhaust ventilation. Apply technical measures to comply with the occupational exposure limits.

Personal protective equipment

Eye protection

Use eye protection according to EN 166, designed to protect against liquid splashes. Tightly

Hand protection	fitting safety goggles. Safety glasses with side-shields. Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training Use protective gloves made of: Nitrile Butyl rubber Neoprene Break through time >480 minutes Glove thickness 0.4 mm
Respiratory protection	Be aware that liquid may penetrate the gloves. Frequent change is advisable. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators, Respirator with combination filter for vapour/particulate (EN 141), Use respirator with organic vapor protection (A, brown), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used.
Skin and body protection	Wear suitable protective clothing, Eye wash and emergency shower must be available at the work place.
Hygiene Measures	Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing before re-use.



8.2.3 Environmental exposure controls

Environmental exposure Use appropriate containment to avoid environmental contamination See section 6 for more information

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Odour	Mild
Colour	Colourless
Odour threshold	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
pH	No information available	
pH @ dilution	No information available	
Melting / freezing point	No information available	
Boiling point/range	No information available	
Flash point	67 °C / 153 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	Not applicable	
Flammability Limit in Air		
Upper flammability limit	Not applicable	
Lower flammability limit	Not applicable	
Vapour pressure	No information available	
Vapour density	No information available	
Specific gravity	0.9	
Bulk density	No information available	
Relative density	No information available	
Water solubility	Soluble in water	
Solubility in other solvents	Oil soluble.	

Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	
Dynamic viscosity	No information available
log Pow	Not determined

Explosive properties	Not applicable
Oxidising properties	None known

9.2 Other information

Pour point	< -20 °C / -4 °F
Molecular weight	No information available
VOC content(%)	None
Density	0.9 g/ml @ 20°C

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and Reactivity

10.1 Reactivity

Combustible liquid.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Keep away from direct sunlight. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Oxidizing agents. Strong bases. Aluminium. Copper.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Inhalation

Harmful by inhalation. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.

Eye contact

Causes serious eye irritation.

Skin contact	Harmful in contact with skin. Causes skin irritation. May be absorbed through the skin in harmful amounts.
Ingestion	Harmful if swallowed.
Unknown acute toxicity	Not applicable.

Toxicology data for the components

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	1200 mg/kg (Guinea pigs)	> 2000 mg/kg (Rat)	400 ppm (Rabbit)

Sensitisation	This product does not contain any components suspected to be sensitizing.
Mutagenic effects	This product does not contain any known or suspected mutagens.
Carcinogenicity	This product does not contain any known or suspected carcinogens.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Routes of Exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Routes of entry	Ingestion. Inhalation. Skin absorption. Eye contact.
Specific target organ toxicity - Single exposure	Not classified
Specific target organ toxicity - Repeated exposure	Not classified.
Aspiration hazard	Not classified.
Other information	Key literature references and sources for data. See Section 16 for more information.

12. Ecological Information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

See component information below.

Toxicity to fish

See component information below.

Toxicity to daphnia and other aquatic invertebrates

See component information below.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
2-Butoxyethanol	= 2950 mg/L LC50 Lepomis macrochirus 96 h = 1490 mg/L LC50 Lepomis macrochirus 96 h	No information available	= 1698 - 1940 mg/L (LC50; Daphnia magna) = 1720 mg/L (EC50; water flea)

12.2 Persistence and degradability

See component information below.

Chemical Name	Persistence and degradability
2-Butoxyethanol	Readily biodegradable

12.3 Bioaccumulative potential

See component information below.

Chemical Name	Bioaccumulation
2-Butoxyethanol	Not likely to bioaccumulate

12.4 Mobility**Mobility**

See component information below.

Chemical Name	Mobility
2-Butoxyethanol	Soluble in water

Mobility in soil

See component information below.

Chemical Name	Mobility in soil
2-Butoxyethanol	No information available

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

12.7 Other information

Key literature references and sources for data. See Section 16 for more information.

13. Disposal Considerations

13.1 Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: EWC waste disposal No: 07 01 04 Waste Code: 7152 Organic waste without halogen.

14. Transport information

14.1. UN number

Not regulated

14.2. UN proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3. Hazard class(es)

ADR/RID/ADN/ADG Hazard class	Not regulated
IMDG Hazard class	Not regulated
ICAO Hazard class/division	Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing Group	Not regulated
IMDG Packing group	Not regulated
ICAO Packing group	Not regulated

14.5 Environmental hazard

No

14.6 Special precautions

Not applicable

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

The product has been assessed and contained in Chapters 17/18 of the IBC Code and the latest MEPC.2/Circular and is permitted to be carried under Annex II of MARPOL and resolution A.673 (16) Offshore Supply Vessel Code.

Proper Shipping Name: ETHYLENE GLYCOL MONOALKYL ETHERS (WT-1040) Ship Type:- 3. Pollution Category:- Y.
Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
Commission Regulation (EU) No 2015/830 of 28 May 2015
Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

Dangerous substance category per Seveso Directive (2012/18/EU)

This product does not contain substances listed under Dangerous substance category per Seveso Directive (2012/18/EU)

Germany

Germany, Water Endangering Classes (VwVwS) Water endangering class = 1

Technical Rules for Hazardous Substances (TRGS) TRGS 510

International inventories

USA, Toxic Substances Control Act inventory (TSCA)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Inventory - Japan - Existing and New Chemicals list	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korea (KECL)	Complies
Inventory - New Zealand - Inventory of Chemicals (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Norway Pr. no. 303068
Denmark Pr. no. 4052597

15.2 Chemical Safety Report

No information available

16. Other Information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Poh Yue Cheong
Supersedes Date: 26/Jan/2016

Revision date 15/May/2019

Version 8

This SDS has been revised in the following section(s) No changes with regard to classification have been made.

Key literature references and sources for data

www.ChemADVISOR.com

Supplier

National Chemical Inventories

National regulatory information

National occupational exposure limits

Training Advice

Do not handle until all safety precautions have been read and understood

Follow general hygiene considerations recognised as common good workplace practices

HMIS classification

Health 2

Flammability 2

Physical hazard 0

PPE X

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.

This Document is Confidential and Proprietary. Unless Otherwise Marked, It is an Uncontrolled Copy.