

From: [PSC Land](#)
To: [Rhiannon Chapple](#)
Subject: Acknowledgement of application: EPR/CP3994ZR/V006 (Skelbrooke Quarry Extension Area)
Date: 19 August 2022 12:56:00
Attachments: [~WRD0000.jpg](#)
[image001.jpg](#)

Dear Rhiannon,

Environmental permitting application

Application reference: EPR/CP3994ZR/V006

Operator: Darrington Quarries Ltd

Facility: Skelbrooke Landfill Extension

Thank you for your application, received **10/08/2022**. We received your application fee on **08/07/2022**.

What happens next?

Allocation

Your application has been added to our work queue to be allocated to a Permitting Officer to be checked. A Permitting Officer will contact you as soon as they pick up your application.

Please note, the time it takes to allocate an application depends on the availability of an officer with the correct skills to work on your application, and the number of other applications we are working on.

Our current queues are large and we are taking longer than usual to allocate work for checks. The table below shows our estimated queue times by application type. Please note, this is based on our average times and some applications may be picked up before or after the timescales listed below.

Application type	Estimated time to allocation
New standard rules	23-27 weeks
New Bespoke	34-38 weeks
Admin variation	23-27 weeks
Minor variation	26-30 weeks
Normal variation	25-29 weeks
Substantial variation	36-40 weeks
Transfer	24-28 weeks
Surrender	25-29 weeks

When your application is allocated, a permitting officer will check that all relevant information requested in the application forms and [application guidance](#) is provided. If there is information missing, this will delay the progress of your application. You can avoid incurring delays by reviewing your application and checking you have provided everything we need. If you need to add something, please send it to us at PSC@environment-agency.gov.uk, quoting your application reference.

If you have used our enhanced pre application advice service, you must ensure you have paid all associated fees before your application can progress.

We aim to respond to all customer enquiries, however at busy times this can have a significant impact on our ability and capacity to progress applications. Please rest assured that we will contact you as soon as there is any update on your application. For urgent enquiries, you can contact our National Customer Contact Centre on 03708 506 506.

Duly made checks

Once your application is allocated, the permitting officer will check your application. When we are satisfied we have the necessary information to begin our assessment and decision making, your application is considered 'duly made'.

We will then add your application to our determination work queue for technical assessment of your application. We call this the determination stage.

If we need any more information from you at the duly making stage, we will contact you to tell you what additional information you need to submit.

If we are still unable to progress your application any further, we will return it to you. Please note that we will retain part of your application charge where we have spent time reviewing your application and requesting information. Further details can be found in our charging scheme <https://www.gov.uk/government/publications/environmental-permits-and-abstraction-licences-tables-of-charges>

When we decide that your application is duly made, we will confirm this by email or letter.

Determination

The officer determining your application will contact you when they begin this work. They will be your main contact for the remainder of the process, up to the point we notify you of our final decision.

For more complex applications, the officer may need further information to complete their assessment. Unless the information can easily be obtained by a phone conversation or exchange of emails, they will send you a notice explaining what you need to submit.

Consultation

If your application needs consultation with the public and other organisations we use an online consultation tool where we will add all application documents. [Environmental permits: when and how we consult](#) explains which applications we are required to consult on and how long this will take.

Kind regards,

Anneka Collins - Frisby

Permitting Support Advisor, Permitting Support

Environment Agency | Regulated Industry Team, Permitting Support, NPS Sheffield, Quadrant 2, 99 Parkway Avenue, Sheffield, S9 4WF

Permitting Support, Regulated Industry Team: psc@environment-agency.gov.uk | 0203 025 3898

Customer services line: 03708 506506 | Fax: 0114 2626660

Help us to improve our service and complete our customer survey – click [NPS Survey](#).

From: Rhiannon Chapple <Rhiannon.Chapple@thesiriusgroup.com>
Sent: 18 August 2022 16:40
To: PSC Land <PSC@environment-agency.gov.uk>
Cc: Dylan Thomas <Dylan.Thomas@thesiriusgroup.com>
Subject: RE: Waste Variation: EPR/CP3994ZR EPVA (Skelbrooke Quarry Extension Area)

Warning: The sender of this message could not be validated. Please use caution when opening any message content such as attachments or links

Hello Anneka,

Many thanks for your email. Please find attached the proof of payment (the relevant payment has been highlighted), as well as the revised Part A application form with the correct address, apologies for that error.

With regard to the Waste Recovery Plan (WRP) (Doc Ref WR7640/09.R1), this is included on the Google Drive file. It can be found in folder '8. WRP'; I have included the link again below for your convenience.

<https://drive.google.com/drive/folders/1fKkIoUH2cHyx888GC6EisM5XDjvgjEYE?usp=sharing>

I trust this email answers those queries, but should you require anything else please do not hesitate to get in touch.

Best wishes,
Rhia



Rhiannon Chapple | Environmental Consultant | Environmental

M 07841 038 088
T 01554 780 544
W www.thesiriusgroup.com/environmental

[Click here for the latest Sirius news](#)



LEGAL NOTICE



The sender of this email is a member of **The Sirius Group of Companies**; namely Sirius Engineering Group Ltd (no. 04660007) and Sirius Renewable Energy Ltd (no. 08720149) and their respective subsidiaries (Sirius Geotechnical Ltd (no. 04676011), Sirius Remediation Ltd (no. 04860112), Sirius Demolition Ltd (no. 06675850), Sirius Drilling Ltd (no. 07502493) and Sirius Civil Engineering Ltd (no. 05158885)) and (Sirius Environmental Ltd (no. 07057801), Sirius Planning Ltd (no. 10518189)) and also Sirius Plant Ltd (no. 10518182) all registered at Russel House, Mill Road, Langley Moor, Durham DH7 8HJ.

The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of the individual or entity to whom it is addressed and others authorised to receive it. If you are not the intended recipient, please notify the sender immediately and you are hereby notified that any action in reliance on the content of this communication is strictly prohibited and may be unlawful.

Any views and/or intentions expressed in this message are those of the author, except where the author expressly and with authority states them to be the views and/or intentions of **The Sirius Group of Companies**.

From: PSC Land <PSC@environment-agency.gov.uk>

Sent: 18 August 2022 16:20

To: Dylan Thomas <Dylan.Thomas@thesiriusgroup.com>

Cc: Rhiannon Chapple <Rhiannon.Chapple@thesiriusgroup.com>

Subject: RE: Waste Variation: EPR/CP3994ZR EPVA (Skelbrooke Quarry Extension Area)



Dear Dylan,

Environmental permitting application

Application reference: EPR/CP3994ZR/V006

Operator: Darrington Quarries Ltd

Facility: Skelbrooke Landfill Extension

Thank you for your application received **10/08/2022**.

Unfortunately we need more information from you before we can continue working on it.

Please provide us with the following by **01/09/2022**

- **BACS confirmation.** I am unable to locate the payment with the details you have given. Please could you provide proof of payment.
- **Revised answer to Question 6a in Part A.** The registered office address provided in this section does not match with companies house.
- **The document 'Waste Recovery Plan WR7640/09.R1.' is missing.** Please could you provide this.

If you need advice about completing the form, we offer limited pre-application advice on how to prepare your application at no extra charge. If more help is needed, we also offer a discretionary enhanced pre-application service. This service is chargeable at a rate of £100 per hour. For further details and a pre-application request form, please see our website: <https://www.gov.uk/guidance/check-if-you-need-an-environmental-permit>

If you email or write to us please quote the application reference **EPR/CP3994ZR/V006**

on any correspondence and send it to the relevant address below.

When we receive the missing items we'll continue to check the details in your application. If there's enough information for us to begin the process of deciding whether or not we can grant your application we say the application is 'duly made' and we'll let you know this by letter. If we need further information before we can say it's duly made we'll let you know what is required.

If we don't receive the missing items by **01/09/2022** we'll return your application form.

Please let me know if you have any questions and I'll be happy to help.

Kind regards,

Anneka Collins - Frisby

Permitting Support Advisor, Permitting Support

Environment Agency | Regulated Industry Team, Permitting Support, NPS Sheffield, Quadrant 2, 99 Parkway Avenue, Sheffield, S9 4WF

Permitting Support, Regulated Industry Team: psc@environment-agency.gov.uk | 0203 025 3898

Customer services line: 03708 506506 | Fax: 0114 2626660

Help us to improve our service and complete our customer survey – click [NPS Survey](#).

From: Rhiannon Chapple <Rhiannon.Chapple@thesiriusgroup.com>

Sent: 10 August 2022 14:20

To: PSC Land <PSC@environment-agency.gov.uk>

Cc: James Cook <james.cook@fccenvironment.co.uk>; Dylan Thomas <Dylan.Thomas@thesiriusgroup.com>

Subject: Waste Variation: EPR/CP3994ZR EPVA (Skelbrooke Quarry Extension Area)

Files saved to Temp Winzip folder "CP3994ZR Darrington Quarries Limited" CM 10/08/2022

Warning: The sender of this message could not be validated. Please use caution when opening any message content such as attachments or links

Dear Sir / Madam,

Please find below a Google Drive Link for an Environmental Permit Variation Application on behalf of Darrington Quarries Limited (part of the FCC Group of Companies). The application is for Environmental Permit **EPR/CP3994ZR** to approve a revised scheme of restoration for the disused quarry extension area at Skelbrooke Landfill Site, Straight Lane, Skelbrooke, Doncaster, South Yorkshire, DN6 8LY.

<https://drive.google.com/drive/folders/1fKkIoUH2cHyx888GC6EisM5XDjvgjEYE?usp=sharing>

The Google Drive file contains the following:

- Application Forms: Parts A, C2, C4 and F1
- Non-Technical Summary (NTS)
- Supporting Statement (SS)
- Environmental Setting and Site Design Report (ESSD)
- Hydrogeological Risk Assessment (HRA)
- Environmental and Accident Risk Assessment (EARA)
- Dust Management Plan (DMP)
- Waste Recovery Plan (WRP)

The application fee of **£9,527.00** for the substantial variation (in line with Section 1.17.9 of the EA Charging Scheme) and review of an emissions management plan was made on **08/07/2022** by the operator via BACS payment. The payment details and reference number are included in Application Form Part F1 (Remittance Number: **PSCAPPSKEL0722**).

Pre-Application advice was sought for this application whereby the Waste Recovery Plan was not accepted as the EA were “Not yet satisfied to agree recovery”. This was principally due to there being no planning consent in place at the time. However, there is now a planning consent in place for the site and minor revisions have been made to the scheme of restoration; principally to increase flood attenuation capacity.

I trust the application documents provide adequate information to support the determination of this EPVA.

Best wishes,
Rhiannon



Rhiannon Chapple | Environmental Consultant | Environmental

M 07841 038 088
T 01554 780 544
W www.thesiriusgroup.com/environmental

[Click here for the latest Sirius news](#)



LEGAL NOTICE

The sender of this email is a member of **The Sirius Group of Companies**; namely Sirius Engineering Group Ltd (no. 04660007) and Sirius Renewable Energy Ltd (no. 08720149) and their respective subsidiaries (Sirius Geotechnical Ltd (no. 04676011), Sirius Remediation Ltd (no. 04860112), Sirius Demolition Ltd (no. 06675850), Sirius Drilling Ltd (no. 07502493) and Sirius Civil Engineering Ltd (no. 05158885)) and (Sirius Environmental Ltd (no. 07057801), Sirius Planning Ltd (no. 10518189)) and also Sirius Plant Ltd (no. 10518182) all registered at Russel House, Mill Road, Langley Moor, Durham DH7 8HJ.

The information contained in this communication is confidential and may be legally privileged. It is intended

solely for the use of the individual or entity to whom it is addressed and others authorised to receive it. If you are not the intended recipient, please notify the sender immediately and you are hereby notified that any action in reliance on the content of this communication is strictly prohibited and may be unlawful.

Any views and/or intentions expressed in this message are those of the author, except where the author expressly and with authority states them to be the views and/or intentions of **The Sirius Group of Companies**.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.