

**From:** [Dylan Thomas](#)  
**To:** [SM-Defra-RESP-notifications \(DEFRA\)](#)  
**Cc:** [Hemsley, Tamara](#); [kellie-marie.burston@fccenvironment.co.uk](mailto:kellie-marie.burston@fccenvironment.co.uk); [David Rowe](#); [Venning, Sarah](#)  
**Subject:** RE: EPR/CP3994ZR/V006 – Further Information Required CRM:0071045  
**Date:** 10 January 2025 18:02:27  
**Attachments:** [image001.png](#)  
[image049097.png](#)  
[image467977.png](#)  
[image193482.png](#)  
[image579614.png](#)  
[image412569.png](#)  
[image463089.png](#)  
[image718747.png](#)  
[WR7640\\_14\\_02.R0 - S5N Response.pdf](#)

---

Tamara,

Please find below a link to download copies of revised application document to address the information requests received on 5<sup>th</sup> December 2024. All updates are highlighted whilst the attached cover response letter provide outlines what sections of each report have been updated to accommodate your requirements.

 [S5N \(2024 12 05\)](#)

The attached letter also addresses your subsequent query received by email on 19<sup>th</sup> December 2024.

Regards



**Dylan Thomas** | Principal Environmental Consultant | Environmental

M 07712 816 098  
T 01554 780 544  
W [www.thesiriusgroup.com](http://www.thesiriusgroup.com)

Sirius Environmental



[Click here](#) for the latest Sirius news



#### LEGAL NOTICE

The sender of this email is a member of **The Sirius Group of Companies**; namely Sirius Engineering Group Ltd (no. 04660007) and Sirius Renewable Energy Ltd (no. 08720149) and their respective subsidiaries (Sirius Geotechnical Ltd (no. 04676011), Sirius Remediation Ltd (no. 04860112), Sirius Demolition Ltd (no. 06675850), Sirius Drilling Ltd (no. 07502493) and Sirius Civil Engineering Ltd (no. 05158885) and (Sirius Environmental Ltd (no. 07057801), Sirius Planning Ltd (no. 10518189) and also Sirius Plant Ltd (no. 10518182) all registered at Russel House, Mill Road, Langley Moor, Durham DH7 8HJ. The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of the individual or entity to whom it is addressed and others authorised to receive it. If you are not the intended recipient, please notify the sender immediately and you are hereby notified that any action in reliance on the content of this communication is strictly prohibited and may be unlawful. Any views and/or intentions expressed in this message are those of the author, except where the author expressly and with authority states them to be the views and/or intentions of **The Sirius Group of Companies**.

---


**From:** SM-Defra-RESP-notifications (DEFRA) <[RESP-notifications@defra.gov.uk](mailto:RESP-notifications@defra.gov.uk)>

**Sent:** 05 December 2024 15:22

**To:** Dylan Thomas <[Dylan.Thomas@thesiriusgroup.com](mailto:Dylan.Thomas@thesiriusgroup.com)>

**Cc:** Hemsley, Tamara <[tamara.hemsley@environment-agency.gov.uk](mailto:tamara.hemsley@environment-agency.gov.uk)>; [kellie-marie.burston@fccenvironment.co.uk](mailto:kellie-marie.burston@fccenvironment.co.uk)

**Subject:** EPR/CP3994ZR/V006 – Further Information Required CRM:0071045





Dear Dylan

**Environmental Permitting (England and Wales) Regulations 2016**

**Application reference: EPR/CP3994ZR/V006**

**Operator: DARRINGTON QUARRIES LIMITED**

**Facility: Skelbrooke Landfill Extension, Straight Lane, Doncaster, DN6 8LY**

We require further information / points of clarification to progress with your application. Please provide the following:

**Waste Recovery Plan version R2**

1. Update the Waste Recovery Plan to include the updated permitted waste types (Supporting Statement ref: WR7640/04.R3, Appendix SS1) and WAC and WAP (or reference to these) and any other updates necessary resulting from the Schedule 5 Notice response dated 20/06/2024.

2. Section 2.0 Site Setting - the Extension area in Figure 1 does not show the correct permit boundary - please amend for clarity.

**Dust Management Plan version R2**

3. Section 1.1.2 Appendix DMP1 will need to be updated to refer to the updated permitted waste list (Supporting Statement ref: WR7640/04.R3, Appendix SS1).

4. Section 3.2.3 Temporary storage (for inspection) prior to deposition. Confirm how long will this be stored for and provide a plan which delineates this storage area.

**Management System Summary**

5. Provide an updated Management Systems Summary in accordance with the following guidance: [Develop a management system: environmental permits - GOV.UK](#) which covers the following in particular:

- **Online security: protect your business.** See the [National Cyber Security Centre website](#) for guidance about online security.
- **Contact information for the public**
- **A changing climate.** Use the [adapting to climate change: industry sector examples for your risk assessment](#) when developing or reviewing your management system.

You can also:

follow the guidance [climate change: risk assessment and adaptation planning in your management system](#)

follow or adopt [ISO 14090:2019](#) and associated standards

- **Keeping records**
- **Review your management system**
- **Make sure people understand what you do**
- **Information about waste storage where relevant for any waste which is not deposited at the site immediately / straight after inspection.**

**Surface Water Management Plan (SWMP) ref: WR7757/SW/01 Nov 2020**

6. Section 2 states that the discharge consent is in Appendix 3, however Appendix 3 relates to Drawings. Whereas the SWMP referenced Appendix 4 as Drawings in the contacts page and throughout the document. Please update the appendices and provide a copy of the existing discharge consent.

7. Design methodology - Section 6.1, Table 1 : Area Catchment Information refers to 4 different catchment areas. However on drawing WR7754/01/02 – there are only 2 catchment areas. Please update as necessary.

**HRA Extension Area (WR7640/06.R3, June 2024)**

8. Section 4.3.1 Surface water monitoring states 'monitoring will be undertaken on both the water contained within the Skelbrooke Quarry Extension Area void'. It looks like there is some missing text here – please complete.

**Other information required for the draft variation notice**

9. Please can you confirm for Table S2.1 and S2.2 in the draft variation notice

- The total quantity of waste accepted at the site in tonnes tonnes per year.
- The total quantity of waste to be accepted at the site in total.

Please provide this information by 19 December 2024. If you need more time to submit this information, please discuss this with me as soon as possible.

Please note that the draft variation notice will be sent to you by Monday 9 December 2024.

Kind regards,  
Tamara Hemsley  
Senior Permitting Officer

Department for Environment, Food and Rural Affairs (Defra) This email and any attachments is intended for the named recipient only. If you have received it in error you have no authority to use, disclose, store or copy any of its contents and you should destroy it and inform the sender. Whilst this email and associated attachments will have been checked for known viruses whilst within Defra systems we can accept no responsibility once it has left our systems. Communications on Defra's computer systems may be monitored and/or recorded to secure the effective operation of the system and for other lawful purposes.