

From: [REDACTED]
To: [REDACTED]
Subject: FW: Biowaste Treatment Permit Review - Regulation 61 Notice - EA/EPR/EB3208HK/V002, EAWML 43702 Freeland Horticulture Limited at Wroot Road Composting Facility, Wroot Road, Finningley, Doncaster DN9 3DU
Date: 06 January 2023 09:23:55
Attachments: [image001.gif](#)
[image002.gif](#)
[image003.gif](#)
[image004.gif](#)
[image005.gif](#)
[image006.jpg](#)
[image007.jpg](#)
[image008.jpg](#)
[image009.png](#)
[Application-for-an-environmental-permit.zip](#)
[Application supporting docs s.zip](#)

Hi Emily,

I think I sent this to you before and you were going to chase why it wasn't on the queue yet. I then got an email from you on 26th July saying you were going to ask PSC/centralised services to close the review down on URD so they could just log a new number and proceed with the variation. Hope this helps!

Cheers,

[REDACTED]
Installations Senior Permitting Officer, National Permitting Service Part of National Services E&B
Environment Agency | Trentside, Scarrington Road, West Bridgford, Nottingham, NG2 5BR

[REDACTED]
Working Days : Monday-Friday



Pronouns: she/her ([Why is this here?](#))



Help us to improve our service and complete our customer survey – click [NPS Survey](#).

From: Steve Holding [REDACTED]
Sent: 07 July 2022 14:14
To: Blood-Halvorsen, Jemma [REDACTED]
Cc: George Longmuir [REDACTED]
Subject: FW: Biowaste Treatment Permit Review - Regulation 61 Notice - EA/EPR/EB3208HK/V002, EAWML 43702 Freeland Horticulture Limited at Wroot Road Composting Facility, Wroot Road, Finningley, Doncaster DN9 3DU

Hi Jemma,

Please see the permit application forms and supporting docs attached.

Please advise on costings and further information required.

Kind regards

Steve

From: Steve Holding
Sent: 10 June 2022 19:26
To: Blood-Halvorsen, Jemma [REDACTED]
Cc: George Longmuir [REDACTED]
Subject: RE: Biowaste Treatment Permit Review - Regulation 61 Notice - EA/EPR/EB3208HK/V002, EAWML 43702 Freeland Horticulture Limited at Wroot Road Composting Facility, Wroot Road, Finningley, Doncaster DN9 3DU

Hi JEMMA.

I believe the application is in progress with our consultant Paul Taylor who you have had communication with over the last few weeks.

I am on annual leave until the 27th June 22, will check on my return.

Kind regards

Steve

From: Blood-Halvorsen, Jemma [REDACTED]
Sent: 09 June 2022 16:14
To: Steve Holding [REDACTED]
Subject: RE: Biowaste Treatment Permit Review - Regulation 61 Notice - EA/EPR/EB3208HK/V002, EAWML 43702 Freeland Horticulture Limited at Wroot Road Composting Facility, Wroot Road, Finningley, Doncaster DN9 3DU

Hi Steve,

Have you submitted an application to vary to installations yet? I can't see anything on our work queue but I am aware that there is a significant delay with PSC logging applications so it may be that you have submitted an application and it has not been logged yet.

Kind Regards,

Jemma Blood-Halvorsen
Permitting Officer, National Permitting Service  Part of National Services E&B
Environment Agency | Trentside, Scarrington Road, West Bridgford, Nottingham, NG2 5BR

[REDACTED]

Working Days : Monday-Friday



Pronouns: she/her ([Why is this here?](#))

LGBT+_network_logo_friends

LGBT+_network_strapline-col2



Help us to improve our service and complete our customer survey – click [NPS Survey](#).

From: Steve Holding [REDACTED]
Sent: 16 March 2022 16:52
To: Blood-Halvorsen, Jemma [REDACTED]
Cc: George Longmuir [REDACTED]
Subject: RE: Biowaste Treatment Permit Review - Regulation 61 Notice - EA/EPR/EB3208HK/V002, EAWML 43702 Freeland Horticulture Limited at Wroot Road Composting Facility, Wroot Road, Finningley, Doncaster DN9 3DU

Hi Jemma,

Thanks for the update,

Are you aware that we are submitting the IED application for the site to treat 75,000 tonnes as requested by Kathryn Nichols.

Kind regards

Steve

From: Blood-Halvorsen, Jemma [REDACTED]
Sent: 16 March 2022 11:38
To: Steve Holding [REDACTED]
Subject: Biowaste Treatment Permit Review - Regulation 61 Notice - EA/EPR/EB3208HK/V002, EAWML 43702 Freeland Horticulture Limited at Wroot Road Composting Facility, Wroot Road, Finningley, Doncaster DN9 3DU


Hi Steve,

I have taken over the permit review for this site as Maria has now left the Agency. I've been finishing the draft variation notice ahead of sending it to you for operator review and just wanted to let you know that the following waste codes are no longer included as standard for composting permits. Maria may have confirmed this with you already but I have removed them from the permit. I don't think this should be an issue as none of them are the waste stream you stated is treated at site anyway.

03 03 07	mechanically separated rejects from pulping of waste paper and cardboard
03 03 08	wastes from sorting of paper and cardboard destined for recycling
17 02 01	wood
19 12 07	wood other than that mentioned in 19 12 06
20 01 38	wood other than that mentioned in 20 01 37


I do need an alternative site plan providing please as the one submitted as part of the review does not include location features such as road names etc. and the boundary isn't very clear. The below plan was taken from the variation in 2009. I was going to use this plan but it isn't legible in the format it's been saved in and the

road name would be too small to read once included in the variation notice. If you could provide a similar plan with a clear site boundary but also including a location feature, such as the main road names by **30th March 2022**, that would be great. As soon as I have this I can get the notice sent for operator review.



King Regards,

Jemma Blood-Halvorsen

Permitting Officer, National Permitting Service  Part of National Services E&B


Environment Agency | Trentside, Scarrington Road, West Bridgford, Nottingham, NG2 5BR



Working Days : Monday-Friday



Pronouns: she/her ([Why is this here?](#))



Help us to improve our service and complete our customer survey – click [NPS Survey](#).

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.