

Application for an environmental permit

Part B3 – New bespoke installation permit



If you are applying for a new bespoke permit for an installation, fill in this part of the form, together with parts A, B2 and F1. Please check that this is the latest version of the form available from our website.

Please read through this form and the guidance notes that came with it.

The form can be:

1 Saved onto a computer and then filled in. Please note that the form follows a logic that means questions will open or stay closed depending on a previous answer. So you may not be able to enter text in some boxes.

2 Printed off and filled in by hand. Please write clearly in the answer spaces.

It will take less than three hours to fill in this part of the application form.

Contents

- 1 What activities are you applying for?
 - 2 Emissions to air, water and land
 - 3 Operating techniques
 - 4 Monitoring
 - 5 Environmental impact assessment
 - 6 Resource efficiency and climate change
 - 7 Installations that include a combustion plant
 - 8 How to contact us
- Appendix 1 – Specific questions for the combustion sector
Appendix 2 – Specific questions for the chemical sector
Appendix 3 – Specific questions for the intensive farming sector
Appendix 4 – Specific questions for the clinical waste sector
Appendix 5 – Specific questions for the hazardous and non-hazardous waste recovery and disposal sector
Appendix 6 – Specific questions for the waste incineration sector
Appendix 7 – Specific questions for the landfill sector

1 What activities are you applying for?

Fill in Table 1a below with details of all the activities listed in schedule 1 of the Environmental Permitting Regulations (EPR) and all directly associated activities (DAAs) (in separate rows) that you propose to carry out at the installation.

Fill in a separate table for each installation you are applying for. Use a separate sheet if you have a long list and send it to us with your application form. Tell us below the reference you have given the document.

Document reference

Table 1a – Types of activities

| Schedule 1 listed activities | | | | | | | |
|--|--|--|--------------------------------|---|---|---|--|
| Installation name | Schedule 1 references (See note 1) | Description of the Activity (See note 2) | Activity capacity (See note 3) | Annex I (D codes) and Annex II (R codes) and descriptions | Hazardous waste treatment capacity (if this applies) (See note 3) | Non-hazardous waste treatment capacity (if this applies) (See note 3) | |
| Add extra rows if you need them. If you do not have enough room go to the line below or send a separate document and give us the document reference here | Put your main activity first | | | For installations that take waste only | For installations that take waste only | For installations that take waste only | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Directly associated activities (See note 4) | | | | | | | |
| Name of DAA | Description of the DAA (please identify the schedule 1 activity it serves) | | | | | | |
| Add extra rows if you need them | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| For installations that take waste | Total storage capacity (See note 5 below) | | | | | | |
| | Annual throughput (tonnes each year) | | | | | | |

1 What activities are you applying for?, continued

Notes

- 1 Quote the section number, part A1 or A2 or B, then paragraph and sub paragraph number as shown in part 2 of schedule 1 to the regulations.
- 2 Use the description from schedule 1 of the regulations. Include any extra detail that you think would help to accurately describe what you want to do.
- 3 By ‘capacity’, we mean:
 - the total incineration capacity (tonnes every hour) for waste incinerators;
 - the total landfill capacity (cubic metres) for landfills;
 - the total treatment capacity (tonnes each day) for waste treatment;
 - the total storage capacity (tonnes) for waste storage operations;
 - the processing and production capacity for manufacturing operations; or
 - the thermal input capacity for combustion activities.
- 4 Fill this in as a separate line and give an accurate description of any other activities associated with your schedule 1 activities. You cannot have DAAs as part of a mobile plant application.
- 5 By ‘total storage capacity’, we mean the maximum amount of waste, in tonnes, you store on the site at any one time.

Types of waste accepted

For those installations that take waste, for each line in Table 1a (including DAAs), fill in a separate document to list those types of waste you will accept onto the site for that activity. Give the List of Wastes catalogue code and description (search for ‘Technical guidance on how to assess and classify waste’ at www.gov.uk/environment-agency). If you need to exclude wastes from your activity or facility by restricting the description, quantity, physical nature, hazardous properties, composition or characteristic of the waste, include these in the document. Send it to us with your application form.

Please provide the reference for each document.

You can use Table 1b as a template.

If you want to accept any waste with a code ending in 99, you must provide more information and a full description in the document.

Document reference for this extra information

3922/2385/WAS

Table 1b – Template example – types of waste accepted and restrictions

| Waste code | Description of waste |
|-----------------------------------|--|
| Example 02 01 08* 06 01 02* | Example Agrochemical waste containing hazardous substances Hydrochloric acid |

2 Emissions to air, water and land

Fill in Table 2 below with details of the emissions that result from the operating techniques at each of your installations.

Fill in one table for each installation.

Table 2 – Emissions (releases)

| Installation name | Unit 145 | | | |
|--|----------|-----------|----------|------|
| Point source emissions to air | | | | |
| Emission point reference and location | Source | Parameter | Quantity | Unit |
| A1 adjacent to Unit 145 | LEV | None | | |
| A2 Adjacent to Unit 145 | LEV | None | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Point source emissions to water (other than sewers) | | | | |

2 Emissions to air, water and land, continued

Table 2 – Emissions, continued

| Emission point reference and location | Source | Parameter | Quantity | Unit |
|--|--------|-----------|----------|------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Point source emissions to sewers, effluent treatment plants or other transfers off site | | | | |
| Emission point reference and location | Source | Parameter | Quantity | Unit |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Point source emissions to land | | | | |
| Emission point reference and location | Source | Parameter | Quantity | Unit |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Supporting information

3 Operating techniques

3a Technical standards

Fill in Table 3a for each activity at the installation you have referred to in Table 1a above and list the relevant technical guidance note (TGN) or notes you are planning to use. If you are planning to use the standards set out in the TGN, there is no need to justify using them.

You must justify your decisions in a separate document if:

- there is no technical standard;
- the technical guidance provides a choice of standards; or
- you plan to use another standard.

This justification could include a reference to the Environmental Risk Assessment provided in part B2 (General Bespoke Permit) of the application form.

The documents in Table 3a should summarise the main measures you use to control the main issues identified in your risk assessment (search for ‘Risk assessment for your environmental permit’ at www.gov.uk/environment-agency) or technical guidance. For each of the activities listed in Table 3a, describe the type of operation and the options you have chosen for controlling emissions from your process.

3 Operating techniques, continued

Table 3a – Technical standards

Note: Fill in a separate table for each activity at the installation.

| | | |
|---|---|-------------------------------------|
| Installation name | Unit 145 | |
| Schedule 1 activity or directly associated activity description | Relevant technical guidance or best available techniques as described in BAT conclusions under IED (see footnote below). | Document reference (if appropriate) |
| S5.3(A1)(a)(iv), S5.6(A1)(a) | Permitting guidance on GOV.UK website including 'permitting guidance' and 'how to comply with your permit' and relevant Sector guidance | |
| S5.3(A1)(a)(iv), S5.6(A1)(a) | Rec/Disp Haz & Non Haz Waste (BAT) | SGN 5.06 (BAT) |
| S5.3(A1)(a)(iv), S5.6(A1)(a) | Horizontal Guidance | H1, H4, H5 etc. |

*Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

If appropriate, use block diagrams to help describe the operation and process. Give the document references you use for each diagram and description.

Document reference

3922/2385/PFD

3b General requirements

Fill in a separate Table 3b for each installation.

Table 3b – General requirements

| | |
|---|---|
| Installation name | Unit 145 |
| If the TGN or your risk assessment shows that emissions of substances not controlled by emission limits are an important issue, send us your plan for managing them | Document reference or references N/A |
| If the TGN or your risk assessment shows that odours are an important issue, send us your odour management plan | Document reference or references N/A |
| If the TGN or your risk assessment shows that noise or vibration are important issues, send us your noise or vibration management plan (or both) | Document reference or references N/A |

Search for 'Risk assessment for your environmental permit' at www.gov.uk/environment-agency.

3c Types and amounts of raw materials

Fill in Table 3c for all schedule 1 activities. Fill in a separate table for each installation.

Table 3c – Types and amounts of raw materials

| Installation name | | Unit 145 | | |
|-----------------------------|--|---|--------------------------------------|--|
| Capacity (See note 1 below) | | | | |
| Schedule 1 activity | Description of raw material and composition material | Maximum amount (tonnes) (See note 2 below) | Annual throughput (tonnes each year) | Description of how the raw material is used including any main hazards (include safety information sheets) |
| See Document Ref. | 3922/2385/RMT | | | |
| | | | | |
| | | | | |

Notes

- 1 By 'capacity', we mean the total storage capacity (tonnes) or total treatment capacity (tonnes each day).
- 2 By 'maximum amount', we mean the maximum amount of raw materials on your site at any one time.

3 Operating techniques, continued

Use a separate sheet if you have a long list of raw materials, and send it to us with your application form.

Please also provide the document reference you have given the extra sheet.

Document reference 3922/2385/RMT

3d Information for specific sectors

For some of the sectors, we need more information to be able to set appropriate conditions in the permit.

This is as well as the information you may provide in sections 5, 6 and 7.

For those activities listed below, you must answer the questions in the related document.

Table 3d – Questions for specific sectors

| Sector | Appendix |
|---|---------------------------------|
| Combustion | See the questions in appendix 1 |
| Chemicals | See the questions in appendix 2 |
| Intensive farming | See the questions in appendix 3 |
| Clinical waste | See the questions in appendix 4 |
| Hazardous and non-hazardous waste recovery and disposal | See the questions in appendix 5 |
| Incinerating waste | See the questions in appendix 6 |
| Landfill | See the questions in appendix 7 |

General information

4 Monitoring

4a Describe the measures you use for monitoring emissions by referring to each emission point in Table 2 above

You should also describe any environmental monitoring. Tell us:

- how often you use these measures;
- the methods you use; and
- the procedures you follow to assess the measures.

Document reference for this information None required on current site

4b Point source emissions to air only

Provide an assessment of the sampling locations you have used to measure point source emissions to air. The assessment must use M1 (search for 'M1 sampling requirements for stack emission monitoring' at www.gov.uk/environment-agency).

Document reference of the assessment None required on current site

5 Environmental impact assessment

5a Have your proposals had an environmental impact assessment under Council Directive 85/337/EEC of 27 June 1985 [Environmental Impact Assessment] (EIA)?

No Now go to section 6

Yes Please provide a copy of the environmental statement and, if the procedure has been completed:

- a copy of the planning permission; and
- the committee report and decision on the EIA.

Document reference for the copy Not Required

6 Resource efficiency and climate change

If the site is a landfill, you only need to fill in this section if the application includes landfill gas engines.

6a Describe the basic measures for improving how energy efficient your activities are

Document reference of this description 3922/2385/EEF

6b Provide a breakdown of any changes to the energy your activities use and create

Document reference of the breakdown 3922/2385/EEF

6 Resource efficiency and climate change, continued

6c Have you entered into, or will you enter into, a climate change levy agreement?

No Describe the specific measures you use for improving your energy efficiency.

Document reference of this description

Yes Please give the date you entered (or the date you expect to enter) into the agreement (DD/MM/YYYY)

Please also provide documents that prove you are taking part in the agreement.

Document reference of the proof you are providing

6d Tell us about, and justify your reasons for, the raw and other materials, other substances and water you will use

Document reference of this document

3922/2385/RMT

6e Describe how you avoid producing waste in line with Council Directive 2008/98/EC on waste

If you produce waste, describe how you recover it.

If it is technically and financially impossible to recover the waste, describe how you dispose of it while avoiding or reducing any effect it has on the environment.

Document reference for your description

3922/2385/RMT

7 Installations that include a combustion plant (excluding waste incinerators)

Is the aggregated net thermal input of your combustion plant more than 20 MW?

No

Yes Please go to Appendix 1 question 11.

8 How to contact us

If you need help filling in this form, please contact the person who sent it to you or contact us as shown below.

General enquiries: 03708 506 506 (Monday to Friday, 8am to 6pm)

Textphone: 03702 422 549 (Monday to Friday, 8am to 6pm)

Email: enquiries@environment-agency.gov.uk

Website: www.gov.uk/environment-agency

If you are happy with our service, please tell us. It helps us to identify good practice and encourages our staff. If you're not happy with our service, please tell us how we can improve it.

Please tell us if you need information in a different language or format (for example, in large print) so we can keep in touch with you more easily.

Feedback

(You don't have to answer this part of the form, but it will help us improve our forms if you do.)

We want to make our forms easy to fill in and our guidance notes easy to understand. Please use the space below to give us any comments you may have about this form or the guidance notes that came with it.

How long did it take you to fill in this form? _____

We will use your feedback to improve our forms and guidance notes, and to tell the Government how regulations could be made simpler.

Would you like a reply to your feedback?

Yes please

No thank you



For Environment Agency use only

Date received (DD/MM/YYYY)

Our reference number

Payment received?

No

Yes Amount received

£ _____

Plain English Campaign’s Crystal Mark does not apply to appendices 1 to 7.

Appendix 1 – Specific questions for the combustion sector

1 Identify the type of fuel burned in your combustion units (including when your units are started up, shut down and run as normal). If your units are dual fuelled (that is, use two types of fuel), list both the fuels you use

Fill in a separate table for each installation.

| Installation reference | | | |
|-----------------------------------|--------------------|-----------------|----------------|
| Type of fuel | When run as normal | When started up | When shut down |
| Coal | | | |
| Gas oil | | | |
| Heavy fuel oil | | | |
| Natural gas | | | |
| WID waste | | | |
| Biomass (see notes 1 and 2 below) | | | |
| Biomass (see notes 1 and 2 below) | | | |
| Biomass (see notes 1 and 2 below) | | | |
| Biomass (see notes 1 and 2 below) | | | |
| Biomass (see notes 1 and 2 below) | | | |
| Other | | | |

Notes

- 1 Not covered by Industrial Emissions Directive 2010/75/EU.
- 2 ‘Biomass’ is referred to in www.opsi.gov.uk/si/si2002/20020914.htm.

Give extra information if it helps to explain the fuel you use.

Document reference

2 Give the composition range of any fuels you are currently allowed to burn in your combustion plant

Fill in a separate table for each installation.

| Fuel use and analysis | | | | | |
|---|-------------|--------|--------|--------|--------|
| Installation reference | | | | | |
| Parameter | Unit | Fuel 1 | Fuel 2 | Fuel 3 | Fuel 4 |
| Maximum percentage of gross thermal input | % | | | | |
| Moisture | % | | | | |
| Ash | % wt/wt dry | | | | |
| Sulphur | % wt/wt dry | | | | |
| Chlorine | % wt/wt dry | | | | |
| Arsenic | % wt/wt dry | | | | |
| Cadmium | % wt/wt dry | | | | |
| Carbon | % wt/wt dry | | | | |
| Chromium | % wt/wt dry | | | | |
| Copper | % wt/wt dry | | | | |
| Hydrogen | % wt/wt dry | | | | |
| Lead | % wt/wt dry | | | | |
| Mercury | % wt/wt dry | | | | |
| Nickel | % wt/wt dry | | | | |
| Nitrogen | % wt/wt dry | | | | |
| Oxygen | % wt/wt dry | | | | |
| Vanadium | mg/kg dry | | | | |
| Zinc | mg/kg dry | | | | |
| Net calorific value | MJ/kg | | | | |

Appendix 1 – Specific questions for the combustion sector, continued

3 If NOx factors are necessary for reporting purposes (that is, if you do not need to monitor emissions), please provide the factors associated with burning the relevant fuels

Fill in a separate table for each installation.

| | |
|------------------------|---------------------------------|
| Installation reference | |
| Fuel | NOx factor (kgt ⁻¹) |
| Fuel 1 | |
| Fuel 2 | |
| Fuel 3 | |
| Fuel 4 | |

Note: kgt⁻¹ means kilograms of nitrogen oxides released for each tonne of fuel burned.

4 Will your combustion plant be subject to Chapter III of the Industrial Emissions Directive 2010/75/EU? (see Government guidance)

No Now fill in part F

Yes

5 Is your plant

an existing plant (a plant licensed before 1 July 1987)?

a new plant (a plant licensed on or after 1 July 1987 but before 27 November 2002, or a plant for which an application was made before 27 November 2002 and which was put into operation before 27 November 2003)?

or

a new-new plant (a plant for which an application was made on or after 27 November 2002)?

6 If you run more than one type of plant or a number of the same type of plant on your installation, please list them in the table below

Fill in a separate table for each installation.

| | |
|------------------------|----------------------------|
| Installation reference | |
| Type of plant | Number within installation |
| Existing | |
| New | |
| New-new | |
| Gas turbine (group A) | |
| Gas turbine (group B) | |

7 If you run an existing plant, have you submitted a declaration for the 'limited life derogation' set out in Article 33 of Chapter III of the Industrial Emissions Directive?

No Now go to section 9

Yes

8 Have you subsequently withdrawn your declaration?

No

Yes

9 List the existing large combustion plants (LCPs) which have annual mass allowances under the National Emission Reduction Plan (NERP), and those with emission limit values (ELVs) under the LCPD

| | |
|------------------------|----------------|
| Installation reference | |
| LCPs under NERP | LCPs with ELVs |
| | |
| | |

Appendix 1 – Specific questions for the combustion sector, continued

10 Do you meet the monitoring requirements of Chapter III of the Industrial Emissions Directive?

Yes

Document reference number

11 Have you carried out a cost–benefit assessment (CBA) of opportunities for cogeneration (combined heat and power) or district heating under Article 14 of the Energy Efficiency Directive?

No Please provide supporting evidence of why a CBA is not required (for example, an agreement from us)

Document reference number of this evidence

Yes Please submit a copy of your CBA

Document reference number of the CBA

12 Does your installation need to be combined heat and power-ready (CHP-ready)?

No Please provide supporting evidence of why a CHP-ready assessment is not required (for example, an agreement from us)

Document reference number of this evidence

Yes Please provide a copy of your CHP-ready assessment

Document reference number of the CHP-ready assessment

Appendix 2 – Specific questions for the chemical sector

1 Please provide a technical description of your activities

The description should be enough to allow us to understand:

- the process;
- the main plant and equipment used for each process;
- all reactions, including significant side reactions (that is, the chemistry of the process);
- the material mass flows (including by products and side streams) and the temperatures and pressures in major vessels;
- the all emission control systems (both hardware and management systems), for situations which could involve releasing a significant amount of emissions – particularly the main reactions and how they are controlled;
- a comparison of the indicative BATs and benchmark emission levels standards: technical guidance notes (TGNs); additional guidance ‘The production of large volume organic chemicals’ (EPR 4.01); ‘Speciality organic chemicals sector’ (EPR 4.02); ‘Inorganic chemicals sector’ (EPR 4.03); and best available techniques reference documents (BREFs) for the chemical sector.

Document reference

2 If you are applying for a multi-purpose plant, do you have a multi-product protocol in place to control the changes?

No

Yes Provide a copy of your protocol to accompany this application

Document reference

3 Does Chapter V of the Industrial Emissions Directive (IED) apply to your activities?

No

Yes Fill in the following

3a List the activities which are controlled under the IED

| | |
|------------------------|----------------------|
| Installation reference | <input type="text"/> |
| Activities | <input type="text"/> |
| | <input type="text"/> |
| | <input type="text"/> |

3b Describe how the list of activities in question 3a above meets the requirements of the IED

Document reference

Appendix 3 – Specific questions for the intensive farming sector

1 For each type of livestock, tell us the number of animal places you are applying for

| | |
|------------------------|------------------|
| Installation reference | |
| Type of livestock | Number of places |
| | |
| | |
| | |

2 Is manure or slurry exported from the site?

No

Yes

3 Is manure or slurry spread on the site?

No

Yes

Appendix 4 – Specific questions for the clinical waste sector

If you are applying for an activity covered by Chapter IV of the Industrial Emissions Directive and wish to accept clinical waste you should fill in questions 1, 2 and 3 of this appendix.

Note: If your procedures are fully in line with the standards set out in ‘Technical guidance for managing clinical waste’ (EPR 5.07) then you should tick the ‘yes’ box and provide the procedure reference from EPR 5.07. There is no need for you to supply a copy of the procedure.

1 Are pre-acceptance procedures in place that are fully in line with the appropriate measures set out in section 2.2 of EPR 5.07 and which are used to assess a waste enquiry before it is accepted at the installation?

No Provide justification for departure from EPR 5.07 and submit a copy of your procedures

Document reference

Yes EPR 5.07 procedure reference

2 Are waste acceptance procedures in place that are fully in line with the appropriate measures set out in section 2.2 of EPR 5.07, and which are used to cover issues such as loads arriving and being inspected, sampling waste, rejecting waste, and keeping records to track waste?

No Provide justification for departure from EPR 5.07 and submit a copy of your procedures

Document reference

Yes EPR 5.07 procedure reference

3 Are waste storage, handling and dispatch procedures, and infrastructure in place that are fully in line with the appropriate measures set out in section 3.2 of EPR 5.07?

No Provide justification for departure from EPR 5.07 and submit a copy of your procedures

Document reference

Yes EPR 5.07 procedure reference

4 Are monitoring procedures in place that are fully in line with the appropriate measures set out in section 3.3 of EPR 5.07?

No Provide justification for departure from EPR 5.07 and submit a copy of your procedures

Document reference

Yes EPR 5.07 procedure reference

5 Are you proposing to either

- accept an additional waste not included in Table 2.1 of section 2.1 of EPR 5.07, or
- apply a permitted activity to a waste other than that identified for that waste in Table 2.1?

No

Yes Provide justification

Document reference

6 Please provide a summary description of the treatment activities undertaken on the installation. This should cover the general principles set out in section 2.1.4 of EPR 5.07

Document reference for summary

7 Please provide layout plans detailing the location of each treatment plant and main plant items and process flow diagrams for the treatment plant

Document reference

Appendix 5 – Specific questions for the hazardous and non-hazardous waste recovery and disposal sector

Note: If your procedures are fully in line with the standards set out in ‘Recovery and disposal of hazardous and non-hazardous waste’ (SGN 5.06) then you should tick the ‘yes’ box and provide the procedure reference from SGN 5.06. There is no need for you to supply a copy of the procedure.

1 Are pre-acceptance procedures in place that are fully in line with the appropriate measures set out in section 2.1.1 of SGN 5.06, and which are used to assess a waste enquiry before it is accepted at the installation?

No Provide justification for departure from SGN 5.06 and submit a copy of your procedures

Document reference

Yes SGN 5.06 procedure reference

3922/2385/EMS

2 Are waste acceptance procedures in place that are fully in line with the appropriate measures set out in section 2.1.2 of SGN 5.06, and which are used to cover issues such as loads arriving and being inspected, sampling waste, rejecting waste, and keeping records to track waste?

No Provide justification for departure from SGN 5.06 and submit a copy of your procedures

Document reference

Yes SGN 5.06 procedure reference

3922/2385/EMS

3 Are waste storage procedures and infrastructure in place that are fully in line with the appropriate measures set out in section 2.1.3 of SGN 5.06?

No Provide justification for departure from SGN 5.06 and submit a copy of your procedures

Document reference

Yes SGN 5.06 procedure reference

3922/2385/EMS

4 Provide a layout plan giving details of where the installation is based, the infrastructure in place (including areas and structures for separately storing types of waste which may be dangerous to store together) and capacity of waste storage areas and structures

Document reference

3922/2385/03

5 Provide a summary of the treatment activities carried out on the installation. This should cover the general principles set out in section 2.1.4 of SGN 5.06 and the specific principles set out in sections 2.1.5 to 2.1.15 as appropriate of SGN 5.06

Document reference for summary

3922/2385/NTS

6 Provide layout plans giving details of where each treatment plant is based, the main items at each plant, and process flow diagrams for the treatment plant

Document reference or references

3922/2385/03, 3922/2385/PFD

Appendix 6 – Specific questions for the waste incineration sector

If you are proposing to accept clinical waste please also fill in questions 1, 2 and 3 of appendix 4 above.

1a Do you run incineration plants as defined by Chapter IV of the Industrial Emissions Directive (IED)?

No You do not need to answer any other questions in this appendix

Yes IED applies

1b Are you subject to IED as an incinerator or co-incinerator?

As an incinerator

As a co-incinerator

2 Do any of the installations contain more than one incineration line?

No Now go to section 4

Yes

3 How many incineration lines are there within each installation?

Fill in a separate table for each installation

| | |
|--|--|
| Installation reference | |
| Number of incineration lines within the installation | |
| Reference identifiers for each line | |

You must provide the information we ask for in questions 4, 5 and 6 below in separate documents. The information must at least include all the details set out in section 2 ('Key Issues') of S5.01 'Incineration of waste: additional guidance' (under the subheading 'European legislation and your application for an EP Permit').

4 Describe how the plant is designed, equipped and will be run to make sure it meets the requirements of IED, taking into account the categories of waste which will be incinerated

Document reference

5 Describe how the heat created during the incineration and co-incineration process is recovered as far as possible (for example, through combined heat and power, creating process steam or district heating)

Document reference

6 Describe how you will limit the amount and harmful effects of residues and describe how they will be recycled where this is appropriate

Document reference

For each line identified in question 3, answer questions 7 to 13 below

Question 3 identifier, if necessary

7 Do you want to take advantage of the Article 45 (1)(f) allowance (see below) if the particulates, CO or TOC continuous emission monitors (CEM) fail?

No

Yes This article allows 'abnormal operation' of the incineration plant under certain circumstances when the CEM for releases to air have failed. Annex VI, Part 3(2) sets maximum half hourly average release levels for particulates (150mg/m³), CO (normal ELV) and TOC (normal ELV) during abnormal operation.

Describe the other system you use to show you keep to the requirements of Article 13(4) (for example, using another CEM, providing a portable CEM to insert if the main CEM fails, and so on).

Appendix 6 – Specific questions for the waste incineration sector, continued

8 Do you want to replace continuous HF emission monitoring with periodic hydrogen fluoride (HF) emission monitoring by relying on continuous hydrogen chloride (HCl) monitoring as allowed by IED Annex VI, Part 6 (2.3)?

Under this you do not have to continuously monitor emissions for hydrogen fluoride if you control hydrogen chloride and keep it to a level below the HCl ELVs.

No

Yes Please give reasons for doing this

9 Do you want to replace continuous water vapour monitoring with pre-analysis drying of exhaust gas samples, as allowed by IED Annex VI, Part 6 (2.4)?

Under this you do not have to continuously monitor the amount of water vapour in the air released if the sampled exhaust gas is dried before the emissions are analysed.

No

Yes Please give your reasons for doing this

10 Do you want to replace continuous hydrogen chloride (HCl) emission monitoring with periodic HCl emission monitoring, as allowed by IED Annex VI, Part 6 (2.5), first paragraph?

Under this you do not have to continuously monitor emissions for hydrogen chloride if you can prove that the emissions from this pollutant will never be higher than the ELVs allowed.

No

Yes Please give your reasons for doing this

Appendix 6 – Specific questions for the waste incineration sector, continued

11 Do you want to replace continuous HF emission monitoring with periodic HF emission monitoring, as allowed by IED Annex VI, Part 6 (2.5), first paragraph?

Under this you do not have to continuously monitor emissions for hydrogen fluoride if you can prove that the emissions from this pollutant will never be higher than the ELVs allowed.

No

Yes Please give your reasons for doing this

12 Do you want to replace continuous SO₂ emission monitoring with periodic sulphur dioxide (SO₂) emission monitoring, as allowed by IED Annex VI, Part 6 (2.5), first paragraph?

Under this you do not have to continuously monitor emissions for sulphur dioxide if you can prove that the emissions from this pollutant will never be higher than the ELVs allowed.

No

Yes Please give your reasons for doing this

13 If your plant uses fluidised bed technology, do you want to apply for a derogation of the CO WID ELV to a maximum of 100 mg/m³ as an hourly average, as allowed by IED Annex VI, Part 3?

No

Does not apply

Yes Please give your reasons for doing this

Appendix 6 – Specific questions for the waste incineration sector, continued

14 Have you carried out a cost–benefit assessment (CBA) of opportunities for cogeneration (combined heat and power) or district heating under Article 14 of the Energy Efficiency Directive?

No Please provide supporting evidence of why a CBA is not required (for example, an agreement from us)

Document reference number of this evidence

Yes Please submit a copy of your CBA

Document reference number of the CBA

15 Does your installation need to be combined heat and power-ready (CHP-ready)?

No Please provide supporting evidence of why a CHP-ready assessment is not required (for example, an agreement from us)

Document reference number of this evidence

Yes Please provide a copy of your CHP-ready assessment

Document reference number of the CHP-ready assessment

Appendix 7 – Specific questions for the landfill sector

1 Provide your Environmental Setting and Installation Design (ESID) report

Document reference

2 Provide your hydrogeological risk assessment (HRA) for the site

Document reference

3 Provide your stability risk assessment (SRA) for the site

Document reference

4 Provide your landfill gas risk assessment (LFGRA) for the site

Document reference

We have developed templates for these four reports which can be found at
<https://www.gov.uk/government/collections/environmental-permitting-landfill-sector-technical-guidance>

5 Provide your proposed plan for closing the site and your procedures for looking after the site once it has closed

Document reference