
From: Alice Trelawny <alice.trelawny@ixoraenergy.co.uk>
Sent: 04 February 2020 10:35
To: Mellor, Laura
Subject: RE: We need more information about your application and Underpayment of application charge EPR/PP3903BY/V002
Attachments: Duly Making information.zip

Dear Laura,

Following on from my previous email and in response to the request for more information to duly make our application; please see our responses below.

1. The additional payment of £5594 has now been made
2. Please find attached forms A, C2, C3 and F as well as document NTS01, EMS and OMP which have all had references to the previous operator removed. Gorst Energy Ltd is referenced instead following the transfer of the permit to that company.
3. The information on Resource efficiency and climate change was scattered throughout the EMS. I have produced a separate document to consolidate this which I have attached 'Climate, Energy and Resource Usage'. Some information is now also contained within section 5, Energy and Resource Usage.
4. Please find attached bioaerosol risk assessment as requested. The additional payment of £620 for it's assessment has also been paid.
5. We are not seeking to construct any new tanks. We are looking to cover the existing open topped storage tank but we are awaiting the results of a planning application which will direct our decision making on the type of cover. As discussed on the phone, if the planning for increased feedstock is approved we will need to collect residual biogas and a domed roof will be constructed. If we do not get the planning then we will have no need to capture further biogas and a simpler cover will suffice. We are also going to put up a building in which to store manures. This isn't anything particularly sophisticated, but rather will be used just to keep the feedstock dry.
6. The updates requested have been made to the EMS which is attached to this email.
7. The updates have been made to the OMP. As mentioned before, the site is already operational and we have been working with the current OMP (and previous revisions) for a number of years. Our EA Officer (Sarah Taylor) is familiar with the document.
8. I submitted the H1 last week following our phone call and I understand that this will be picked up by the determining officer. I understand that you were unable to open the document and I have sent you a google drive link which I hope will allow you to open the H1 file. Please let me know if there are any issues with this.
9. As an add on, I have attached the Wamitab certificate of my colleague Chris Jenkins. I believe Dan Jones was on the original application but he has left since it was submitted in September.

Kind regards,

Alice

Alice Trelawny
Environmental Compliance Manager

Tel: 01884 861231
DDI: 01884 861231 ext 210
Mob: 07841 921866
Email: alice.trelawny@ixoraenergy.co.uk
Website: www.ixoraenergy.co.uk