

Lydney Skip hire
Recycling Facility

Unit 37

Lydney Industrial Estate
Harbour Road
Lydney
GL154EJ

Site Working Plan

Contents

1. General Considerations

- 1.1 Specific Waste Management operations
- 1.2 Permitted Waste
- 1.3 Staffing Levels and Supervision
- 1.4 Changes in Technically competent Persons
- 1.5 Relevant Convictions
- 1.6 Amendments to Working Plan Conditions
- 1.7 Notification of Change of Operators or Holders Details
- 1.8 Notification of Preparatory Work
- 1.9 Notification of Commencement, Cessation and Recommencement of Waste Storage Operations
- 1.10 Notification and Submission to the Environmental Agency

2. Site Engineering and Pollution Control

- 2.1 Engineering Site Contamination and Drainage

3. Site Infrastructure

- 3.1 Provisions of Site Identification Board
- 3.2 Site Security
- 3.3 Site Inspections

4. Site Operations

- 4.1 Prevention of Mud and Debris on the Road
- 4.2 Leaks and Spillages
- 4.3 Fires on Site
- 4.4 Waste Acceptance and Control Procedures
- 4.5 Waste Quality Measurement System
- 4.6 Storage of Waste with Specific Hazardous Properties or Forms
- 4.7 Removal of Residual Waste from the Site

5. Site Emissions, Vermin and Litter on Site

- 1.1 Control of Emissions, Vermin and Litter on Site
- 1.2 Recording
- 1.3 Monitoring and Control of Pest Infestations
- 1.4 Control of Scavenging Birds and other Scavengers
- 1.5 Litter Control

6. Site Records

1.1 Security and Availability of Records

1.2 Records of Waste Movements

1.3 Site Diary

Appendix A

Permitted Waste

Appendix B

Area Plan

Appendix C

Site Plan

Appendix D

Fire Prevention / Management Plan

Appendix E

Noise Management Plan and Risk Assessment

Appendix F

Dust and Mud Management Plan

1. General Considerations

1.1.1 Specific waste management operations

1.1.1 Only waste management operations specified in the working plan shall be undertaken on this site.

Table 1.1 Specific Waste Management Operations

Specified Waste Management Operations	Permitted Waste Types On Site	Limitations of Operations
D15 Storage of Waste on Site	Commercial / Industrial	Only in the Bunkered / Recycling Area
R13 Storage of Materials intended for Recovery or Recycling	Commercial / Industrial	Only in Area Marked Recycling bays or Containerised
R13 Storage of Materials intended for Recovery or Recycling	Inert waste	Only in Area Marked Inert Waste Storage, Screening and Sorting Area

Specific Waste Management Operations

1.1.2 No waste other than allowed in our permit conditions will be allowed on to the site

1.2 Permitted Wastes

1.2.1 Only waste listed below in table 1.2A and Appendix A and specified in sections 1.1 & 1.2 of the working plan shall be accepted on the recycling facility.

Permitted Waste Categories	Maximum Permitted Quantities for each waste category (subject to permitted maximum total quantity in 1.2.2) (tonnes/year)
Inert	24,999 per year
Non-hazardous	5000
Metal Waste (non-hazardous)	150 tonnes per year
End of life Tyres	240 tonnes per year
Hazardous Wastes	Not Permitted

1.2.2 The total quantity of waste accepted on the recycling facility shall not exceed 30,000 tonnes per year

1.2.3 Wastes shall not be accepted on to the recycling facility if considered hazardous not in our permit conditions or consisting of mainly dust, powder or loose fibres.
Wastes that are liquid or sludge

1.3 Staffing Levels and Supervision.

Minimum Staffing Levels and Supervision.

1.3.1

Whenever the recycling facility is open to receive or dispatch waste or is carrying out any waste management procedure such as sorting, screening or recycling, it shall be supervised by at least one member of staff who is considered a competent person and is fully trained and aware of the site Permit and working plan conditions

Availability of Licence

1.3.2

A copy of the site licence and working plan shall be kept available on site for reference and inspection

Understanding the licence

1.3.3

All staff shall be supervised or fully conversant with the site licence and working plan conditions.

Attendance of A Technically Competent Person

1.3.4

A technically competent person (COTC holder) shall be contactable at all times and their present on site shall be recorded in the site Diary.

1.4 Changes in Technically Competent Person

1.4.1

Any changes in the technically competent management of the site shall be notified in writing within 5 days to the Environmental Agency along with evidence under section 74 of the Environmental Protection Act 1990

1.5 Relevant Convictions

Notification of Relevant Convictions

1.5.1

In the event of the licence holder and or any relevant person being convicted of any relevant offence in addition to any previously notified to the Environmental Agency, full details shall be provided within 14 days following sentencing, whether or not the conviction or sentence is subsequently appealed. Such details shall include, in respect of each

person as defined in section 74(7) of the environmental protection act 1990 or any subsequent amendment in that section)., the nature of the offence the place and date of the conviction and any fine penalty imposed.

Notification of Appeals Against Conviction

1.5.2

In the event of the licence holder and / or any relevant person lodges an appeal against any such conviction or sentence, the licence holder shall notify the agency within 14 days of the lodging. The licence holder shall notify the agency of the result of the appeal, within 14 days of the appeal being decided.

1.6 Amendments to working plan information

Amendments of working plan requiring prior consent

1.6.1

The licence holder shall give the Environmental Agency prior notice in writing of any proposed changes to those sections of the working plan which are specified in the table below Table 1.7, and any appendices, drawings and figures which are referenced in those sections

Table 1.7 Sections of the working plan requiring prior consent for amendments

<i>Number and heading of Working plan Sections</i>	<i>Sections, Subsections and Appendices requiring Prior consent for Amendment</i>	
1. General Considerations	1.1, 1.2	
2. Site Engineering	2.1	
3. Site Infrastructure	3.2	
4. Site Operations	4.1, 4.2, 4.3, 4.4, 4.6	
5. Amenity Management	5.1, 5.2, 5.3, 5.4	
6. Site Records	6	
Appendices	A	
Drawings	(00)001, (00)002	

1.6.2

The notice shall be accompanied by a copy of the proposed changes, and with a written risk assessment of the changes to the working plan would have on the health and safety and the environment.

1.6.3

The licence holder shall provide up to six copies of the proposed changes and supporting risk assessment to the Environmental Agency.

1.6.4

The proposed changes shall not be implemented unless the Environmental Agency has given its written agreement. Following the Environmental Agency consent the licence holder shall give the agency prior written notification of the implementation date, and from that date the changed section shall be incorporated into the working plan in replacement or as an amendment to the original working plan.

1.6.5

Except where it is specified under condition 1.6.1 above that the amendment of a specific section of the working plan requires the prior consent of the environmental Agency, the licence holder shall give no less than seven days prior written notice of any changes to the working plan to any appendices, drawings and figures which are referenced from those sections.

1.6.6

The notice shall be accompanied by a copy of the specified changes

1.6.7

The licence holder shall provide up to six copies of the proposed changes to the Environmental Agency.

1.6.8

Such changes to the working plan shall be deemed to be incorporated in the working plan and implemented on the date specified to the Environmental Agency in the amendment notification.

1.7 Notification of Change of Operators or Holders Details

1.7.1

The following information shall be notified in writing within 5 working days to the Environmental Agency.

- A) Where the licence holder is an individual or named individuals:
 - I) Where the licence holder consists of more than one named individual the death of any of the individuals.
 - II) Any change in the licence holders name (s) Address (es);
 - III) Any steps taken with the view to the licence holder or any one of them going into bankruptcy, entering into composition or arrangement with creditors, or, in case of them being in partnership, dissolving the partnership.
 - IV) The operator at the time of issue of the licence and of any change in the operator or the operators trading name, address, registered name or registered office address (if different from the licence holder); or

- B) Where the licence holder is a registered company
 - i) Any change in the licence holders trading name, registered name or registered office address.
 - ii) Any steps taken by the licence holder of going into administration, entering into a company voluntary arrangement or being wound up;
 - V) The operator at the time of issue of the licence and of any change in the operator or the operators trading name, address, registered name or registered office address (if different from the licence holder); or

- C) Where the licence holder is a corporate body other than a registered company:
 - i) Any change in the licence holders name or address
 - ii) Any steps taken with a view to the dissolution of the licence holder;
 - iii) The operator at the time of issue of the licence and any change in the operators or in the operators trading name, address,

registered name or registered office address (if different from the licence holder)

1.8 Notification of Preparatory Works

1.8.1

No preparatory works shall be undertaken until at least 7 days prior notice in writing has been given to the Environmental Agency of the intention to do so.

The notification shall include details of what the work is being done and when.

1.9 Notification of Commencement, Cessation and Recommencement of Waste Storage operations

Specified Waste Management Operations

1.91

NO specified waste management operations shall be carried out until at least seven day's prior notice in writing has been given to the Environmental Agency of the intention to commence carrying out a specific waste management operation

1.9.2

In the event that the facility ceases receiving waste for longer than 21 days then within 7 days following the elapsed time, the licence holder shall inform the Environmental Agency in writing of the date of cessation and the planned date of recommencement. In the event that it is intended that the site receive waste sooner than the notified date then the licence holder shall give the environmental Agency no less than 7 days' notice in writing.

1.10 Notification and Submissions to the Environmental Agency

1.10.1

Except where otherwise specified, all notifications and submissions to the Environmental Agency under the licence conditions

- a) Shall be made in writing to the address specified by the agency at the time of issue of this licence.

- b) Shall quote the licence reference number and the name of the licence holder.

2 Site Engineering and Pollution Prevention and Control

2.1 Engineering Site Contamination and Drainage

Provision and Maintenance of Site Containment and Drainage Systems

2.1.1

NO waste shall be deposited, stored, treated or otherwise handled in any area of the site until the engineered site containment and drainage system for the area has been constructed and complete in accordance with this condition and sections 2.1 and drawing LSH Drainage Drawing 1 of the working plan.

2.1.2

The engineered site containment and drainage systems shall be designed, constructed, inspected, validated and maintained and shall be fully documented and recorded, to be fit for purpose and meet the standards in Table 2.1 below

Table 2.1 Site Contamination and Drainage System

<p>a) Impermeable pavement, bunding and sills</p>	<p>i) Areas of Hardstanding pavement shall be constructed and maintained so as to prevent fluids running off the pavement and transmission of fluids through joints</p> <p>ii) Areas of impermeable pavement shall be:</p> <ul style="list-style-type: none"> • Laid to take the weight of the relevant vehicles, plant and equipment without cracking or breaking; and • Free from cracks which could reduce the permeability; and • Resistant to mechanical, physical and chemical stresses to which they may be subject; and
---	--

	<ul style="list-style-type: none"> • Fall towards the drainage system to prevent ponding <p>iii) No liquid will run. Off the areas of impermeable pavement other than is via the drainage system</p> <p>iv) Liquids from the drainage system is disposed of to an approved discharge.</p>
b) Hardstanding	<p>Areas of hardstanding shall be constructed of granular materials (e.g. crushed stone, aggregate, road planings or other similar materials) and maintained such that the working surface</p> <p>i) Shall remain even</p> <p>ii) Shall not be subject to settlement or differential settlement</p> <p>iii) Shall not be subject to rutting by vehicles even when wet</p> <p>iv) Shall have sufficient durability to allow cleaning for example scrapping.</p> <p>v) Shall remain free of standing water.</p>
c) Covered buildings and roofed areas	<p>Where wastes are stored in a building</p> <p>i) The building shall be designed, constructed and maintained to prevent the ingress of rain and surface Water.</p> <p>ii) Roof water shall be kept separate from contaminated water and other liquids and shall be discharged to either surface water sewer or a water course or a soakaway.</p>
d) Fixed bays and other fixed containers	<p>All fixed bays and fixed containers must be constructed and maintained to a standard which is fit for purpose.</p>
e) Inspection and maintenance of engineering containment	<p>All areas for hardstanding, impermeable pavement, sealed drainage systems, covered buildings, roofed areas, fixed bays and other containers and storage areas for skips, drums and other mobile tanks and containers;</p> <p>i) Shall be inspected no less frequently than monthly, to ensure the continued integrity and fitness for purpose of the</p>

	<p>construction, and the inspection and necessary maintenance shall be recorded in the site diary and</p> <p>ii) In the event of any damage occurring which breaches the integrity of the engineering containment so that it no longer meets the required standards, the licence holder shall cease to import waste into or treat waste in the affected area, and shall notify the Environmental Agency immediately, and shall not commence to import or treat waste in the affected area until repairs have been made to the original standard</p>
--	---

Construction Quality Assurance of New Site Containment and Drainage Systems

2.1.3

NO waste shall be deposited, stored, treated or otherwise handled in any area for which an engineering site containment and drainage system is to be newly constructed to meet the requirements of this condition unless

- a) Details of the identities relevant experienced and relevant qualifications of the personnel who will be providing quality assurance of the engineering site containment and drainage systems have been submitted in writing to the agency and acknowledged by the agency.
- b) The engineering site containment and drainage system has been constructed in accordance with the other requirements of condition 2.1;
- c) The validation report on the construction of the engineering site containment and drainage system has been submitted in writing to the Agency, and the Agency has confirmed in writing it has no objection to the placement of waste on that containment area.

Construction Quality Assurance of Existing Site Containment and Drainage Systems

2.1.4

No waste shall be deposited, stored, treated or otherwise handled in any area for which a previously constructed and existing engineered site containment and drainage system is being used to meet the requirements of the condition unless

- a) Details of the identities, relevant experience and relevant qualifications of the suitably qualified engineer who will provide inspection and validation of the existing engineering site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency.

3 Site Infrastructure

3.1 Provision of Site Identification Board

3.1.1

No waste shall be received on the site until an identification board has been provided at or near the site entrance.

3.1.2

The identification board shall be inspected at least once per week. In the event of damage or defect, the board shall be repaired or replaced within 3 days.

3.1.3

The board shall be easily readable from outside the site entrance in daylight hours, and shall display the following information

- a) Site name and address
- b) Licence holder (company name, not individual name unless justified and necessary);

- c) Operators name (company name, not individual name unless justified and necessary);
- d) Licence number
- e) Emergency contact name and telephone number (for security reasons, personal names and home phone numbers should not be used except where no alternative is practicable.
- f) Statement that the site is licenced by the Environmental Agency
- g) Agency national numbers 0800807060 (or any other number subsequently notified in writing by the Agency);

3.2 Site Security

3.2.1

Site security system shall be provided at all times during the subsistence of this licence, the objective of which shall be to prevent access by humans, livestock, which is not authorised either by the licence holder or under legal powers of entry. These shall be installed, operated and maintained, and shall be fully documented and recorded, in accordance with the requirements specified in section 3.2 of the working plan and in Table 3.3 below.

Table 3.3 Site Security and Inspection System Standards

Site Security System	Specified Standards
Maintenance Standards	The site security shall be fully inspected at the commencement of each shift of each working day. Any defects or damage shall be made secure by temporary repairs by the end of the working day and shall be repaired within 7 working days of the damage being detected. All

	inspections, damage and repairs shall be recorded in the site diary and the site Inspection sheet.
--	--

4 Site Operations

4.1 Control of Mud and Debris and Loose waste.

Prevention of Mud and Debris on Road

4.1.1

Whenever the site is receiving or dispatching wastes, measures shall be provided, operated and maintained in accordance with the section 4.1 of the working plan, with the objective of tracking mud or debris arising from the site onto the public areas outside the site. Which shall include public highways and areas of public access outside the site.

4.1.2

All vehicles leaving areas of the site which are operational or upon which engineering works are being carried out shall, before leaving the site, be cleaned as necessary and shall be checked to ensure that they are clear of loose waste and that any waste is secure.

Remediation of Mud and Debris on Road

4.1.3

In the event that mud, debris or waste arising from the site activities is deposited onto public areas outside the site, the

following remedial measures shall be implemented immediately:

- a) The affected public area outside the site will be cleaned.
- b) Traffic shall be isolated from sources of mud and debris within the site to prevent further tracking of mud and debris, and measures shall be taken to clear any such sources as soon as practicable.

4.2 Leaks and Spillages

Potentially polluting leaks and spillages from vehicles, plant and equipment

4.2.1

All vehicles used on the site by the operator, and all plant and equipment used on the site in connection with specified waste management operations, shall be operated and maintained with the objective of potentially polluting leaks and spillages of waste or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations

Control and remediation of leaks and spillages

4.2.2

In the event of any potentially polluting leaks or spillages occurring on site, documented control and remediation procedures shall be implemented immediately and recorded and shall meet the standards as specified in section 4.2 of the working plan and in table 4.2 below

Table 4.2 Standards for Prevention of Leaks and Spillages

Action	Specified Standards
a) Control and remediation of leaks and spillages	i) Minor spillages shall be cleaned immediately using sand or absorbent cleaning materials and placed in an appropriate container

	<p>ii) Major spillages which are causing or likely to causer polluting emissions to the environment:</p> <ul style="list-style-type: none"> • Immediate action shall be taken to contain the spillage and prevent liquids from entering the surface water drains, water courses and unsurfaced ground; • The spillage shall be cleared immediately and placed in alternative containers; • The agency shall be informed, and a record recorded in the site diary.
--	--

4.3 Fires on the Site

Prevention of Fires on Site (see Appendix B)

4.3.1

No wastes shall be burned on the site

Actions to be taken in the event of a Fire

4.3.2

In the event of a fire on site, notwithstanding the implementation of actions to suppress or extinguish a fire, a fire action plan shall be implemented immediately (detailed in Environmental Management Plan) the in accordance with section 4.3 of the working plan.

- a) The agency shall be informed immediately of the fire and
- b) So far is practicable, contaminated site drainage shall be prevented from entering any surface water drain or water course or unsurfaced ground

4.4 Waste Acceptance and control procedures

Waste acceptance procedure

4.4.1

All waste accepted on the site shall be handled, kept and recorded in accordance with the standards specified in Table 4.4 below.

Waste control procedures

4.4.2

All waste accepted at the site shall be handled, kept and recorded in accordance with the standards specified in Table 4.4 below

Waste dispatch procedures

4.4.3

All outgoing wastes shall be inspected, despatched and recorded in accordance with the standards specified in Table 4.4 below

Table 4.4 Standards for Waste Acceptance and Control Procedures

Stage waste Handling	Specified Standards
a) Waste Inspection	All wastes received at the site; i) Shall be inspected on receipt to confirm their description and composition against the relevant waste transfer note and other accompanying documentation ii) Shall be kept separate from and shall not be mixed with other wastes until they have been confirmed and recorded for acceptance at the site
b) Waste control and	iii) Any items of non-permitted waste which are detected after acceptance at

<p>procedures: quarantine storage and rejection of wastes</p>	<p>the site, shall be placed immediately in a designated quarantine container and where these appear to be special wastes the Agency shall be informed.</p> <p>iv) In the quarantine area wastes shall be kept segregated from other wastes which are or are likely to be incompatible;</p> <p>v) Quarantine wastes shall be removed from the site with-in seven days.</p> <p>vi) The maximum quantity of waste kept in the quarantine area shall be 4.6m³ at any one time.</p> <p>vii) A record shall be kept in the site diary of all rejected wastes and all wastes kept in the quarantine storage area.</p>
<p>c) Identification of wastes</p>	<p>Bays and containers shall be clearly defined and labelled to identify the wastes stored within them</p>
<p>d) Waste Dispatch procedures</p>	<p>All wastes dispatched from the site shall be inspected prior to confirm their description and composition</p>
<p>e) Incompatible wastes</p>	<p>Incompatible wastes that are likely in combination with each other or other materials at the facility, to give rise to pollution of the environment or harm to human health outside the site shall be clearly identified and kept physically separated in designated areas</p>

4.5 Waste Quantity Measurement Systems

Means of Measurement

4.5.1

All waste accepted at and despatched from the site shall be measured in accordance with the following requirements allocation of an EWC

General waste

20 03 01 general mixed waste including commercial waste and municipal waste. This code should also be used for DMR (Dry Mixed Recycling) where it is not just mixed packaging (15 01 06), but a brief written description should identify it as DMR.

20 01 01 paper and cardboard

20 01 02 glass

Construction waste

17 01 01 concrete

17 01 02 bricks

17 01 03 tiles and ceramics

17 01 06* mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances

17 01 07 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06

17 02 01 wood

17 02 02 glass

17 02 03 plastic

Packaging waste

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 03 wooden packaging

15 01 04 metallic packaging

15 01 05 composite packaging

15 01 06 mixed packaging

15 01 07 glass packaging

- a) The weight of all wastes accepted at and despatched from the site shall be determined by means of a public weighbridge or a

weighbridge or scales located within the site. The weighbridge or scales shall record quantities of wastes in tonnes to an accuracy of 0.01 tonnes or

- b) The following conversion factor shall be used
Waste quantities shall be recorded in cubic meters and measured on the basis of the capacity of a vehicle or container used for transportation. This shall be converted into tonnes on the basis of conversion factors which have been agreed in writing with the agency.

4.6 Storage of Wastes with Specified Hazardous Properties or Forms

4.6.1

Notwithstanding the specification of permitted waste types under condition 1.2 wastes displaying any hazardous properties or forms specified in Table 4.6 shall only be handled and /or stored on the site in accordance with the standards specified in Table 4.6 below:

Waste	Specified Standards
a) Asbestos	All waste suspected of containing asbestos will be treated as such. Procedures for dealing with asbestos will be followed all suspected materials will be double bagged and disposed of by an Environmental Agency approved company.
b) Unknown liquid waste	Any unknown liquid wastes will be identified and disposed of using the proper methods and procedures
c) Paint or other liquids	All paint tins or other type materials will be checked for contains any residual paint or substance will be removed and disposed of

restricted from landfill	by an Environmental Agency approved company.
d) End of life tyres	All end of life tyres shall be quarantined and disposed of using an Environmental Agency approved site.
e) Gas bottles and Batteries	All gas bottles and batteries shall be removed quarantined in the appropriate container or cage and disposed of using an Environmental Agency approved company.
f) Wastes that are likely to attract vermin	These wastes are subject to monitoring in accordance with condition 5.3 and shall in any case not stored for longer than 48hrs unless otherwise agreed in writing with the Agency
g) Waste which are likely to attract scavenges	i)These wastes are only permitted: If stored in closed or secure containers; or stored in covered building providing security against vermin or Stored in bays provided with netting or fencing provided security against vermin. ii)These wastes shall be subject to monitoring in accordance with condition 5.3

4.7 Removal of Residual Waste from the Site

4.7.1

In the event that no wastes are received on the site for 3 months and the Agency has reasonable grounds to believe that the importation of wastes shall not resume, then notwithstanding any operational limits on storage times of waste specified in the other conditions of this licence, the

licence holder shall ensure all wastes remaining on site shall be removed by the date specified by the agency in writing. This shall include and engineering containment used ton specified waste management operations and emptying and sealing sumps or interceptors.

5 Site Emissions, Vermin and Litter

5.1 Control of Emissions, Vermin and Litter on Site

5.1.1

No litter, odours, dust and smoke emissions shall leave the site on detection prevention or containment methods highlighted in Table 5.2 will be operated.

5.1.2

All pests such as rodents, birds and insects shall be controlled to ensure no waste leaves the site and there are infestations of pests which could cause nuisance or spread of disease. If pests are seen to be causing a problem conditions in Table 5.2 will come into effect.

Table 5.2 Control of Emissions, Vermin and Litter

a) Odorous Emissions	i) On detection or notification of odorous emissions beyond the boundary of the site an investigation into the cause of the pollution and an action plan to be drafted and implemented to reduce or eliminate the emission immediately.
b) Dust	Any excessive dust shall be dealt with immediately by dowsing down and cleaning the affected area.

	Dust from tipping / loading containers and skips shall be dealt with immediately by dowsing the area with water. (See Appendix F)
c) Vermin	Any infestation of vermin such as insects, birds or rodents shall be dealt with using an appropriately qualified exterminator or company.
d) Litter	The site shall be checked every day for litter any breaches in the engineering controls will be dealt with and any litter leaving the site will be cleared on detection or notification.

5.2.1

All the above incidents will be noted in the site diary or reported to the Environmental Agency

5.3

Monitoring and the control of pest Infestations

5.3.1

Measures shall be implemented and maintained throughout the life of the facility to monitor the presence of pests such as rodents and insects in accordance with section 5.3 of the working plan.

5.4 **Control of Scavenging Birds and other Scavengers**

5.4.1

Measures shall be implemented and maintained throughout the operational life of the facility to control and monitor the presences of scavenging birds and other scavengers on site in accordance with 5.3 of the working plans.

5.5

Control of Litter

5.5.1

Measures shall be implemented and maintained throughout the operational life of the facility in accordance with section 5.4 to prevent the escape of litter from the boundary of the facility.

5.5.2

In the event of litter escaping from the facility it will be retrieved as soon as practicable and no longer than 1 hour after the end of the working day.

6 Site Records

6.1

Security and availability of Records

Security of Records

6.1.1

All records which are required under the conditions of this licence shall be maintained and kept secure from loss, or damage or deterioration, and shall be kept in accordance with section 6 of the working plan and the requirements specified in table 6.1 below

Table 6.1 Standard of Record Keeping

Site Records	Specified Standards
Waste Accepted at the site Waste rejected Waster Dispatched from the site Site Diaries	1. All waste shall be stored either: a) On paper in a secure cabinet or cupboard: or b) A computer storage electronic form with back up.

	2. Records shall be kept for a minimum of 2 years
--	---

6.2

Records of Waste Movements

Recording of waste accepted and removed

6.2.1

A record shall be kept of each load accepted and of waste removed from the site. The records shall include the following details.

- a) Loads in: - Nature (solid sludge or Liquid), waste type as specified under condition 1.2, quantity (tonnes), date received, date accepted.
- b) Loads out: - Nature (solid sludge or Liquid), waste type as specified under condition 1.2, quantity of waste removed(tonnes), date removed.

Summery records of Wastes Accepted and Removed

6.2.2

A summery record of the waste types and quantities accepted and removed from the site shall be made for each quarter of the financial year and shall be submitted to the Environmental Agency within 1 month following end of that quarter. The summery record shall be in the format detailed by the Environmental Agency.

6.3 Site Diary

6.3.1

A site diary shall be kept secure and shall be available for inspection at the site when required by the authorised officer of the

environmental agency. This shall include a record of the following events in accordance with the other conditions of the licence.

- a) Construction Work
- b) Start and finish of daily waste activities
- c) Maintenance
- d) Breakdowns
- e) Emergencies
- f) Problems with waste received and action taken
- g) Site inspections and consequent actions
- h) Technically competent management attendance
- i) Despatch of records to the Environmental Agency
- j) Severe weather conditions
- k) Complaints about the site operations and actions taken
- l) Environmental problems and remedial actions.

6.3.2

Each record shall be completed within 24 hours of the relevant event.

Appendix M

Permitted Waste

General waste

20 03 01 general mixed waste including commercial waste and municipal waste. This code should also be used for DMR (Dry Mixed Recycling) where it is not just mixed packaging (15 01 06), but a brief written description should identify it as DMR.

20 01 01 paper and cardboard

20 01 02 glass

Construction waste

17 01 01 concrete

17 01 02 bricks

17 01 03 tiles and ceramics

17 01 06* mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances
17 01 07 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02 01 wood
17 02 02 glass
17 02 03 plastic

Packaging waste

15 01 01 paper and cardboard packaging
15 01 02 plastic packaging
15 01 03 wooden packaging
15 01 04 metallic packaging
15 01 05 composite packaging
15 01 06 mixed packaging
15 01 07 glass packaging

LYDNEY HARBOUR ESTATE PLAN

Do not scale from this drawing for construction or acquisition purposes. Responsibility is not accepted for errors made by others in scaling from this drawing. All construction information must be taken from figured dimensions only. All dimensions and levels must be checked on site and discrepancies between drawings and specification must be reported to Lewis Critchley Architects.
 © Copyright Lewis Critchley Architects



--- DEMISE AREA

Red Line Boundary:
 Unit 37 Harbour Road
 Industrial Estate, Lydney,
 GL15 4EJ



Rev.	By	Comment	Date
------	----	---------	------



1 Llanwrthwl Lane,
 Tewkesbury,
 Gloucestershire,
 GL20 9DD
 Telephone: 0128642217
 Email: info@lewisritchleyarchitects.co.uk
 Web: www.lewisritchleyarchitects.co.uk

Client's name:
 Lydney Skiphire


Job Title:
 Unit 37 Harbour Road Industrial Estate,
 Lydney, GL15 4EJ

Drawing Title:
 Site Location Plan

File Number: P010
 Drawn: LMC
 Checked: LMC
 Scale@A1: 1:2500 Date: 10/04/2015
 Drawing No: 00/001 Rev: 1/3



LYDNEY SKIP HIRE PROPOSED SITE PLAN



1. Proposed Site Plan
SCALE - 1 : 500GA1