Comment D3/TP02 verification excavation.	**Project** 223159 – Saunderton
	Photo Plate 2
	Date 15/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D3/TP02/V/N, excavated to 0.8 m BGL.	**Project** 223159 – Saunderton
	Photo Plate 3
	Date 15/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
D3/TP02/V/E, excavated to 1.40 m BGL.	223159 – Saunderton
	Photo Plate 4
	Date 15/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D3/TP02/V/S, excavated to 1.00 - 1.40 m BGL.	**Project** 223159 – Saunderton
	Photo Plate 5
	Date 15/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D3/TP02/V/W, excavated to 1.10 m BGL.	**Project** 223159 – Saunderton
	Photo Plate 6
	Date 15/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment

D3/TP02/V/B, excavated to 0.90 m.

Project
223159 – Saunderton

Photo Plate
7

Date
15/06/2022

Originator
Kieran Evans

AA Environmental Limited
Units 4-8 Cholswell Court
Shippon, Abingdon
OX13 6HX
T: (01235) 536042
F: (01235) 523849
info@aae-ltd.co.uk
www.aae-ltd.co.uk

Comment D5/TP04 V/W1.	**Project** 223159 – Saunderton
	Photo Plate 3
	Date 05/07/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D5/TP04 V/B1.	**Project** 223159 – Saunderton
	Photo Plate 4
	Date 05/07/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6-TP02, TP03, and TP05 general dig.	**Project** 223159 - Saunderton
	Photo Plate 1
	Date 22/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6-TP02, TP03, and TP05 general dig.	**Project** 223159 - Saunderton
	Photo Plate 2
	Date 22/06/2022
	Originator Jack Taylor
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6-TP02, TP03, and TP05 general dig.	**Project** 223159 – Saunderton
	Photo Plate 3
	Date 22/06/2022
	Originator Jack Taylor
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP02 V/B1.	**Project** 223159 – Saunderton
	Photo Plate 4
	Date 22/06/2022
	Originator Jack Taylor
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP02 V/E.	**Project** 223159 – Saunderton
	Photo Plate 5
	Date 22/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP02 V/N.	**Project** 223159 – Saunderton
	Photo Plate 6
	Date 22/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP03 V/B1.	**Project** 223159 – Saunderton
	Photo Plate 7
	Date 28/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP03 V/E	**Project** 223159 – Saunderton
	Photo Plate 8
	Date 28/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP03 V/S.	**Project** 223159 – Saunderton
	Photo Plate 9
	Date 28/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP05 V/B1	**Project** 223159 – Saunderton
	Photo Plate 10
	Date 22/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP05 V/S.	**Project** 223159 – Saunderton
	Photo Plate 11
	Date 22/06/22
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment D6/TP05 V/W.	**Project** 223159 – Saunderton
	Photo Plate 12
	Date 22/06/2022
	Originator Jack Taylor
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
E5TP01 verification area prior to excavation.	223159 - Saunderton
	Photo Plate 1
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

AAe
Environmental Consultants

Comment E5/TP01 verification area during excavation, noting stained material was observed – potential contamination.	**Project** 223159 - Saunderton
	Photo Plate 2
	Date 28/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 stained material.	**Project** 223159 – Saunderton
	Photo Plate 3
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 excavation of potential contamination hotspot(s).	**Project** 223159 – Saunderton
	Photo Plate 4
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 Hotspot 1.	**Project** 223159 – Saunderton
	Photo Plate 5
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/B1.	**Project** 223159 – Saunderton
	Photo Plate 6
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/B1 arisings – staining observed.	**Project** 223159 – Saunderton
	Photo Plate 7
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
E5/TP01 V/B2 sampling point (outlined in red).	223159 – Saunderton
	Photo Plate 8
	Date 28/06/2022
	Originator Kieran Evans

AA Environmental Limited
Units 4-8 Cholswell Court
Shippon, Abingdon
OX13 6HX
T: (01235) 536042
F: (01235) 523849
info@aae-ltd.co.uk
www.aae-ltd.co.uk

Comment E5/TP01 V/B2 natural material.	**Project** 223159 – Saunderton
	Photo Plate 9
	Date 28/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/B3.	**Project** 223159 – Saunderton
	Photo Plate 10
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/B4.	**Project** 223159 – Saunderton
	Photo Plate 11
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/B4 arisings.	**Project** 223159 – Saunderton
	Photo Plate 12
	Date 29/06/22
	Originator Kieran Evans
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
E5/TP01 V/E1 sampling area (outlined in red).	223159 – Saunderton
	Photo Plate 13
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Environmental Consultants

Comment E5/TP01 V/E2.	**Project** 223159 – Saunderton
	Photo Plate 14
	Date 23/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
E5/TP01 V/E3 (outlined in red).	223159 – Saunderton
	Photo Plate 15
	Date 29/06/2022
	Originator Kieran Evans
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/E3 arisings.	**Project** 223159 – Saunderton
	Photo Plate 16
	Date 29/06/22
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/E4.	**Project** 223159 – Saunderton
	Photo Plate 17
	Date 30/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 – view from V/E4 facing southwards.	**Project** 223159 – Saunderton
	Photo Plate 18
	Date 30/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/N1.	**Project** 223159 – Saunderton
	Photo Plate 19
	Date 30/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	**Project**
E5/TP01 view facing southwards from V/N1.	223159 – Saunderton
	Photo Plate
	20
	Date
	30/06/2022
	Originator
	Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Environmental Consultants

Comment E5/TP01 V/S1.	**Project** 223159 – Saunderton
	Photo Plate 21
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/S2 (outlined in red).	**Project** 223159 – Saunderton
	Photo Plate 22
	Date 30/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

#

Comment E5/TP01 V/S2 arisings.	**Project** 223159 – Saunderton
	Photo Plate 23
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/W1 (outlined in red).	**Project** 223159 – Saunderton
	Photo Plate 24
	Date 28/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/W2.	**Project** 223159 – Saunderton
	Photo Plate 25
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/W3.	**Project** 223159 – Saunderton
	Photo Plate 26
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/W4.	**Project** 223159 – Saunderton
	Photo Plate 27
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment E5/TP01 V/W4 arisings	**Project** 223159 – Saunderton
	Photo Plate 28
	Date 30/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
Fuel tank prior to decommissioning and excavation.	223159 - Saunderton
	Photo Plate 1
	Date 29/06/2022
	Originator Kieran Evans

AA Environmental Limited
Units 4-8 Cholswell Court
Shippon, Abingdon
OX13 6HX
T: (01235) 536042
F: (01235) 523849
info@aae-ltd.co.uk
www.aae-ltd.co.uk

Comment	Project
Fuel tank hotspot after the excavation and removal.	223159 - Saunderton
	Photo Plate 2
	Date 29/06/2022
	Originator Kieran Evans
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment Fuel tank base (B1) arisings.	**Project** 223159 – Saunderton
	Photo Plate 3
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
Fuel tank hotspot full excavation – sample points B2, E1, S1, and W1 are visible.	223159 – Saunderton
	Photo Plate 4
	Date 29/06/2022
	Originator Kieran Evans
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment Fuel tank base (B2) arisings.	**Project** 223159 – Saunderton
	Photo Plate 5
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment Fuel tank excavation E1 arisings.	**Project** 223159 – Saunderton
	Photo Plate 6
	Date 29/06/2022
	Originator Kieran Evans
	Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment Fuel tank excavation W1 arisings.	**Project** 223159 – Saunderton
	Photo Plate 7
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment Fuel tank excavation N1 arisings.	**Project** 223159 – Saunderton
	Photo Plate 8
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment Fuel tank excavation S1 arisings.	**Project** 223159 – Saunderton
	Photo Plate 9
	Date 29/06/2022
	Originator Kieran Evans
	AA Environmental Limited Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Comment	Project
Fuel tank hotspot full excavation – sample points B2, W1, and N1 are visible	223159 – Saunderton
	Photo Plate 10
	Date 29/06/2022
	Originator Kieran Evans
	AAe Environmental Consultants **AA Environmental Limited** Units 4-8 Cholswell Court Shippon, Abingdon OX13 6HX T: (01235) 536042 F: (01235) 523849 info@aae-ltd.co.uk www.aae-ltd.co.uk

Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

Final Report

Report No.:	22-22310-1
Initial Date of Issue:	21-Jun-2022
Client	AA Environmental Ltd
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX
Contact(s):	Reporting
Project	223159 Saunderton

Quotation No.:		**Date Received:**	16-Jun-2022
Order No.:		**Date Instructed:**	16-Jun-2022
No. of Samples:	5		
Turnaround (Wkdays):	4	**Results Due:**	21-Jun-2022
Date Approved:	21-Jun-2022		

Approved By:

Details: Stuart Henderson, Technical Manager

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd				**Chemtest Job No.:**	22-22310	22-22310	22-22310	22-22310	22-22310
Quotation No.:				**Chemtest Sample ID.:**	1448915	1448916	1448917	1448918	1448919
Order No.:				Client Sample Ref.:	D3/TP02/V/N	D3/TP02/V/E	D3/TP02/V/S	D3/TP02/V/W	D3/TP02/V/B
				Sample Type:	SOIL	SOIL	SOIL	SOIL	SOIL
				Top Depth (m):	0.80	1.40	1.00	1.20	0.90
				Date Sampled:	15-Jun-2022	15-Jun-2022	15-Jun-2022	15-Jun-2022	15-Jun-2022
				Asbestos Lab:	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB
Determinand	**Accred.**	**SOP**	**Units**	**LOD**					
ACM Type	U	2192		N/A	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	21	19	19	22	20
Soil Colour	N	2040		N/A	White	White	White	White	Brown
Other Material	N	2040		N/A	None	None	None	None	None
Soil Texture	N	2040		N/A	Clay	Clay	Clay	Clay	Clay
pH	M	2010		4.0	9.3	9.7	9.3	9.1	8.8
Boron (Hot Water Soluble)	M	2120	mg/kg	0.40	< 0.40	< 0.40	< 0.40	< 0.40	< 0.40
Sulphate (2:1 Water Soluble) as SO4	M	2120	g/l	0.010	< 0.010	0.015	0.017	0.15	0.098
Cyanide (Total)	M	2300	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Sulphide (Easily Liberatable)	N	2325	mg/kg	0.50	1.2	0.85	4.2	0.68	1.6
Arsenic	M	2455	mg/kg	0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.6
Cadmium	M	2455	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Chromium	M	2455	mg/kg	0.5	1.1	0.8	0.5	0.7	1.1
Copper	M	2455	mg/kg	0.50	0.99	2.2	0.76	1.2	1.2
Mercury	M	2455	mg/kg	0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Nickel	M	2455	mg/kg	0.50	1.5	1.6	1.1	1.4	1.3
Lead	M	2455	mg/kg	0.50	1.0	1.9	0.55	0.93	1.6
Selenium	M	2455	mg/kg	0.25	< 0.25	< 0.25	< 0.25	< 0.25	< 0.25
Vanadium	U	2455	mg/kg	0.5	1.5	1.4	0.6	1.1	1.6
Zinc	M	2455	mg/kg	0.50	5.1	8.3	11	5.4	4.6
Chromium (Hexavalent)	N	2490	mg/kg	0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Total Organic Carbon	M	2625	%	0.20	1.3	1.6	0.29	< 0.20	0.62
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-22310	22-22310	22-22310	22-22310	22-22310
Quotation No.:			**Chemtest Sample ID.:**		1448915	1448916	1448917	1448918	1448919
Order No.:			Client Sample Ref.:		D3/TP02/V/N	D3/TP02/V/E	D3/TP02/V/S	D3/TP02/V/W	D3/TP02/V/B
			Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL
			Top Depth (m):		0.80	1.40	1.00	1.20	0.90
			Date Sampled:		15-Jun-2022	15-Jun-2022	15-Jun-2022	15-Jun-2022	15-Jun-2022
			Asbestos Lab:		NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB
Determinand	**Accred.**	**SOP**	**Units**	**LOD**					
Aromatic TPH >C21-C35	M	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	< 10	< 10	< 10
Naphthalene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Acenaphthylene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Acenaphthene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluorene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Phenanthrene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Anthracene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Fluoranthene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	0.71	< 0.10
Pyrene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	0.76	< 0.10
Benzo[a]anthracene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Chrysene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Benzo[b]fluoranthene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Benzo[k]fluoranthene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Benzo[a]pyrene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Indeno(1,2,3-c,d)Pyrene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Dibenz(a,h)Anthracene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Benzo[g,h,i]perylene	M	2700	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Total Of 16 PAH's	M	2700	mg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Total Phenols	M	2920	mg/kg	0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10

Test Methods

SOP	Title	Parameters included	Method summary
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2120	Water Soluble Boron, Sulphate, Magnesium & Chromium	Boron; Sulphate; Magnesium; Chromium	Aqueous extraction / ICP-OES
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2300	Cyanides & Thiocyanate in Soils	Free (or easy liberatable) Cyanide; total Cyanide; complex Cyanide; Thiocyanate	Allkaline extraction followed by colorimetric determination using Automated Flow Injection Analyser.
2325	Sulphide in Soils	Sulphide	Steam distillation with sulphuric acid / analysis by 'Aquakem 600' Discrete Analyser, using N,N–dimethyl-p-phenylenediamine.
2490	Hexavalent Chromium in Soils	Chromium [VI]	Soil extracts are prepared by extracting dried and ground soil samples into boiling water. Chromium [VI] is determined by 'Aquakem 600' Discrete Analyser using 1,5-diphenylcarbazide.
2625	Total Organic Carbon in Soils	Total organic Carbon (TOC)	Determined by high temperature combustion under oxygen, using an Eltra elemental analyser.
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2700	Speciated Polynuclear Aromatic Hydrocarbons (PAH) in Soil by GC-FID	Acenaphthene; Acenaphthylene; Anthracene; Benzo[a]Anthracene; Benzo[a]Pyrene; Benzo[b]Fluoranthene; Benzo[ghi]Perylene; Benzo[k]Fluoranthene; Chrysene; Dibenz[ah]Anthracene; Fluoranthene; Fluorene; Indeno[123cd]Pyrene; Naphthalene; Phenanthrene; Pyrene	Dichloromethane extraction / GC-FID (GC-FID detection is non-selective and can be subject to interference from co-eluting compounds)
2920	Phenols in Soils by HPLC	Phenolic compounds including Resorcinol, Phenol, Methylphenols, Dimethylphenols, 1-Naphthol and TrimethylphenolsNote: chlorophenols are excluded.	60:40 methanol/water mixture extraction, followed by HPLC determination using electrochemical detection.

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

eurofins | Chemtest
Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

UKAS TESTING
2183

Final Report

Report No.:	22-23674-1
Initial Date of Issue:	28-Jun-2022
Client	AA Environmental Ltd
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX
Contact(s):	Reporting
Project	223159 Saunderton

Quotation No.:		**Date Received:**	24-Jun-2022
Order No.:	223159	**Date Instructed:**	24-Jun-2022
No. of Samples:	6		
Turnaround (Wkdays):	3	**Results Due:**	28-Jun-2022
Date Approved:	28-Jun-2022		

Approved By:

Details: Stuart Henderson, Technical Manager

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-23674	22-23674	22-23674	22-23674	22-23674	22-23674
Quotation No.:		**Chemtest Sample ID.:**			1454825	1454826	1454827	1454828	1454829	1454830
Order No.: 223159		Client Sample Ref.:			VN	VE	B1	VW	VS	B1
		Sample Location:			D6-TP02	D6-TP02	D6-TP02	D6-TP05	D6-TP05	D6-TP05
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Top Depth (m):			0.3	0.3	0.7	0.3	0.3	0.7
		Bottom Depth (m):			0.5	0.5		0.5	0.5	
		Date Sampled:			22-Jun-2022	22-Jun-2022	22-Jun-2022	22-Jun-2022	22-Jun-2022	22-Jun-2022
		Asbestos Lab:			NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB
Determinand	**Accred.**	**SOP**	**Units**	**LOD**						
ACM Type	U	2192		N/A	-	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	8.7	9.0	8.3	9.0	7.3	10
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	6.5
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	11
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	8.8
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	300	< 1.0	180
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	300	< 5.0	210
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	73
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	73
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	< 10	300	< 10	280

Test Methods

SOP	Title	Parameters included	Method summary
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

Final Report

Report No.:	22-24545-1
Initial Date of Issue:	05-Jul-2022
Client	AA Environmental Ltd
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX
Contact(s):	Reporting
Project	223159 Saunderton

Quotation No.:		**Date Received:**	30-Jun-2022
Order No.:		**Date Instructed:**	30-Jun-2022
No. of Samples:	10		
Turnaround (Wkdays):	4	**Results Due:**	05-Jul-2022
Date Approved:	05-Jul-2022		

Approved By:

Details: Stuart Henderson, Technical Manager

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		Chemtest Job No.:			22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545
Quotation No.:		Chemtest Sample ID.:			1458519	1458520	1458521	1458522	1458523	1458524	1458525	1458526	1458527
Order No.:		Client Sample Ref.:			E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	D6/TP03	D6/TP03	D6/TP03
		Client Sample ID.:			V/B1	V/B2	V/B3	V/E1	V/E2	V/W1	V/B1	V/VS	V/VE
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Date Sampled:			28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022
		Asbestos Lab:									COVENTRY	COVENTRY	COVENTRY
Determinand	**Accred.**	**SOP**	**Units**	**LOD**									
ACM Type	U	2192		N/A							-	-	-
Asbestos Identification	U	2192		N/A							No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	17	18	16	19	13	18	15	18	16
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	5.4	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	23	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	86	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	430	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	2300	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	2900	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	12	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	740	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	750	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	3600	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Dichlorodifluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Chloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Vinyl Chloride	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Bromomethane	U	2760	µg/kg	20	< 20	< 20	< 20	< 20	< 20	< 20			
Chloroethane	U	2760	µg/kg	2.0	8.8	< 2.0	2.7	< 2.0	< 2.0	31			
Trichlorofluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,1-Dichloroethene	U	2760	µg/kg	1.0	260	< 1.0	150	< 1.0	< 1.0	< 1.0			
Trans 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,1-Dichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
cis 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Bromochloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0			
Trichloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,1,1-Trichloroethane	U	2760	µg/kg	1.0	170	< 1.0	64	< 1.0	< 1.0	220			
Tetrachloromethane	U	2760	µg/kg	1.0	180	< 1.0	65	< 1.0	< 1.0	200			
1,1-Dichloropropene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Benzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd					Chemtest Job No.:	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545
Quotation No.:					Chemtest Sample ID.:	1458519	1458520	1458521	1458522	1458523	1458524	1458525	1458526	1458527
Order No.:					Client Sample Ref.:	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	D6/TP03	D6/TP03	D6/TP03
					Client Sample ID.:	V/B1	V/B2	V/B3	V/E1	V/E2	V/W1	V/B1	V/VS	V/VE
					Sample Type:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
					Date Sampled:	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022
					Asbestos Lab:							COVENTRY	COVENTRY	COVENTRY
Determinand	**Accred.**	**SOP**	**Units**	**LOD**										
1,2-Dichloroethane	U	2760	µg/kg	2.0		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	3.2			
Trichloroethene	N	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,2-Dichloropropane	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Dibromomethane	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Bromodichloromethane	U	2760	µg/kg	5.0		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0			
cis-1,3-Dichloropropene	N	2760	µg/kg	10		< 10	< 10	< 10	< 10	< 10	< 10			
Toluene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Trans-1,3-Dichloropropene	N	2760	µg/kg	10		< 10	< 10	< 10	< 10	< 10	< 10			
1,1,2-Trichloroethane	U	2760	µg/kg	10		< 10	< 10	< 10	< 10	< 10	< 10			
Tetrachloroethene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.6			
1,3-Dichloropropane	U	2760	µg/kg	2.0		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0			
Dibromochloromethane	U	2760	µg/kg	10		< 10	< 10	< 10	< 10	< 10	< 10			
1,2-Dibromoethane	U	2760	µg/kg	5.0		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0			
Chlorobenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,1,1,2-Tetrachloroethane	U	2760	µg/kg	2.0		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0			
Ethylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.8			
m & p-Xylene	U	2760	µg/kg	1.0		< 1.0	< 1.0	4.1	< 1.0	< 1.0	3.7			
o-Xylene	U	2760	µg/kg	1.0		2.6	< 1.0	4.6	< 1.0	< 1.0	< 1.0			
Styrene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Tribromomethane	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Isopropylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Bromobenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,2,3-Trichloropropane	N	2760	µg/kg	50		< 50	< 50	< 50	< 50	< 50	< 50			
N-Propylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
2-Chlorotoluene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,3,5-Trimethylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
4-Chlorotoluene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Tert-Butylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,2,4-Trimethylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Sec-Butylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,3-Dichlorobenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
4-Isopropyltoluene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,4-Dichlorobenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
N-Butylbenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,2-Dichlorobenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,2-Dibromo-3-Chloropropane	U	2760	µg/kg	50		< 50	< 50	< 50	< 50	< 50	< 50			
1,2,4-Trichlorobenzene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
Hexachlorobutadiene	U	2760	µg/kg	1.0		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
1,2,3-Trichlorobenzene	U	2760	µg/kg	2.0		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0			

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545
Quotation No.:			**Chemtest Sample ID.:**		1458519	1458520	1458521	1458522	1458523	1458524	1458525	1458526	1458527
Order No.:			Client Sample Ref.:		E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	D6/TP03	D6/TP03	D6/TP03
			Client Sample ID.:		V/B1	V/B2	V/B3	V/E1	V/E2	V/W1	V/B1	V/VS	V/VE
			Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
			Date Sampled:		28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022
			Asbestos Lab:								COVENTRY	COVENTRY	COVENTRY
Determinand	**Accred.**	**SOP**	**Units**	**LOD**									
Methyl Tert-Butyl Ether	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0			
N-Nitrosodimethylamine	U	2790	mg/kg	0.50									
Phenol	U	2790	mg/kg	0.50									
2-Chlorophenol	U	2790	mg/kg	0.50									
Bis-(2-Chloroethyl)Ether	U	2790	mg/kg	0.50									
1,3-Dichlorobenzene	U	2790	mg/kg	0.50									
1,4-Dichlorobenzene	N	2790	mg/kg	0.50									
1,2-Dichlorobenzene	U	2790	mg/kg	0.50									
2-Methylphenol	U	2790	mg/kg	0.50									
Bis(2-Chloroisopropyl)Ether	U	2790	mg/kg	0.50									
Hexachloroethane	N	2790	mg/kg	0.50									
N-Nitrosodi-n-propylamine	U	2790	mg/kg	0.50									
4-Methylphenol	U	2790	mg/kg	0.50									
Nitrobenzene	U	2790	mg/kg	0.50									
Isophorone	U	2790	mg/kg	0.50									
2-Nitrophenol	N	2790	mg/kg	0.50									
2,4-Dimethylphenol	N	2790	mg/kg	0.50									
Bis(2-Chloroethoxy)Methane	U	2790	mg/kg	0.50									
2,4-Dichlorophenol	U	2790	mg/kg	0.50									
1,2,4-Trichlorobenzene	U	2790	mg/kg	0.50									
Naphthalene	U	2790	mg/kg	0.50									
4-Chloroaniline	N	2790	mg/kg	0.50									
Hexachlorobutadiene	U	2790	mg/kg	0.50									
4-Chloro-3-Methylphenol	U	2790	mg/kg	0.50									
2-Methylnaphthalene	U	2790	mg/kg	0.50									
4-Nitrophenol	N	2790	mg/kg	0.50									
Hexachlorocyclopentadiene	N	2790	mg/kg	0.50									
2,4,6-Trichlorophenol	U	2790	mg/kg	0.50									
2,4,5-Trichlorophenol	U	2790	mg/kg	0.50									
2-Chloronaphthalene	U	2790	mg/kg	0.50									
2-Nitroaniline	U	2790	mg/kg	0.50									
Acenaphthylene	U	2790	mg/kg	0.50									
Dimethylphthalate	U	2790	mg/kg	0.50									
2,6-Dinitrotoluene	U	2790	mg/kg	0.50									
Acenaphthene	U	2790	mg/kg	0.50									
3-Nitroaniline	N	2790	mg/kg	0.50									
Dibenzofuran	U	2790	mg/kg	0.50									
4-Chlorophenylphenylether	U	2790	mg/kg	0.50									
2,4-Dinitrotoluene	U	2790	mg/kg	0.50									

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545	22-24545
Quotation No.:			**Chemtest Sample ID.:**		1458519	1458520	1458521	1458522	1458523	1458524	1458525	1458526	1458527
Order No.:			Client Sample Ref.:		E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	D6/TP03	D6/TP03	D6/TP03
			Client Sample ID.:		V/B1	V/B2	V/B3	V/E1	V/E2	V/W1	V/B1	V/VS	V/VE
			Sample Type:		SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
			Date Sampled:		28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022	28-Jun-2022
			Asbestos Lab:								COVENTRY	COVENTRY	COVENTRY
Determinand	**Accred.**	**SOP**	**Units**	**LOD**									
Fluorene	U	2790	mg/kg	0.50									
Diethyl Phthalate	U	2790	mg/kg	0.50									
4-Nitroaniline	U	2790	mg/kg	0.50									
2-Methyl-4,6-Dinitrophenol	N	2790	mg/kg	0.50									
Azobenzene	U	2790	mg/kg	0.50									
4-Bromophenylphenyl Ether	U	2790	mg/kg	0.50									
Hexachlorobenzene	U	2790	mg/kg	0.50									
Pentachlorophenol	N	2790	mg/kg	0.50									
Phenanthrene	U	2790	mg/kg	0.50									
Anthracene	U	2790	mg/kg	0.50									
Carbazole	U	2790	mg/kg	0.50									
Di-N-Butyl Phthalate	U	2790	mg/kg	0.50									
Fluoranthene	U	2790	mg/kg	0.50									
Pyrene	U	2790	mg/kg	0.50									
Butylbenzyl Phthalate	U	2790	mg/kg	0.50									
Benzo[a]anthracene	U	2790	mg/kg	0.50									
Chrysene	U	2790	mg/kg	0.50									
Bis(2-Ethylhexyl)Phthalate	N	2790	mg/kg	0.50									
Di-N-Octyl Phthalate	U	2790	mg/kg	0.50									
Benzo[b]fluoranthene	U	2790	mg/kg	0.50									
Benzo[k]fluoranthene	U	2790	mg/kg	0.50									
Benzo[a]pyrene	U	2790	mg/kg	0.50									
Indeno(1,2,3-c,d)Pyrene	U	2790	mg/kg	0.50									
Dibenz(a,h)Anthracene	U	2790	mg/kg	0.50									
Benzo[g,h,i]perylene	U	2790	mg/kg	0.50									

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-24545
Quotation No.:			**Chemtest Sample ID.:**		1458528
Order No.:			Client Sample Ref.:		E5/TP01
			Client Sample ID.:		Hotspot 1
			Sample Type:		SOIL
			Date Sampled:		28-Jun-2022
			Asbestos Lab:		
Determinand	**Accred.**	**SOP**	**Units**	**LOD**	
ACM Type	U	2192		N/A	
Asbestos Identification	U	2192		N/A	
Moisture	N	2030	%	0.020	29
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	92
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	2700
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	2800
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	2900
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	3400
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	9900
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	90000
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	110000
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	580
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	7000
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	3500
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	3500
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	1400
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	6400
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	940
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	23000
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	130000
Dichlorodifluoromethane	U	2760	µg/kg	1.0	< 1.0
Chloromethane	U	2760	µg/kg	1.0	27
Vinyl Chloride	U	2760	µg/kg	1.0	< 1.0
Bromomethane	U	2760	µg/kg	20	< 20
Chloroethane	U	2760	µg/kg	2.0	2100
Trichlorofluoromethane	U	2760	µg/kg	1.0	< 1.0
1,1-Dichloroethene	U	2760	µg/kg	1.0	5000
Trans 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0
1,1-Dichloroethane	U	2760	µg/kg	1.0	8300000
cis 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0
Bromochloromethane	U	2760	µg/kg	5.0	< 5.0
Trichloromethane	U	2760	µg/kg	1.0	49
1,1,1-Trichloroethane	U	2760	µg/kg	1.0	18000000
Tetrachloromethane	U	2760	µg/kg	1.0	16000000
1,1-Dichloropropene	U	2760	µg/kg	1.0	< 1.0
Benzene	U	2760	µg/kg	1.0	130

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-24545
Quotation No.:			**Chemtest Sample ID.:**		1458528
Order No.:			Client Sample Ref.:		E5/TP01
			Client Sample ID.:		Hotspot 1
			Sample Type:		SOIL
			Date Sampled:		28-Jun-2022
			Asbestos Lab:		
Determinand	**Accred.**	**SOP**	**Units**	**LOD**	
1,2-Dichloroethane	U	2760	µg/kg	2.0	40000
Trichloroethene	N	2760	µg/kg	1.0	22
1,2-Dichloropropane	U	2760	µg/kg	1.0	< 1.0
Dibromomethane	U	2760	µg/kg	1.0	< 1.0
Bromodichloromethane	U	2760	µg/kg	5.0	< 5.0
cis-1,3-Dichloropropene	N	2760	µg/kg	10	< 10
Toluene	U	2760	µg/kg	1.0	37000
Trans-1,3-Dichloropropene	N	2760	µg/kg	10	< 10
1,1,2-Trichloroethane	U	2760	µg/kg	10	1900
Tetrachloroethene	U	2760	µg/kg	1.0	230000
1,3-Dichloropropane	U	2760	µg/kg	2.0	< 2.0
Dibromochloromethane	U	2760	µg/kg	10	< 10
1,2-Dibromoethane	U	2760	µg/kg	5.0	< 5.0
Chlorobenzene	U	2760	µg/kg	1.0	< 1.0
1,1,1,2-Tetrachloroethane	U	2760	µg/kg	2.0	< 2.0
Ethylbenzene	U	2760	µg/kg	1.0	290000
m & p-Xylene	U	2760	µg/kg	1.0	680000
o-Xylene	U	2760	µg/kg	1.0	130000
Styrene	U	2760	µg/kg	1.0	< 1.0
Tribromomethane	U	2760	µg/kg	1.0	< 1.0
Isopropylbenzene	U	2760	µg/kg	1.0	280
Bromobenzene	U	2760	µg/kg	1.0	10000
1,2,3-Trichloropropane	N	2760	µg/kg	50	< 50
N-Propylbenzene	U	2760	µg/kg	1.0	1100
2-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0
1,3,5-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0
4-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0
Tert-Butylbenzene	U	2760	µg/kg	1.0	120
1,2,4-Trimethylbenzene	U	2760	µg/kg	1.0	190
Sec-Butylbenzene	U	2760	µg/kg	1.0	190
1,3-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0
4-Isopropyltoluene	U	2760	µg/kg	1.0	120
1,4-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0
N-Butylbenzene	U	2760	µg/kg	1.0	210
1,2-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0
1,2-Dibromo-3-Chloropropane	U	2760	µg/kg	50	< 50
1,2,4-Trichlorobenzene	U	2760	µg/kg	1.0	< 1.0
Hexachlorobutadiene	U	2760	µg/kg	1.0	< 1.0
1,2,3-Trichlorobenzene	U	2760	µg/kg	2.0	< 2.0

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-24545
Quotation No.:			**Chemtest Sample ID.:**		1458528
Order No.:			Client Sample Ref.:		E5/TP01
			Client Sample ID.:		Hotspot 1
			Sample Type:		SOIL
			Date Sampled:		28-Jun-2022
			Asbestos Lab:		
Determinand	**Accred.**	**SOP**	**Units**	**LOD**	
Methyl Tert-Butyl Ether	U	2760	µg/kg	1.0	< 1.0
N-Nitrosodimethylamine	U	2790	mg/kg	0.50	< 0.50
Phenol	U	2790	mg/kg	0.50	18
2-Chlorophenol	U	2790	mg/kg	0.50	< 0.50
Bis-(2-Chloroethyl)Ether	U	2790	mg/kg	0.50	< 0.50
1,3-Dichlorobenzene	U	2790	mg/kg	0.50	< 0.50
1,4-Dichlorobenzene	N	2790	mg/kg	0.50	< 0.50
1,2-Dichlorobenzene	U	2790	mg/kg	0.50	< 0.50
2-Methylphenol	U	2790	mg/kg	0.50	5.2
Bis(2-Chloroisopropyl)Ether	U	2790	mg/kg	0.50	< 0.50
Hexachloroethane	N	2790	mg/kg	0.50	< 0.50
N-Nitrosodi-n-propylamine	U	2790	mg/kg	0.50	< 0.50
4-Methylphenol	U	2790	mg/kg	0.50	110
Nitrobenzene	U	2790	mg/kg	0.50	< 0.50
Isophorone	U	2790	mg/kg	0.50	< 0.50
2-Nitrophenol	N	2790	mg/kg	0.50	< 0.50
2,4-Dimethylphenol	N	2790	mg/kg	0.50	28
Bis(2-Chloroethoxy)Methane	U	2790	mg/kg	0.50	< 0.50
2,4-Dichlorophenol	U	2790	mg/kg	0.50	< 0.50
1,2,4-Trichlorobenzene	U	2790	mg/kg	0.50	< 0.50
Naphthalene	U	2790	mg/kg	0.50	1.5
4-Chloroaniline	N	2790	mg/kg	0.50	< 0.50
Hexachlorobutadiene	U	2790	mg/kg	0.50	< 0.50
4-Chloro-3-Methylphenol	U	2790	mg/kg	0.50	1.9
2-Methylnaphthalene	U	2790	mg/kg	0.50	2.0
4-Nitrophenol	N	2790	mg/kg	0.50	< 0.50
Hexachlorocyclopentadiene	N	2790	mg/kg	0.50	< 0.50
2,4,6-Trichlorophenol	U	2790	mg/kg	0.50	< 0.50
2,4,5-Trichlorophenol	U	2790	mg/kg	0.50	< 0.50
2-Chloronaphthalene	U	2790	mg/kg	0.50	< 0.50
2-Nitroaniline	U	2790	mg/kg	0.50	1.2
Acenaphthylene	U	2790	mg/kg	0.50	< 0.50
Dimethylphthalate	U	2790	mg/kg	0.50	8.8
2,6-Dinitrotoluene	U	2790	mg/kg	0.50	< 0.50
Acenaphthene	U	2790	mg/kg	0.50	< 0.50
3-Nitroaniline	N	2790	mg/kg	0.50	< 0.50
Dibenzofuran	U	2790	mg/kg	0.50	1.3
4-Chlorophenylphenylether	U	2790	mg/kg	0.50	< 0.50
2,4-Dinitrotoluene	U	2790	mg/kg	0.50	< 0.50

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd			**Chemtest Job No.:**		22-24545
Quotation No.:			**Chemtest Sample ID.:**		1458528
Order No.:			Client Sample Ref.:		E5/TP01
			Client Sample ID.:		Hotspot 1
			Sample Type:		SOIL
			Date Sampled:		28-Jun-2022
			Asbestos Lab:		
Determinand	**Accred.**	**SOP**	**Units**	**LOD**	
Fluorene	U	2790	mg/kg	0.50	< 0.50
Diethyl Phthalate	U	2790	mg/kg	0.50	1.1
4-Nitroaniline	U	2790	mg/kg	0.50	< 0.50
2-Methyl-4,6-Dinitrophenol	N	2790	mg/kg	0.50	< 0.50
Azobenzene	U	2790	mg/kg	0.50	0.81
4-Bromophenylphenyl Ether	U	2790	mg/kg	0.50	< 0.50
Hexachlorobenzene	U	2790	mg/kg	0.50	< 0.50
Pentachlorophenol	N	2790	mg/kg	0.50	< 0.50
Phenanthrene	U	2790	mg/kg	0.50	6.0
Anthracene	U	2790	mg/kg	0.50	1.4
Carbazole	U	2790	mg/kg	0.50	1.4
Di-N-Butyl Phthalate	U	2790	mg/kg	0.50	< 0.50
Fluoranthene	U	2790	mg/kg	0.50	2.4
Pyrene	U	2790	mg/kg	0.50	< 0.50
Butylbenzyl Phthalate	U	2790	mg/kg	0.50	2.9
Benzo[a]anthracene	U	2790	mg/kg	0.50	0.98
Chrysene	U	2790	mg/kg	0.50	2.2
Bis(2-Ethylhexyl)Phthalate	N	2790	mg/kg	0.50	< 0.50
Di-N-Octyl Phthalate	U	2790	mg/kg	0.50	2.2
Benzo[b]fluoranthene	U	2790	mg/kg	0.50	< 0.50
Benzo[k]fluoranthene	U	2790	mg/kg	0.50	< 0.50
Benzo[a]pyrene	U	2790	mg/kg	0.50	< 0.50
Indeno(1,2,3-c,d)Pyrene	U	2790	mg/kg	0.50	< 0.50
Dibenz(a,h)Anthracene	U	2790	mg/kg	0.50	< 0.50
Benzo[g,h,i]perylene	U	2790	mg/kg	0.50	< 0.50

Test Methods

SOP	Title	Parameters included	Method summary
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.
2790	Semi-Volatile Organic Compounds (SVOCs) in Soils by GC-MS	Semi-volatile organic compounds(cf. USEPA Method 8270)	Acetone/Hexane extraction / GC-MS

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

Final Report

Report No.:	22-24772-1
Initial Date of Issue:	05-Jul-2022
Client	AA Environmental Ltd
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX
Contact(s):	Reporting
Project	223159 Sunderton

Quotation No.:		**Date Received:**	01-Jul-2022
Order No.:		**Date Instructed:**	01-Jul-2022
No. of Samples:	7		
Turnaround (Wkdays):	3	**Results Due:**	05-Jul-2022
Date Approved:	05-Jul-2022		

Approved By:

Details: Stuart Henderson, Technical Manager

Results - Soil

Project: 223159 Sunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-24772	22-24772	22-24772	22-24772	22-24772	22-24772	22-24772
Quotation No.:		**Chemtest Sample ID.:**			1459343	1459344	1459345	1459346	1459347	1459348	1459349
Order No.:		Client Sample Ref.:			E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01
		Client Sample ID.:			V/W2	V/W3	V/W4	V/S1	V/S2	V/B4	V/E3
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Date Sampled:			29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022
Determinand	**Accred.**	**SOP**	**Units**	**LOD**							
Moisture	N	2030	%	0.020	16	22	11	19	13	20	18
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.2	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	7.5	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	14	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	5.1	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	210	39	< 1.0	5.3	55	13
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	210	39	< 5.0	35	55	13
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	180	27	26
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	32	17	< 1.0	1700	990	1000
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	37	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	32	17	< 5.0	1900	1000	1000
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	240	56	< 10	2000	1100	1100
Dichlorodifluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl Chloride	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane	U	2760	µg/kg	20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
Chloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Trichlorofluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trans 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromochloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Trichloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,1-Trichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloropropene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Benzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Trichloroethene	N	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dibromomethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Results - Soil

Project: 223159 Sunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-24772	22-24772	22-24772	22-24772	22-24772	22-24772	22-24772
Quotation No.:		**Chemtest Sample ID.:**			1459343	1459344	1459345	1459346	1459347	1459348	1459349
Order No.:		Client Sample Ref.:			E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01	E5/TP01
		Client Sample ID.:			V/W2	V/W3	V/W4	V/S1	V/S2	V/B4	V/E3
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Date Sampled:			29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022
Determinand	**Accred.**	**SOP**	**Units**	**LOD**							
Bromodichloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
cis-1,3-Dichloropropene	N	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Toluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trans-1,3-Dichloropropene	N	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
1,1,2-Trichloroethane	U	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
Tetrachloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichloropropane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Dibromochloromethane	U	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
1,2-Dibromoethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Chlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,1,2-Tetrachloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Ethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
m & p-Xylene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
o-Xylene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Styrene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tribromomethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Isopropylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,3-Trichloropropane	N	2760	µg/kg	50	< 50	< 50	< 50	< 50	< 50	< 50	< 50
N-Propylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3,5-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
4-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tert-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,4-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Sec-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
4-Isopropyltoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
N-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dibromo-3-Chloropropane	U	2760	µg/kg	50	< 50	< 50	< 50	< 50	< 50	< 50	< 50
1,2,4-Trichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Hexachlorobutadiene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,3-Trichlorobenzene	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Methyl Tert-Butyl Ether	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Test Methods

SOP	Title	Parameters included	Method summary
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

Final Report

Report No.:	22-24774-1
Initial Date of Issue:	05-Jul-2022
Client	AA Environmental Ltd
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX
Contact(s):	Reporting
Project	223159 Saunderton

Quotation No.:		**Date Received:**	01-Jul-2022
Order No.:		**Date Instructed:**	01-Jul-2022
No. of Samples:	6		
Turnaround (Wkdays):	3	**Results Due:**	05-Jul-2022
Date Approved:	05-Jul-2022		

Approved By:

Details: Stuart Henderson, Technical Manager

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-24774	22-24774	22-24774	22-24774	22-24774	22-24774
Quotation No.:		**Chemtest Sample ID.:**			1459356	1459357	1459358	1459359	1459360	1459361
		Client Sample ID.:			N1	E1	S1	W1	B1	B2
		Sample Location:			Fuel Tank	Fuel Tank	Fuel Tank	Fuel Tank	Fuel Tank	Fuel Tank
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Date Sampled:			29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022
Determinand	**Accred.**	**SOP**	**Units**	**LOD**						
Moisture	N	2030	%	0.020	8.4	21	26	12	13	22
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	< 10	< 10	< 10	< 10	< 10	< 10
Dichlorodifluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl Chloride	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane	U	2760	µg/kg	20	< 20	< 20	< 20	< 20	< 20	< 20
Chloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Trichlorofluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trans 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromochloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Trichloromethane	U	2760	µg/kg	1.0	< 1.0	8.6	10	< 1.0	8.7	9.4
1,1,1-Trichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloropropene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Benzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.4	< 1.0
1,2-Dichloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Trichloroethene	N	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dibromomethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-24774	22-24774	22-24774	22-24774	22-24774	22-24774
Quotation No.:		**Chemtest Sample ID.:**			1459356	1459357	1459358	1459359	1459360	1459361
		Client Sample ID.:			N1	E1	S1	W1	B1	B2
		Sample Location:			Fuel Tank	Fuel Tank	Fuel Tank	Fuel Tank	Fuel Tank	Fuel Tank
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Date Sampled:			29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022	29-Jun-2022
Determinand	**Accred.**	**SOP**	**Units**	**LOD**						
Bromodichloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
cis-1,3-Dichloropropene	N	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10
Toluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	41	< 1.0
Trans-1,3-Dichloropropene	N	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10
1,1,2-Trichloroethane	U	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10
Tetrachloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichloropropane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Dibromochloromethane	U	2760	µg/kg	10	< 10	< 10	< 10	< 10	< 10	< 10
1,2-Dibromoethane	U	2760	µg/kg	5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Chlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,1,2-Tetrachloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Ethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	42	< 1.0
m & p-Xylene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	200	< 1.0
o-Xylene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	130	< 1.0
Styrene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tribromomethane	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Isopropylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	7.0	< 1.0
Bromobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,3-Trichloropropane	N	2760	µg/kg	50	< 50	< 50	< 50	< 50	< 50	< 50
N-Propylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3,5-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
4-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tert-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,4-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Sec-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
4-Isopropyltoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
N-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dibromo-3-Chloropropane	U	2760	µg/kg	50	< 50	< 50	< 50	< 50	< 50	< 50
1,2,4-Trichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Hexachlorobutadiene	U	2760	µg/kg	1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,3-Trichlorobenzene	U	2760	µg/kg	2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Methyl Tert-Butyl Ether	U	2760	µg/kg	1.0	< 1.0	7.2	9.9	< 1.0	62	25

Test Methods

SOP	Title	Parameters included	Method summary
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

Amended Report

Report No.:	22-24961-5		
Initial Date of Issue:	06-Jul-2022	**Date of Re-Issue:**	07-Jul-2022
Client	AA Environmental Ltd		
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX		
Contact(s):	Reporting		
Project	223159 Saunderton		
Quotation No.:		**Date Received:**	04-Jul-2022
Order No.:		**Date Instructed:**	04-Jul-2022
No. of Samples:	2		
Turnaround (Wkdays):	3	**Results Due:**	06-Jul-2022
Date Approved:	06-Jul-2022		
Approved By:			
Details:	Stuart Henderson, Technical Manager		

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-24961	22-24961
Quotation No.:		**Chemtest Sample ID.:**			1460377	1460378
Order No.:		Client Sample Ref.:			E5/TP01	E5/TP01
		Client Sample ID.:			V/N1	V/E4
		Sample Type:			SOIL	SOIL
		Date Sampled:			30-Jun-2022	30-Jun-2022
Determinand	**Accred.**	**SOP**	**Units**	**LOD**		
Moisture	N	2030	%	0.020	9.6	4.2
Aliphatic TPH >C5-C6	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C6-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aliphatic TPH >C21-C35	U	2680	mg/kg	1.0	430	< 1.0
Aliphatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0
Total Aliphatic Hydrocarbons	N	2680	mg/kg	5.0	430	< 5.0
Aromatic TPH >C5-C7	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C7-C8	N	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C8-C10	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C10-C12	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C12-C16	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C16-C21	U	2680	mg/kg	1.0	< 1.0	< 1.0
Aromatic TPH >C21-C35	U	2680	mg/kg	1.0	7.7	< 1.0
Aromatic TPH >C35-C44	N	2680	mg/kg	1.0	< 1.0	< 1.0
Total Aromatic Hydrocarbons	N	2680	mg/kg	5.0	7.7	< 5.0
Total Petroleum Hydrocarbons	N	2680	mg/kg	10.0	430	< 10
Dichlorodifluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
Chloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
Vinyl Chloride	U	2760	µg/kg	1.0	< 1.0	< 1.0
Bromomethane	U	2760	µg/kg	20	< 20	< 20
Chloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0
Trichlorofluoromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,1-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Trans 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,1-Dichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
cis 1,2-Dichloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Bromochloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0
Trichloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,1,1-Trichloroethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
Tetrachloromethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,1-Dichloropropene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Benzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,2-Dichloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0
Trichloroethene	N	2760	µg/kg	1.0	< 1.0	< 1.0
1,2-Dichloropropane	U	2760	µg/kg	1.0	< 1.0	< 1.0
Dibromomethane	U	2760	µg/kg	1.0	< 1.0	< 1.0

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-24961	22-24961
Quotation No.:		**Chemtest Sample ID.:**			1460377	1460378
Order No.:		Client Sample Ref.:			E5/TP01	E5/TP01
		Client Sample ID.:			V/N1	V/E4
		Sample Type:			SOIL	SOIL
		Date Sampled:			30-Jun-2022	30-Jun-2022
Determinand	**Accred.**	**SOP**	**Units**	**LOD**		
Bromodichloromethane	U	2760	µg/kg	5.0	< 5.0	< 5.0
cis-1,3-Dichloropropene	N	2760	µg/kg	10	< 10	< 10
Toluene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Trans-1,3-Dichloropropene	N	2760	µg/kg	10	< 10	< 10
1,1,2-Trichloroethane	U	2760	µg/kg	10	< 10	< 10
Tetrachloroethene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,3-Dichloropropane	U	2760	µg/kg	2.0	< 2.0	< 2.0
Dibromochloromethane	U	2760	µg/kg	10	< 10	< 10
1,2-Dibromoethane	U	2760	µg/kg	5.0	< 5.0	< 5.0
Chlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,1,1,2-Tetrachloroethane	U	2760	µg/kg	2.0	< 2.0	< 2.0
Ethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
m & p-Xylene	U	2760	µg/kg	1.0	< 1.0	< 1.0
o-Xylene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Styrene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Tribromomethane	U	2760	µg/kg	1.0	< 1.0	< 1.0
Isopropylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Bromobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,2,3-Trichloropropane	N	2760	µg/kg	50	< 50	< 50
N-Propylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
2-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,3,5-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
4-Chlorotoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Tert-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,2,4-Trimethylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Sec-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
4-Isopropyltoluene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
N-Butylbenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,2-Dibromo-3-Chloropropane	U	2760	µg/kg	50	< 50	< 50
1,2,4-Trichlorobenzene	U	2760	µg/kg	1.0	< 1.0	< 1.0
Hexachlorobutadiene	U	2760	µg/kg	1.0	< 1.0	< 1.0
1,2,3-Trichlorobenzene	U	2760	µg/kg	2.0	< 2.0	< 2.0
Methyl Tert-Butyl Ether	U	2760	µg/kg	1.0	< 1.0	< 1.0

Test Methods

SOP	Title	Parameters included	Method summary
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2680	TPH A/A Split	Aliphatics: >C5–C6, >C6–C8,>C8–C10, >C10–C12, >C12–C16, >C16–C21, >C21–C35, >C35– C44Aromatics: >C5–C7, >C7–C8, >C8– C10, >C10–C12, >C12–C16, >C16– C21, >C21– C35, >C35– C44	Dichloromethane extraction / GCxGC FID detection
2760	Volatile Organic Compounds (VOCs) in Soils by Headspace GC-MS	Volatile organic compounds, including BTEX and halogenated Aliphatic/Aromatics.(cf. USEPA Method 8260)*please refer to UKAS schedule	Automated headspace gas chromatographic (GC) analysis of a soil sample, as received, with mass spectrometric (MS) detection of volatile organic compounds.

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

Eurofins Chemtest Ltd
Depot Road
Newmarket
CB8 0AL
Tel: 01638 606070
Email: info@chemtest.com

Final Report

Report No.:	22-25611-1
Initial Date of Issue:	08-Jul-2022
Client	AA Environmental Ltd
Client Address:	Units 4 to 8 Cholswell Court Shippon Abingdon Oxfordshire OX136HX
Contact(s):	Reporting
Project	223159 Saunderton

Quotation No.:		**Date Received:**	07-Jul-2022
Order No.:		**Date Instructed:**	07-Jul-2022
No. of Samples:	6		
Turnaround (Wkdays):	3	**Results Due:**	11-Jul-2022
Date Approved:	08-Jul-2022		

Approved By:

Details: Stuart Henderson, Technical Manager

Results - Soil

Project: 223159 Saunderton

Client: AA Environmental Ltd		**Chemtest Job No.:**			22-25611	22-25611	22-25611	22-25611	22-25611	22-25611
Quotation No.:		**Chemtest Sample ID.:**			1463323	1463324	1463325	1463326	1463327	1463328
Order No.:		Client Sample Ref.:			V/B1	V/B2	V/B1	V/B2	V/B1	V/B2
		Sample Location:			D5/TP04	D5/TP04	TP329	TP329	WS116	WS116
		Sample Type:			SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Date Sampled:			05-Jul-2022	05-Jul-2022	05-Jul-2022	05-Jul-2022	05-Jul-2022	05-Jul-2022
		Asbestos Lab:			NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB	NEW-ASB
Determinand	**Accred.**	**SOP**	**Units**	**LOD**						
ACM Type	U	2192		N/A	-	-	-	-	-	-
Asbestos Identification	U	2192		N/A	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected	No Asbestos Detected
Moisture	N	2030	%	0.020	21	22	19	18	19	20
pH	U	2010		4.0	8.7	9.4	8.8	9.1	9.5	9.4

Test Methods

SOP	Title	Parameters included	Method summary
2010	pH Value of Soils	pH	pH Meter
2030	Moisture and Stone Content of Soils(Requirement of MCERTS)	Moisture content	Determination of moisture content of soil as a percentage of its as received mass obtained at <37°C.
2040	Soil Description(Requirement of MCERTS)	Soil description	As received soil is described based upon BS5930
2192	Asbestos	Asbestos	Polarised light microscopy / Gravimetry

Report Information

Key

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation
The results relate only to the items tested
Uncertainty of measurement for the determinands tested are available upon request
None of the results in this report have been recovery corrected
All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis
All Asbestos testing is performed at the indicated laboratory
Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

Sample Deviation Codes

A - Date of sampling not supplied
B - Sample age exceeds stability time (sampling to extraction)
C - Sample not received in appropriate containers
D - Broken Container
E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

Sample Retention and Disposal

All soil samples will be retained for a period of 30 days from the date of receipt
All water samples will be retained for 14 days from the date of receipt
Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:
customerservices@chemtest.com

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

DARVF-AYHZB-YK1E2

Job name

Saunderton (MADE GROUND)

Description/Comments

Project

223159-MG

Site

Saunderton (MG)

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
21 Jun 2022 10:49 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	TP310	0.5	Non Hazardous		3
2	TP311	0.7	Non Hazardous		5
3	TP312	1.3	Non Hazardous		7
4	TP313	0.5	Non Hazardous		9
5	TP314	0.5	Non Hazardous		11
6	TP315	0.6	Non Hazardous		13
7	TP316	0.4	Non Hazardous		15
8	TP317	0.7	Non Hazardous		17
9	TP318	0.5	Non Hazardous		20
10	TP322	0.7	Non Hazardous		22
11	TP323	0.7	Non Hazardous		24
12	TP324	1.2	Non Hazardous		26
13	TP327	0.45	Non Hazardous		28
14	TP329	0.4	Hazardous	HP 8	30
15	TP332	0.6	Non Hazardous		32
16	TP332[2]	1.1	Non Hazardous		35
17	TP334	0.4	Hazardous	HP 3(i), HP 7, HP 11	38
18	TP335	0.4	Hazardous	HP 3(i), HP 7, HP 11, HP 14	41
19	TP342	0.4	Hazardous	HP 8	44
20	D1/TP01	0.05 - 0.80	Non Hazardous		46
21	D1/TP02	0.05 - 0.80	Hazardous	HP 3(i), HP 7, HP 11	49
22	E1/TP01	0.05 - 0.85	Non Hazardous		52
23	E1/TP02	0.30 - 1.30	Non Hazardous		55
24	E2/TP02	0.10 - 1.10	Non Hazardous		58
25	E2/TP01	0.05 - 0.80	Non Hazardous		61
26	D2/TP02	0.20 - 1.20	Non Hazardous		64
27	D2/TP01	0.20 - 0.50	Non Hazardous		67
28	D2/TP03	0.00 - 0.50	Non Hazardous		70
29	E2/TP04	0.00 - 0.50	Non Hazardous		73
30	E2/TP03	0.12 - 0.45	Non Hazardous		76

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
31	E2/TP05	0.10 - 1.30	Non Hazardous		79
32	D2/TP05	0.35 - 0.70	Hazardous	HP 3(i), HP 7, HP 11	82
33	D3/TP02	0.25 - 0.65	Hazardous	HP 3(i), HP 7, HP 11	85
34	D3/TP03	0.40 - 1.1	Non Hazardous		88
35	D4/TP05	0.30 - 1.30	Non Hazardous		91
36	D4/TP04	0.20 - 1.30	Hazardous	HP 3(i), HP 7, HP 11	94
37	E3/TP01	0.20- 0.45	Non Hazardous		97
38	E3/TP02	0.70 - 1.70	Non Hazardous		100
39	E4/TP03 (SP)	N/A	Non Hazardous		103
40	E5/TP01	0.25 - 1.10	Hazardous	HP 3(i), HP 7, HP 10, HP 11, HP 14	105
41	C2/TP02	0.00 - 0.70	Non Hazardous		108
42	D3/TP05	0.60 - 0.85	Non Hazardous		111
43	D4/TP02	0.00 - 0.50	Non Hazardous		114
44	D5/TP05	0.40 - 0.70	Non Hazardous		117
45	D6/TP02	0.00 - 0.10	Hazardous	HP 3(i), HP 7, HP 11	120
46	D6/TP03	0.00 - 0.10	Hazardous	HP 3(i), HP 7, HP 11	123
47	D6/TP05	0.08 - 0.40	Hazardous	HP 3(i), HP 7, HP 11	126
48	E4/TP03	0.00 - 0.50	Non Hazardous		129
49	E5/TP02	0.00 - 0.80	Non Hazardous		132
50	D5/TP03	0.00 - 0.10	Non Hazardous		135
51	E6/TP01	0.00 - 0.20	Non Hazardous		138
52	E6/TP02	0.00 - 0.90	Non Hazardous		141
53	E4/TP01 (SP)	N/A	Non Hazardous		144
54	E4/TP02 (SP)	N/A	Non Hazardous		147

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor

Created date: 21 Jun 2022 10:49 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	150
Appendix B: Rationale for selection of metal species	151
Appendix C: Version	152

Classification of sample: TP310

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP310	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.7 mg/kg	3.22	2.254 mg/kg	0.000225 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.3 mg/kg	1.126	5.967 mg/kg	0.000597 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.9 mg/kg	2.976	8.631 mg/kg	0.000863 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		12 mg/kg	2.774	33.29 mg/kg	0.00333 %		
11	pH			PH		9.3 pH		9.3 pH	9.3 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00603 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP311

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP311	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.7 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.9 mg/kg	1.32	5.149 mg/kg	0.000515 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1 mg/kg	3.22	3.22 mg/kg	0.000322 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		30 mg/kg	1.126	33.777 mg/kg	0.00338 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	8.3 mg/kg	1.56	12.946 mg/kg	0.00083 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		40 mg/kg	2.774	110.966 mg/kg	0.0111 %		
11	pH			PH		8.7 pH		8.7 pH	8.7 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0205 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP312

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP312	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
1.3 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.3 mg/kg	1.32	1.716 mg/kg	0.000172 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.1 mg/kg	3.22	6.762 mg/kg	0.000676 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		100 mg/kg	1.126	112.589 mg/kg	0.0113 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	8.8 mg/kg	1.56	13.726 mg/kg	0.00088 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		63 mg/kg	2.774	174.771 mg/kg	0.0175 %		
11	pH			PH		8.6 pH		8.6 pH	8.6 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.25 mg/kg		0.25 mg/kg	0.000025 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.81	mg/kg		0.81	mg/kg	0.000081 %		
			205-912-4	206-44-0									
19		pyrene				0.79	mg/kg		0.79	mg/kg	0.000079 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.44	mg/kg		0.44	mg/kg	0.000044 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.26	mg/kg		0.26	mg/kg	0.000026 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.22	mg/kg		0.22	mg/kg	0.000022 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.23	mg/kg		0.23	mg/kg	0.000023 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.035 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP313

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP313	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.2	mg/kg	1.32	5.545	mg/kg	0.000555 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.5	mg/kg	3.22	4.83	mg/kg	0.000483 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.4	mg/kg	1.142	0.457	mg/kg	0.0000457 %		
4		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		12	mg/kg	1.126	13.511	mg/kg	0.00135 %		
6		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	19	mg/kg	1.56	29.636	mg/kg	0.0019 %		
7		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		13	mg/kg	2.976	38.691	mg/kg	0.00387 %		
9		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
10		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		44	mg/kg	2.774	122.062	mg/kg	0.0122 %		
11		pH			PH		8.5	pH		8.5	pH	8.5 pH		
12		naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0212 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP314

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP314
Sample Depth:
0.5 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.3	mg/kg	1.32	8.318	mg/kg	0.000832 %		
2	beryllium { beryllium oxide }	004-003-00-8	215-133-1	1304-56-9		0.1	mg/kg	2.775	0.278	mg/kg	0.0000278 %		
3	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.3	mg/kg	3.22	0.966	mg/kg	0.0000966 %		
4	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
5	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.3	mg/kg	1.462	7.746	mg/kg	0.000775 %		
6	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
7	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		8.1	mg/kg	1.126	9.12	mg/kg	0.000912 %		
8	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.9	mg/kg	1.56	4.523	mg/kg	0.00029 %		
9	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
10	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9	mg/kg	2.976	26.786	mg/kg	0.00268 %		
11	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
12	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		16	mg/kg	2.774	44.386	mg/kg	0.00444 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
14	pH			PH		8.7	pH		8.7	pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
31		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.011 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP315

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP315	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.6 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		9.5	mg/kg	1.126	10.696	mg/kg	0.00107 %		
6		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	10	mg/kg	1.56	15.598	mg/kg	0.001 %		
7		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.3	mg/kg	2.976	9.822	mg/kg	0.000982 %		
9		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
10		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		28	mg/kg	2.774	77.676	mg/kg	0.00777 %		
11		pH			PH		8.6	pH		8.6	pH	8.6 pH		
12		naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0119 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP316

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP316
Sample Depth:
0.4 m
Moisture content:
3.1%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 3.1% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		18	mg/kg	1.32	23.766	mg/kg	0.00238 %		
2	beryllium { beryllium oxide }	004-003-00-8	215-133-1	1304-56-9		0.2	mg/kg	2.775	0.555	mg/kg	0.0000555 %		
3	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.3	mg/kg	3.22	0.966	mg/kg	0.0000966 %		
4	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1	mg/kg	1.142	1.142	mg/kg	0.000114 %		
5	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		8.3	mg/kg	1.462	12.131	mg/kg	0.00121 %		
6	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
7	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		18	mg/kg	1.126	20.266	mg/kg	0.00203 %		
8	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	240	mg/kg	1.56	374.356	mg/kg	0.024 %		
9	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
10	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7.2	mg/kg	2.976	21.429	mg/kg	0.00214 %		
11	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				2.6	mg/kg	1.405	3.653	mg/kg	0.000365 %		
12	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		140	mg/kg	2.774	388.381	mg/kg	0.0388 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
14	pH			PH		8.6	pH		8.6	pH	8.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
31		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.072 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP317

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP317
Sample Depth:
0.7 m
Moisture content:
5%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 5% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		11 mg/kg	1.32	14.524 mg/kg	0.00145 %		
2	beryllium { beryllium oxide }	004-003-00-8	215-133-1	1304-56-9		0.7 mg/kg	2.775	1.943 mg/kg	0.000194 %		
3	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2 mg/kg	3.22	0.644 mg/kg	0.0000644 %		
4	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
5	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		23 mg/kg	1.462	33.616 mg/kg	0.00336 %		
6	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
7	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		11 mg/kg	1.126	12.385 mg/kg	0.00124 %		
8	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	9.5 mg/kg	1.56	14.818 mg/kg	0.00095 %		
9	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
10	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		19 mg/kg	2.976	56.549 mg/kg	0.00565 %		
11	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
12	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		32 mg/kg	2.774	88.773 mg/kg	0.00888 %		
13	TPH (C6 to C40) petroleum group			TPH		68 mg/kg		68 mg/kg	0.0068 %		
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1 mg/kg		1 mg/kg	0.0001 %		
15	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		toluene				1	mg/kg		1	mg/kg	0.0001 %		
		601-021-00-3	203-625-9	108-88-3									
17		ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
18		xylene				1	mg/kg		1	mg/kg	0.0001 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
19		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
		006-007-00-5											
20		pH				8.8	pH		8.8	pH	8.8 pH		
				PH									
21		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
22		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
23		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
24		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
25		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
26		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
27		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
28		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
29		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
30		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
31		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
32		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
33		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
34		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
35		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
36		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
37		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0301 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.0068%)
xylene: (conc.: 0.0001%)

Classification of sample: TP318

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP318
Sample Depth:
0.5 m
Moisture content:
1.5%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 1.5% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.4 mg/kg	1.32	3.169 mg/kg	0.000317 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.8 mg/kg	3.22	2.576 mg/kg	0.000258 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.6 mg/kg	1.142	0.685 mg/kg	0.0000685 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		49 mg/kg	1.126	55.169 mg/kg	0.00552 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	27 mg/kg	1.56	42.115 mg/kg	0.0027 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8.8 mg/kg	2.976	26.191 mg/kg	0.00262 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		200 mg/kg	2.774	554.829 mg/kg	0.0555 %		
11	pH			PH		8.5 pH		8.5 pH	8.5 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
17		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0677 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP322

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP322
Sample Depth:
0.7 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2 mg/kg	3.22	0.644 mg/kg	0.0000644 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.6 mg/kg	1.126	5.179 mg/kg	0.000518 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.7 mg/kg	2.976	5.06 mg/kg	0.000506 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				2.1 mg/kg	1.405	2.951 mg/kg	0.000295 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.3 mg/kg	2.774	17.477 mg/kg	0.00175 %		
11	pH			PH		8.5 pH		8.5 pH	8.5 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.004 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP323

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP323
Sample Depth:
0.7 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.3 mg/kg	1.32	8.318 mg/kg	0.000832 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.1 mg/kg	3.22	6.762 mg/kg	0.000676 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		25 mg/kg	1.126	28.147 mg/kg	0.00281 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	36 mg/kg	1.56	56.153 mg/kg	0.0036 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9.6 mg/kg	2.976	28.572 mg/kg	0.00286 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		82 mg/kg	2.774	227.48 mg/kg	0.0227 %		
11	pH			PH		10.5 pH		10.5 pH	10.5 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.19 mg/kg		0.19 mg/kg	0.000019 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.56	mg/kg		0.56	mg/kg	0.000056 %		
			205-912-4	206-44-0									
19		pyrene				0.49	mg/kg		0.49	mg/kg	0.000049 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.32	mg/kg		0.32	mg/kg	0.000032 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.21	mg/kg		0.21	mg/kg	0.000021 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.36	mg/kg		0.36	mg/kg	0.000036 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.15	mg/kg		0.15	mg/kg	0.000015 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.25	mg/kg		0.25	mg/kg	0.000025 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0345 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP324

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP324
Sample Depth:
1.2 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.1	mg/kg	1.32	2.773	mg/kg	0.000277 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.1	mg/kg	3.22	3.542	mg/kg	0.000354 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7.7	mg/kg	1.126	8.669	mg/kg	0.000867 %		
6		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.6	mg/kg	1.56	4.056	mg/kg	0.00026 %		
7		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.9	mg/kg	2.976	14.584	mg/kg	0.00146 %		
9		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
10		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		19	mg/kg	2.774	52.709	mg/kg	0.00527 %		
11		pH			PH		10.3	pH		10.3	pH	10.3 pH		
12		naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00927 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP327

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP327
Sample Depth:
0.45 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2 mg/kg	3.22	0.644 mg/kg	0.0000644 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.1 mg/kg	1.126	3.49 mg/kg	0.000349 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.3 mg/kg	2.976	6.845 mg/kg	0.000685 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.4 mg/kg	2.774	14.98 mg/kg	0.0015 %		
11	pH			PH		8.2 pH		8.2 pH	8.2 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00361 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP329

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
TP329
Sample Depth:
0.4 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 12.3 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		15 mg/kg	1.32	19.805 mg/kg	0.00198 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.3 mg/kg	3.22	7.406 mg/kg	0.000741 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		14 mg/kg	1.126	15.762 mg/kg	0.00158 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5.7 mg/kg	1.56	8.891 mg/kg	0.00057 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		23 mg/kg	2.774	63.805 mg/kg	0.00638 %		
11	pH			PH		12.3 pH		12.3 pH	12.3 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
17		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0156 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP332

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP332
Sample Depth:
0.6 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.1 mg/kg	1.462	1.608 mg/kg	0.000161 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.7 mg/kg	1.126	4.166 mg/kg	0.000417 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.3 mg/kg	1.56	2.028 mg/kg	0.00013 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.6 mg/kg	2.976	10.715 mg/kg	0.00107 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.3 mg/kg	2.774	20.251 mg/kg	0.00203 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1 mg/kg		1 mg/kg	0.0001 %		
14	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		
15	toluene	601-021-00-3	203-625-9	108-88-3		1 mg/kg		1 mg/kg	0.0001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
17		xylene				1	mg/kg		1	mg/kg	0.0001 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
18		pH				9	pH		9	pH	9pH		
				PH									
19		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
20		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
21		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
22		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
23		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
24		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
25		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
26		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
27		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
28		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
29		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
30		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
31		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
32		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
33		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
34		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
35		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00634 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)
xylene: (conc.: 0.0001%)

Classification of sample: TP332[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP332[2]
Sample Depth:
1.1 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2 mg/kg	3.22	0.644 mg/kg	0.0000644 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1 mg/kg	1.462	1.462 mg/kg	0.000146 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.3 mg/kg	1.126	5.967 mg/kg	0.000597 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5.2 mg/kg	1.56	8.111 mg/kg	0.00052 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.1 mg/kg	2.976	6.25 mg/kg	0.000625 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7 mg/kg	2.774	19.419 mg/kg	0.00194 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1 mg/kg		1 mg/kg	0.0001 %		
14	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		
15	toluene	601-021-00-3	203-625-9	108-88-3		1 mg/kg		1 mg/kg	0.0001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16	●	ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
17		xylene				1	mg/kg		1	mg/kg	0.0001 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
18	●	pH				8.8	pH		8.8	pH	8.8 pH		
				PH									
19		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
20	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
21	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
22	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
23	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
24	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
25	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
26	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
27		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
28		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
29		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
30		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
31		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
32	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
33		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
34	●	benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
35		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00631 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)
xylene: (conc.: 0.0001%)

Classification of sample: TP334

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP334	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.4 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.104%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.104%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.104%)
xylene: (conc.: 0.0001%)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number							
1		arsenic { arsenic trioxide }				21 mg/kg	1.32	27.727 mg/kg	0.00277 %		
		033-003-00-0	215-481-4	1327-53-3							

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
2		boron { diboron trioxide; boric oxide }				11	mg/kg	3.22	35.419	mg/kg	0.00354 %		
		005-008-00-8	215-125-8	1303-86-2									
3		cadmium { cadmium oxide }				1.8	mg/kg	1.142	2.056	mg/kg	0.000206 %		
		048-002-00-0	215-146-2	1306-19-0									
4		chromium in chromium(VI) compounds { chromium(VI) oxide }				1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
		024-001-00-0	215-607-8	1333-82-0									
5		copper { dicopper oxide; copper (I) oxide }				1100	mg/kg	1.126	1238.477	mg/kg	0.124 %		
		029-002-00-X	215-270-7	1317-39-1									
6		lead { lead chromate }			1	110	mg/kg	1.56	171.58	mg/kg	0.011 %		
		082-004-00-2	231-846-0	7758-97-6									
7		mercury { mercury dichloride }				0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
		080-010-00-X	231-299-8	7487-94-7									
8		nickel { nickel chromate }				83	mg/kg	2.976	247.03	mg/kg	0.0247 %		
		028-035-00-7	238-766-5	14721-18-7									
9		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
		034-002-00-8											
10		zinc { zinc chromate }				330	mg/kg	2.774	915.468	mg/kg	0.0915 %		
		024-007-00-3	236-878-9	13530-65-9									
11		TPH (C6 to C40) petroleum group				1042.3	mg/kg		1042.3	mg/kg	0.104 %		
				TPH									
12		tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				1	mg/kg		1	mg/kg	0.0001 %		
		603-181-00-X	216-653-1	1634-04-4									
13		benzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-020-00-8	200-753-7	71-43-2									
14		toluene				1	mg/kg		1	mg/kg	0.0001 %		
		601-021-00-3	203-625-9	108-88-3									
15		ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
16		xylene				1	mg/kg		1	mg/kg	0.0001 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
17		pH				10.5	pH		10.5	pH	10.5 pH		
				PH									
18		naphthalene				0.65	mg/kg		0.65	mg/kg	0.000065 %		
		601-052-00-2	202-049-5	91-20-3									
19		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
20		acenaphthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
			201-469-6	83-32-9									
21		fluorene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			201-695-5	86-73-7									
22		phenanthrene				8.1	mg/kg		8.1	mg/kg	0.00081 %		
			201-581-5	85-01-8									
23		anthracene				1.6	mg/kg		1.6	mg/kg	0.00016 %		
			204-371-1	120-12-7									
24		fluoranthene				5.6	mg/kg		5.6	mg/kg	0.00056 %		
			205-912-4	206-44-0									
25		pyrene				5	mg/kg		5	mg/kg	0.0005 %		
			204-927-3	129-00-0									
26		benzo[a]anthracene				2.9	mg/kg		2.9	mg/kg	0.00029 %		
		601-033-00-9	200-280-6	56-55-3									
27		chrysene				3	mg/kg		3	mg/kg	0.0003 %		
		601-048-00-0	205-923-4	218-01-9									
28		benzo[b]fluoranthene				2.2	mg/kg		2.2	mg/kg	0.00022 %		
		601-034-00-4	205-911-9	205-99-2									

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
29		benzo[k]fluoranthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-036-00-5	205-916-6	207-08-9									
30		benzo[a]pyrene; benzo[def]chrysene				1.7	mg/kg		1.7	mg/kg	0.00017 %		
		601-032-00-3	200-028-5	50-32-8									
31	●	indeno[123-cd]pyrene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			205-893-2	193-39-5									
32		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
33	●	benzo[ghi]perylene				0.68	mg/kg		0.68	mg/kg	0.000068 %		
			205-883-8	191-24-2									
34		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.367 %		

Key

	User supplied data
	Hazardous result
	Potentially Hazardous result
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP335

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP335	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.4 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)
Moisture content:		
8.9% (no correction)		

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1A; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

zinc chromate: (compound conc.: 0.252%)

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinands:

lead chromate: (Note 1 conc.: 0.11%)
TPH (C6 to C40) petroleum group: (conc.: 0.265%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.265%)

HP 14: Ecotoxic "waste which presents or may present immediate or delayed risks for one or more sectors of the environment"

Hazard Statements hit:

Aquatic Chronic 1; H410 "Very toxic to aquatic life with long lasting effects."

Because of determinands:

lead chromate: (Note 1 conc.: 0.11%)
zinc chromate: (compound conc.: 0.252%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.265%)
xylene: (conc.: 0.0001%)

Determinands

Moisture content: 8.9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		63 mg/kg	1.32	83.181 mg/kg	0.00832 %		
2	beryllium { beryllium oxide }	004-003-00-8	215-133-1	1304-56-9		5.7 mg/kg	2.775	15.819 mg/kg	0.00158 %		
3	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		3.5 mg/kg	3.22	11.27 mg/kg	0.00113 %		
4	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1.6 mg/kg	1.142	1.828 mg/kg	0.000183 %		
5	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		31 mg/kg	1.462	45.308 mg/kg	0.00453 %		
6	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
7	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		660 mg/kg	1.126	743.086 mg/kg	0.0743 %		
8	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1100 mg/kg	1.56	1715.797 mg/kg	0.11 %		
9	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
10	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		100 mg/kg	2.976	297.626 mg/kg	0.0298 %		
11	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
12	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		910 mg/kg	2.774	2524.473 mg/kg	0.252 %		
13	TPH (C6 to C40) petroleum group			TPH		2651 mg/kg		2651 mg/kg	0.265 %		
14	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1 mg/kg		1 mg/kg	0.0001 %		
15	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		
16	toluene	601-021-00-3	203-625-9	108-88-3		1 mg/kg		1 mg/kg	0.0001 %		
17	ethylbenzene	601-023-00-4	202-849-4	100-41-4		1 mg/kg		1 mg/kg	0.0001 %		
18	xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		1 mg/kg		1 mg/kg	0.0001 %		
19	pH			PH		9.6 pH		9.6 pH	9.6 pH		
20	naphthalene	601-052-00-2	202-049-5	91-20-3		7 mg/kg		7 mg/kg	0.0007 %		
21	acenaphthylene		205-917-1	208-96-8		2 mg/kg		2 mg/kg	0.0002 %		
22	acenaphthene		201-469-6	83-32-9		24 mg/kg		24 mg/kg	0.0024 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
23		fluorene				37	mg/kg		37	mg/kg	0.0037 %		
			201-695-5	86-73-7									
24		phenanthrene				250	mg/kg		250	mg/kg	0.025 %		
			201-581-5	85-01-8									
25		anthracene				58	mg/kg		58	mg/kg	0.0058 %		
			204-371-1	120-12-7									
26		fluoranthene				190	mg/kg		190	mg/kg	0.019 %		
			205-912-4	206-44-0									
27		pyrene				140	mg/kg		140	mg/kg	0.014 %		
			204-927-3	129-00-0									
28		benzo[a]anthracene				72	mg/kg		72	mg/kg	0.0072 %		
		601-033-00-9	200-280-6	56-55-3									
29		chrysene				53	mg/kg		53	mg/kg	0.0053 %		
		601-048-00-0	205-923-4	218-01-9									
30		benzo[b]fluoranthene				59	mg/kg		59	mg/kg	0.0059 %		
		601-034-00-4	205-911-9	205-99-2									
31		benzo[k]fluoranthene				30	mg/kg		30	mg/kg	0.003 %		
		601-036-00-5	205-916-6	207-08-9									
32		benzo[a]pyrene; benzo[def]chrysene				45	mg/kg		45	mg/kg	0.0045 %		
		601-032-00-3	200-028-5	50-32-8									
33		indeno[123-cd]pyrene				22	mg/kg		22	mg/kg	0.0022 %		
			205-893-2	193-39-5									
34		dibenz[a,h]anthracene				6.4	mg/kg		6.4	mg/kg	0.00064 %		
		601-041-00-2	200-181-8	53-70-3									
35		benzo[ghi]perylene				26	mg/kg		26	mg/kg	0.0026 %		
			205-883-8	191-24-2									
36		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.851 %		

Key

	User supplied data
	Hazardous result
	Potentially Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP342

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
TP342
Sample Depth:
0.4 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 12 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		11	mg/kg	1.32	14.524	mg/kg	0.00145 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.6	mg/kg	3.22	8.372	mg/kg	0.000837 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		21	mg/kg	1.126	23.644	mg/kg	0.00236 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4.2	mg/kg	1.56	6.551	mg/kg	0.00042 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8.5	mg/kg	2.976	25.298	mg/kg	0.00253 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		29	mg/kg	2.774	80.45	mg/kg	0.00805 %		
11	pH			PH		12	pH		12	pH	12pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
17	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
18	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27	●	benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0164 %		

Key

	User supplied data
	Hazardous result
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: D1/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D1/TP01
Sample Depth:
0.05 - 0.80 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3 mg/kg	1.32	3.961 mg/kg	0.000396 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.2 mg/kg	3.22	3.864 mg/kg	0.000386 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.1 mg/kg	1.462	10.377 mg/kg	0.00104 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		6.1 mg/kg	1.126	6.868 mg/kg	0.000687 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	20 mg/kg	1.56	31.196 mg/kg	0.002 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.3 mg/kg	2.976	18.75 mg/kg	0.00188 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.64 mg/kg	1.405	0.899 mg/kg	0.0000899 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		26 mg/kg	2.774	72.128 mg/kg	0.00721 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.4 pH		8.4 pH	8.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0153 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D1/TP02

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
D1/TP02
Sample Depth:
0.05 - 0.80 m
Moisture content:
7.8%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.13%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.13%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.13%)

Determinands

Moisture content: 7.8% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.6 mg/kg	1.32	8.714 mg/kg	0.000871 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.68 mg/kg	3.22	2.19 mg/kg	0.000219 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.9	mg/kg	1.462	11.546	mg/kg	0.00115 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.4	mg/kg	1.126	3.828	mg/kg	0.000383 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4.2	mg/kg	1.56	6.551	mg/kg	0.00042 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7	mg/kg	2.976	20.834	mg/kg	0.00208 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.52	mg/kg	1.405	0.731	mg/kg	0.0000731 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		16	mg/kg	2.774	44.386	mg/kg	0.00444 %		
12		TPH (C6 to C40) petroleum group			TPH		1300	mg/kg		1300	mg/kg	0.13 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14		pH			PH		10.3	pH		10.3	pH	10.3 pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		1.9	mg/kg		1.9	mg/kg	0.00019 %		
16		acenaphthylene		205-917-1	208-96-8		0.58	mg/kg		0.58	mg/kg	0.000058 %		
17		acenaphthene		201-469-6	83-32-9		12	mg/kg		12	mg/kg	0.0012 %		
18		fluorene		201-695-5	86-73-7		10	mg/kg		10	mg/kg	0.001 %		
19		phenanthrene		201-581-5	85-01-8		76	mg/kg		76	mg/kg	0.0076 %		
20		anthracene		204-371-1	120-12-7		19	mg/kg		19	mg/kg	0.0019 %		
21		fluoranthene		205-912-4	206-44-0		98	mg/kg		98	mg/kg	0.0098 %		
22		pyrene		204-927-3	129-00-0		81	mg/kg		81	mg/kg	0.0081 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		36	mg/kg		36	mg/kg	0.0036 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		45	mg/kg		45	mg/kg	0.0045 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		55	mg/kg		55	mg/kg	0.0055 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		19	mg/kg		19	mg/kg	0.0019 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		38	mg/kg		38	mg/kg	0.0038 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		30	mg/kg		30	mg/kg	0.003 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		7.6	mg/kg		7.6	mg/kg	0.00076 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				29	mg/kg		29	mg/kg	0.0029 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	560	mg/kg		560	mg/kg	0.056 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.252 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: E1/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E1/TP01
Sample Depth:
0.05 - 0.85 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.6 mg/kg	1.32	2.113 mg/kg	0.000211 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.42 mg/kg	3.22	1.352 mg/kg	0.000135 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.3 mg/kg	1.462	4.823 mg/kg	0.000482 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.4 mg/kg	1.126	2.702 mg/kg	0.00027 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.5 mg/kg	1.56	3.9 mg/kg	0.00025 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.4 mg/kg	2.976	10.119 mg/kg	0.00101 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8 mg/kg	2.774	22.193 mg/kg	0.00222 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9 pH		9 pH	9pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00619 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E1/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E1/TP02
Sample Depth:
0.30 - 1.30 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.9 mg/kg	1.32	2.509 mg/kg	0.000251 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.1 mg/kg	3.22	3.542 mg/kg	0.000354 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.11 mg/kg	1.142	0.126 mg/kg	0.0000126 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.2 mg/kg	1.462	6.139 mg/kg	0.000614 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.8 mg/kg	1.126	3.152 mg/kg	0.000315 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5.6 mg/kg	1.56	8.735 mg/kg	0.00056 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.1 mg/kg	2.976	12.203 mg/kg	0.00122 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.41 mg/kg	1.405	0.576 mg/kg	0.0000576 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		12 mg/kg	2.774	33.29 mg/kg	0.00333 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.6 pH		8.6 pH	8.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.67	mg/kg		0.67	mg/kg	0.000067 %		
			205-912-4	206-44-0									
22		pyrene				0.91	mg/kg		0.91	mg/kg	0.000091 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00842 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP02
Sample Depth:
0.10 - 1.10 m
Moisture content:
9.1%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 9.1% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.2 mg/kg	1.32	5.545 mg/kg	0.000555 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.6 mg/kg	3.22	5.152 mg/kg	0.000515 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.1 mg/kg	1.462	10.377 mg/kg	0.00104 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.2 mg/kg	1.126	5.855 mg/kg	0.000585 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.8 mg/kg	1.56	10.607 mg/kg	0.00068 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5.8 mg/kg	2.976	17.262 mg/kg	0.00173 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.29 mg/kg	1.405	0.407 mg/kg	0.0000407 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		22 mg/kg	2.774	61.031 mg/kg	0.0061 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.9 pH		9.9 pH	9.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.98	mg/kg		0.98	mg/kg	0.000098 %		
			201-581-5	85-01-8									
20	●	anthracene				0.45	mg/kg		0.45	mg/kg	0.000045 %		
			204-371-1	120-12-7									
21	●	fluoranthene				2.3	mg/kg		2.3	mg/kg	0.00023 %		
			205-912-4	206-44-0									
22	●	pyrene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.7	mg/kg		1.7	mg/kg	0.00017 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				2	mg/kg		2	mg/kg	0.0002 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	15	mg/kg		15	mg/kg	0.0015 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0155 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP01
Sample Depth:
0.05 - 0.80 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.3	mg/kg	1.32	4.357	mg/kg	0.000436 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.51	mg/kg	3.22	1.642	mg/kg	0.000164 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.52	mg/kg	1.142	0.594	mg/kg	0.0000594 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.9	mg/kg	1.462	5.7	mg/kg	0.00057 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.6	mg/kg	1.126	6.305	mg/kg	0.00063 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	30	mg/kg	1.56	46.794	mg/kg	0.003 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.7	mg/kg	2.976	13.988	mg/kg	0.0014 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.37	mg/kg	1.405	0.52	mg/kg	0.000052 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		79	mg/kg	2.774	219.158	mg/kg	0.0219 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.8	pH		9.8	pH	9.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.31	mg/kg		0.31	mg/kg	0.000031 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0298 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D2/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP02
Sample Depth:
0.20 - 1.20 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.3 mg/kg	1.32	4.357 mg/kg	0.000436 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.66 mg/kg	3.22	2.125 mg/kg	0.000213 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.12 mg/kg	1.142	0.137 mg/kg	0.0000137 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.1 mg/kg	1.462	7.454 mg/kg	0.000745 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7 mg/kg	1.126	7.881 mg/kg	0.000788 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.2 mg/kg	1.56	9.671 mg/kg	0.00062 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.9 mg/kg	2.976	11.607 mg/kg	0.00116 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.29 mg/kg	1.405	0.407 mg/kg	0.0000407 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		18 mg/kg	2.774	49.935 mg/kg	0.00499 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		11 pH		11 pH	11pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0106 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D2/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP01
Sample Depth:
0.20 - 0.50 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5.7	mg/kg	1.32	7.526	mg/kg	0.000753 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.6	mg/kg	3.22	1.932	mg/kg	0.000193 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		8.2	mg/kg	1.462	11.985	mg/kg	0.0012 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.1	mg/kg	1.126	5.742	mg/kg	0.000574 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.9	mg/kg	1.56	6.083	mg/kg	0.00039 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7	mg/kg	2.976	20.834	mg/kg	0.00208 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		17	mg/kg	2.774	47.16	mg/kg	0.00472 %		
12	TPH (C6 to C40) petroleum group			TPH		64	mg/kg		64	mg/kg	0.0064 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		10.6	pH		10.6	pH	10.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0169 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0064%)

Classification of sample: D2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP03
Sample Depth:
0.00 - 0.50 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.5 mg/kg	1.32	4.621 mg/kg	0.000462 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.9 mg/kg	3.22	6.118 mg/kg	0.000612 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.23 mg/kg	1.142	0.263 mg/kg	0.0000263 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.7 mg/kg	1.462	11.254 mg/kg	0.00113 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		10 mg/kg	1.126	11.259 mg/kg	0.00113 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	16 mg/kg	1.56	24.957 mg/kg	0.0016 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8.2 mg/kg	2.976	24.405 mg/kg	0.00244 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.34 mg/kg	1.405	0.478 mg/kg	0.0000478 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		51 mg/kg	2.774	141.481 mg/kg	0.0141 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.6 pH		8.6 pH	8.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0232 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP04
Sample Depth:
0.00 - 0.50 m
Moisture content:
8.9%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 8.9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.9 mg/kg	1.32	3.829 mg/kg	0.000383 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1 mg/kg	3.22	3.22 mg/kg	0.000322 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.5 mg/kg	1.142	0.571 mg/kg	0.0000571 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.1 mg/kg	1.462	4.531 mg/kg	0.000453 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.3 mg/kg	1.126	4.841 mg/kg	0.000484 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	17 mg/kg	1.56	26.517 mg/kg	0.0017 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.9 mg/kg	2.976	8.631 mg/kg	0.000863 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		48 mg/kg	2.774	133.159 mg/kg	0.0133 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.9 pH		8.9 pH	8.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0192 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP03
Sample Depth:
0.12 - 0.45 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5.1	mg/kg	1.32	6.734	mg/kg	0.000673 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.55	mg/kg	3.22	1.771	mg/kg	0.000177 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.24	mg/kg	1.142	0.274	mg/kg	0.0000274 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.8	mg/kg	1.462	11.4	mg/kg	0.00114 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7.6	mg/kg	1.126	8.557	mg/kg	0.000856 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	35	mg/kg	1.56	54.594	mg/kg	0.0035 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.2	mg/kg	2.976	18.453	mg/kg	0.00185 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		82	mg/kg	2.774	227.48	mg/kg	0.0227 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		10	pH		10	pH	10pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				2.3	mg/kg		2.3	mg/kg	0.00023 %		
			201-581-5	85-01-8									
20		anthracene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			204-371-1	120-12-7									
21		fluoranthene				5.4	mg/kg		5.4	mg/kg	0.00054 %		
			205-912-4	206-44-0									
22		pyrene				5.9	mg/kg		5.9	mg/kg	0.00059 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				2.3	mg/kg		2.3	mg/kg	0.00023 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				2.9	mg/kg		2.9	mg/kg	0.00029 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				3.5	mg/kg		3.5	mg/kg	0.00035 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				2.8	mg/kg		2.8	mg/kg	0.00028 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.87	mg/kg		0.87	mg/kg	0.000087 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				2	mg/kg		2	mg/kg	0.0002 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	32	mg/kg		32	mg/kg	0.0032 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0387 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP05
Sample Depth:
0.10 - 1.30 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.8 mg/kg	1.32	2.377 mg/kg	0.000238 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.12 mg/kg	1.142	0.137 mg/kg	0.0000137 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.1 mg/kg	1.462	5.992 mg/kg	0.000599 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		9.6 mg/kg	1.126	10.809 mg/kg	0.00108 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	11 mg/kg	1.56	17.158 mg/kg	0.0011 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.1 mg/kg	2.976	12.203 mg/kg	0.00122 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		32 mg/kg	2.774	88.773 mg/kg	0.00888 %		
12	TPH (C6 to C40) petroleum group			TPH		100 mg/kg		100 mg/kg	0.01 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.4 pH		8.4 pH	8.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
			205-912-4	206-44-0									
22		pyrene				2.3	mg/kg		2.3	mg/kg	0.00023 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	4.1	mg/kg		4.1	mg/kg	0.00041 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.15	mg/kg		0.15	mg/kg	0.000015 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0245 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.01%)

Classification of sample: D2/TP05

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
D2/TP05
Sample Depth:
0.35 - 0.70 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.43%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.43%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.43%)

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.8 mg/kg	1.32	8.978 mg/kg	0.000898 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.28 mg/kg	1.142	0.32 mg/kg	0.000032 %		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.7	mg/kg	1.462	11.254	mg/kg	0.00113 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		87	mg/kg	1.126	97.952	mg/kg	0.0098 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	670	mg/kg	1.56	1045.076	mg/kg	0.067 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		13	mg/kg	2.976	38.691	mg/kg	0.00387 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		190	mg/kg	2.774	527.088	mg/kg	0.0527 %		
12		TPH (C6 to C40) petroleum group			TPH		4300	mg/kg		4300	mg/kg	0.43 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14		pH			PH		11	pH		11	pH	11pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		2.5	mg/kg		2.5	mg/kg	0.00025 %		
16		acenaphthylene		205-917-1	208-96-8		0.74	mg/kg		0.74	mg/kg	0.000074 %		
17		acenaphthene		201-469-6	83-32-9		3.4	mg/kg		3.4	mg/kg	0.00034 %		
18		fluorene		201-695-5	86-73-7		4.5	mg/kg		4.5	mg/kg	0.00045 %		
19		phenanthrene		201-581-5	85-01-8		37	mg/kg		37	mg/kg	0.0037 %		
20		anthracene		204-371-1	120-12-7		10	mg/kg		10	mg/kg	0.001 %		
21		fluoranthene		205-912-4	206-44-0		43	mg/kg		43	mg/kg	0.0043 %		
22		pyrene		204-927-3	129-00-0		39	mg/kg		39	mg/kg	0.0039 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		16	mg/kg		16	mg/kg	0.0016 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		17	mg/kg		17	mg/kg	0.0017 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		17	mg/kg		17	mg/kg	0.0017 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		6.9	mg/kg		6.9	mg/kg	0.00069 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		14	mg/kg		14	mg/kg	0.0014 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		8.9	mg/kg		8.9	mg/kg	0.00089 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		4.5	mg/kg		4.5	mg/kg	0.00045 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				6.7	mg/kg		6.7	mg/kg	0.00067 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	230	mg/kg		230	mg/kg	0.023 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.612 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: D3/TP02

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:
D3/TP02	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	
0.25 - 0.65 m	Entry: 17 05 03 * (Soil and stones containing hazardous substances)
Moisture content:	
16% (no correction)	

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.19%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.19%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.19%)

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number							
1		arsenic { arsenic trioxide }				3.4 mg/kg	1.32	4.489 mg/kg	0.000449 %		
		033-003-00-0	215-481-4	1327-53-3							
2		boron { diboron trioxide; boric oxide }				0.77 mg/kg	3.22	2.479 mg/kg	0.000248 %		
		005-008-00-8	215-125-8	1303-86-2							
3		cadmium { cadmium oxide }				0.56 mg/kg	1.142	0.64 mg/kg	0.000064 %		
		048-002-00-0	215-146-2	1306-19-0							

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		11	mg/kg	1.462	16.077	mg/kg	0.00161 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		11	mg/kg	1.126	12.385	mg/kg	0.00124 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	17	mg/kg	1.56	26.517	mg/kg	0.0017 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8.5	mg/kg	2.976	25.298	mg/kg	0.00253 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3	mg/kg	1.405	0.422	mg/kg	0.0000422 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		86	mg/kg	2.774	238.577	mg/kg	0.0239 %		
12		TPH (C6 to C40) petroleum group			TPH		1900	mg/kg		1900	mg/kg	0.19 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.9	mg/kg	1.884	1.696	mg/kg	0.00017 %		
14		pH			PH		11.1	pH		11.1	pH	11.1 pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
18		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
19		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
20		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21		fluoranthene		205-912-4	206-44-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
22		pyrene		204-927-3	129-00-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.222 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: D3/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP03
Sample Depth:
0.40 - 1.1 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.7 mg/kg	1.32	3.565 mg/kg	0.000356 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.85 mg/kg	3.22	2.737 mg/kg	0.000274 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.16 mg/kg	1.142	0.183 mg/kg	0.0000183 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.5 mg/kg	1.462	8.039 mg/kg	0.000804 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7.9 mg/kg	1.126	8.895 mg/kg	0.000889 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	12 mg/kg	1.56	18.718 mg/kg	0.0012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5.9 mg/kg	2.976	17.56 mg/kg	0.00176 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		54 mg/kg	2.774	149.804 mg/kg	0.015 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.1 pH		9.1 pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0219 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP05
Sample Depth:
0.30 - 1.30 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.2	mg/kg	1.32	1.584	mg/kg	0.000158 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.76	mg/kg	3.22	2.447	mg/kg	0.000245 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.13	mg/kg	1.142	0.149	mg/kg	0.0000149 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.8	mg/kg	1.462	5.554	mg/kg	0.000555 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7.7	mg/kg	1.126	8.669	mg/kg	0.000867 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	11	mg/kg	1.56	17.158	mg/kg	0.0011 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.8	mg/kg	2.976	11.31	mg/kg	0.00113 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		49	mg/kg	2.774	135.933	mg/kg	0.0136 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.4	pH		9.4	pH	9.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0193 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP04

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
D4/TP04
Sample Depth:
0.20 - 1.30 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1A; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

zinc chromate: (compound conc.: 0.133%)

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.2%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.2%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.2%)

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number							
1		arsenic { arsenic trioxide }				11 mg/kg	1.32	14.524 mg/kg	0.00145 %		
		033-003-00-0	215-481-4	1327-53-3							

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
2		boron { diboron trioxide; boric oxide }				0.65	mg/kg	3.22	2.093	mg/kg	0.000209 %		
		005-008-00-8	215-125-8	1303-86-2									
3		cadmium { cadmium oxide }				0.64	mg/kg	1.142	0.731	mg/kg	0.0000731 %		
		048-002-00-0	215-146-2	1306-19-0									
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				14	mg/kg	1.462	20.462	mg/kg	0.00205 %		
			215-160-9	1308-38-9									
5		chromium in chromium(VI) compounds { chromium(VI) oxide }				0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
		024-001-00-0	215-607-8	1333-82-0									
6		copper { dicopper oxide; copper (I) oxide }				130	mg/kg	1.126	146.365	mg/kg	0.0146 %		
		029-002-00-X	215-270-7	1317-39-1									
7		lead { lead chromate }			1	200	mg/kg	1.56	311.963	mg/kg	0.02 %		
		082-004-00-2	231-846-0	7758-97-6									
8		mercury { mercury dichloride }				0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
		080-010-00-X	231-299-8	7487-94-7									
9		nickel { nickel chromate }				20	mg/kg	2.976	59.525	mg/kg	0.00595 %		
		028-035-00-7	238-766-5	14721-18-7									
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }				0.36	mg/kg	1.405	0.506	mg/kg	0.0000506 %		
		034-002-00-8											
11		zinc { zinc chromate }				480	mg/kg	2.774	1331.59	mg/kg	0.133 %		
		024-007-00-3	236-878-9	13530-65-9									
12		TPH (C6 to C40) petroleum group				2000	mg/kg		2000	mg/kg	0.2 %		
				TPH									
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
		006-007-00-5											
14		pH				11.2	pH		11.2	pH	11.2 pH		
				PH									
15		naphthalene				0.71	mg/kg		0.71	mg/kg	0.000071 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				2.2	mg/kg		2.2	mg/kg	0.00022 %		
			205-917-1	208-96-8									
17		acenaphthene				3.9	mg/kg		3.9	mg/kg	0.00039 %		
			201-469-6	83-32-9									
18		fluorene				5	mg/kg		5	mg/kg	0.0005 %		
			201-695-5	86-73-7									
19		phenanthrene				51	mg/kg		51	mg/kg	0.0051 %		
			201-581-5	85-01-8									
20		anthracene				22	mg/kg		22	mg/kg	0.0022 %		
			204-371-1	120-12-7									
21		fluoranthene				130	mg/kg		130	mg/kg	0.013 %		
			205-912-4	206-44-0									
22		pyrene				130	mg/kg		130	mg/kg	0.013 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				67	mg/kg		67	mg/kg	0.0067 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				68	mg/kg		68	mg/kg	0.0068 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				76	mg/kg		76	mg/kg	0.0076 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				31	mg/kg		31	mg/kg	0.0031 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				66	mg/kg		66	mg/kg	0.0066 %		
		601-032-00-3	200-028-5	50-32-8									

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
28		indeno[123-cd]pyrene				38	mg/kg		38	mg/kg	0.0038 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				9.5	mg/kg		9.5	mg/kg	0.00095 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				34	mg/kg		34	mg/kg	0.0034 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	740	mg/kg		740	mg/kg	0.074 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.525 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: E3/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E3/TP01
Sample Depth:
0.20- 0.45 m
Moisture content:
6%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 6% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		11	mg/kg	1.32	14.524	mg/kg	0.00145 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1.1	mg/kg	1.142	1.257	mg/kg	0.000126 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		14	mg/kg	1.462	20.462	mg/kg	0.00205 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		10	mg/kg	1.126	11.259	mg/kg	0.00113 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	86	mg/kg	1.56	134.144	mg/kg	0.0086 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.06	mg/kg	1.353	0.0812	mg/kg	0.00000812 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		13	mg/kg	2.976	38.691	mg/kg	0.00387 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.45	mg/kg	1.405	0.632	mg/kg	0.0000632 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		140	mg/kg	2.774	388.381	mg/kg	0.0388 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.9	pH		9.9	pH	9.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0578 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E3/TP02
Sample Depth:
0.70 - 1.70 m
Moisture content:
14%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 14% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.5 mg/kg	1.32	8.582 mg/kg	0.000858 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.99 mg/kg	3.22	3.188 mg/kg	0.000319 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.47 mg/kg	1.142	0.537 mg/kg	0.0000537 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		34 mg/kg	1.462	49.693 mg/kg	0.00497 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		140 mg/kg	1.126	157.624 mg/kg	0.0158 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	31 mg/kg	1.56	48.354 mg/kg	0.0031 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		19 mg/kg	2.976	56.549 mg/kg	0.00565 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.39 mg/kg	1.405	0.548 mg/kg	0.0000548 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		93 mg/kg	2.774	257.996 mg/kg	0.0258 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		10.2 pH		10.2 pH	10.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
			205-912-4	206-44-0									
22		pyrene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.83	mg/kg		0.83	mg/kg	0.000083 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.83	mg/kg		0.83	mg/kg	0.000083 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.49	mg/kg		0.49	mg/kg	0.000049 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.8	mg/kg		0.8	mg/kg	0.00008 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	6.4	mg/kg		6.4	mg/kg	0.00064 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0591 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E4/TP03 (SP)

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E4/TP03 (SP)
Sample Depth:
N/A m
Moisture content:
8.7%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 8.7% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		7.3	mg/kg	1.32	9.638	mg/kg	0.000964 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.66	mg/kg	3.22	2.125	mg/kg	0.000213 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.12	mg/kg	1.142	0.137	mg/kg	0.0000137 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		11	mg/kg	1.462	16.077	mg/kg	0.00161 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		9.8	mg/kg	1.126	11.034	mg/kg	0.0011 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.6	mg/kg	1.56	10.295	mg/kg	0.00066 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8.5	mg/kg	2.976	25.298	mg/kg	0.00253 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.43	mg/kg	1.405	0.604	mg/kg	0.0000604 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		26	mg/kg	2.774	72.128	mg/kg	0.00721 %		
11	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
12	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
13	pH			PH		9.1	pH		9.1	pH	9.1 pH		
14	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15	acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
17		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
18		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
19		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
20		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
21		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
22		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
23		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
24		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
25		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
26		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
27		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
28		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
29		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
30		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
31		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0158 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E5/TP01

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
E5/TP01	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.25 - 1.10 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)
Moisture content:		
16% (no correction)		

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 3.8%)

HP 10: Toxic for reproduction "waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring"

Hazard Statements hit:

Repr. 2; H361d "Suspected of damaging the unborn child."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 3.8%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 3.8%)

HP 14: Ecotoxic "waste which presents or may present immediate or delayed risks for one or more sectors of the environment"

Hazard Statements hit:

Aquatic Chronic 2; H411 "Toxic to aquatic life with long lasting effects."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 3.8%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 3.8%)

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.5 mg/kg	1.32	5.941 mg/kg	0.000594 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.7 mg/kg	3.22	8.694 mg/kg	0.000869 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1.5 mg/kg	1.142	1.713 mg/kg	0.000171 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		19 mg/kg	1.462	27.77 mg/kg	0.00278 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		170 mg/kg	1.126	191.401 mg/kg	0.0191 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	410 mg/kg	1.56	639.524 mg/kg	0.041 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		28 mg/kg	2.976	83.335 mg/kg	0.00833 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.69 mg/kg	1.405	0.969 mg/kg	0.0000969 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		140 mg/kg	2.774	388.381 mg/kg	0.0388 %		
12	TPH (C6 to C40) petroleum group			TPH		38000 mg/kg		38000 mg/kg	3.8 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.8 mg/kg	1.884	1.507 mg/kg	0.000151 %		
14	pH			PH		10 pH		10 pH	10pH		
15	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
18	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
19	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
20	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
21	fluoranthene		205-912-4	206-44-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		
22	pyrene		204-927-3	129-00-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		
23	benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
24	chrysene	601-048-00-0	205-923-4	218-01-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	3.912 %		

Key

	User supplied data
	Hazardous result
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: C2/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C2/TP02
Sample Depth:
0.00 - 0.70 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.1 mg/kg	1.32	8.054 mg/kg	0.000805 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.96 mg/kg	3.22	3.091 mg/kg	0.000309 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		27 mg/kg	1.462	39.462 mg/kg	0.00395 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		9.1 mg/kg	1.126	10.246 mg/kg	0.00102 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	8.5 mg/kg	1.56	13.258 mg/kg	0.00085 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		16 mg/kg	2.976	47.62 mg/kg	0.00476 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		22 mg/kg	2.774	61.031 mg/kg	0.0061 %		
12	TPH (C6 to C40) petroleum group			TPH		460 mg/kg		460 mg/kg	0.046 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		11.2 pH		11.2 pH	11.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.66	mg/kg		0.66	mg/kg	0.000066 %		
			201-581-5	85-01-8									
20	●	anthracene				0.11	mg/kg		0.11	mg/kg	0.000011 %		
			204-371-1	120-12-7									
21	●	fluoranthene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
			205-912-4	206-44-0									
22	●	pyrene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.64	mg/kg		0.64	mg/kg	0.000064 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.81	mg/kg		0.81	mg/kg	0.000081 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.45	mg/kg		0.45	mg/kg	0.000045 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.68	mg/kg		0.68	mg/kg	0.000068 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	8	mg/kg		8	mg/kg	0.0008 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0657 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.046%)

Classification of sample: D3/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP05
Sample Depth:
0.60 - 0.85 m
Moisture content:
9%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5.2	mg/kg	1.32	6.866	mg/kg	0.000687 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.79	mg/kg	3.22	2.544	mg/kg	0.000254 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		18	mg/kg	1.462	26.308	mg/kg	0.00263 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7.3	mg/kg	1.126	8.219	mg/kg	0.000822 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	9.8	mg/kg	1.56	15.286	mg/kg	0.00098 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		11	mg/kg	2.976	32.739	mg/kg	0.00327 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		25	mg/kg	2.774	69.354	mg/kg	0.00694 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		10.5	pH		10.5	pH	10.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.89	mg/kg		0.89	mg/kg	0.000089 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			205-912-4	206-44-0									
22		pyrene				1.4	mg/kg		1.4	mg/kg	0.00014 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.55	mg/kg		0.55	mg/kg	0.000055 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.16	mg/kg		0.16	mg/kg	0.000016 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.65	mg/kg		0.65	mg/kg	0.000065 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.32	mg/kg		0.32	mg/kg	0.000032 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.52	mg/kg		0.52	mg/kg	0.000052 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	5.8	mg/kg		5.8	mg/kg	0.00058 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0181 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP02
Sample Depth:
0.00 - 0.50 m
Moisture content:
14%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 14% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5.3 mg/kg	1.32	6.998 mg/kg	0.0007 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.96 mg/kg	3.22	3.091 mg/kg	0.000309 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.19 mg/kg	1.142	0.217 mg/kg	0.0000217 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		9.3 mg/kg	1.462	13.592 mg/kg	0.00136 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		10 mg/kg	1.126	11.259 mg/kg	0.00113 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	11 mg/kg	1.56	17.158 mg/kg	0.0011 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9.6 mg/kg	2.976	28.572 mg/kg	0.00286 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.54 mg/kg	1.405	0.759 mg/kg	0.0000759 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		35 mg/kg	2.774	97.095 mg/kg	0.00971 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		10.2 pH		10.2 pH	10.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.28	mg/kg		0.28	mg/kg	0.000028 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.71	mg/kg		0.71	mg/kg	0.000071 %		
			201-469-6	83-32-9									
18	●	fluorene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
			201-695-5	86-73-7									
19	●	phenanthrene				5.8	mg/kg		5.8	mg/kg	0.00058 %		
			201-581-5	85-01-8									
20	●	anthracene				2	mg/kg		2	mg/kg	0.0002 %		
			204-371-1	120-12-7									
21	●	fluoranthene				5.5	mg/kg		5.5	mg/kg	0.00055 %		
			205-912-4	206-44-0									
22	●	pyrene				5.7	mg/kg		5.7	mg/kg	0.00057 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				2.6	mg/kg		2.6	mg/kg	0.00026 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				3	mg/kg		3	mg/kg	0.0003 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				2.4	mg/kg		2.4	mg/kg	0.00024 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				2.2	mg/kg		2.2	mg/kg	0.00022 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.43	mg/kg		0.43	mg/kg	0.000043 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				1	mg/kg		1	mg/kg	0.0001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	35	mg/kg		35	mg/kg	0.0035 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0255 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D5/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP05
Sample Depth:
0.40 - 0.70 m
Moisture content:
5.5%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 5.5% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.8 mg/kg	1.32	3.697 mg/kg	0.00037 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.4 mg/kg	3.22	4.508 mg/kg	0.000451 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3 mg/kg	1.462	4.385 mg/kg	0.000438 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.7 mg/kg	1.126	4.166 mg/kg	0.000417 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.4 mg/kg	1.56	3.744 mg/kg	0.00024 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3 mg/kg	2.976	8.929 mg/kg	0.000893 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		9.6 mg/kg	2.774	26.632 mg/kg	0.00266 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		10.4 pH		10.4 pH	10.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.47	mg/kg		0.47	mg/kg	0.000047 %		
			205-912-4	206-44-0									
22	●	pyrene				0.65	mg/kg		0.65	mg/kg	0.000065 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00718 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D6/TP02

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
D6/TP02
Sample Depth:
0.00 - 0.10 m
Moisture content:
5.8%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.14%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.14%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.14%)

Determinands

Moisture content: 5.8% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		7.1 mg/kg	1.32	9.374 mg/kg	0.000937 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.76 mg/kg	3.22	2.447 mg/kg	0.000245 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		8.4	mg/kg	1.462	12.277	mg/kg	0.00123 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.7	mg/kg	1.126	5.292	mg/kg	0.000529 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.1	mg/kg	1.56	3.276	mg/kg	0.00021 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.1	mg/kg	2.976	18.155	mg/kg	0.00182 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.32	mg/kg	1.405	0.45	mg/kg	0.000045 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		15	mg/kg	2.774	41.612	mg/kg	0.00416 %		
12		TPH (C6 to C40) petroleum group			TPH		1400	mg/kg		1400	mg/kg	0.14 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14		pH			PH		11.3	pH		11.3	pH	11.3 pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
18		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
19		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
20		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21		fluoranthene		205-912-4	206-44-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
22		pyrene		204-927-3	129-00-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.15 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: D6/TP03

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:
D6/TP03	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	
0.00 - 0.10 m	Entry: 17 05 03 * (Soil and stones containing hazardous substances)
Moisture content:	
12% (no correction)	

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.41%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.41%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.41%)

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5.4 mg/kg	1.32	7.13 mg/kg	0.000713 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.84 mg/kg	3.22	2.705 mg/kg	0.00027 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.14 mg/kg	1.142	0.16 mg/kg	0.000016 %		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		8.6	mg/kg	1.462	12.569	mg/kg	0.00126 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		16	mg/kg	1.126	18.014	mg/kg	0.0018 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	19	mg/kg	1.56	29.636	mg/kg	0.0019 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7.5	mg/kg	2.976	22.322	mg/kg	0.00223 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		48	mg/kg	2.774	133.159	mg/kg	0.0133 %		
12		TPH (C6 to C40) petroleum group			TPH		4100	mg/kg		4100	mg/kg	0.41 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14		pH			PH		10.5	pH		10.5	pH	10.5 pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
18		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
19		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
20		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21		fluoranthene		205-912-4	206-44-0		1.1	mg/kg		1.1	mg/kg	0.00011 %		
22		pyrene		204-927-3	129-00-0		1.3	mg/kg		1.3	mg/kg	0.00013 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2.4	mg/kg		2.4	mg/kg	0.00024 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.432 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: D6/TP05

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
D6/TP05
Sample Depth:
0.08 - 0.40 m
Moisture content:
6.5%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.11%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.11%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.11%)

Determinands

Moisture content: 6.5% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4 mg/kg	1.32	5.281 mg/kg	0.000528 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.6	mg/kg	1.462	5.262	mg/kg	0.000526 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.7	mg/kg	1.126	4.166	mg/kg	0.000417 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.8	mg/kg	1.56	5.927	mg/kg	0.00038 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.4	mg/kg	2.976	13.096	mg/kg	0.00131 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		14	mg/kg	2.774	38.838	mg/kg	0.00388 %		
12		TPH (C6 to C40) petroleum group			TPH		1100	mg/kg		1100	mg/kg	0.11 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14		pH			PH		10	pH		10	pH	10pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
18		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
19		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
20		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21		fluoranthene		205-912-4	206-44-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
22		pyrene		204-927-3	129-00-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.118 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: E4/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E4/TP03
Sample Depth:
0.00 - 0.50 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.1 mg/kg	1.32	2.773 mg/kg	0.000277 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.14 mg/kg	1.142	0.16 mg/kg	0.000016 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.1 mg/kg	1.462	7.454 mg/kg	0.000745 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.3 mg/kg	1.126	3.715 mg/kg	0.000372 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	8.8 mg/kg	1.56	13.726 mg/kg	0.00088 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.2 mg/kg	2.976	12.5 mg/kg	0.00125 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		17 mg/kg	2.774	47.16 mg/kg	0.00472 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.4 pH		8.4 pH	8.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00999 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E5/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E5/TP02
Sample Depth:
0.00 - 0.80 m
Moisture content:
9.6%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 9.6% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.7 mg/kg	1.32	3.565 mg/kg	0.000356 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1 mg/kg	3.22	3.22 mg/kg	0.000322 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.8 mg/kg	1.462	7.015 mg/kg	0.000702 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.9 mg/kg	1.126	3.265 mg/kg	0.000327 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	10 mg/kg	1.56	15.598 mg/kg	0.001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.4 mg/kg	2.976	10.119 mg/kg	0.00101 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		13 mg/kg	2.774	36.064 mg/kg	0.00361 %		
12	TPH (C6 to C40) petroleum group			TPH		38 mg/kg		38 mg/kg	0.0038 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		10.6 pH		10.6 pH	10.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0117 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0038%)

Classification of sample: D5/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP03
Sample Depth:
0.00 - 0.10 m
Moisture content:
9.5%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 9.5% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.7 mg/kg	1.32	2.245 mg/kg	0.000224 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.7 mg/kg	3.22	2.254 mg/kg	0.000225 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.8 mg/kg	1.462	4.092 mg/kg	0.000409 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.9 mg/kg	1.126	2.139 mg/kg	0.000214 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.4 mg/kg	1.56	2.184 mg/kg	0.00014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.9 mg/kg	2.976	5.655 mg/kg	0.000565 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5 mg/kg	2.774	13.871 mg/kg	0.00139 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		11.1 pH		11.1 pH	11.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00478 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E6/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E6/TP01
Sample Depth:
0.00 - 0.20 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.3 mg/kg	1.32	3.037 mg/kg	0.000304 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.63 mg/kg	3.22	2.029 mg/kg	0.000203 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.8 mg/kg	1.462	5.554 mg/kg	0.000555 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.8 mg/kg	1.126	2.027 mg/kg	0.000203 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	9.8 mg/kg	1.56	15.286 mg/kg	0.00098 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2 mg/kg	2.976	5.953 mg/kg	0.000595 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		9.8 mg/kg	2.774	27.187 mg/kg	0.00272 %		
12	TPH (C6 to C40) petroleum group			TPH		420 mg/kg		420 mg/kg	0.042 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		11.1 pH		11.1 pH	11.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0482 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.042%)

Classification of sample: E6/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E6/TP02
Sample Depth:
0.00 - 0.90 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.2	mg/kg	1.32	2.905	mg/kg	0.00029 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.49	mg/kg	3.22	1.578	mg/kg	0.000158 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.7	mg/kg	1.462	8.331	mg/kg	0.000833 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.9	mg/kg	1.126	2.139	mg/kg	0.000214 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2	mg/kg	1.56	3.12	mg/kg	0.0002 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.8	mg/kg	2.976	8.334	mg/kg	0.000833 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.8	mg/kg	2.774	24.412	mg/kg	0.00244 %		
12	TPH (C6 to C40) petroleum group			TPH		340	mg/kg		340	mg/kg	0.034 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		11.2	pH		11.2	pH	11.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0396 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.034%)

Classification of sample: E4/TP01 (SP)

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E4/TP01 (SP)
Sample Depth:
N/A m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.9 mg/kg	1.32	3.829 mg/kg	0.000383 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.58 mg/kg	3.22	1.868 mg/kg	0.000187 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		16 mg/kg	1.462	23.385 mg/kg	0.00234 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.1 mg/kg	1.126	4.616 mg/kg	0.000462 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4.3 mg/kg	1.56	6.707 mg/kg	0.00043 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9.6 mg/kg	2.976	28.572 mg/kg	0.00286 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		16 mg/kg	2.774	44.386 mg/kg	0.00444 %		
12	TPH (C6 to C40) petroleum group			TPH		620 mg/kg		620 mg/kg	0.062 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.1 pH		9.1 pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0737 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.062%)

Classification of sample: E4/TP02 (SP)

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E4/TP02 (SP)
Sample Depth:
N/A m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.1	mg/kg	1.32	4.093	mg/kg	0.000409 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.95	mg/kg	3.22	3.059	mg/kg	0.000306 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.16	mg/kg	1.142	0.183	mg/kg	0.0000183 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		6.1	mg/kg	1.462	8.915	mg/kg	0.000892 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		27	mg/kg	1.126	30.399	mg/kg	0.00304 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	18	mg/kg	1.56	28.077	mg/kg	0.0018 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.8	mg/kg	2.976	20.239	mg/kg	0.00202 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		53	mg/kg	2.774	147.03	mg/kg	0.0147 %		
12	TPH (C6 to C40) petroleum group			TPH		540	mg/kg		540	mg/kg	0.054 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		8.8	pH		8.8	pH	8.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.46	mg/kg		0.46	mg/kg	0.000046 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.12	mg/kg		0.12	mg/kg	0.000012 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			201-469-6	83-32-9									
18	●	fluorene				0.55	mg/kg		0.55	mg/kg	0.000055 %		
			201-695-5	86-73-7									
19	●	phenanthrene				5.7	mg/kg		5.7	mg/kg	0.00057 %		
			201-581-5	85-01-8									
20	●	anthracene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
			204-371-1	120-12-7									
21	●	fluoranthene				8.8	mg/kg		8.8	mg/kg	0.00088 %		
			205-912-4	206-44-0									
22	●	pyrene				8.6	mg/kg		8.6	mg/kg	0.00086 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				3.8	mg/kg		3.8	mg/kg	0.00038 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				4	mg/kg		4	mg/kg	0.0004 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				4.1	mg/kg		4.1	mg/kg	0.00041 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				3.4	mg/kg		3.4	mg/kg	0.00034 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	47	mg/kg		47	mg/kg	0.0047 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0869 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils, below LOD

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.054%)

Appendix A: Classifier defined and non GB MCL determinands

- **pH** (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

- **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

- **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

- **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

- **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

- **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

chromium(III) oxide (worst case) (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

TPH (C6 to C40) petroleum group (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

ethylbenzene (EC Number: 202-849-4, CAS Number: 100-41-4)

GB MCL index number: 601-023-00-4
Description/Comments:
Additional Hazard Statement(s): Carc. 2; H351
Reason for additional Hazards Statement(s):
20 Nov 2021 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

beryllium {beryllium oxide}

Reasonable case CLP species based on hazard statements/molecular weight. Industrial sources include: most common (non alloy) form, used in ceramics (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.168.5189.9766 (18 Jun 2022)
HazWasteOnline Database: 2022.168.5189.9766 (18 Jun 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

EK5JO-R93JN-4YL0P

Job name

Saunderton (Natural)

Description/Comments

Project

223159(NAT)

Site

Saunderton (Natural)

Classified by

Name:
Jack Taylor
Date:
07 Jul 2022 10:14 GMT
Telephone:
01235 536042

Company:
AA Environmental Limited

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	TP315	0.6	Non Hazardous		3
2	TP319	0.3	Non Hazardous		5
3	TP320	0.5	Non Hazardous		7
4	TP321	0.7	Non Hazardous		9
5	TP321[2]	1.3	Non Hazardous		11
6	TP321A	0.5	Hazardous	HP 3(i), HP 7, HP 10, HP 11, HP 14	13
7	TP321A[2]	1	Hazardous	HP 3(i), HP 7, HP 10, HP 11, HP 14	15
8	TP321A[3]	2	Non Hazardous		17
9	TP321A[4]	2.2	Hazardous	HP 3(i), HP 7, HP 10, HP 11, HP 14	19
10	TP325	0.2	Non Hazardous		21
11	TP326	0.5	Non Hazardous		23
12	TP328	0.22	Non Hazardous		25
13	TP334	0.7	Non Hazardous		27
14	TP339	0.3	Non Hazardous		29
15	C2/TP02	0.80 - 1.45	Non Hazardous		31
16	D1/TP01	0.80 - 1.30	Non Hazardous		34
17	D1/TP02	0.80 - 1.40	Non Hazardous		37
18	E1/TP01	0.85 - 1.45	Non Hazardous		40
19	E1/TP02	1.40 - 1.80	Non Hazardous		43
20	E2/TP02	1.80 - 2.10	Non Hazardous		46
21	E2/TP01	0.80 - 1.40	Non Hazardous		49
22	D2/TP02	1.50 - 2.05	Non Hazardous		52
23	D2/TP01	0.50 - 1.45	Non Hazardous		55
24	D2/TP04	0.40 - 1.15	Non Hazardous		58
25	D2/TP03	1.30 - 1.85	Non Hazardous		61
26	E2/TP04	0.80 - 1.30	Non Hazardous		64
27	E2/TP03	0.80 - 1.60	Non Hazardous		67
28	E2/TP05	2.50 - 3.00	Non Hazardous		70
29	D2/TP05	0.70 - 1.60	Non Hazardous		73
30	D3/TP02	0.65 - 1.70	Non Hazardous		76

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
31	D3/TP03	1.20 - 2.20	Non Hazardous		79
32	D4/TP03	0.85 - 1.50	Non Hazardous		82
33	D4/TP05	1.70 - 2.70	Non Hazardous		85
34	D4/TP04	1.30 - 2.10	Non Hazardous		88
35	D5/TP02	0.45 - 1.10	Non Hazardous		91
36	E3/TP01	0.45 - 1.10	Non Hazardous		94
37	E3/TP02	3.00 - 4.00	Non Hazardous		97
38	E5/TP01	1.10 - 2.80	Hazardous	HP 3(i), HP 7, HP 10, HP 11, HP 14	100
39	E5/TP01[2]	3.30 - 3.80	Hazardous	HP 3(i), HP 7, HP 11	103
40	D3/TP05	0.85 - 1.65	Non Hazardous		106
41	D4/TP02	0.50 - 1.35	Non Hazardous		109
42	D5/TP03	0.10 - 1.00	Non Hazardous		112
43	D5/TP05	0.70 - 1.60	Non Hazardous		115
44	D6/TP02	0.10 - 1.00	Non Hazardous		118
45	D6/TP03	0.10 - 1.00	Non Hazardous		121
46	D6/TP05	0.40 - 1.20	Non Hazardous		124
47	E4/TP03	0.50 1.45	Non Hazardous		127
48	E5/TP02	0.80 - 1.50	Non Hazardous		130
49	E6/TP01	0.20 - 1.20	Non Hazardous		133
50	E6/TP02	0.90 - 1.35	Non Hazardous		136

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor

Created date: 07 Jul 2022 10:14 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	139
Appendix B: Rationale for selection of metal species	140
Appendix C: Version	141

Classification of sample: TP315

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP315
Sample Depth:
0.6 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	beryllium { beryllium oxide }	004-003-00-8	215-133-1	1304-56-9		0.1	mg/kg	2.775	0.278	mg/kg	0.0000278 %		
3	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
4	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
5	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3	mg/kg	1.462	4.385	mg/kg	0.000438 %		
6	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
7	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		9.5	mg/kg	1.126	10.696	mg/kg	0.00107 %		
8	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	10	mg/kg	1.56	15.598	mg/kg	0.001 %		
9	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
10	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.3	mg/kg	2.976	9.822	mg/kg	0.000982 %		
11	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
12	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		28	mg/kg	2.774	77.676	mg/kg	0.00777 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
14	pH			PH		8.6	pH		8.6	pH	8.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
16	•	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	•	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	•	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	•	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	•	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	•	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	•	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	•	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	•	benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
31		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0125 %		

Key

	User supplied data
•	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP319

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP319
Sample Depth:
0.3 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2	mg/kg	3.22	0.644	mg/kg	0.0000644 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.6	mg/kg	1.126	6.305	mg/kg	0.00063 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1	mg/kg	1.56	1.56	mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.9	mg/kg	2.976	14.584	mg/kg	0.00146 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.3	mg/kg	2.774	23.025	mg/kg	0.0023 %		
11	pH			PH		8.8	pH		8.8	pH	8.8 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00547 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP320

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP320	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.7 mg/kg	1.32	2.245 mg/kg	0.000224 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.3 mg/kg	3.22	0.966 mg/kg	0.0000966 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		9.1 mg/kg	1.126	10.246 mg/kg	0.00102 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.7 mg/kg	1.56	5.771 mg/kg	0.00037 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		11 mg/kg	2.976	32.739 mg/kg	0.00327 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		21 mg/kg	2.774	58.257 mg/kg	0.00583 %		
11	pH			PH		8.6 pH		8.6 pH	8.6 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0116 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP321

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP321	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.7 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.4 mg/kg	1.32	1.848 mg/kg	0.000185 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.6 mg/kg	3.22	1.932 mg/kg	0.000193 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1.2 mg/kg	1.142	1.371 mg/kg	0.000137 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		63 mg/kg	1.126	70.931 mg/kg	0.00709 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	480 mg/kg	1.56	748.711 mg/kg	0.048 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5 mg/kg	2.976	14.881 mg/kg	0.00149 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		67 mg/kg	2.774	185.868 mg/kg	0.0186 %		
11	pH			PH		8.4 pH		8.4 pH	8.4 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0764 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP321[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:
TP321[2]	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	
1.3 m	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1 mg/kg	1.142	1.142 mg/kg	0.000114 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		46 mg/kg	1.126	51.791 mg/kg	0.00518 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	430 mg/kg	1.56	670.721 mg/kg	0.043 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4 mg/kg	2.976	11.905 mg/kg	0.00119 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		51 mg/kg	2.774	141.481 mg/kg	0.0141 %		
11	pH			PH		8.3 pH		8.3 pH	8.3 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0646 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP321A

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP321A	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 6.231%)

HP 10: Toxic for reproduction "waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring"

Hazard Statements hit:

Repr. 2; H361d "Suspected of damaging the unborn child."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 6.231%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 6.231%)

HP 14: Ecotoxic "waste which presents or may present immediate or delayed risks for one or more sectors of the environment"

Hazard Statements hit:

Aquatic Chronic 2; H411 "Toxic to aquatic life with long lasting effects."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 6.231%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 6.231%)
xylene: (conc.: 4.0e-06%)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
1	●	TPH (C6 to C40) petroleum group		TPH		62314.1	mg/kg		62314.1	mg/kg	6.231 %		
2		tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				1	mg/kg		1	mg/kg	0.0001 %		
		603-181-00-X	216-653-1	1634-04-4									
3		benzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-020-00-8	200-753-7	71-43-2									
4		toluene				1	mg/kg		1	mg/kg	0.0001 %		
		601-021-00-3	203-625-9	108-88-3									
5	●	ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
6		xylene				0.04	mg/kg		0.04	mg/kg	0.000004 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
										Total:	6.232 %		

Key

- User supplied data
- Hazardous result
- Potentially Hazardous result
- ● Determinand defined or amended by HazWasteOnline (see Appendix A)

Classification of sample: TP321A[2]

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP321A[2]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
1 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 4.163%)

HP 10: Toxic for reproduction "waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring"

Hazard Statements hit:

Repr. 2; H361d "Suspected of damaging the unborn child."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 4.163%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 4.163%)

HP 14: Ecotoxic "waste which presents or may present immediate or delayed risks for one or more sectors of the environment"

Hazard Statements hit:

Aquatic Chronic 2; H411 "Toxic to aquatic life with long lasting effects."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 4.163%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 4.163%)
xylene: (conc.: 5.0e-06%)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
1	●	TPH (C6 to C40) petroleum group		TPH		41630.2	mg/kg		41630.2	mg/kg	4.163 %		
2		tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane				1	mg/kg		1	mg/kg	0.0001 %		
		603-181-00-X	216-653-1	1634-04-4									
3		benzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-020-00-8	200-753-7	71-43-2									
4		toluene				1	mg/kg		1	mg/kg	0.0001 %		
		601-021-00-3	203-625-9	108-88-3									
5	●	ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
6		xylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
										Total:	4.163 %		

Key

- User supplied data
- Hazardous result
- Potentially Hazardous result
- ● Determinand defined or amended by HazWasteOnline (see Appendix A)

Classification of sample: TP321A[3]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:
TP321A[3]	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	
2 m	Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	●	TPH (C6 to C40) petroleum group			TPH		560.4	mg/kg		560.4	mg/kg	0.056 %		
2		tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1	mg/kg		1	mg/kg	0.0001 %		
3		benzene	601-020-00-8	200-753-7	71-43-2		1	mg/kg		1	mg/kg	0.0001 %		
4		toluene	601-021-00-3	203-625-9	108-88-3		1	mg/kg		1	mg/kg	0.0001 %		
5	●	ethylbenzene	601-023-00-4	202-849-4	100-41-4		1	mg/kg		1	mg/kg	0.0001 %		
6		xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		1	mg/kg		1	mg/kg	0.0001 %		
											Total:	0.0565 %		

Key

- User supplied data
- ● Determinand defined or amended by HazWasteOnline (see Appendix A)

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.056%)
xylene: (conc.: 0.0001%)

Classification of sample: TP321A[4]

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP321A[4]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
2.2 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.116%)

HP 10: Toxic for reproduction "waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring"

Hazard Statements hit:

Repr. 2; H361d "Suspected of damaging the unborn child."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.116%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.116%)

HP 14: Ecotoxic "waste which presents or may present immediate or delayed risks for one or more sectors of the environment"

Hazard Statements hit:

Aquatic Chronic 2; H411 "Toxic to aquatic life with long lasting effects."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.116%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 8.116%)
xylene: (conc.: 0.0001%)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	●	TPH (C6 to C40) petroleum group			TPH		81160.8	mg/kg		81160.8	mg/kg	8.116 %		
2		tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1	mg/kg		1	mg/kg	0.0001 %		
3		benzene	601-020-00-8	200-753-7	71-43-2		1	mg/kg		1	mg/kg	0.0001 %		
4		toluene	601-021-00-3	203-625-9	108-88-3		1	mg/kg		1	mg/kg	0.0001 %		
5	●	ethylbenzene	601-023-00-4	202-849-4	100-41-4		1	mg/kg		1	mg/kg	0.0001 %		
6		xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		1	mg/kg		1	mg/kg	0.0001 %		
											Total:	8.117 %		

Key

- User supplied data
- Hazardous result
- Potentially Hazardous result
- ● Determinand defined or amended by HazWasteOnline (see Appendix A)

Classification of sample: TP325

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP325	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.2 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.2	mg/kg	3.22	3.864	mg/kg	0.000386 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		18	mg/kg	1.126	20.266	mg/kg	0.00203 %		
6		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5.4	mg/kg	1.56	8.423	mg/kg	0.00054 %		
7		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9.4	mg/kg	2.976	27.977	mg/kg	0.0028 %		
9		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
10		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		45	mg/kg	2.774	124.837	mg/kg	0.0125 %		
11		pH			PH		8.5	pH		8.5	pH	8.5 pH		
12		naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0191 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP326

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP326
Sample Depth:
0.5 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.7 mg/kg	1.32	4.885 mg/kg	0.000489 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.7 mg/kg	3.22	2.254 mg/kg	0.000225 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		17 mg/kg	1.126	19.14 mg/kg	0.00191 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	7.8 mg/kg	1.56	12.167 mg/kg	0.00078 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		28 mg/kg	2.774	77.676 mg/kg	0.00777 %		
11	pH			PH		8.7 pH		8.7 pH	8.7 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.68 mg/kg		0.68 mg/kg	0.000068 %		
17	anthracene		204-371-1	120-12-7		0.15 mg/kg		0.15 mg/kg	0.000015 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.44	mg/kg		0.44	mg/kg	0.000044 %		
			205-912-4	206-44-0									
19		pyrene				0.33	mg/kg		0.33	mg/kg	0.000033 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.19	mg/kg		0.19	mg/kg	0.000019 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.11	mg/kg		0.11	mg/kg	0.000011 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0157 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP328

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP328	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.22 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2	mg/kg	3.22	0.644	mg/kg	0.0000644 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
5		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.4	mg/kg	1.126	3.828	mg/kg	0.000383 %		
6		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1	mg/kg	1.56	1.56	mg/kg	0.0001 %		
7		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
8		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2	mg/kg	2.976	5.953	mg/kg	0.000595 %		
9		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				3.3	mg/kg	1.405	4.637	mg/kg	0.000464 %		
10		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.6	mg/kg	2.774	18.309	mg/kg	0.00183 %		
11		pH			PH		8.1	pH		8.1	pH	8.1 pH		
12		naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
13		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
28		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00421 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP334

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP334
Sample Depth:
0.7 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	●	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
2		tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1	mg/kg		1	mg/kg	0.0001 %		
3		benzene	601-020-00-8	200-753-7	71-43-2		1	mg/kg		1	mg/kg	0.0001 %		
4		toluene	601-021-00-3	203-625-9	108-88-3		1	mg/kg		1	mg/kg	0.0001 %		
5	●	ethylbenzene	601-023-00-4	202-849-4	100-41-4		1	mg/kg		1	mg/kg	0.0001 %		
6		xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		1	mg/kg		1	mg/kg	0.0001 %		
											Total:	0.0015 %		

Key

User supplied data
● Determinand defined or amended by HazWasteOnline (see Appendix A)

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)
xylene: (conc.: 0.0001%)

Classification of sample: TP339

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP339
Sample Depth:
0.3 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	beryllium { beryllium oxide }	004-003-00-8	215-133-1	1304-56-9		0.1	mg/kg	2.775	0.278	mg/kg	0.0000278 %		
3	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.3	mg/kg	3.22	0.966	mg/kg	0.0000966 %		
4	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
5	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1	mg/kg	1.462	1.462	mg/kg	0.000146 %		
6	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
7	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.9	mg/kg	1.126	4.391	mg/kg	0.000439 %		
8	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1	mg/kg	1.56	1.56	mg/kg	0.0001 %		
9	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
10	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.8	mg/kg	2.976	5.357	mg/kg	0.000536 %		
11	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
12	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.1	mg/kg	2.774	19.696	mg/kg	0.00197 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
14	pH			PH		9.3	pH		9.3	pH	9.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
31		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00442 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: C2/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C2/TP02
Sample Depth:
0.80 - 1.45 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.1	mg/kg	1.462	4.531	mg/kg	0.000453 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.5	mg/kg	1.126	2.815	mg/kg	0.000281 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.3	mg/kg	1.56	3.588	mg/kg	0.00023 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.9	mg/kg	2.976	8.631	mg/kg	0.000863 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.4	mg/kg	2.774	23.303	mg/kg	0.00233 %		
12	TPH (C6 to C40) petroleum group			TPH		560	mg/kg		560	mg/kg	0.056 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.3	pH		9.3	pH	9.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.061 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.056%)

Classification of sample: D1/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D1/TP01
Sample Depth:
0.80 - 1.30 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.4 mg/kg	1.32	1.848 mg/kg	0.000185 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.4 mg/kg	1.462	3.508 mg/kg	0.000351 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.7 mg/kg	1.126	3.04 mg/kg	0.000304 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.2 mg/kg	1.56	3.432 mg/kg	0.00022 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.9 mg/kg	2.976	8.631 mg/kg	0.000863 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.2 mg/kg	2.774	22.748 mg/kg	0.00227 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.7 pH		8.7 pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00594 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D1/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D1/TP02
Sample Depth:
0.80 - 1.40 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.2 mg/kg	1.32	2.905 mg/kg	0.00029 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.48 mg/kg	3.22	1.546 mg/kg	0.000155 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.2 mg/kg	1.462	6.139 mg/kg	0.000614 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.8 mg/kg	1.126	3.152 mg/kg	0.000315 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.6 mg/kg	1.56	4.056 mg/kg	0.00026 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.8 mg/kg	2.976	14.286 mg/kg	0.00143 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.35 mg/kg	1.405	0.492 mg/kg	0.0000492 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		10 mg/kg	2.774	27.741 mg/kg	0.00277 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.7 pH		8.7 pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.78	mg/kg		0.78	mg/kg	0.000078 %		
			201-581-5	85-01-8									
20		anthracene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			204-371-1	120-12-7									
21		fluoranthene				0.95	mg/kg		0.95	mg/kg	0.000095 %		
			205-912-4	206-44-0									
22		pyrene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	3.2	mg/kg		3.2	mg/kg	0.00032 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00787 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E1/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E1/TP01
Sample Depth:
0.85 - 1.45 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.3 mg/kg	1.32	3.037 mg/kg	0.000304 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1 mg/kg	3.22	3.22 mg/kg	0.000322 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.8 mg/kg	1.462	7.015 mg/kg	0.000702 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.4 mg/kg	1.126	3.828 mg/kg	0.000383 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	15 mg/kg	1.56	23.397 mg/kg	0.0015 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.3 mg/kg	2.976	9.822 mg/kg	0.000982 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.31 mg/kg	1.405	0.436 mg/kg	0.0000436 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		14 mg/kg	2.774	38.838 mg/kg	0.00388 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.1 pH		9.1 pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
			201-581-5	85-01-8									
20		anthracene				0.32	mg/kg		0.32	mg/kg	0.000032 %		
			204-371-1	120-12-7									
21		fluoranthene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
			205-912-4	206-44-0									
22		pyrene				1.6	mg/kg		1.6	mg/kg	0.00016 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	5.1	mg/kg		5.1	mg/kg	0.00051 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0105 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E1/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E1/TP02
Sample Depth:
1.40 - 1.80 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.9 mg/kg	1.32	2.509 mg/kg	0.000251 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.76 mg/kg	3.22	2.447 mg/kg	0.000245 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.9 mg/kg	1.462	4.239 mg/kg	0.000424 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.5 mg/kg	1.126	2.815 mg/kg	0.000281 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.8 mg/kg	1.56	4.367 mg/kg	0.00028 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.8 mg/kg	2.976	11.31 mg/kg	0.00113 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7 mg/kg	2.774	19.419 mg/kg	0.00194 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.9 pH		8.9 pH	8.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00617 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP02
Sample Depth:
1.80 - 2.10 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.9 mg/kg	1.462	1.315 mg/kg	0.000132 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.75 mg/kg	1.126	0.844 mg/kg	0.0000844 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.74 mg/kg	1.56	1.154 mg/kg	0.000074 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.66 mg/kg	2.976	1.964 mg/kg	0.000196 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		2.6 mg/kg	2.774	7.213 mg/kg	0.000721 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		10.1 pH		10.1 pH	10.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00302 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E2/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP01
Sample Depth:
0.80 - 1.40 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.1	mg/kg	1.32	4.093	mg/kg	0.000409 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.7	mg/kg	3.22	5.474	mg/kg	0.000547 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.17	mg/kg	1.142	0.194	mg/kg	0.0000194 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4	mg/kg	1.462	5.846	mg/kg	0.000585 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		8.1	mg/kg	1.126	9.12	mg/kg	0.000912 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.3	mg/kg	1.56	9.827	mg/kg	0.00063 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9.2	mg/kg	2.976	27.382	mg/kg	0.00274 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.42	mg/kg	1.405	0.59	mg/kg	0.000059 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		21	mg/kg	2.774	58.257	mg/kg	0.00583 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.3	pH		9.3	pH	9.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0133 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D2/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP02
Sample Depth:
1.50 - 2.05 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.2 mg/kg	3.22	3.864 mg/kg	0.000386 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.4 mg/kg	1.462	2.046 mg/kg	0.000205 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.5 mg/kg	1.126	2.815 mg/kg	0.000281 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.5 mg/kg	1.56	2.34 mg/kg	0.00015 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.9 mg/kg	2.976	8.631 mg/kg	0.000863 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.5 mg/kg	2.774	23.58 mg/kg	0.00236 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.7 pH		8.7 pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00599 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D2/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP01
Sample Depth:
0.50 - 1.45 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.7	mg/kg	1.32	0.924	mg/kg	0.0000924 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.58	mg/kg	3.22	1.868	mg/kg	0.000187 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.3	mg/kg	1.462	1.9	mg/kg	0.00019 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.8	mg/kg	1.126	2.027	mg/kg	0.000203 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.2	mg/kg	1.56	1.872	mg/kg	0.00012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.8	mg/kg	2.976	5.357	mg/kg	0.000536 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.3	mg/kg	2.774	20.251	mg/kg	0.00203 %		
12	TPH (C6 to C40) petroleum group			TPH		62	mg/kg		62	mg/kg	0.0062 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		8.9	pH		8.9	pH	8.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0102 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0062%)

Classification of sample: D2/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP04
Sample Depth:
0.40 - 1.15 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.4 mg/kg	1.32	3.169 mg/kg	0.000317 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.52 mg/kg	3.22	1.674 mg/kg	0.000167 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.8 mg/kg	1.462	2.631 mg/kg	0.000263 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.6 mg/kg	1.126	1.801 mg/kg	0.00018 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.89 mg/kg	1.56	1.388 mg/kg	0.000089 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2 mg/kg	2.976	5.953 mg/kg	0.000595 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.4 mg/kg	2.774	17.755 mg/kg	0.00178 %		
12	TPH (C6 to C40) petroleum group			TPH		42 mg/kg		42 mg/kg	0.0042 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		11.2 pH		11.2 pH	11.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0082 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0042%)

Classification of sample: D2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP03
Sample Depth:
1.30 - 1.85 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.99 mg/kg	1.126	1.115 mg/kg	0.000111 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.81 mg/kg	1.56	1.263 mg/kg	0.000081 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.54 mg/kg	2.976	1.607 mg/kg	0.000161 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		3.7 mg/kg	2.774	10.264 mg/kg	0.00103 %		
12	TPH (C6 to C40) petroleum group			TPH		25 mg/kg		25 mg/kg	0.0025 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.9 pH		8.9 pH	8.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00476 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0025%)

Classification of sample: E2/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP04
Sample Depth:
0.80 - 1.30 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.6 mg/kg	1.462	0.877 mg/kg	0.0000877 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.2 mg/kg	1.126	1.351 mg/kg	0.000135 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.97 mg/kg	1.56	1.513 mg/kg	0.000097 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.1 mg/kg	2.976	3.274 mg/kg	0.000327 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.5 mg/kg	2.774	12.484 mg/kg	0.00125 %		
12	TPH (C6 to C40) petroleum group			TPH		20 mg/kg		20 mg/kg	0.002 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9 pH		9 pH	9pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0047 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.002%)

Classification of sample: E2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP03
Sample Depth:
0.80 - 1.60 m
Moisture content:
28%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 28% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5	mg/kg	1.462	0.731	mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.76	mg/kg	1.126	0.856	mg/kg	0.0000856 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.3	mg/kg	1.56	2.028	mg/kg	0.00013 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.73	mg/kg	2.976	2.173	mg/kg	0.000217 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		3.4	mg/kg	2.774	9.432	mg/kg	0.000943 %		
12	TPH (C6 to C40) petroleum group			TPH		77	mg/kg		77	mg/kg	0.0077 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.4	pH		9.4	pH	9.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00996 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0077%)

Classification of sample: E2/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E2/TP05
Sample Depth:
2.50 - 3.00 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.5 mg/kg	1.126	1.689 mg/kg	0.000169 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.85 mg/kg	1.56	1.326 mg/kg	0.000085 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.3 mg/kg	2.976	3.869 mg/kg	0.000387 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.4 mg/kg	2.774	12.206 mg/kg	0.00122 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.8 pH		8.8 pH	8.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00374 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D2/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D2/TP05
Sample Depth:
0.70 - 1.60 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6	mg/kg	1.32	0.792	mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.57	mg/kg	3.22	1.835	mg/kg	0.000184 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.9	mg/kg	1.462	1.315	mg/kg	0.000132 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.9	mg/kg	1.126	3.265	mg/kg	0.000327 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.2	mg/kg	1.56	3.432	mg/kg	0.00022 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.3	mg/kg	2.976	6.845	mg/kg	0.000685 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.8	mg/kg	2.774	18.864	mg/kg	0.00189 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.3	pH		9.3	pH	9.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				3.2	mg/kg		3.2	mg/kg	0.00032 %		
			201-581-5	85-01-8									
20	●	anthracene				0.74	mg/kg		0.74	mg/kg	0.000074 %		
			204-371-1	120-12-7									
21	●	fluoranthene				3.2	mg/kg		3.2	mg/kg	0.00032 %		
			205-912-4	206-44-0									
22	●	pyrene				2.8	mg/kg		2.8	mg/kg	0.00028 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.99	mg/kg		0.99	mg/kg	0.000099 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.46	mg/kg		0.46	mg/kg	0.000046 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	16	mg/kg		16	mg/kg	0.0016 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00798 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP02
Sample Depth:
0.65 - 1.70 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.46 mg/kg	3.22	1.481 mg/kg	0.000148 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.5 mg/kg	1.462	2.192 mg/kg	0.000219 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.6 mg/kg	1.126	1.801 mg/kg	0.00018 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.3 mg/kg	1.56	3.588 mg/kg	0.00023 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2 mg/kg	2.976	5.953 mg/kg	0.000595 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.2 mg/kg	2.774	19.974 mg/kg	0.002 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.8 pH		9.8 pH	9.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00505 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D3/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP03
Sample Depth:
1.20 - 2.20 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.9	mg/kg	1.32	5.149	mg/kg	0.000515 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.57	mg/kg	3.22	1.835	mg/kg	0.000184 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.2	mg/kg	1.462	3.215	mg/kg	0.000322 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		6.1	mg/kg	1.126	6.868	mg/kg	0.000687 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.6	mg/kg	1.56	5.615	mg/kg	0.00036 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.9	mg/kg	2.976	14.584	mg/kg	0.00146 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		20	mg/kg	2.774	55.483	mg/kg	0.00555 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		10.3	pH		10.3	pH	10.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0107 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP03
Sample Depth:
0.85 - 1.50 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.4 mg/kg	1.462	2.046 mg/kg	0.000205 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.3 mg/kg	1.126	2.59 mg/kg	0.000259 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.6 mg/kg	1.56	4.056 mg/kg	0.00026 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.5 mg/kg	2.976	4.464 mg/kg	0.000446 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.2 mg/kg	2.774	22.748 mg/kg	0.00227 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.5 pH		9.5 pH	9.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00525 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP05
Sample Depth:
1.70 - 2.70 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6	mg/kg	1.32	0.792	mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.1	mg/kg	1.462	3.069	mg/kg	0.000307 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.9	mg/kg	1.126	3.265	mg/kg	0.000327 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.7	mg/kg	1.56	4.212	mg/kg	0.00027 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.3	mg/kg	2.976	6.845	mg/kg	0.000685 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.28	mg/kg	1.405	0.393	mg/kg	0.0000393 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		13	mg/kg	2.774	36.064	mg/kg	0.00361 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.6	pH		9.6	pH	9.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00702 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP04
Sample Depth:
1.30 - 2.10 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6	mg/kg	1.32	0.792	mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.5	mg/kg	1.462	2.192	mg/kg	0.000219 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4	mg/kg	1.126	4.504	mg/kg	0.00045 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.2	mg/kg	1.56	9.671	mg/kg	0.00062 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.6	mg/kg	2.976	4.762	mg/kg	0.000476 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		29	mg/kg	2.774	80.45	mg/kg	0.00805 %		
12	TPH (C6 to C40) petroleum group			TPH		640	mg/kg		640	mg/kg	0.064 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.6	pH		9.6	pH	9.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.53	mg/kg		0.53	mg/kg	0.000053 %		
			201-581-5	85-01-8									
20		anthracene				0.19	mg/kg		0.19	mg/kg	0.000019 %		
			204-371-1	120-12-7									
21		fluoranthene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			205-912-4	206-44-0									
22		pyrene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.73	mg/kg		0.73	mg/kg	0.000073 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.81	mg/kg		0.81	mg/kg	0.000081 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.74	mg/kg		0.74	mg/kg	0.000074 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.43	mg/kg		0.43	mg/kg	0.000043 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.61	mg/kg		0.61	mg/kg	0.000061 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	6.5	mg/kg		6.5	mg/kg	0.00065 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0756 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.064%)

Classification of sample: D5/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP02
Sample Depth:
0.45 - 1.10 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.7 mg/kg	1.32	0.924 mg/kg	0.0000924 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.5 mg/kg	1.462	2.192 mg/kg	0.000219 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.5 mg/kg	1.126	2.815 mg/kg	0.000281 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2 mg/kg	1.56	3.12 mg/kg	0.0002 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.5 mg/kg	2.976	4.464 mg/kg	0.000446 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.5 mg/kg	2.774	23.58 mg/kg	0.00236 %		
12	TPH (C6 to C40) petroleum group			TPH		1600 mg/kg		1600 mg/kg	0.16 %		
13	confirm TPH has NOT arisen from diesel or petrol					☑					
14	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15	●	pH		PH		10.5	pH		10.5	pH	10.5 pH		
16		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
17	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
18	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
19	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
20	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
21	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
22	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
23	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
24		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
25		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
26		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
27		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
28		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
29	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
30		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
31	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
32		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
33		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.164 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.16%)

Classification of sample: E3/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E3/TP01
Sample Depth:
0.45 - 1.10 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.3 mg/kg	1.32	1.716 mg/kg	0.000172 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.14 mg/kg	1.142	0.16 mg/kg	0.000016 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.2 mg/kg	1.462	3.215 mg/kg	0.000322 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.8 mg/kg	1.126	3.152 mg/kg	0.000315 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6 mg/kg	1.56	9.359 mg/kg	0.0006 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.3 mg/kg	2.976	9.822 mg/kg	0.000982 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		13 mg/kg	2.774	36.064 mg/kg	0.00361 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.4 pH		9.4 pH	9.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00774 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E3/TP02
Sample Depth:
3.00 - 4.00 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.2	mg/kg	1.32	2.905	mg/kg	0.00029 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.74	mg/kg	3.22	2.383	mg/kg	0.000238 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.11	mg/kg	1.142	0.126	mg/kg	0.0000126 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.6	mg/kg	1.462	8.185	mg/kg	0.000818 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		22	mg/kg	1.126	24.77	mg/kg	0.00248 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	14	mg/kg	1.56	21.837	mg/kg	0.0014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5.9	mg/kg	2.976	17.56	mg/kg	0.00176 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		46	mg/kg	2.774	127.611	mg/kg	0.0128 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		11.2	pH		11.2	pH	11.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0214 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E5/TP01

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:
E5/TP01	Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:	
1.10 - 2.80 m	Entry: 17 05 03 * (Soil and stones containing hazardous substances)
Moisture content:	
23% (no correction)	

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1A; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

zinc chromate: (compound conc.: 0.244%)

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.7%)

HP 10: Toxic for reproduction "waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring"

Hazard Statements hit:

Repr. 2; H361d "Suspected of damaging the unborn child."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.7%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.7%)

HP 14: Ecotoxic "waste which presents or may present immediate or delayed risks for one or more sectors of the environment"

Hazard Statements hit:

Aquatic Chronic 1; H410 "Very toxic to aquatic life with long lasting effects."

Because of determinands:

dicopper oxide; copper (I) oxide: (compound conc.: 0.158%)
zinc chromate: (compound conc.: 0.244%)

Aquatic Chronic 2; H411 "Toxic to aquatic life with long lasting effects."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.7%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 8.7%)

Determinands

Moisture content: 23% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.3 mg/kg	1.32	3.037 mg/kg	0.000304 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.2 mg/kg	3.22	3.864 mg/kg	0.000386 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		4.1 mg/kg	1.142	4.684 mg/kg	0.000468 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		46 mg/kg	1.462	67.232 mg/kg	0.00672 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1400 mg/kg	1.126	1576.244 mg/kg	0.158 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	310 mg/kg	1.56	483.543 mg/kg	0.031 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.06 mg/kg	1.353	0.0812 mg/kg	0.00000812 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		66 mg/kg	2.976	196.433 mg/kg	0.0196 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.6 mg/kg	1.405	0.843 mg/kg	0.0000843 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		880 mg/kg	2.774	2441.249 mg/kg	0.244 %		
12	TPH (C6 to C40) petroleum group			TPH		87000 mg/kg		87000 mg/kg	8.7 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				2.2 mg/kg	1.884	4.145 mg/kg	0.000414 %		
14	pH			PH		9.2 pH		9.2 pH	9.2 pH		
15	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
18	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
19	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	9.161 %		

Key

	User supplied data
	Hazardous result
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: E5/TP01[2]

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
E5/TP01[2]
Sample Depth:
3.30 - 3.80 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.78%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.78%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.78%)

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.11 mg/kg	1.142	0.126 mg/kg	0.0000126 %		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.7	mg/kg	1.462	3.946	mg/kg	0.000395 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		22	mg/kg	1.126	24.77	mg/kg	0.00248 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	21	mg/kg	1.56	32.756	mg/kg	0.0021 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3	mg/kg	2.976	8.929	mg/kg	0.000893 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		19	mg/kg	2.774	52.709	mg/kg	0.00527 %		
12		TPH (C6 to C40) petroleum group			TPH		7800	mg/kg		7800	mg/kg	0.78 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14		pH			PH		9.3	pH		9.3	pH	9.3 pH		
15		naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16		acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
17		acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
18		fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
19		phenanthrene		201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
20		anthracene		204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21		fluoranthene		205-912-4	206-44-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
22		pyrene		204-927-3	129-00-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.792 %		

Key

	User supplied data
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

Classification of sample: D3/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP05
Sample Depth:
0.85 - 1.65 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.2 mg/kg	1.462	1.754 mg/kg	0.000175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.3 mg/kg	1.126	1.464 mg/kg	0.000146 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.1 mg/kg	1.56	1.716 mg/kg	0.00011 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.4 mg/kg	2.976	4.167 mg/kg	0.000417 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.2 mg/kg	2.774	14.426 mg/kg	0.00144 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		8.9 pH		8.9 pH	8.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0041 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D4/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP02
Sample Depth:
0.50 - 1.35 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.8	mg/kg	1.462	1.169	mg/kg	0.000117 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1	mg/kg	1.126	1.126	mg/kg	0.000113 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.84	mg/kg	1.56	1.31	mg/kg	0.000084 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.2	mg/kg	2.976	3.572	mg/kg	0.000357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.8	mg/kg	2.774	13.316	mg/kg	0.00133 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.3	pH		9.3	pH	9.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00381 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D5/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP03
Sample Depth:
0.10 - 1.00 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.5 mg/kg	1.126	0.563 mg/kg	0.0000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.5 mg/kg	1.56	0.78 mg/kg	0.00005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.5 mg/kg	2.976	1.488 mg/kg	0.000149 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		2.9 mg/kg	2.774	8.045 mg/kg	0.000805 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.6 pH		9.6 pH	9.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00294 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D5/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP05
Sample Depth:
0.70 - 1.60 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.6 mg/kg	1.462	0.877 mg/kg	0.0000877 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.52 mg/kg	1.126	0.585 mg/kg	0.0000585 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.5 mg/kg	1.56	0.78 mg/kg	0.00005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.58 mg/kg	2.976	1.726 mg/kg	0.000173 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		2.8 mg/kg	2.774	7.768 mg/kg	0.000777 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.5 pH		9.5 pH	9.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00295 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D6/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D6/TP02
Sample Depth:
0.10 - 1.00 m
Moisture content:
21%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 21% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.5 mg/kg	1.126	0.563 mg/kg	0.0000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.5 mg/kg	1.56	0.78 mg/kg	0.00005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.5 mg/kg	2.976	1.488 mg/kg	0.000149 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		2.2 mg/kg	2.774	6.103 mg/kg	0.00061 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.8 pH		9.8 pH	9.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00275 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D6/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D6/TP03
Sample Depth:
0.10 - 1.00 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5	mg/kg	1.462	0.731	mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.5	mg/kg	1.126	0.563	mg/kg	0.0000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.5	mg/kg	1.56	0.78	mg/kg	0.00005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.5	mg/kg	2.976	1.488	mg/kg	0.000149 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		1.8	mg/kg	2.774	4.993	mg/kg	0.000499 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.4	pH		9.4	pH	9.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00264 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: D6/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D6/TP05
Sample Depth:
0.40 - 1.20 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.89 mg/kg	1.126	1.002 mg/kg	0.0001 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.4 mg/kg	1.56	2.184 mg/kg	0.00014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.5 mg/kg	2.976	1.488 mg/kg	0.000149 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		2.9 mg/kg	2.774	8.045 mg/kg	0.000805 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.2 pH		9.2 pH	9.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00308 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E4/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E4/TP03
Sample Depth:
0.50 1.45 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.8	mg/kg	1.462	1.169	mg/kg	0.000117 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.91	mg/kg	1.126	1.025	mg/kg	0.000102 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.92	mg/kg	1.56	1.435	mg/kg	0.000092 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.2	mg/kg	2.976	3.572	mg/kg	0.000357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4	mg/kg	2.774	11.097	mg/kg	0.00111 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		8.5	pH		8.5	pH	8.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00359 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E5/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E5/TP02
Sample Depth:
0.80 - 1.50 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.57 mg/kg	1.126	0.642 mg/kg	0.0000642 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.5 mg/kg	1.56	0.78 mg/kg	0.00005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.71 mg/kg	2.976	2.113 mg/kg	0.000211 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		2.6 mg/kg	2.774	7.213 mg/kg	0.000721 %		
12	TPH (C6 to C40) petroleum group			TPH		41 mg/kg		41 mg/kg	0.0041 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		9.7 pH		9.7 pH	9.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00603 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0041%)

Classification of sample: E6/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E6/TP01
Sample Depth:
0.20 - 1.20 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5	mg/kg	1.462	0.731	mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5	mg/kg	1.923	0.962	mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.5	mg/kg	1.126	0.563	mg/kg	0.0000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.5	mg/kg	1.56	0.78	mg/kg	0.00005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.5	mg/kg	2.976	1.488	mg/kg	0.000149 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		1.7	mg/kg	2.774	4.716	mg/kg	0.000472 %		
12	TPH (C6 to C40) petroleum group			TPH		10	mg/kg		10	mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5	mg/kg	1.884	0.942	mg/kg	0.0000942 %		
14	pH			PH		9.5	pH		9.5	pH	9.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00261 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Classification of sample: E6/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E6/TP02
Sample Depth:
0.90 - 1.35 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.5 mg/kg	1.32	1.98 mg/kg	0.000198 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.1 mg/kg	1.462	1.608 mg/kg	0.000161 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.5 mg/kg	1.923	0.962 mg/kg	0.0000962 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.68 mg/kg	1.126	0.766 mg/kg	0.0000766 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.2 mg/kg	1.56	1.872 mg/kg	0.00012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.05 mg/kg	1.353	0.0677 mg/kg	0.00000677 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.86 mg/kg	2.976	2.56 mg/kg	0.000256 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25 mg/kg	1.405	0.351 mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		3.6 mg/kg	2.774	9.987 mg/kg	0.000999 %		
12	TPH (C6 to C40) petroleum group			TPH		10 mg/kg		10 mg/kg	0.001 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
14	pH			PH		10.2 pH		10.2 pH	10.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
17	●	acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
18	●	fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
19	●	phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
20	●	anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
22	●	pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2	mg/kg		2	mg/kg	0.0002 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00355 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00009%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In solids/soil

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.001%)

Appendix A: Classifier defined and non GB MCL determinands

pH (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

acenaphthylene (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

acenaphthene (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

fluorene (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

phenanthrene (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

anthracene (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

fluoranthene (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

pyrene (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

indeno[123-cd]pyrene (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

benzo[ghi]perylene (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

chromium(III) oxide (worst case) (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

TPH (C6 to C40) petroleum group (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

ethylbenzene (EC Number: 202-849-4, CAS Number: 100-41-4)

GB MCL index number: 601-023-00-4
Description/Comments:
Additional Hazard Statement(s): Carc. 2; H351
Reason for additional Hazards Statement(s):
20 Nov 2021 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

confirm TPH has NOT arisen from diesel or petrol

Description/Comments: Chapter 3, section 4b requires a positive confirmation for benzo[a]pyrene to be used as a marker in evaluating Carc. 1B; H350 (HP 7) and Muta. 1B; H340 (HP 11)
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

beryllium {beryllium oxide}

Reasonable case CLP species based on hazard statements/molecular weight. Industrial sources include: most common (non alloy) form, used in ceramics (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.187.5232.9825 (06 Jul 2022)
HazWasteOnline Database: 2022.187.5232.9825 (06 Jul 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

HazWasteOnline™

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

VZC29-Z7I2K-B88ID

Job name

Saunderton (14-15/6/22) Made Ground

Description/Comments

Project

223159 Saunderton

Site

Saunderton

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
23 Jun 2022 15:29 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	C2/TP03	0.00-1.00	Non Hazardous		2
2	C3/TP02	0.00-0.30	Non Hazardous		4
3	D3/TP01	0.00-0.90	Non Hazardous		6
4	C4/TP02	0.00-0.50	Non Hazardous		8
5	D3/TP04	0.00-0.20	Non Hazardous		11
6	D4/TP01	0.00-0.25	Non Hazardous		14
7	C3/TP03	0.00-0.20	Non Hazardous		17

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor
Created date: 23 Jun 2022 15:29 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	19
Appendix B: Rationale for selection of metal species	20
Appendix C: Version	21

Classification of sample: C2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C2/TP03
Sample Depth:
0.00-1.00 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.4 mg/kg	1.32	1.848 mg/kg	0.000185 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.57 mg/kg	3.22	1.835 mg/kg	0.000184 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.2 mg/kg	1.462	4.677 mg/kg	0.000468 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.9 mg/kg	1.126	3.265 mg/kg	0.000327 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.4 mg/kg	1.56	9.983 mg/kg	0.00064 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.3 mg/kg	2.976	9.822 mg/kg	0.000982 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		15 mg/kg	2.774	41.612 mg/kg	0.00416 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.6 pH		9.6 pH	9.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00856 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP02
Sample Depth:
0.00-0.30 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.2	mg/kg	1.32	2.905	mg/kg	0.00029 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.88	mg/kg	3.22	2.833	mg/kg	0.000283 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1	mg/kg	1.142	0.114	mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.5	mg/kg	1.462	6.577	mg/kg	0.000658 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5	mg/kg	1.126	5.629	mg/kg	0.000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	10	mg/kg	1.56	15.598	mg/kg	0.001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.1	mg/kg	2.976	12.203	mg/kg	0.00122 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		25	mg/kg	2.774	69.354	mg/kg	0.00694 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.7	pH		8.7	pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0126 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: D3/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP01
Sample Depth:
0.00-0.90 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2 mg/kg	1.32	2.641 mg/kg	0.000264 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.3 mg/kg	3.22	7.406 mg/kg	0.000741 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.4 mg/kg	1.462	6.431 mg/kg	0.000643 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.2 mg/kg	1.126	4.729 mg/kg	0.000473 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	11 mg/kg	1.56	17.158 mg/kg	0.0011 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4 mg/kg	2.976	11.905 mg/kg	0.00119 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		26 mg/kg	2.774	72.128 mg/kg	0.00721 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.7 pH		8.7 pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21		fluoranthene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			205-912-4	206-44-0									
22		pyrene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2.5	mg/kg		2.5	mg/kg	0.00025 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0135 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C4/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C4/TP02
Sample Depth:
0.00-0.50 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.8 mg/kg	1.462	1.169 mg/kg	0.000117 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.8 mg/kg	1.126	3.152 mg/kg	0.000315 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.5 mg/kg	1.56	2.34 mg/kg	0.00015 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1 mg/kg	2.976	2.976 mg/kg	0.000298 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.9 mg/kg	2.774	16.367 mg/kg	0.00164 %		
12	TPH (C6 to C40) petroleum group			TPH		170 mg/kg		170 mg/kg	0.017 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.9 pH		9.9 pH	9.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				0.35	mg/kg		0.35	mg/kg	0.000035 %		
			201-581-5	85-01-8									
20	●	anthracene				0.16	mg/kg		0.16	mg/kg	0.000016 %		
			204-371-1	120-12-7									
21	●	fluoranthene				0.44	mg/kg		0.44	mg/kg	0.000044 %		
			205-912-4	206-44-0									
22	●	pyrene				0.51	mg/kg		0.51	mg/kg	0.000051 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.25	mg/kg		0.25	mg/kg	0.000025 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.38	mg/kg		0.38	mg/kg	0.000038 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2.1	mg/kg		2.1	mg/kg	0.00021 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0205 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.017%)

Classification of sample: D3/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP04
Sample Depth:
0.00-0.20 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		7.5 mg/kg	1.32	9.902 mg/kg	0.00099 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		6.7 mg/kg	3.22	21.573 mg/kg	0.00216 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.5 mg/kg	1.142	0.571 mg/kg	0.0000571 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.9 mg/kg	1.462	8.623 mg/kg	0.000862 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		77 mg/kg	1.126	86.693 mg/kg	0.00867 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	130 mg/kg	1.56	202.776 mg/kg	0.013 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		14 mg/kg	2.976	41.668 mg/kg	0.00417 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.7 mg/kg	1.405	0.983 mg/kg	0.0000983 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		290 mg/kg	2.774	804.502 mg/kg	0.0805 %		
12	TPH (C6 to C40) petroleum group			TPH		700 mg/kg		700 mg/kg	0.07 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.1 pH		9.1 pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				0.89	mg/kg		0.89	mg/kg	0.000089 %		
			201-581-5	85-01-8									
20	●	anthracene				0.14	mg/kg		0.14	mg/kg	0.000014 %		
			204-371-1	120-12-7									
21	●	fluoranthene				1.4	mg/kg		1.4	mg/kg	0.00014 %		
			205-912-4	206-44-0									
22	●	pyrene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.85	mg/kg		0.85	mg/kg	0.000085 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.74	mg/kg		0.74	mg/kg	0.000074 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.33	mg/kg		0.33	mg/kg	0.000033 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.37	mg/kg		0.37	mg/kg	0.000037 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	9.5	mg/kg		9.5	mg/kg	0.00095 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.183 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.07%)

Classification of sample: D4/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP01
Sample Depth:
0.00-0.25 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.8 mg/kg	1.32	1.056 mg/kg	0.000106 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.79 mg/kg	3.22	2.544 mg/kg	0.000254 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.2 mg/kg	1.462	1.754 mg/kg	0.000175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.3 mg/kg	1.126	2.59 mg/kg	0.000259 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2 mg/kg	1.56	3.12 mg/kg	0.0002 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.6 mg/kg	2.976	4.762 mg/kg	0.000476 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		9 mg/kg	2.774	24.967 mg/kg	0.0025 %		
12	TPH (C6 to C40) petroleum group			TPH		250 mg/kg		250 mg/kg	0.025 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.9 mg/kg	1.884	1.696 mg/kg	0.00017 %		
14	pH			PH		11.3 pH		11.3 pH	11.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21	●	fluoranthene				0.44	mg/kg		0.44	mg/kg	0.000044 %		
			205-912-4	206-44-0									
22	●	pyrene				0.48	mg/kg		0.48	mg/kg	0.000048 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0297 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.025%)

Classification of sample: C3/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP03
Sample Depth:
0.00-0.20 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6	mg/kg	1.32	0.792	mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.8	mg/kg	1.462	2.631	mg/kg	0.000263 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.9	mg/kg	1.126	2.139	mg/kg	0.000214 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.5	mg/kg	1.56	3.9	mg/kg	0.00025 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.1	mg/kg	2.976	6.25	mg/kg	0.000625 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.4	mg/kg	2.774	23.303	mg/kg	0.00233 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.1	pH		9.1	pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0055 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Appendix A: Classifier defined and non GB MCL determinands

chromium(III) oxide (worst case) (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

TPH (C6 to C40) petroleum group (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

pH (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

acenaphthylene (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

acenaphthene (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

fluorene (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

phenanthrene (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

anthracene (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

fluoranthene (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

- **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.168.5189.9766 (18 Jun 2022)
HazWasteOnline Database: 2022.168.5189.9766 (18 Jun 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

IT7ZO-SQMTF-WXXU8

Job name

Saunderton (14-15/6/22) Natural

Description/Comments

Project

223159 Saunderton

Site

Saunderton

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
23 Jun 2022 15:32 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	C2/TP03	1.20-1.90	Non Hazardous		2
2	C3/TP02	0.70-1.10	Non Hazardous		4
3	D3/TP01	1.00-1.50	Non Hazardous		6
4	C4/TP02	0.80-1.40	Non Hazardous		8
5	D3/TP04	0.70-1.20	Non Hazardous		11
6	D4/TP01	1.90-2.00	Non Hazardous		14
7	C3/TP03	1.00-1.50	Non Hazardous		17

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor

Created date: 23 Jun 2022 15:32 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	19
Appendix B: Rationale for selection of metal species	20
Appendix C: Version	21

Classification of sample: C2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C2/TP03
Sample Depth:
1.20-1.90 m
Moisture content:
31%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 31% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.7 mg/kg	1.32	0.924 mg/kg	0.0000924 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.6 mg/kg	1.462	2.338 mg/kg	0.000234 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.99 mg/kg	1.126	1.115 mg/kg	0.000111 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.3 mg/kg	1.56	2.028 mg/kg	0.00013 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.6 mg/kg	2.976	4.762 mg/kg	0.000476 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.3 mg/kg	2.774	14.703 mg/kg	0.00147 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.4 pH		8.4 pH	8.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00426 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP02
Sample Depth:
0.70-1.10 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.4 mg/kg	1.32	1.848 mg/kg	0.000185 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1 mg/kg	3.22	3.22 mg/kg	0.000322 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.2 mg/kg	1.462	7.6 mg/kg	0.00076 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.1 mg/kg	1.126	2.364 mg/kg	0.000236 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4.5 mg/kg	1.56	7.019 mg/kg	0.00045 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.9 mg/kg	2.976	11.607 mg/kg	0.00116 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		14 mg/kg	2.774	38.838 mg/kg	0.00388 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.6 pH		8.6 pH	8.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00861 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: D3/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP01
Sample Depth:
1.00-1.50 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.1 mg/kg	1.462	1.608 mg/kg	0.000161 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.5 mg/kg	1.126	2.815 mg/kg	0.000281 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.5 mg/kg	2.976	4.464 mg/kg	0.000446 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.9 mg/kg	2.774	16.367 mg/kg	0.00164 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.5 pH		8.5 pH	8.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00443 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C4/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C4/TP02
Sample Depth:
0.80-1.40 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6 mg/kg	1.32	0.792 mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.3 mg/kg	1.462	1.9 mg/kg	0.00019 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.9 mg/kg	1.126	3.265 mg/kg	0.000327 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.1 mg/kg	1.56	3.276 mg/kg	0.00021 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.1 mg/kg	2.976	3.274 mg/kg	0.000327 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.37 mg/kg	1.405	0.52 mg/kg	0.000052 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.5 mg/kg	2.774	20.806 mg/kg	0.00208 %		
12	TPH (C6 to C40) petroleum group			TPH		72 mg/kg		72 mg/kg	0.0072 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		10 pH		10 pH	10pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				0.85	mg/kg		0.85	mg/kg	0.000085 %		
			201-581-5	85-01-8									
20	●	anthracene				0.15	mg/kg		0.15	mg/kg	0.000015 %		
			204-371-1	120-12-7									
21	●	fluoranthene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
			205-912-4	206-44-0									
22	●	pyrene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.86	mg/kg		0.86	mg/kg	0.000086 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.56	mg/kg		0.56	mg/kg	0.000056 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				0.7	mg/kg		0.7	mg/kg	0.00007 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.36	mg/kg		0.36	mg/kg	0.000036 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	8.4	mg/kg		8.4	mg/kg	0.00084 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0126 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0072%)

Classification of sample: D3/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D3/TP04
Sample Depth:
0.70-1.20 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.89	mg/kg	3.22	2.866	mg/kg	0.000287 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		**<LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.6	mg/kg	1.462	2.338	mg/kg	0.000234 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		**<LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5	mg/kg	1.126	5.629	mg/kg	0.000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.1	mg/kg	1.56	9.515	mg/kg	0.00061 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		**<LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.1	mg/kg	2.976	6.25	mg/kg	0.000625 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.39	mg/kg	1.405	0.548	mg/kg	0.0000548 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		20	mg/kg	2.774	55.483	mg/kg	0.00555 %		
12	TPH (C6 to C40) petroleum group			TPH		160	mg/kg		160	mg/kg	0.016 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.9	mg/kg	1.884	1.696	mg/kg	0.00017 %		
14	pH			PH		11.4	pH		11.4	pH	11.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				0.52	mg/kg		0.52	mg/kg	0.000052 %		
			205-912-4	206-44-0									
22		pyrene				0.58	mg/kg		0.58	mg/kg	0.000058 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.22	mg/kg		0.22	mg/kg	0.000022 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.48	mg/kg		0.48	mg/kg	0.000048 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0248 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.016%)

Classification of sample: D4/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D4/TP01
Sample Depth:
1.90-2.00 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.7 mg/kg	3.22	2.254 mg/kg	0.000225 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.6 mg/kg	1.462	3.8 mg/kg	0.00038 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5 mg/kg	1.126	5.629 mg/kg	0.000563 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	9.9 mg/kg	1.56	15.442 mg/kg	0.00099 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5.8 mg/kg	2.976	17.262 mg/kg	0.00173 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		15 mg/kg	2.774	41.612 mg/kg	0.00416 %		
12	TPH (C6 to C40) petroleum group			TPH		64 mg/kg		64 mg/kg	0.0064 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.8 mg/kg	1.884	1.507 mg/kg	0.000151 %		
14	pH			PH		11.2 pH		11.2 pH	11.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				0.44	mg/kg		0.44	mg/kg	0.000044 %		
			205-912-4	206-44-0									
22	●	pyrene				0.54	mg/kg		0.54	mg/kg	0.000054 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.19	mg/kg		0.19	mg/kg	0.000019 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				0.46	mg/kg		0.46	mg/kg	0.000046 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0154 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0064%)

Classification of sample: C3/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP03
Sample Depth:
1.00-1.50 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		<0.5 mg/kg	1.462	<0.731 mg/kg	<0.0000731 %		<LOD
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		<0.5 mg/kg	1.126	<0.563 mg/kg	<0.0000563 %		<LOD
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	<0.5 mg/kg	1.56	<0.78 mg/kg	<0.00005 %		<LOD
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		<0.5 mg/kg	2.976	<1.488 mg/kg	<0.000149 %		<LOD
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		9.1 mg/kg	2.774	25.245 mg/kg	0.00252 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9 pH		9 pH	9pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				1.4	mg/kg		1.4	mg/kg	0.00014 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00479 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Appendix A: Classifier defined and non GB MCL determinands

chromium(III) oxide (worst case) (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

TPH (C6 to C40) petroleum group (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

pH (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

acenaphthylene (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

acenaphthene (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

fluorene (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

phenanthrene (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

anthracene (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

fluoranthene (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

- **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.168.5189.9766 (18 Jun 2022)
HazWasteOnline Database: 2022.168.5189.9766 (18 Jun 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

N3XJ8-4YXYA-7EOFE

Job name

Saunderton (22-23/6/22) Made Ground

Description/Comments

Made Ground

Project

Saunderton

Site

223159

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
30 Jun 2022 14:35 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	TP310	0.5	Non Hazardous		2
2	TP329	0.4	Hazardous	HP 8	5
3	C6/TP03	0.3-0.5	Non Hazardous		8
4	C6/TP02	0.2-0.4	Non Hazardous		11
5	C5/TP03	0.3-0.5	Non Hazardous		14
6	D6/TP01	0.3-0.5	Non Hazardous		17
7	D5/TP04	0.3-0.5	Non Hazardous		20
8	D5/TP01	0.3-0.9	Non Hazardous		23
9	C4/TP03	0.1-0.5	Non Hazardous		26
10	C5/TP02	0.0-0.3	Non Hazardous		28
11	C5/TP04	0.4-0.7	Non Hazardous		31
12	C6/TP01	0.0-0.5	Non Hazardous		34
13	C6/TP05	0.1-0.5	Non Hazardous		36
14	C6/TP04	0.0-0.3	Non Hazardous		39

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor
Created date: 30 Jun 2022 14:35 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	42
Appendix B: Rationale for selection of metal species	43
Appendix C: Version	44

Classification of sample: TP310

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP310
Sample Depth:
0.5 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.7 mg/kg	3.22	2.254 mg/kg	0.000225 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.2 mg/kg	1.462	3.215 mg/kg	0.000322 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.3 mg/kg	1.126	5.967 mg/kg	0.000597 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.9 mg/kg	2.976	8.631 mg/kg	0.000863 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		12 mg/kg	2.469	29.632 mg/kg	0.00296 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<**LOD**
13	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		
14	toluene	601-021-00-3	203-625-9	108-88-3		1 mg/kg		1 mg/kg	0.0001 %		
15	ethylbenzene	601-023-00-4	202-849-4	100-41-4		1 mg/kg		1 mg/kg	0.0001 %		
16	xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2]	95-47-6 [1] 106-42-3 [2]		1 mg/kg		1 mg/kg	0.0001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
			203-576-3 [3] 215-535-7 [4]	108-38-3 [3] 1330-20-7 [4]									
17		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex } 006-007-00-5				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
18		pH		PH		9.3	pH		9.3	pH	9.3 pH		
19		naphthalene 601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
20		acenaphthylene	205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21		acenaphthene	201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
22		fluorene	201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
23		phenanthrene	201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24		anthracene	204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25		fluoranthene	205-912-4	206-44-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26		pyrene	204-927-3	129-00-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]anthracene 601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		chrysene 601-048-00-0	205-923-4	218-01-9		0.05	mg/kg		0.05	mg/kg	0.000005 %		
29		benzo[b]fluoranthene 601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
30		benzo[k]fluoranthene 601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
31		benzo[a]pyrene; benzo[def]chrysene 601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
32		indeno[123-cd]pyrene	205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
33		dibenz[a,h]anthracene 601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
34		benzo[ghi]perylene	205-883-8	191-24-2		0.05	mg/kg		0.05	mg/kg	0.000005 %		
35		phenol 604-001-00-2	203-632-7	108-95-2		2	mg/kg		2	mg/kg	0.0002 %		
										Total:	0.00757 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

xylene: (conc.: 0.0001%)

Classification of sample: TP329

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP329	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.4 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 12.3 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		15 mg/kg	1.32	19.805 mg/kg	0.00198 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		2.3 mg/kg	3.22	7.406 mg/kg	0.000741 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		14 mg/kg	1.462	20.462 mg/kg	0.00205 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		14 mg/kg	1.126	15.762 mg/kg	0.00158 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5.7 mg/kg	1.56	8.891 mg/kg	0.00057 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		23 mg/kg	2.469	56.794 mg/kg	0.00568 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		**<LOD**
13	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		
14	toluene	601-021-00-3	203-625-9	108-88-3		1 mg/kg		1 mg/kg	0.0001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		ethylbenzene				1	mg/kg		1	mg/kg	0.0001 %		
		601-023-00-4	202-849-4	100-41-4									
16		xylene				1	mg/kg		1	mg/kg	0.0001 %		
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
17		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				1	mg/kg	1.884	1.884	mg/kg	0.000188 %		
		006-007-00-5											
18		pH				12.3	pH		12.3	pH	12.3 pH		
				PH									
19		naphthalene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-052-00-2	202-049-5	91-20-3									
20		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
21		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
22		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
23		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
24		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
25		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
26		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
27		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
28		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
29		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
30		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
31		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
32		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
33		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
34		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
35		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0185 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

xylene: (conc.: 0.0001%)

Classification of sample: C6/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP03
Sample Depth:
0.3-0.5 m
Moisture content:
8.5%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 8.5% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.5 mg/kg	1.32	4.621 mg/kg	0.000462 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.59 mg/kg	3.22	1.9 mg/kg	0.00019 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		6.8 mg/kg	1.462	9.939 mg/kg	0.000994 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		0.78 mg/kg	1.923	1.5 mg/kg	0.00015 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.7 mg/kg	1.126	4.166 mg/kg	0.000417 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.3 mg/kg	1.56	5.147 mg/kg	0.00033 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.1 mg/kg	2.976	18.155 mg/kg	0.00182 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		13 mg/kg	2.469	32.101 mg/kg	0.00321 %		
12	TPH (C6 to C40) petroleum group			TPH		280 mg/kg		280 mg/kg	0.028 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8 pH		8 pH	8pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				4.2	mg/kg		4.2	mg/kg	0.00042 %		
			201-581-5	85-01-8									
20		anthracene				0.92	mg/kg		0.92	mg/kg	0.000092 %		
			204-371-1	120-12-7									
21		fluoranthene				6.4	mg/kg		6.4	mg/kg	0.00064 %		
			205-912-4	206-44-0									
22		pyrene				6.7	mg/kg		6.7	mg/kg	0.00067 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				3.8	mg/kg		3.8	mg/kg	0.00038 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				4.8	mg/kg		4.8	mg/kg	0.00048 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				4.3	mg/kg		4.3	mg/kg	0.00043 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				2	mg/kg		2	mg/kg	0.0002 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				3.2	mg/kg		3.2	mg/kg	0.00032 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				2	mg/kg		2	mg/kg	0.0002 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.86	mg/kg		0.86	mg/kg	0.000086 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				1.9	mg/kg		1.9	mg/kg	0.00019 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	41	mg/kg		41	mg/kg	0.0041 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.044 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00015%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.028%)

Classification of sample: C6/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP02
Sample Depth:
0.2-0.4 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.1 mg/kg	1.32	4.093 mg/kg	0.000409 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.51 mg/kg	3.22	1.642 mg/kg	0.000164 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		9.7 mg/kg	1.462	14.177 mg/kg	0.00142 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7.5 mg/kg	1.126	8.444 mg/kg	0.000844 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4 mg/kg	1.56	6.239 mg/kg	0.0004 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7.5 mg/kg	2.976	22.322 mg/kg	0.00223 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		16 mg/kg	2.469	39.509 mg/kg	0.00395 %		
12	TPH (C6 to C40) petroleum group			TPH		650 mg/kg		650 mg/kg	0.065 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8 pH		8 pH	8pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.075 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.065%)

Classification of sample: C5/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C5/TP03
Sample Depth:
0.3-0.5 m
Moisture content:
8.9%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 8.9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.4 mg/kg	1.32	5.809 mg/kg	0.000581 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.73 mg/kg	3.22	2.351 mg/kg	0.000235 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		8.4 mg/kg	1.462	12.277 mg/kg	0.00123 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.2 mg/kg	1.126	4.729 mg/kg	0.000473 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4.6 mg/kg	1.56	7.175 mg/kg	0.00046 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7.7 mg/kg	2.976	22.917 mg/kg	0.00229 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		14 mg/kg	2.469	34.57 mg/kg	0.00346 %		
12	TPH (C6 to C40) petroleum group			TPH		300 mg/kg		300 mg/kg	0.03 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.1 pH		8.1 pH	8.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21	●	fluoranthene				0.57	mg/kg		0.57	mg/kg	0.000057 %		
			205-912-4	206-44-0									
22	●	pyrene				0.32	mg/kg		0.32	mg/kg	0.000032 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0395 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.03%)

Classification of sample: D6/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D6/TP01
Sample Depth:
0.3-0.5 m
Moisture content:
3.7%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 3.7% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6.1 mg/kg	1.32	8.054 mg/kg	0.000805 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1.3 mg/kg	1.142	1.485 mg/kg	0.000149 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		16 mg/kg	1.462	23.385 mg/kg	0.00234 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		40 mg/kg	1.126	45.036 mg/kg	0.0045 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	35 mg/kg	1.56	54.594 mg/kg	0.0035 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.39 mg/kg	1.405	0.548 mg/kg	0.0000548 %		
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		160 mg/kg	2.469	395.087 mg/kg	0.0395 %		
12	TPH (C6 to C40) petroleum group			TPH		150 mg/kg		150 mg/kg	0.015 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8 pH		8 pH	8pH		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
15		naphthalene	601-052-00-2	202-049-5	91-20-3		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
16		acenaphthylene		205-917-1	208-96-8		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
17		acenaphthene		201-469-6	83-32-9		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
18		fluorene		201-695-5	86-73-7		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
19		phenanthrene		201-581-5	85-01-8		13	mg/kg		13	mg/kg	0.0013 %		
20		anthracene		204-371-1	120-12-7		2.6	mg/kg		2.6	mg/kg	0.00026 %		
21		fluoranthene		205-912-4	206-44-0		23	mg/kg		23	mg/kg	0.0023 %		
22		pyrene		204-927-3	129-00-0		19	mg/kg		19	mg/kg	0.0019 %		
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		8.8	mg/kg		8.8	mg/kg	0.00088 %		
24		chrysene	601-048-00-0	205-923-4	218-01-9		11	mg/kg		11	mg/kg	0.0011 %		
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		12	mg/kg		12	mg/kg	0.0012 %		
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		4.5	mg/kg		4.5	mg/kg	0.00045 %		
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		8.6	mg/kg		8.6	mg/kg	0.00086 %		
28		indeno[123-cd]pyrene		205-893-2	193-39-5		6.3	mg/kg		6.3	mg/kg	0.00063 %		
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		1.5	mg/kg		1.5	mg/kg	0.00015 %		
30		benzo[ghi]perylene		205-883-8	191-24-2		5.7	mg/kg		5.7	mg/kg	0.00057 %		
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]	648-073-00-3	309-956-6	101794-74-5	H, M	120	mg/kg		120	mg/kg	0.012 %		
32		phenol	604-001-00-2	203-632-7	108-95-2		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
											Total:	0.0934 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.015%)

Classification of sample: D5/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP04
Sample Depth:
0.3-0.5 m
Moisture content:
4.9%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 4.9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		9.7 mg/kg	1.32	12.807 mg/kg	0.00128 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.31 mg/kg	1.142	0.354 mg/kg	0.0000354 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		13 mg/kg	1.462	19 mg/kg	0.0019 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		270 mg/kg	1.126	303.99 mg/kg	0.0304 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	23 mg/kg	1.56	35.876 mg/kg	0.0023 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.26 mg/kg	1.405	0.365 mg/kg	0.0000365 %		
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		150 mg/kg	2.469	370.394 mg/kg	0.037 %		
12	TPH (C6 to C40) petroleum group			TPH		190 mg/kg		190 mg/kg	0.019 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		6.9 pH		6.9 pH	6.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0963 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.019%)

Classification of sample: D5/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP01
Sample Depth:
0.3-0.9 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.6 mg/kg	1.32	4.753 mg/kg	0.000475 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.59 mg/kg	3.22	1.9 mg/kg	0.00019 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		**<LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		6 mg/kg	1.462	8.769 mg/kg	0.000877 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		**<LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		18 mg/kg	1.126	20.266 mg/kg	0.00203 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	4.8 mg/kg	1.56	7.487 mg/kg	0.00048 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		**<LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.2 mg/kg	2.976	18.453 mg/kg	0.00185 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.54 mg/kg	1.405	0.759 mg/kg	0.0000759 %		
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		21 mg/kg	2.469	51.855 mg/kg	0.00519 %		
12	TPH (C6 to C40) petroleum group			TPH		150 mg/kg		150 mg/kg	0.015 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		**<LOD**
14	pH			PH		10.1 pH		10.1 pH	10.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0267 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.015%)

Classification of sample: C4/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C4/TP03
Sample Depth:
0.1-0.5 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.7	mg/kg	1.32	3.565	mg/kg	0.000356 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.6	mg/kg	3.22	5.152	mg/kg	0.000515 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.31	mg/kg	1.142	0.354	mg/kg	0.0000354 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.9	mg/kg	1.462	11.546	mg/kg	0.00115 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		16	mg/kg	1.126	18.014	mg/kg	0.0018 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	14	mg/kg	1.56	21.837	mg/kg	0.0014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8.2	mg/kg	2.976	24.405	mg/kg	0.00244 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.27	mg/kg	1.405	0.379	mg/kg	0.0000379 %		
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		130	mg/kg	2.469	321.009	mg/kg	0.0321 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.3	pH		8.3	pH	8.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0414 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C5/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C5/TP02
Sample Depth:
0.0-0.3 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.2	mg/kg	1.32	2.905	mg/kg	0.00029 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.7	mg/kg	1.462	6.869	mg/kg	0.000687 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.6	mg/kg	1.126	5.179	mg/kg	0.000518 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	12	mg/kg	1.56	18.718	mg/kg	0.0012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.5	mg/kg	2.976	10.417	mg/kg	0.00104 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		74	mg/kg	2.469	182.728	mg/kg	0.0183 %		
12	TPH (C6 to C40) petroleum group			TPH		200	mg/kg		200	mg/kg	0.02 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		10	pH		10	pH	10pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0428 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.02%)

Classification of sample: C5/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C5/TP04
Sample Depth:
0.4-0.7 m
Moisture content:
8.1%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 8.1% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5	mg/kg	1.32	6.602	mg/kg	0.00066 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.56	mg/kg	3.22	1.803	mg/kg	0.00018 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.3	mg/kg	1.142	0.343	mg/kg	0.0000343 %		
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		6.4	mg/kg	1.462	9.354	mg/kg	0.000935 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		10	mg/kg	1.126	11.259	mg/kg	0.00113 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	16	mg/kg	1.56	24.957	mg/kg	0.0016 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.6	mg/kg	2.976	19.643	mg/kg	0.00196 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11		zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		520	mg/kg	2.469	1284.034	mg/kg	0.128 %		
12		TPH (C6 to C40) petroleum group			TPH		120	mg/kg		120	mg/kg	0.012 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14		pH			PH		10.8	pH		10.8	pH	10.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				0.62	mg/kg		0.62	mg/kg	0.000062 %		
			205-912-4	206-44-0									
22		pyrene				0.62	mg/kg		0.62	mg/kg	0.000062 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.148 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.012%)

Classification of sample: C6/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP01
Sample Depth:
0.0-0.5 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.42 mg/kg	3.22	1.352 mg/kg	0.000135 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.1 mg/kg	1.142	0.114 mg/kg	0.0000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.2 mg/kg	1.462	1.754 mg/kg	0.000175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.9 mg/kg	1.126	2.139 mg/kg	0.000214 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.4 mg/kg	1.56	2.184 mg/kg	0.00014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.3 mg/kg	2.976	3.869 mg/kg	0.000387 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		7.7 mg/kg	2.469	19.014 mg/kg	0.0019 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.9 pH		9.9 pH	9.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00463 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C6/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP05
Sample Depth:
0.1-0.5 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4 mg/kg	1.32	5.281 mg/kg	0.000528 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.72 mg/kg	3.22	2.318 mg/kg	0.000232 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.7 mg/kg	1.462	6.869 mg/kg	0.000687 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4 mg/kg	1.126	4.504 mg/kg	0.00045 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.9 mg/kg	1.56	6.083 mg/kg	0.00039 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.3 mg/kg	2.976	18.75 mg/kg	0.00188 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		14 mg/kg	2.469	34.57 mg/kg	0.00346 %		
12	TPH (C6 to C40) petroleum group			TPH		160 mg/kg		160 mg/kg	0.016 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		10.9 pH		10.9 pH	10.9 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0242 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.016%)

Classification of sample: C6/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP04
Sample Depth:
0.0-0.3 m
Moisture content:
10%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 10% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.1 mg/kg	1.32	4.093 mg/kg	0.000409 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.73 mg/kg	3.22	2.351 mg/kg	0.000235 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7.4 mg/kg	1.462	10.816 mg/kg	0.00108 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		17 mg/kg	1.126	19.14 mg/kg	0.00191 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	9.9 mg/kg	1.56	15.442 mg/kg	0.00099 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		22 mg/kg	2.976	65.478 mg/kg	0.00655 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc sulphate }	030-006-00-9	231-793-3 [1] 231-793-3 [2]	7446-19-7 [1] 7733-02-0 [2]		21 mg/kg	2.469	51.855 mg/kg	0.00519 %		
12	TPH (C6 to C40) petroleum group			TPH		160 mg/kg		160 mg/kg	0.016 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		11.2 pH		11.2 pH	11.2 pH		

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
15		naphthalene	601-052-00-2	202-049-5	91-20-3		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
16		acenaphthylene		205-917-1	208-96-8		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
17		acenaphthene		201-469-6	83-32-9		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
18		fluorene		201-695-5	86-73-7		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
19		phenanthrene		201-581-5	85-01-8		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
20		anthracene		204-371-1	120-12-7		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
21		fluoranthene		205-912-4	206-44-0		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
22		pyrene		204-927-3	129-00-0		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
23		benzo[a]anthracene	601-033-00-9	200-280-6	56-55-3		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
24		chrysene	601-048-00-0	205-923-4	218-01-9		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
25		benzo[b]fluoranthene	601-034-00-4	205-911-9	205-99-2		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
26		benzo[k]fluoranthene	601-036-00-5	205-916-6	207-08-9		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
27		benzo[a]pyrene; benzo[def]chrysene	601-032-00-3	200-028-5	50-32-8		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
28		indeno[123-cd]pyrene		205-893-2	193-39-5		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
29		dibenz[a,h]anthracene	601-041-00-2	200-181-8	53-70-3		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
30		benzo[ghi]perylene		205-883-8	191-24-2		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]	648-073-00-3	309-956-6	101794-74-5	H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
32		phenol	604-001-00-2	203-632-7	108-95-2		<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
											Total:	0.033 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.016%)

Appendix A: Classifier defined and non GB MCL determinands

- **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **TPH (C6 to C40) petroleum group** (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

- **ethylbenzene** (EC Number: 202-849-4, CAS Number: 100-41-4)

GB MCL index number: 601-023-00-4
Description/Comments:
Additional Hazard Statement(s): Carc. 2; H351
Reason for additional Hazards Statement(s):
20 Nov 2021 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

- **salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex**

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

- **pH** (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

- **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

- **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

- **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

- **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

- **benzo[ghi]perylene** (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc sulphate}

Insufficient Chromium

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.176.5209.9795 (25 Jun 2022)
HazWasteOnline Database: 2022.176.5209.9795 (25 Jun 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

KFWDT-9VIQK-7X5KG

Job name

Saunderton (22-23/6/22) Natural

Description/Comments

Natural Strata

Project

Saunderton

Site

223159

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
30 Jun 2022 14:43 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	WS116	0.3	Hazardous	HP 8	3
2	WS116[2]	1	Hazardous	HP 8	5
3	WS116[3]	2	Non Hazardous		7
4	WS116[4]	3	Non Hazardous		9
5	WS210	0.6	Non Hazardous		11
6	WS212	0.6	Non Hazardous		13
7	TP313	0.5	Non Hazardous		15
8	C6/TP03	1.0-2.0	Non Hazardous		17
9	C6/TP02	1.0-1.9	Non Hazardous		20
10	C5/TP03	1.5-2.4	Non Hazardous		23
11	D6/TP04	1.5-2.9	Non Hazardous		26
12	D6/TP01	2.0-2.6	Non Hazardous		29
13	D5/TP04	1.0-2.0	Non Hazardous		32
14	D5/TP01	1.5-2.0	Non Hazardous		35
15	C4/TP03	0.8-1.6	Non Hazardous		38
16	C5/TP02	0.5-1.3	Non Hazardous		40
17	C5/TP04	0.8-1.3	Non Hazardous		43
18	C6/TP01	0.7-1.7	Non Hazardous		45
19	C6/TP05	0.7-1.4	Non Hazardous		47
20	C6/TP04	0.4-1.1	Non Hazardous		49

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor
Created date: 30 Jun 2022 14:43 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	51
Appendix B: Rationale for selection of metal species	52
Appendix C: Version	53

Classification of sample: WS116

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS116	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.3 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 11.8 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		6 mg/kg	1.32	7.922 mg/kg	0.000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.9 mg/kg	3.22	2.898 mg/kg	0.00029 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.5 mg/kg	1.142	0.571 mg/kg	0.0000571 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		10 mg/kg	1.462	14.616 mg/kg	0.00146 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		90 mg/kg	1.126	101.33 mg/kg	0.0101 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	14 mg/kg	1.56	21.837 mg/kg	0.0014 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8 mg/kg	2.976	23.81 mg/kg	0.00238 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		49 mg/kg	2.774	135.933 mg/kg	0.0136 %		
11	TPH (C6 to C40) petroleum group			TPH		120 mg/kg		120 mg/kg	0.012 %		
12	pH			PH		11.8 pH		11.8 pH	11.8 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.2 mg/kg		0.2 mg/kg	0.00002 %		
14	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
17		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
29		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		**<LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0429 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.012%)

Classification of sample: WS116[2]

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS116[2]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
1 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 12.3 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4 mg/kg	1.32	5.281 mg/kg	0.000528 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2 mg/kg	1.462	2.923 mg/kg	0.000292 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3 mg/kg	1.126	3.378 mg/kg	0.000338 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2 mg/kg	1.56	3.12 mg/kg	0.0002 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2 mg/kg	2.976	5.953 mg/kg	0.000595 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1.4 mg/kg	1.405	1.967 mg/kg	0.000197 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		9 mg/kg	2.774	24.967 mg/kg	0.0025 %		
11	TPH (C6 to C40) petroleum group			TPH		20 mg/kg		20 mg/kg	0.002 %		
12	pH			PH		12.3 pH		12.3 pH	12.3 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
17		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
29		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.00753 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.002%)

Classification of sample: WS116[3]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS116[3]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
2 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1 mg/kg	1.462	1.462 mg/kg	0.000146 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2 mg/kg	1.126	2.252 mg/kg	0.000225 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1 mg/kg	2.976	2.976 mg/kg	0.000298 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.6 mg/kg	1.405	0.843 mg/kg	0.0000843 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		19 mg/kg	2.774	52.709 mg/kg	0.00527 %		
11	TPH (C6 to C40) petroleum group			TPH		20 mg/kg		20 mg/kg	0.002 %		
12	pH			PH		9.8 pH		9.8 pH	9.8 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
29		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		**<LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.00911 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.002%)

Classification of sample: WS116[4]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS116[4]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
3 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.6 mg/kg	3.22	1.932 mg/kg	0.000193 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1 mg/kg	1.462	1.462 mg/kg	0.000146 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1 mg/kg	1.126	1.126 mg/kg	0.000113 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1 mg/kg	2.976	2.976 mg/kg	0.000298 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		13 mg/kg	2.774	36.064 mg/kg	0.00361 %		
11	TPH (C6 to C40) petroleum group			TPH		20 mg/kg		20 mg/kg	0.002 %		
12	pH			PH		9.3 pH		9.3 pH	9.3 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
										Total:	0.00685 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.002%)

Classification of sample: WS210

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS210	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.6 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
1		TPH (C6 to C40) petroleum group		TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
2		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
3		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
4		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
5		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
6		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
7		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
8		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
9		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
10		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
11		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
12		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
13		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
14		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
15		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
16		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
17		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
										Total:	0.00116 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
<LOD	Below limit of detection
ND	Not detected

Classification of sample: WS212

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS212	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.6 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1 mg/kg	1.142	1.142 mg/kg	0.000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3 mg/kg	1.462	4.385 mg/kg	0.000438 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		7 mg/kg	1.126	7.881 mg/kg	0.000788 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	31 mg/kg	1.56	48.354 mg/kg	0.0031 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.1 mg/kg	1.353	0.135 mg/kg	0.0000135 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4 mg/kg	2.976	11.905 mg/kg	0.00119 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		15 mg/kg	2.774	41.612 mg/kg	0.00416 %		
10	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		**<LOD**
11	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
12	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
13	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	fluoranthene		205-912-4	206-44-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		
18	pyrene		204-927-3	129-00-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
19		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
20		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
21		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
22		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
23		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
24		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
25		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
26		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
										Total:	0.0113 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: TP313

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP313	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.2 mg/kg	1.32	5.545 mg/kg	0.000555 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.5 mg/kg	3.22	4.83 mg/kg	0.000483 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.4 mg/kg	1.142	0.457 mg/kg	0.0000457 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		12 mg/kg	1.462	17.539 mg/kg	0.00175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		12 mg/kg	1.126	13.511 mg/kg	0.00135 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	19 mg/kg	1.56	29.636 mg/kg	0.0019 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		13 mg/kg	2.976	38.691 mg/kg	0.00387 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		44 mg/kg	2.774	122.062 mg/kg	0.0122 %		
12	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1 mg/kg	1.884	1.884 mg/kg	0.000188 %		
13	pH			PH		8.5 pH		8.5 pH	8.5 pH		
14	naphthalene	601-052-00-2	202-049-5	91-20-3		<0.05 mg/kg		<0.05 mg/kg	<0.000005 %		**<LOD**
15	acenaphthylene		205-917-1	208-96-8		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		**<LOD**

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
17		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
18		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
19		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
20		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
21		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
22		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
23		chrysene				<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
24		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
25		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
26		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
27		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
28		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
29		benzo[ghi]perylene				<0.05	mg/kg		<0.05	mg/kg	<0.000005 %		<LOD
			205-883-8	191-24-2									
30		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0231 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: C6/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP03
Sample Depth:
1.0-2.0 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.6 mg/kg	1.462	0.877 mg/kg	0.0000877 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.3 mg/kg	1.126	1.464 mg/kg	0.000146 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.84 mg/kg	1.56	1.31 mg/kg	0.000084 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.2 mg/kg	2.976	3.572 mg/kg	0.000357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.2 mg/kg	2.774	11.651 mg/kg	0.00117 %		
12	TPH (C6 to C40) petroleum group			TPH		120 mg/kg		120 mg/kg	0.012 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.2 pH		8.2 pH	8.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0146 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.012%)

Classification of sample: C6/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP02
Sample Depth:
1.0-1.9 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.7 mg/kg	1.462	1.023 mg/kg	0.000102 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1 mg/kg	1.126	1.126 mg/kg	0.000113 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.2 mg/kg	1.56	1.872 mg/kg	0.00012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.1 mg/kg	2.976	3.274 mg/kg	0.000327 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6 mg/kg	2.774	16.645 mg/kg	0.00166 %		
12	TPH (C6 to C40) petroleum group			TPH		150 mg/kg		150 mg/kg	0.015 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.2 pH		8.2 pH	8.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0181 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.015%)

Classification of sample: C5/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C5/TP03
Sample Depth:
1.5-2.4 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.3	mg/kg	1.462	1.9	mg/kg	0.00019 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.1	mg/kg	1.126	1.238	mg/kg	0.000124 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.2	mg/kg	1.56	1.872	mg/kg	0.00012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.4	mg/kg	2.976	4.167	mg/kg	0.000417 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.7	mg/kg	2.774	15.813	mg/kg	0.00158 %		
12	TPH (C6 to C40) petroleum group			TPH		52	mg/kg		52	mg/kg	0.0052 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8	pH		8	pH	8pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00844 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0052%)

Classification of sample: D6/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D6/TP04
Sample Depth:
1.5-2.9 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.73 mg/kg	1.126	0.822 mg/kg	0.0000822 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.59 mg/kg	1.56	0.92 mg/kg	0.000059 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.58 mg/kg	2.976	1.726 mg/kg	0.000173 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.4 mg/kg	2.774	12.206 mg/kg	0.00122 %		
12	TPH (C6 to C40) petroleum group			TPH		84 mg/kg		84 mg/kg	0.0084 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		6.7 pH		6.7 pH	6.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0108 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0084%)

Classification of sample: D6/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D6/TP01
Sample Depth:
2.0-2.6 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.5	mg/kg	1.462	2.192	mg/kg	0.000219 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		24	mg/kg	1.126	27.021	mg/kg	0.0027 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.7	mg/kg	1.56	4.212	mg/kg	0.00027 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.9	mg/kg	2.976	5.655	mg/kg	0.000565 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		18	mg/kg	2.774	49.935	mg/kg	0.00499 %		
12	TPH (C6 to C40) petroleum group			TPH		44	mg/kg		44	mg/kg	0.0044 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.5	pH		8.5	pH	8.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.014 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0044%)

Classification of sample: D5/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP04
Sample Depth:
1.0-2.0 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.5 mg/kg	1.462	0.731 mg/kg	0.0000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1 mg/kg	1.126	1.126 mg/kg	0.000113 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.67 mg/kg	1.56	1.045 mg/kg	0.000067 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.66 mg/kg	2.976	1.964 mg/kg	0.000196 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.7 mg/kg	2.774	13.038 mg/kg	0.0013 %		
12	TPH (C6 to C40) petroleum group			TPH		70 mg/kg		70 mg/kg	0.007 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		7.4 pH		7.4 pH	7.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00956 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.007%)

Classification of sample: D5/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
D5/TP01
Sample Depth:
1.5-2.0 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.7 mg/kg	1.462	1.023 mg/kg	0.000102 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.6 mg/kg	1.126	1.801 mg/kg	0.00018 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.84 mg/kg	1.56	1.31 mg/kg	0.000084 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.9 mg/kg	2.976	2.679 mg/kg	0.000268 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.2 mg/kg	2.774	14.426 mg/kg	0.00144 %		
12	TPH (C6 to C40) petroleum group			TPH		54 mg/kg		54 mg/kg	0.0054 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.6 pH		8.6 pH	8.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00829 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0054%)

Classification of sample: C4/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C4/TP03
Sample Depth:
0.8-1.6 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.9 mg/kg	1.462	1.315 mg/kg	0.000132 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.99 mg/kg	1.126	1.115 mg/kg	0.000111 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.2 mg/kg	1.56	1.872 mg/kg	0.00012 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.98 mg/kg	2.976	2.917 mg/kg	0.000292 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7 mg/kg	2.774	19.419 mg/kg	0.00194 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.7 pH		8.7 pH	8.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00441 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C5/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C5/TP02
Sample Depth:
0.5-1.3 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5 mg/kg	1.32	0.66 mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.2 mg/kg	1.462	1.754 mg/kg	0.000175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.9 mg/kg	1.126	2.139 mg/kg	0.000214 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.8 mg/kg	1.56	4.367 mg/kg	0.00028 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.8 mg/kg	2.976	5.357 mg/kg	0.000536 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		32 mg/kg	2.774	88.773 mg/kg	0.00888 %		
12	TPH (C6 to C40) petroleum group			TPH		90 mg/kg		90 mg/kg	0.009 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.1 pH		9.1 pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			205-912-4	206-44-0									
22		pyrene				0.47	mg/kg		0.47	mg/kg	0.000047 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.02 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.009%)

Classification of sample: C5/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C5/TP04
Sample Depth:
0.8-1.3 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.7	mg/kg	1.462	1.023	mg/kg	0.000102 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.89	mg/kg	1.126	1.002	mg/kg	0.0001 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.83	mg/kg	1.56	1.295	mg/kg	0.000083 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.1	mg/kg	2.976	3.274	mg/kg	0.000327 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.3	mg/kg	2.774	20.251	mg/kg	0.00203 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.2	pH		9.2	pH	9.2 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00445 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C6/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP01
Sample Depth:
0.7-1.7 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1 mg/kg	1.462	1.462 mg/kg	0.000146 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.1 mg/kg	1.126	1.238 mg/kg	0.000124 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.2 mg/kg	2.976	3.572 mg/kg	0.000357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.2 mg/kg	2.774	17.2 mg/kg	0.00172 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.3 pH		9.3 pH	9.3 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00426 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C6/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP05
Sample Depth:
0.7-1.4 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.1	mg/kg	1.462	1.608	mg/kg	0.000161 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.8	mg/kg	1.126	2.027	mg/kg	0.000203 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.99	mg/kg	1.56	1.544	mg/kg	0.000099 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.1	mg/kg	2.976	6.25	mg/kg	0.000625 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.2	mg/kg	2.774	22.748	mg/kg	0.00227 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.6	pH		9.6	pH	9.6 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00517 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C6/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C6/TP04
Sample Depth:
0.4-1.1 m
Moisture content:
15%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 15% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.9	mg/kg	1.32	1.188	mg/kg	0.000119 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.2	mg/kg	1.462	3.215	mg/kg	0.000322 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3.4	mg/kg	1.126	3.828	mg/kg	0.000383 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.4	mg/kg	1.56	2.184	mg/kg	0.00014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3	mg/kg	2.976	8.929	mg/kg	0.000893 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.6	mg/kg	2.774	18.309	mg/kg	0.00183 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.8	pH		9.8	pH	9.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00543 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Appendix A: Classifier defined and non GB MCL determinands

- **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **TPH (C6 to C40) petroleum group** (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

- **pH** (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

- **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

- **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

- **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

- **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

indeno[123-cd]pyrene (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

benzo[ghi]perylene (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.176.5209.9795 (25 Jun 2022)
HazWasteOnline Database: 2022.176.5209.9795 (25 Jun 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

Q6NF9-CJTYT-DXJHY

Job name

Saunderton - Made Ground (5/7/22 and 7/7/22)

Description/Comments

Made Ground

Project

223159

Site

Saunderton

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
19 Jul 2022 14:58 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	TP309	0.5	Non Hazardous		3
2	WS111	0.3	Hazardous	HP 8	5
3	WS112	0.3	Hazardous	HP 8	8
4	TP301	0.65	Non Hazardous		11
5	TP340	0.35	Non Hazardous		14
6	TP115	0.3	Non Hazardous		17
7	B4/TP01	0.20-0.50	Non Hazardous		20
8	B4/TP05	0.20-0.50	Non Hazardous		22
9	B3/TP04	0.20-1.20	Hazardous	HP 3(i), HP 7, HP 11	24
10	B3/TP01	0.20-0.50	Non Hazardous		27
11	B2/TP04	0.20-0.70	Non Hazardous		29
12	B2/TP01	0.20-0.60	Non Hazardous		31
13	A3/TP03	0.20-0.70	Non Hazardous		33
14	A3/TP05	0.20-0.60	Non Hazardous		35
15	A3/TP02	0.15-0.60	Non Hazardous		37
16	A2/TP03	0.20-0.60	Non Hazardous		40
17	E1-F1-Area 1		Non Hazardous		42
18	C3/TP05	0.15-0.60	Non Hazardous		44
19	C3/TP04	0.10-0.40	Non Hazardous		46
20	A4/TP02	0.10-0.40	Non Hazardous		48

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor
Created date: 19 Jul 2022 14:58 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	50
Appendix B: Rationale for selection of metal species	51
Appendix C: Version	52

Classification of sample: TP309

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP309	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4	mg/kg	3.22	1.288	mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2	mg/kg	1.462	2.923	mg/kg	0.000292 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		6.5	mg/kg	1.126	7.318	mg/kg	0.000732 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1	mg/kg	1.56	1.56	mg/kg	0.0001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3.6	mg/kg	2.976	10.715	mg/kg	0.00107 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		13	mg/kg	2.774	36.064	mg/kg	0.00361 %		
12	pH			PH		8.3	pH		8.3	pH	8.3 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
14	acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16	fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
17		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
29		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00684 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: WS111

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS111	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.3 m	Entry:	17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 11.9 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4 mg/kg	1.32	5.281 mg/kg	0.000528 %		
2	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.3 mg/kg	1.142	0.343 mg/kg	0.0000343 %		
3	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		8 mg/kg	1.462	11.692 mg/kg	0.00117 %		
4	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		8 mg/kg	1.126	9.007 mg/kg	0.000901 %		
5	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	11 mg/kg	1.56	17.158 mg/kg	0.0011 %		
6	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
7	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		8 mg/kg	2.976	23.81 mg/kg	0.00238 %		
8	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		40 mg/kg	2.774	110.966 mg/kg	0.0111 %		
10	TPH (C6 to C40) petroleum group			TPH		20 mg/kg		20 mg/kg	0.002 %		
11	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.2 mg/kg	1.884	0.377 mg/kg	0.0000377 %		
12	pH			PH		11.9 pH		11.9 pH	11.9 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.2 mg/kg		0.2 mg/kg	0.00002 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
14		acenaphthylene				4.5	mg/kg		4.5	mg/kg	0.00045 %		
			205-917-1	208-96-8									
15		acenaphthene				17	mg/kg		17	mg/kg	0.0017 %		
			201-469-6	83-32-9									
16		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
17		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
18		anthracene				75	mg/kg		75	mg/kg	0.0075 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
29		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0296 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.002%)

Classification of sample: WS112

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
WS112
Sample Depth:
0.3 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 8: Corrosive "waste which on application can cause skin corrosion"

pH; pH "Assumed to be irritant/corrosive because of pH value"

Because of determinand:

pH: (conc.: 11.5 pH)

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		10 mg/kg	1.32	13.203 mg/kg	0.00132 %		
2	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.6 mg/kg	1.142	0.685 mg/kg	0.0000685 %		
3	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		10 mg/kg	1.462	14.616 mg/kg	0.00146 %		
4	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		20 mg/kg	1.126	22.518 mg/kg	0.00225 %		
5	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	15 mg/kg	1.56	23.397 mg/kg	0.0015 %		
6	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
7	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		9 mg/kg	2.976	26.786 mg/kg	0.00268 %		
8	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		140 mg/kg	2.774	388.381 mg/kg	0.0388 %		
10	TPH (C6 to C40) petroleum group			TPH		48 mg/kg		48 mg/kg	0.0048 %		
11	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1.5 mg/kg	1.884	2.826 mg/kg	0.000283 %		
12	pH			PH		11.5 pH		11.5 pH	11.5 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
14		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
15		acenaphthene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			201-469-6	83-32-9									
16		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
17		phenanthrene				0.5	mg/kg		0.5	mg/kg	0.00005 %		
			201-581-5	85-01-8									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
			205-912-4	206-44-0									
20		pyrene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
29		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0541 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0048%)

Classification of sample: TP301

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP301	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.65 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		35 mg/kg	1.32	46.211 mg/kg	0.00462 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.1 mg/kg	3.22	3.542 mg/kg	0.000354 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.9 mg/kg	1.142	1.028 mg/kg	0.000103 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		17 mg/kg	1.462	24.846 mg/kg	0.00248 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		77 mg/kg	1.126	86.693 mg/kg	0.00867 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	47 mg/kg	1.56	73.311 mg/kg	0.0047 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		52 mg/kg	2.976	154.766 mg/kg	0.0155 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		220 mg/kg	2.774	610.312 mg/kg	0.061 %		
12	TPH (C6 to C40) petroleum group			TPH		906.6 mg/kg		906.6 mg/kg	0.0907 %		
13	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		1 mg/kg		1 mg/kg	0.0001 %		
14	benzene	601-020-00-8	200-753-7	71-43-2		1 mg/kg		1 mg/kg	0.0001 %		
15	toluene	601-021-00-3	203-625-9	108-88-3		1 mg/kg		1 mg/kg	0.0001 %		
16	ethylbenzene	601-023-00-4	202-849-4	100-41-4		1 mg/kg		1 mg/kg	0.0001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
17		xylene											
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		1	mg/kg		1	mg/kg	0.0001 %		
18	●	pH											
				PH		7.7	pH		7.7	pH	7.7 pH		
19		naphthalene											
		601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
20	●	acenaphthylene											
			205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
21	●	acenaphthene											
			201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
22	●	fluorene											
			201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
23	●	phenanthrene											
			201-581-5	85-01-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
24	●	anthracene											
			204-371-1	120-12-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		
25	●	fluoranthene											
			205-912-4	206-44-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
26	●	pyrene											
			204-927-3	129-00-0		0.1	mg/kg		0.1	mg/kg	0.00001 %		
27		benzo[a]anthracene											
		601-033-00-9	200-280-6	56-55-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
28		chrysene											
		601-048-00-0	205-923-4	218-01-9		0.05	mg/kg		0.05	mg/kg	0.000005 %		
29		benzo[b]fluoranthene											
		601-034-00-4	205-911-9	205-99-2		0.1	mg/kg		0.1	mg/kg	0.00001 %		
30		benzo[k]fluoranthene											
		601-036-00-5	205-916-6	207-08-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
31		benzo[a]pyrene; benzo[def]chrysene											
		601-032-00-3	200-028-5	50-32-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
32	●	indeno[123-cd]pyrene											
			205-893-2	193-39-5		0.1	mg/kg		0.1	mg/kg	0.00001 %		
33		dibenz[a,h]anthracene											
		601-041-00-2	200-181-8	53-70-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
34	●	benzo[ghi]perylene											
			205-883-8	191-24-2		0.05	mg/kg		0.05	mg/kg	0.000005 %		
35		phenol											
		604-001-00-2	203-632-7	108-95-2		2	mg/kg		2	mg/kg	0.0002 %		
										Total:	0.189 %		

Key

	User supplied data
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils no free phase

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 0.0001%)
benzene: (conc.: 0.0001%)
toluene: (conc.: 0.0001%)
ethylbenzene: (conc.: 0.0001%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinands:

TPH (C6 to C40) petroleum group: (conc.: 0.0907%)
xylene: (conc.: 0.0001%)

Classification of sample: TP340

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP340
Sample Depth:
0.35 m
Moisture content:
10%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 10% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		39 mg/kg	1.32	51.493 mg/kg	0.00515 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.5 mg/kg	3.22	4.83 mg/kg	0.000483 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.4 mg/kg	1.142	0.457 mg/kg	0.0000457 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		13 mg/kg	1.462	19 mg/kg	0.0019 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<1.2 mg/kg	1.923	<2.308 mg/kg	<0.000231 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		130 mg/kg	1.126	146.365 mg/kg	0.0146 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	150 mg/kg	1.56	233.972 mg/kg	0.015 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.3 mg/kg	1.353	<0.406 mg/kg	<0.0000406 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		30 mg/kg	2.976	89.288 mg/kg	0.00893 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<1 mg/kg	1.405	<1.405 mg/kg	<0.000141 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		150 mg/kg	2.774	416.122 mg/kg	0.0416 %		
12	TPH (C6 to C40) petroleum group			TPH		801 mg/kg		801 mg/kg	0.0801 %		
13	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
14	benzene	601-020-00-8	200-753-7	71-43-2		<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD
15	toluene	601-021-00-3	203-625-9	108-88-3		<1 mg/kg		<1 mg/kg	<0.0001 %		<LOD

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		ethylbenzene				<1	mg/kg		<1	mg/kg	<0.0001 %		<**LOD**
		601-023-00-4	202-849-4	100-41-4									
17		xylene				<1	mg/kg		<1	mg/kg	<0.0001 %		<**LOD**
		601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]									
18		pH				10	pH		10	pH	10pH		
				PH									
19		naphthalene				0.36	mg/kg		0.36	mg/kg	0.000036 %		
		601-052-00-2	202-049-5	91-20-3									
20		acenaphthylene				0.67	mg/kg		0.67	mg/kg	0.000067 %		
			205-917-1	208-96-8									
21		acenaphthene				3.1	mg/kg		3.1	mg/kg	0.00031 %		
			201-469-6	83-32-9									
22		fluorene				3.7	mg/kg		3.7	mg/kg	0.00037 %		
			201-695-5	86-73-7									
23		phenanthrene				40	mg/kg		40	mg/kg	0.004 %		
			201-581-5	85-01-8									
24		anthracene				11	mg/kg		11	mg/kg	0.0011 %		
			204-371-1	120-12-7									
25		fluoranthene				64	mg/kg		64	mg/kg	0.0064 %		
			205-912-4	206-44-0									
26		pyrene				51	mg/kg		51	mg/kg	0.0051 %		
			204-927-3	129-00-0									
27		benzo[a]anthracene				29	mg/kg		29	mg/kg	0.0029 %		
		601-033-00-9	200-280-6	56-55-3									
28		chrysene				22	mg/kg		22	mg/kg	0.0022 %		
		601-048-00-0	205-923-4	218-01-9									
29		benzo[b]fluoranthene				26	mg/kg		26	mg/kg	0.0026 %		
		601-034-00-4	205-911-9	205-99-2									
30		benzo[k]fluoranthene				12	mg/kg		12	mg/kg	0.0012 %		
		601-036-00-5	205-916-6	207-08-9									
31		benzo[a]pyrene; benzo[def]chrysene				20	mg/kg		20	mg/kg	0.002 %		
		601-032-00-3	200-028-5	50-32-8									
32		indeno[123-cd]pyrene				9.7	mg/kg		9.7	mg/kg	0.00097 %		
			205-893-2	193-39-5									
33		dibenz[a,h]anthracene				3.1	mg/kg		3.1	mg/kg	0.00031 %		
		601-041-00-2	200-181-8	53-70-3									
34		benzo[ghi]perylene				11	mg/kg		11	mg/kg	0.0011 %		
			205-883-8	191-24-2									
35		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	306	mg/kg		306	mg/kg	0.0306 %		
		648-073-00-3	309-956-6	101794-74-5									
36		phenol				<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.23 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0801%)

Classification of sample: TP115

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP115	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.3 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		7 mg/kg	1.32	9.242 mg/kg	0.000924 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.8 mg/kg	3.22	2.576 mg/kg	0.000258 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.9 mg/kg	1.142	1.028 mg/kg	0.000103 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		12 mg/kg	1.462	17.539 mg/kg	0.00175 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		51 mg/kg	1.126	57.42 mg/kg	0.00574 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	67 mg/kg	1.56	104.508 mg/kg	0.0067 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		12 mg/kg	2.976	35.715 mg/kg	0.00357 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3 mg/kg	1.405	0.422 mg/kg	0.0000422 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		210 mg/kg	2.774	582.571 mg/kg	0.0583 %		
11	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		0.01 mg/kg		0.01 mg/kg	0.000001 %		
12	benzene	601-020-00-8	200-753-7	71-43-2		0.01 mg/kg		0.01 mg/kg	0.000001 %		
13	toluene	601-021-00-3	203-625-9	108-88-3		0.01 mg/kg		0.01 mg/kg	0.000001 %		
14	ethylbenzene	601-023-00-4	202-849-4	100-41-4		0.01 mg/kg		0.01 mg/kg	0.000001 %		
15	xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		0.01 mg/kg		0.01 mg/kg	0.000001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		pH		PH		8.8	pH		8.8	pH	8.8 pH		
17		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
18		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
19		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
20		fluorene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-695-5	86-73-7									
21		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
22		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
23		fluoranthene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
			205-912-4	206-44-0									
24		pyrene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			204-927-3	129-00-0									
25		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
26		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
27		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
28		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
29		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
30		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
31		dibenz[a,h]anthracene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
		601-041-00-2	200-181-8	53-70-3									
32		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
33		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		**<LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0781 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils no free phase

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 1.0e-06%)
benzene: (conc.: 1.0e-06%)
toluene: (conc.: 1.0e-06%)
ethylbenzene: (conc.: 1.0e-06%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

xylene: (conc.: 1.0e-06%)

Classification of sample: B4/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B4/TP01
Sample Depth:
0.20-0.50 m
Moisture content:
58%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 58% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		10 mg/kg	1.32	13.203 mg/kg	0.00132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.92 mg/kg	3.22	2.962 mg/kg	0.000296 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.54 mg/kg	1.142	0.617 mg/kg	0.0000617 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		14 mg/kg	1.462	20.462 mg/kg	0.00205 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		32 mg/kg	1.126	36.028 mg/kg	0.0036 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	97 mg/kg	1.56	151.302 mg/kg	0.0097 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		17 mg/kg	2.976	50.597 mg/kg	0.00506 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.5 mg/kg	1.405	0.703 mg/kg	0.0000703 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		110 mg/kg	2.774	305.156 mg/kg	0.0305 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				1.3 mg/kg	1.884	2.449 mg/kg	0.000245 %		
14	pH			PH		9.1 pH		9.1 pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0544 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: B4/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B4/TP05
Sample Depth:
0.20-0.50 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.5 mg/kg	1.32	5.941 mg/kg	0.000594 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.25 mg/kg	1.142	0.286 mg/kg	0.0000286 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		12 mg/kg	1.462	17.539 mg/kg	0.00175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		27 mg/kg	1.126	30.399 mg/kg	0.00304 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	18 mg/kg	1.56	28.077 mg/kg	0.0018 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		11 mg/kg	2.976	32.739 mg/kg	0.00327 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.34 mg/kg	1.405	0.478 mg/kg	0.0000478 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		58 mg/kg	2.774	160.9 mg/kg	0.0161 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.7 mg/kg	1.884	1.319 mg/kg	0.000132 %		
14	pH			PH		11 pH		11 pH	11pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21		fluoranthene				0.53	mg/kg		0.53	mg/kg	0.000053 %		
			205-912-4	206-44-0									
22		pyrene				0.21	mg/kg		0.21	mg/kg	0.000021 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0284 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: B3/TP04

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
B3/TP04
Sample Depth:
0.20-1.20 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.51%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.51%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.51%)

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		4.4 mg/kg	1.32	5.809 mg/kg	0.000581 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		1.7 mg/kg	3.22	5.474 mg/kg	0.000547 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.58 mg/kg	1.142	0.663 mg/kg	0.0000663 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }				11	mg/kg	1.462	16.077	mg/kg	0.00161 %		
			215-160-9	1308-38-9									
5		chromium in chromium(VI) compounds { chromium(VI) oxide }				<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
		024-001-00-0	215-607-8	1333-82-0									
6		copper { dicopper oxide; copper (I) oxide }				18	mg/kg	1.126	20.266	mg/kg	0.00203 %		
		029-002-00-X	215-270-7	1317-39-1									
7		lead { lead chromate }			1	55	mg/kg	1.56	85.79	mg/kg	0.0055 %		
		082-004-00-2	231-846-0	7758-97-6									
8		mercury { mercury dichloride }				0.05	mg/kg	1.353	0.0677	mg/kg	0.00000677 %		
		080-010-00-X	231-299-8	7487-94-7									
9		nickel { nickel chromate }				8.1	mg/kg	2.976	24.108	mg/kg	0.00241 %		
		028-035-00-7	238-766-5	14721-18-7									
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }				0.37	mg/kg	1.405	0.52	mg/kg	0.000052 %		
		034-002-00-8											
11		zinc { zinc chromate }				170	mg/kg	2.774	471.605	mg/kg	0.0472 %		
		024-007-00-3	236-878-9	13530-65-9									
12		TPH (C6 to C40) petroleum group				5100	mg/kg		5100	mg/kg	0.51 %		
				TPH									
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }				0.9	mg/kg	1.884	1.696	mg/kg	0.00017 %		
		006-007-00-5											
14		pH				9	pH		9	pH	9pH		
				PH									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				0.94	mg/kg		0.94	mg/kg	0.000094 %		
			205-912-4	206-44-0									
22		pyrene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	2.2	mg/kg		2.2	mg/kg	0.00022 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.571 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: B3/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B3/TP01
Sample Depth:
0.20-0.50 m
Moisture content:
19%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 19% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.9	mg/kg	1.32	2.509	mg/kg	0.000251 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.7	mg/kg	1.462	2.485	mg/kg	0.000248 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.3	mg/kg	1.126	2.59	mg/kg	0.000259 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.9	mg/kg	1.56	10.763	mg/kg	0.00069 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.3	mg/kg	2.976	6.845	mg/kg	0.000685 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.27	mg/kg	1.405	0.379	mg/kg	0.0000379 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		12	mg/kg	2.774	33.29	mg/kg	0.00333 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.7	mg/kg	1.884	1.319	mg/kg	0.000132 %		
14	pH			PH		10	pH		10	pH	10pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				0.67	mg/kg		0.67	mg/kg	0.000067 %		
			205-912-4	206-44-0									
22	●	pyrene				0.49	mg/kg		0.49	mg/kg	0.000049 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00735 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: B2/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B2/TP04
Sample Depth:
0.20-0.70 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.7 mg/kg	1.32	0.924 mg/kg	0.0000924 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.49 mg/kg	3.22	1.578 mg/kg	0.000158 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.6 mg/kg	1.462	2.338 mg/kg	0.000234 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.6 mg/kg	1.126	1.801 mg/kg	0.00018 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.6 mg/kg	1.56	4.056 mg/kg	0.00026 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.6 mg/kg	2.976	4.762 mg/kg	0.000476 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7 mg/kg	2.774	19.419 mg/kg	0.00194 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.5 pH		9.5 pH	9.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00496 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: B2/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B2/TP01
Sample Depth:
0.20-0.60 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		<0.5 mg/kg	1.462	<0.731 mg/kg	<0.0000731 %		<**LOD**
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.3 mg/kg	1.126	1.464 mg/kg	0.000146 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.9 mg/kg	1.56	4.523 mg/kg	0.00029 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.69 mg/kg	2.976	2.054 mg/kg	0.000205 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.6 mg/kg	2.774	12.761 mg/kg	0.00128 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.5 pH		9.5 pH	9.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20	●	anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21	●	fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22	●	pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0038 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: A3/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A3/TP03
Sample Depth:
0.20-0.70 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.8	mg/kg	1.32	1.056	mg/kg	0.000106 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.75	mg/kg	3.22	2.415	mg/kg	0.000241 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.12	mg/kg	1.142	0.137	mg/kg	0.0000137 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.8	mg/kg	1.462	2.631	mg/kg	0.000263 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.6	mg/kg	1.126	2.927	mg/kg	0.000293 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	6.3	mg/kg	1.56	9.827	mg/kg	0.00063 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2	mg/kg	2.976	5.953	mg/kg	0.000595 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		14	mg/kg	2.774	38.838	mg/kg	0.00388 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.4	pH		8.4	pH	8.4 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00763 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: A3/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A3/TP05
Sample Depth:
0.20-0.60 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.8	mg/kg	1.32	2.377	mg/kg	0.000238 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.17	mg/kg	1.142	0.194	mg/kg	0.0000194 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.4	mg/kg	1.462	4.969	mg/kg	0.000497 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		8.2	mg/kg	1.126	9.232	mg/kg	0.000923 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	14	mg/kg	1.56	21.837	mg/kg	0.0014 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.3	mg/kg	2.976	12.798	mg/kg	0.00128 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.32	mg/kg	1.405	0.45	mg/kg	0.000045 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		86	mg/kg	2.774	238.577	mg/kg	0.0239 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		7.7	pH		7.7	pH	7.7 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				0.63	mg/kg		0.63	mg/kg	0.000063 %		
			201-581-5	85-01-8									
20	●	anthracene				0.32	mg/kg		0.32	mg/kg	0.000032 %		
			204-371-1	120-12-7									
21	●	fluoranthene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			205-912-4	206-44-0									
22	●	pyrene				1.7	mg/kg		1.7	mg/kg	0.00017 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				0.74	mg/kg		0.74	mg/kg	0.000074 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	5.7	mg/kg		5.7	mg/kg	0.00057 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0308 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: A3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A3/TP02
Sample Depth:
0.15-0.60 m
Moisture content:
12%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 12% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.6 mg/kg	1.32	3.433 mg/kg	0.000343 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.65 mg/kg	3.22	2.093 mg/kg	0.000209 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.19 mg/kg	1.142	0.217 mg/kg	0.0000217 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3.2 mg/kg	1.462	4.677 mg/kg	0.000468 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		30 mg/kg	1.126	33.777 mg/kg	0.00338 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	31 mg/kg	1.56	48.354 mg/kg	0.0031 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		7.8 mg/kg	2.976	23.215 mg/kg	0.00232 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.27 mg/kg	1.405	0.379 mg/kg	0.0000379 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		55 mg/kg	2.774	152.578 mg/kg	0.0153 %		
12	TPH (C6 to C40) petroleum group			TPH		800 mg/kg		800 mg/kg	0.08 %		
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		7.5 pH		7.5 pH	7.5 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16	●	acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17	●	acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18	●	fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19	●	phenanthrene				0.83	mg/kg		0.83	mg/kg	0.000083 %		
			201-581-5	85-01-8									
20	●	anthracene				0.27	mg/kg		0.27	mg/kg	0.000027 %		
			204-371-1	120-12-7									
21	●	fluoranthene				2	mg/kg		2	mg/kg	0.0002 %		
			205-912-4	206-44-0									
22	●	pyrene				2.4	mg/kg		2.4	mg/kg	0.00024 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				1.3	mg/kg		1.3	mg/kg	0.00013 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				1.5	mg/kg		1.5	mg/kg	0.00015 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				0.85	mg/kg		0.85	mg/kg	0.000085 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				1	mg/kg		1	mg/kg	0.0001 %		
		601-032-00-3	200-028-5	50-32-8									
28	●	indeno[123-cd]pyrene				0.48	mg/kg		0.48	mg/kg	0.000048 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.19	mg/kg		0.19	mg/kg	0.000019 %		
		601-041-00-2	200-181-8	53-70-3									
30	●	benzo[ghi]perylene				0.68	mg/kg		0.68	mg/kg	0.000068 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	13	mg/kg		13	mg/kg	0.0013 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.108 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
●	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.08%)

Classification of sample: A2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A2/TP03
Sample Depth:
0.20-0.60 m
Moisture content:
11%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 11% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		5.9 mg/kg	1.32	7.79 mg/kg	0.000779 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.56 mg/kg	3.22	1.803 mg/kg	0.00018 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.33 mg/kg	1.142	0.377 mg/kg	0.0000377 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		6.5 mg/kg	1.462	9.5 mg/kg	0.00095 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		69 mg/kg	1.126	77.686 mg/kg	0.00777 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	69 mg/kg	1.56	107.627 mg/kg	0.0069 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		17 mg/kg	2.976	50.597 mg/kg	0.00506 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.39 mg/kg	1.405	0.548 mg/kg	0.0000548 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		120 mg/kg	2.774	332.898 mg/kg	0.0333 %		
12	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.5 mg/kg	1.884	0.942 mg/kg	0.0000942 %		
13	pH			PH		7.9 pH		7.9 pH	7.9 pH		
14	naphthalene	601-052-00-2	202-049-5	91-20-3		0.37 mg/kg		0.37 mg/kg	0.000037 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		acenaphthylene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
			205-917-1	208-96-8									
16		acenaphthene				0.15	mg/kg		0.15	mg/kg	0.000015 %		
			201-469-6	83-32-9									
17		fluorene				0.32	mg/kg		0.32	mg/kg	0.000032 %		
			201-695-5	86-73-7									
18		phenanthrene				1.8	mg/kg		1.8	mg/kg	0.00018 %		
			201-581-5	85-01-8									
19		anthracene				0.62	mg/kg		0.62	mg/kg	0.000062 %		
			204-371-1	120-12-7									
20		fluoranthene				6.9	mg/kg		6.9	mg/kg	0.00069 %		
			205-912-4	206-44-0									
21		pyrene				7.5	mg/kg		7.5	mg/kg	0.00075 %		
			204-927-3	129-00-0									
22		benzo[a]anthracene				4.2	mg/kg		4.2	mg/kg	0.00042 %		
		601-033-00-9	200-280-6	56-55-3									
23		chrysene				4	mg/kg		4	mg/kg	0.0004 %		
		601-048-00-0	205-923-4	218-01-9									
24		benzo[b]fluoranthene				6.5	mg/kg		6.5	mg/kg	0.00065 %		
		601-034-00-4	205-911-9	205-99-2									
25		benzo[k]fluoranthene				2.6	mg/kg		2.6	mg/kg	0.00026 %		
		601-036-00-5	205-916-6	207-08-9									
26		benzo[a]pyrene; benzo[def]chrysene				5.4	mg/kg		5.4	mg/kg	0.00054 %		
		601-032-00-3	200-028-5	50-32-8									
27		indeno[123-cd]pyrene				3.4	mg/kg		3.4	mg/kg	0.00034 %		
			205-893-2	193-39-5									
28		dibenz[a,h]anthracene				0.86	mg/kg		0.86	mg/kg	0.000086 %		
		601-041-00-2	200-181-8	53-70-3									
29		benzo[ghi]perylene				3.1	mg/kg		3.1	mg/kg	0.00031 %		
			205-883-8	191-24-2									
30		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	48	mg/kg		48	mg/kg	0.0048 %		
		648-073-00-3	309-956-6	101794-74-5									
31		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0648 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: E1-F1-Area 1

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
E1-F1-Area 1
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3 mg/kg	1.32	3.961 mg/kg	0.000396 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.54 mg/kg	3.22	1.739 mg/kg	0.000174 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.24 mg/kg	1.142	0.274 mg/kg	0.0000274 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		6.7 mg/kg	1.462	9.792 mg/kg	0.000979 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		21 mg/kg	1.126	23.644 mg/kg	0.00236 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	23 mg/kg	1.56	35.876 mg/kg	0.0023 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5.2 mg/kg	2.976	15.477 mg/kg	0.00155 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.39 mg/kg	1.405	0.548 mg/kg	0.0000548 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		84 mg/kg	2.774	233.028 mg/kg	0.0233 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		7.9 pH		7.9 pH	7.9 pH		
15	naphthalene	601-052-00-2	202-049-5	91-20-3		<0.1 mg/kg		<0.1 mg/kg	<0.00001 %		<LOD

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<**LOD**
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0327 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C3/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP05
Sample Depth:
0.15-0.60 m
Moisture content:
13%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 13% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		2.7 mg/kg	1.32	3.565 mg/kg	0.000356 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.69 mg/kg	3.22	2.222 mg/kg	0.000222 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.13 mg/kg	1.142	0.149 mg/kg	0.0000149 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		4.7 mg/kg	1.462	6.869 mg/kg	0.000687 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4 mg/kg	1.126	4.504 mg/kg	0.00045 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	7.1 mg/kg	1.56	11.075 mg/kg	0.00071 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		4.8 mg/kg	2.976	14.286 mg/kg	0.00143 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.34 mg/kg	1.405	0.478 mg/kg	0.0000478 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		21 mg/kg	2.774	58.257 mg/kg	0.00583 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		7.8 pH		7.8 pH	7.8 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0113 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: C3/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP04
Sample Depth:
0.10-0.40 m
Moisture content:
8.9%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 8.9% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		3.4	mg/kg	1.32	4.489	mg/kg	0.000449 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.48	mg/kg	3.22	1.546	mg/kg	0.000155 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.12	mg/kg	1.142	0.137	mg/kg	0.0000137 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5.5	mg/kg	1.462	8.039	mg/kg	0.000804 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		12	mg/kg	1.126	13.511	mg/kg	0.00135 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	13	mg/kg	1.56	20.278	mg/kg	0.0013 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		5	mg/kg	2.976	14.881	mg/kg	0.00149 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.42	mg/kg	1.405	0.59	mg/kg	0.000059 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		38	mg/kg	2.774	105.418	mg/kg	0.0105 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.1	pH		9.1	pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				0.31	mg/kg		0.31	mg/kg	0.000031 %		
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				0.31	mg/kg		0.31	mg/kg	0.000031 %		
			205-917-1	208-96-8									
17		acenaphthene				1.1	mg/kg		1.1	mg/kg	0.00011 %		
			201-469-6	83-32-9									
18		fluorene				1.2	mg/kg		1.2	mg/kg	0.00012 %		
			201-695-5	86-73-7									
19		phenanthrene				8.5	mg/kg		8.5	mg/kg	0.00085 %		
			201-581-5	85-01-8									
20		anthracene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
			204-371-1	120-12-7									
21		fluoranthene				9.1	mg/kg		9.1	mg/kg	0.00091 %		
			205-912-4	206-44-0									
22		pyrene				9	mg/kg		9	mg/kg	0.0009 %		
			204-927-3	129-00-0									
23		benzo[a]anthracene				4.4	mg/kg		4.4	mg/kg	0.00044 %		
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				4.5	mg/kg		4.5	mg/kg	0.00045 %		
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				4.2	mg/kg		4.2	mg/kg	0.00042 %		
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				3.5	mg/kg		3.5	mg/kg	0.00035 %		
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				2.2	mg/kg		2.2	mg/kg	0.00022 %		
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				0.78	mg/kg		0.78	mg/kg	0.000078 %		
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				2.1	mg/kg		2.1	mg/kg	0.00021 %		
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	55	mg/kg		55	mg/kg	0.0055 %		
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0284 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: A4/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A4/TP02
Sample Depth:
0.10-0.40 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1.1	mg/kg	1.32	1.452	mg/kg	0.000145 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.79	mg/kg	3.22	2.544	mg/kg	0.000254 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.33	mg/kg	1.142	0.377	mg/kg	0.0000377 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2.3	mg/kg	1.462	3.362	mg/kg	0.000336 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.3	mg/kg	1.126	2.59	mg/kg	0.000259 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	9.6	mg/kg	1.56	14.974	mg/kg	0.00096 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.9	mg/kg	2.976	5.655	mg/kg	0.000565 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.37	mg/kg	1.405	0.52	mg/kg	0.000052 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		18	mg/kg	2.774	49.935	mg/kg	0.00499 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.1	pH		9.1	pH	9.1 pH		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
15		naphthalene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-052-00-2	202-049-5	91-20-3									
16		acenaphthylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-917-1	208-96-8									
17		acenaphthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-469-6	83-32-9									
18		fluorene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-695-5	86-73-7									
19		phenanthrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			201-581-5	85-01-8									
20		anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-371-1	120-12-7									
21		fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-912-4	206-44-0									
22		pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			204-927-3	129-00-0									
23		benzo[a]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-033-00-9	200-280-6	56-55-3									
24		chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-048-00-0	205-923-4	218-01-9									
25		benzo[b]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-034-00-4	205-911-9	205-99-2									
26		benzo[k]fluoranthene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-036-00-5	205-916-6	207-08-9									
27		benzo[a]pyrene; benzo[def]chrysene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-032-00-3	200-028-5	50-32-8									
28		indeno[123-cd]pyrene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-893-2	193-39-5									
29		dibenz[a,h]anthracene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		601-041-00-2	200-181-8	53-70-3									
30		benzo[ghi]perylene				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
			205-883-8	191-24-2									
31		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<2	mg/kg		<2	mg/kg	<0.0002 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
32		phenol				<0.1	mg/kg		<0.1	mg/kg	<0.00001 %		<LOD
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00917 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Appendix A: Classifier defined and non GB MCL determinands

- **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pH** (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

- **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

- **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

- **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

- **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

benzo[ghi]perylene (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

TPH (C6 to C40) petroleum group (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

ethylbenzene (EC Number: 202-849-4, CAS Number: 100-41-4)

GB MCL index number: 601-023-00-4
Description/Comments:
Additional Hazard Statement(s): Carc. 2; H351
Reason for additional Hazards Statement(s):
20 Nov 2021 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.192.5237.9831 (11 Jul 2022)
HazWasteOnline Database: 2022.192.5237.9831 (11 Jul 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Waste Classification Report

HazWasteOnline™ classifies waste as either **hazardous** or **non-hazardous** based on its chemical composition, related legislation and the rules and data defined in the current UK or EU technical guidance (Appendix C) (note that HP 9 Infectious is not assessed). It is the responsibility of the classifier named below to:

a) understand the origin of the waste
b) select the correct List of Waste code(s)
c) confirm that the list of determinands, results and sampling plan are fit for purpose
d) select and justify the chosen metal species (Appendix B)
e) correctly apply moisture correction and other available corrections
f) add the meta data for their user-defined substances (Appendix A)
g) check that the classification engine is suitable with respect to the national destination of the waste (Appendix C)

To aid the reviewer, the laboratory results, assumptions and justifications managed by the classifier are highlighted in pale yellow.

1GBOH-YPHLF-F1EJ8

Job name

Saunderton - Natural Strata (5/7/22 and 7/7/22)

Description/Comments

Natural Strata

Project

223159

Site

Saunderton

Classified by

Name:
Jack Taylor
Company:
AA Environmental Limited
Date:
19 Jul 2022 15:02 GMT
Telephone:
01235 536042

HazWasteOnline™ provides a two day, hazardous waste classification course that covers the use of the software and both basic and advanced waste classification techniques. Certification has to be renewed every 3 years.

HazWasteOnline™ Certification: -

Course	Date
Hazardous Waste Classification	-

Job summary

#	Sample name	Depth [m]	Classification Result	Hazard properties	Page
1	WS206	0.5	Non Hazardous		3
2	WS111	1	Non Hazardous		5
3	WS112	2	Non Hazardous		7
4	WS112[2]	4	Non Hazardous		9
5	WS208	0.5	Non Hazardous		11
6	WS208[2]	1	Non Hazardous		13
7	TP307	0.8	Non Hazardous		14
8	TP308	0.4	Non Hazardous		16
9	TP115	1	Non Hazardous		18
10	TP115[2]	2	Non Hazardous		21
11	B4/TP01	0.50-1.70	Hazardous	HP 3(i), HP 7, HP 11	23
12	B4/TP01[2]	2.50-2.90	Non Hazardous		25
13	B4/TP05	1.30-2.30	Non Hazardous		27
14	B3/TP04	1.30-2.30	Non Hazardous		29
15	B3/TP01	0.70-1.50	Non Hazardous		31
16	B2/TP04	0.80-1.50	Non Hazardous		33
17	B2/TP01	0.70-1.50	Non Hazardous		35
18	A3/TP03	1.00-1.90	Non Hazardous		37
19	A3/TP05	1.00-1.60	Non Hazardous		39
20	A3/TP02	1.00-1.60	Non Hazardous		41
21	A2/TP03	0.80-1.60	Non Hazardous		43
22	C3/TP05	0.70-1.70	Non Hazardous		45
23	C3/TP04	0.50-1.50	Non Hazardous		47
24	A4/TP02	0.60-1.60	Non Hazardous		49

Related documents

#	Name	Description
1	AAe 2020 (V1.2 GB)	waste stream template used to create this Job

Report

Created by: Jack Taylor

Created date: 19 Jul 2022 15:02 GMT

Appendices	Page
Appendix A: Classifier defined and non GB MCL determinands	51
Appendix B: Rationale for selection of metal species	52
Appendix C: Version	53

Classification of sample: WS206

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
WS206
Sample Depth:
0.5 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1 mg/kg	1.142	1.142 mg/kg	0.000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		7 mg/kg	1.462	10.231 mg/kg	0.00102 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3 mg/kg	1.126	3.378 mg/kg	0.000338 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3 mg/kg	1.56	4.679 mg/kg	0.0003 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.1 mg/kg	1.353	0.135 mg/kg	0.0000135 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3 mg/kg	2.976	8.929 mg/kg	0.000893 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		11 mg/kg	2.774	30.516 mg/kg	0.00305 %		
10	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		**<LOD**
11	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
12	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
13	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	fluoranthene		205-912-4	206-44-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		
18	pyrene		204-927-3	129-00-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
19		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
20		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
21		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
22		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
23		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
24		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
25		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
26		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
										Total:	0.00719 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: WS111

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
WS111
Sample Depth:
1 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
3	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3	mg/kg	1.462	4.385	mg/kg	0.000438 %		
4	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2	mg/kg	1.126	2.252	mg/kg	0.000225 %		
5	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2	mg/kg	1.56	3.12	mg/kg	0.0002 %		
6	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
7	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2	mg/kg	2.976	5.953	mg/kg	0.000595 %		
8	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.4	mg/kg	1.405	0.562	mg/kg	0.0000562 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		16	mg/kg	2.774	44.386	mg/kg	0.00444 %		
10	TPH (C6 to C40) petroleum group			TPH		44	mg/kg		44	mg/kg	0.0044 %		
11	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.4	mg/kg	1.884	0.754	mg/kg	0.0000754 %		
12	pH			PH		10.5	pH		10.5	pH	10.5 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.2	mg/kg		0.2	mg/kg	0.00002 %		
14	acenaphthene		201-469-6	83-32-9		0.2	mg/kg		0.2	mg/kg	0.00002 %		
15	fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
17		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.7	mg/kg		0.7	mg/kg	0.00007 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
28		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0114 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils, no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.0044%)

Classification of sample: WS112

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS112	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
2 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
3	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3	mg/kg	1.462	4.385	mg/kg	0.000438 %		
4	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		8	mg/kg	1.126	9.007	mg/kg	0.000901 %		
5	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3	mg/kg	1.56	4.679	mg/kg	0.0003 %		
6	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
7	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3	mg/kg	2.976	8.929	mg/kg	0.000893 %		
8	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.3	mg/kg	1.405	0.422	mg/kg	0.0000422 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		32	mg/kg	2.774	88.773	mg/kg	0.00888 %		
10	TPH (C6 to C40) petroleum group			TPH		20	mg/kg		20	mg/kg	0.002 %		
11	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.4	mg/kg	1.884	0.754	mg/kg	0.0000754 %		
12	pH			PH		10.8	pH		10.8	pH	10.8 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1	mg/kg		0.1	mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
17		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
28		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0144 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils, no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.002%)

Classification of sample: WS112[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS112[2]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
4 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
3	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1 mg/kg	1.462	1.462 mg/kg	0.000146 %		
4	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4 mg/kg	1.126	4.504 mg/kg	0.00045 %		
5	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
6	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
7	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1 mg/kg	2.976	2.976 mg/kg	0.000298 %		
8	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.4 mg/kg	1.405	0.562 mg/kg	0.0000562 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		24 mg/kg	2.774	66.58 mg/kg	0.00666 %		
10	TPH (C6 to C40) petroleum group			TPH		510 mg/kg		510 mg/kg	0.051 %		
11	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.3 mg/kg	1.884	0.565 mg/kg	0.0000565 %		
12	pH			PH		10.5 pH		10.5 pH	10.5 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.6 mg/kg		0.6 mg/kg	0.00006 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
17		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.6	mg/kg		0.6	mg/kg	0.00006 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.4	mg/kg		0.4	mg/kg	0.00004 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.3	mg/kg		0.3	mg/kg	0.00003 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			205-883-8	191-24-2									
28		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<LOD
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0599 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils, no free phase

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.051%)

Classification of sample: WS208

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS208	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
0.5 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5 mg/kg	3.22	1.61 mg/kg	0.000161 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1 mg/kg	1.142	1.142 mg/kg	0.000114 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3 mg/kg	1.462	4.385 mg/kg	0.000438 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4 mg/kg	1.126	4.504 mg/kg	0.00045 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	8 mg/kg	1.56	12.479 mg/kg	0.0008 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.1 mg/kg	1.353	0.135 mg/kg	0.0000135 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3 mg/kg	2.976	8.929 mg/kg	0.000893 %		
9	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8 mg/kg	2.774	22.193 mg/kg	0.00222 %		
10	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		**<LOD**
11	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
12	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
13	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	fluoranthene		205-912-4	206-44-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		
18	pyrene		204-927-3	129-00-0		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
19		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
20		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
21		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
22		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
23		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
24		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
25		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
26		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
										Total:	0.00638 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: WS208[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
WS208[2]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
1 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1		arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2		boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.5	mg/kg	3.22	1.61	mg/kg	0.000161 %		
3		cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		1	mg/kg	1.142	1.142	mg/kg	0.000114 %		
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3	mg/kg	1.462	4.385	mg/kg	0.000438 %		
5		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3	mg/kg	1.126	3.378	mg/kg	0.000338 %		
6		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5	mg/kg	1.56	7.799	mg/kg	0.0005 %		
7		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.1	mg/kg	1.353	0.135	mg/kg	0.0000135 %		
8		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3	mg/kg	2.976	8.929	mg/kg	0.000893 %		
9		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7	mg/kg	2.774	19.419	mg/kg	0.00194 %		
10		TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		**<LOD**
											Total:	0.00553 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: TP307

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP307
Sample Depth:
0.8 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1	mg/kg	1.32	1.32	mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.2	mg/kg	3.22	0.644	mg/kg	0.0000644 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2	mg/kg	1.142	0.228	mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1	mg/kg	1.462	1.462	mg/kg	0.000146 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2	mg/kg	1.923	2.308	mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		4.8	mg/kg	1.126	5.404	mg/kg	0.00054 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1	mg/kg	1.56	1.56	mg/kg	0.0001 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3	mg/kg	1.353	0.406	mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.3	mg/kg	2.976	6.845	mg/kg	0.000685 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1	mg/kg	1.405	1.405	mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		11	mg/kg	2.774	30.516	mg/kg	0.00305 %		
12	pH			PH		9.1	pH		9.1	pH	9.1 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05	mg/kg		0.05	mg/kg	0.000005 %		
14	acenaphthylene		205-917-1	208-96-8		0.1	mg/kg		0.1	mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1	mg/kg		0.1	mg/kg	0.00001 %		
16	fluorene		201-695-5	86-73-7		0.1	mg/kg		0.1	mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
17		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
29		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.0055 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP308

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP308
Sample Depth:
0.4 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		5 mg/kg	1.462	7.308 mg/kg	0.000731 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		1.2 mg/kg	1.923	2.308 mg/kg	0.000231 %		
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		8.6 mg/kg	1.126	9.683 mg/kg	0.000968 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.5 mg/kg	1.56	3.9 mg/kg	0.00025 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		6.3 mg/kg	2.976	18.75 mg/kg	0.00188 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				1 mg/kg	1.405	1.405 mg/kg	0.000141 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		17 mg/kg	2.774	47.16 mg/kg	0.00472 %		
12	pH			PH		9.1 pH		9.1 pH	9.1 pH		
13	naphthalene	601-052-00-2	202-049-5	91-20-3		0.05 mg/kg		0.05 mg/kg	0.000005 %		
14	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
17		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
18		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
19		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
20		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
21		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
22		chrysene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
		601-048-00-0	205-923-4	218-01-9									
23		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
24		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
25		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
26		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
27		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
28		benzo[ghi]perylene				0.05	mg/kg		0.05	mg/kg	0.000005 %		
			205-883-8	191-24-2									
29		phenol				2	mg/kg		2	mg/kg	0.0002 %		
		604-001-00-2	203-632-7	108-95-2									
										Total:	0.00958 %		

Key

	User supplied data
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
CLP: Note 1	Only the metal concentration has been used for classification

Supplementary Hazardous Property Information

HP 2: Oxidizing "waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials"
Force this Hazardous property to non hazardous because In soils

Hazard Statements hit:

Ox. Sol. 1; H271 "May cause fire or explosion; strong oxidiser."

Because of determinand:

chromium(VI) oxide: (compound conc.: 0.00023%)

Classification of sample: TP115

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
TP115
Sample Depth:
1 m

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.7 mg/kg	3.22	2.254 mg/kg	0.000225 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		3 mg/kg	1.462	4.385 mg/kg	0.000438 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3 mg/kg	1.126	3.378 mg/kg	0.000338 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3 mg/kg	1.56	4.679 mg/kg	0.0003 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		3 mg/kg	2.976	8.929 mg/kg	0.000893 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.4 mg/kg	1.405	0.562 mg/kg	0.0000562 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		26 mg/kg	2.774	72.128 mg/kg	0.00721 %		
11	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	603-181-00-X	216-653-1	1634-04-4		0.01 mg/kg		0.01 mg/kg	0.000001 %		
12	benzene	601-020-00-8	200-753-7	71-43-2		0.01 mg/kg		0.01 mg/kg	0.000001 %		
13	toluene	601-021-00-3	203-625-9	108-88-3		0.01 mg/kg		0.01 mg/kg	0.000001 %		
14	ethylbenzene	601-023-00-4	202-849-4	100-41-4		0.01 mg/kg		0.01 mg/kg	0.000001 %		
15	xylene	601-022-00-9	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]		0.01 mg/kg		0.01 mg/kg	0.000001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
16		pH				9.2	pH		9.2	pH	9.2 pH		
				PH									
17		naphthalene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-052-00-2	202-049-5	91-20-3									
18		acenaphthylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-917-1	208-96-8									
19		acenaphthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-469-6	83-32-9									
20		fluorene				0.2	mg/kg		0.2	mg/kg	0.00002 %		
			201-695-5	86-73-7									
21		phenanthrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			201-581-5	85-01-8									
22		anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-371-1	120-12-7									
23		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
24		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
25		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
26		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
27		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
28		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
29		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
30		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
31		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
32		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
33		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		**<LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.0103 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Supplementary Hazardous Property Information

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Force this Hazardous property to non hazardous because In soils, no free phase

Hazard Statements hit:

Flam. Liq. 2; H225 "Highly flammable liquid and vapour."

Because of determinands:

tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane: (conc.: 1.0e-06%)
benzene: (conc.: 1.0e-06%)
toluene: (conc.: 1.0e-06%)
ethylbenzene: (conc.: 1.0e-06%)

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

xylene: (conc.: 1.0e-06%)

Classification of sample: TP115[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:	LoW Code:	
TP115[2]	Chapter:	17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Sample Depth:		
2 m	Entry:	17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 0% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		1 mg/kg	1.32	1.32 mg/kg	0.000132 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.4 mg/kg	3.22	1.288 mg/kg	0.000129 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.2 mg/kg	1.142	0.228 mg/kg	0.0000228 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		2 mg/kg	1.462	2.923 mg/kg	0.000292 %		
5	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1 mg/kg	1.126	1.126 mg/kg	0.000113 %		
6	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1 mg/kg	1.56	1.56 mg/kg	0.0001 %		
7	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		0.3 mg/kg	1.353	0.406 mg/kg	0.0000406 %		
8	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2 mg/kg	2.976	5.953 mg/kg	0.000595 %		
9	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.5 mg/kg	1.405	0.703 mg/kg	0.0000703 %		
10	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		17 mg/kg	2.774	47.16 mg/kg	0.00472 %		
11	pH			PH		9.1 pH		9.1 pH	9.1 pH		
12	naphthalene	601-052-00-2	202-049-5	91-20-3		0.1 mg/kg		0.1 mg/kg	0.00001 %		
13	acenaphthylene		205-917-1	208-96-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
14	acenaphthene		201-469-6	83-32-9		0.1 mg/kg		0.1 mg/kg	0.00001 %		
15	fluorene		201-695-5	86-73-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		
16	phenanthrene		201-581-5	85-01-8		0.1 mg/kg		0.1 mg/kg	0.00001 %		
17	anthracene		204-371-1	120-12-7		0.1 mg/kg		0.1 mg/kg	0.00001 %		

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
18		fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-912-4	206-44-0									
19		pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			204-927-3	129-00-0									
20		benzo[a]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-033-00-9	200-280-6	56-55-3									
21		chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-048-00-0	205-923-4	218-01-9									
22		benzo[b]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-034-00-4	205-911-9	205-99-2									
23		benzo[k]fluoranthene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-036-00-5	205-916-6	207-08-9									
24		benzo[a]pyrene; benzo[def]chrysene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-032-00-3	200-028-5	50-32-8									
25		indeno[123-cd]pyrene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-893-2	193-39-5									
26		dibenz[a,h]anthracene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
		601-041-00-2	200-181-8	53-70-3									
27		benzo[ghi]perylene				0.1	mg/kg		0.1	mg/kg	0.00001 %		
			205-883-8	191-24-2									
28		Aromatic hydrocarbons, C20-28, polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived; Pyrolysis Products; [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C20 through C28 and having a softening point of 100 oC to 220 oC (212 oF to 428 oF) according to DIN 52025.]			H, M	<5	mg/kg		<5	mg/kg	<0.0005 %		<**LOD**
		648-073-00-3	309-956-6	101794-74-5									
										Total:	0.00687 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification
CLP: Note H	Known incomplete entry, should not be used as is

Classification of sample: B4/TP01

Hazardous Waste
Classified as **17 05 03 ***
in the List of Waste

Sample details

Sample name:
B4/TP01
Sample Depth:
0.50-1.70 m
Moisture content:
24%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 03 * (Soil and stones containing hazardous substances)

Hazard properties

HP 7: Carcinogenic "waste which induces cancer or increases its incidence"

Hazard Statements hit:

Carc. 1B; H350 "May cause cancer [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.68%)

HP 11: Mutagenic "waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell"

Hazard Statements hit:

Muta. 1B; H340 "May cause genetic defects [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.68%)

Hazard properties (substances considered hazardous until shown otherwise)

HP 3(i): Flammable "flammable liquid waste: liquid waste having a flash point below 60°C or waste gas oil, diesel and light heating oils having a flash point > 55°C and <= 75°C"

Hazard Statements hit:

Flam. Liq. 3; H226 "Flammable liquid and vapour."

Because of determinand:

TPH (C6 to C40) petroleum group: (conc.: 0.68%)

Determinands

Moisture content: 24% No Moisture Correction applied (MC)

#		Determinand			CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
		EU CLP index number	EC Number	CAS Number									
1		arsenic { arsenic trioxide }				0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
		033-003-00-0	215-481-4	1327-53-3									
2		boron { diboron trioxide; boric oxide }				<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
		005-008-00-8	215-125-8	1303-86-2									
3		cadmium { cadmium oxide }				<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
		048-002-00-0	215-146-2	1306-19-0									

#		Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
4		chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1	mg/kg	1.462	1.462	mg/kg	0.000146 %		
5		chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6		copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.5	mg/kg	1.126	1.689	mg/kg	0.000169 %		
7		lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.2	mg/kg	1.56	3.432	mg/kg	0.00022 %		
8		mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9		nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.2	mg/kg	2.976	3.572	mg/kg	0.000357 %		
10		selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.26	mg/kg	1.405	0.365	mg/kg	0.0000365 %		
11		zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6.6	mg/kg	2.774	18.309	mg/kg	0.00183 %		
12		TPH (C6 to C40) petroleum group			TPH		6800	mg/kg		6800	mg/kg	0.68 %		
13		cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14		pH			PH		9.4	pH		9.4	pH	9.4 pH		
											Total:	0.683 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Hazardous result
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: B4/TP01[2]

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B4/TP01[2]
Sample Depth:
2.50-2.90 m
Moisture content:
23%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 23% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.6	mg/kg	1.462	0.877	mg/kg	0.0000877 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.1	mg/kg	1.126	1.238	mg/kg	0.000124 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.91	mg/kg	1.56	1.419	mg/kg	0.000091 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.89	mg/kg	2.976	2.649	mg/kg	0.000265 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.6	mg/kg	2.774	15.535	mg/kg	0.00155 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.7	mg/kg	1.884	1.319	mg/kg	0.000132 %		
14	pH			PH		9.4	pH		9.4	pH	9.4 pH		
										Total:	0.0036 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: B4/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B4/TP05
Sample Depth:
1.30-2.30 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.11	mg/kg	1.142	0.126	mg/kg	0.0000126 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.1	mg/kg	1.462	1.608	mg/kg	0.000161 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		2.6	mg/kg	1.126	2.927	mg/kg	0.000293 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5	mg/kg	1.56	7.799	mg/kg	0.0005 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.4	mg/kg	2.976	7.143	mg/kg	0.000714 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		11	mg/kg	2.774	30.516	mg/kg	0.00305 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				0.6	mg/kg	1.884	1.13	mg/kg	0.000113 %		
14	pH			PH		10.2	pH		10.2	pH	10.2 pH		
										Total:	0.00618 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: B3/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B3/TP04
Sample Depth:
1.30-2.30 m
Moisture content:
23%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 23% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		0.17	mg/kg	1.142	0.194	mg/kg	0.0000194 %		
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.9	mg/kg	1.462	1.315	mg/kg	0.000132 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.1	mg/kg	1.126	1.238	mg/kg	0.000124 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	3.6	mg/kg	1.56	5.615	mg/kg	0.00036 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.9	mg/kg	2.976	5.655	mg/kg	0.000565 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.2	mg/kg	2.774	19.974	mg/kg	0.002 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.6	pH		9.6	pH	9.6 pH		
										Total:	0.00462 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: B3/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B3/TP01
Sample Depth:
0.70-1.50 m
Moisture content:
22%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 22% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5	mg/kg	1.32	<0.66	mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.6	mg/kg	1.462	0.877	mg/kg	0.0000877 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.56	mg/kg	1.126	0.63	mg/kg	0.000063 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.86	mg/kg	1.56	1.341	mg/kg	0.000086 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.72	mg/kg	2.976	2.143	mg/kg	0.000214 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		4.1	mg/kg	2.774	11.374	mg/kg	0.00114 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		9.6	pH		9.6	pH	9.6 pH		
										Total:	0.00303 %		

Key	
	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: B2/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B2/TP04
Sample Depth:
0.80-1.50 m
Moisture content:
23%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 23% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<LOD
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		<0.5 mg/kg	1.462	<0.731 mg/kg	<0.0000731 %		<LOD
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		<0.5 mg/kg	1.126	<0.563 mg/kg	<0.0000563 %		<LOD
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	<0.5 mg/kg	1.56	<0.78 mg/kg	<0.00005 %		<LOD
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		<0.5 mg/kg	2.976	<1.488 mg/kg	<0.000149 %		<LOD
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		1.8 mg/kg	2.774	4.993 mg/kg	0.000499 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.3 pH		9.3 pH	9.3 pH		
								Total:	0.00227 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: B2/TP01

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
B2/TP01
Sample Depth:
0.70-1.50 m
Moisture content:
20%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 20% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6	mg/kg	1.32	0.792	mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.44	mg/kg	3.22	1.417	mg/kg	0.000142 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.8	mg/kg	1.462	2.631	mg/kg	0.000263 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.6	mg/kg	1.126	6.305	mg/kg	0.00063 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	5.1	mg/kg	1.56	7.955	mg/kg	0.00051 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.9	mg/kg	2.976	5.655	mg/kg	0.000565 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		13	mg/kg	2.774	36.064	mg/kg	0.00361 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		9.2	pH		9.2	pH	9.2 pH		
										Total:	0.00704 %		

Key	
	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: A3/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A3/TP03
Sample Depth:
1.00-1.90 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.7	mg/kg	1.32	0.924	mg/kg	0.0000924 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.7	mg/kg	1.462	1.023	mg/kg	0.000102 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.4	mg/kg	1.126	1.576	mg/kg	0.000158 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.1	mg/kg	1.56	1.716	mg/kg	0.00011 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.8	mg/kg	2.976	5.357	mg/kg	0.000536 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		7.2	mg/kg	2.774	19.974	mg/kg	0.002 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.3	pH		8.3	pH	8.3 pH		
										Total:	0.00437 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: A3/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A3/TP05
Sample Depth:
1.00-1.60 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.82 mg/kg	3.22	2.64 mg/kg	0.000264 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.8 mg/kg	1.462	1.169 mg/kg	0.000117 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.1 mg/kg	1.126	1.238 mg/kg	0.000124 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.6 mg/kg	1.56	2.496 mg/kg	0.00016 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.93 mg/kg	2.976	2.768 mg/kg	0.000277 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		5.7 mg/kg	2.774	15.813 mg/kg	0.00158 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.2 pH		8.2 pH	8.2 pH		
								Total:	0.00383 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: A3/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A3/TP02
Sample Depth:
1.00-1.60 m
Moisture content:
16%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 16% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.6	mg/kg	1.32	0.792	mg/kg	0.0000792 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		0.56	mg/kg	3.22	1.803	mg/kg	0.00018 %		
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.3	mg/kg	1.462	1.9	mg/kg	0.00019 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		5.5	mg/kg	1.126	6.192	mg/kg	0.000619 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	7.1	mg/kg	1.56	11.075	mg/kg	0.00071 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2	mg/kg	2.976	5.953	mg/kg	0.000595 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<LOD
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		14	mg/kg	2.774	38.838	mg/kg	0.00388 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		8	pH		8	pH	8pH		
										Total:	0.0075 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: A2/TP03

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A2/TP03
Sample Depth:
0.80-1.60 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		<0.5 mg/kg	1.462	<0.731 mg/kg	<0.0000731 %		<**LOD**
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.7 mg/kg	1.126	0.788 mg/kg	0.0000788 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.73 mg/kg	1.56	1.139 mg/kg	0.000073 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.53 mg/kg	2.976	1.577 mg/kg	0.000158 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25 mg/kg	1.405	<0.351 mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		3.2 mg/kg	2.774	8.877 mg/kg	0.000888 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.3 pH		8.3 pH	8.3 pH		
								Total:	0.00271 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: C3/TP05

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP05
Sample Depth:
0.70-1.70 m
Moisture content:
17%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 17% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.8	mg/kg	1.32	1.056	mg/kg	0.000106 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.5	mg/kg	1.462	2.192	mg/kg	0.000219 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		1.5	mg/kg	1.126	1.689	mg/kg	0.000169 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	1.5	mg/kg	1.56	2.34	mg/kg	0.00015 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		2.3	mg/kg	2.976	6.845	mg/kg	0.000685 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				<0.25	mg/kg	1.405	<0.351	mg/kg	<0.0000351 %		<**LOD**
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		6	mg/kg	2.774	16.645	mg/kg	0.00166 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8	pH		8	pH	8pH		
										Total:	0.00437 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: C3/TP04

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
C3/TP04
Sample Depth:
0.50-1.50 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data		Conv. Factor	Compound conc.		Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		0.5	mg/kg	1.32	0.66	mg/kg	0.000066 %		
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4	mg/kg	3.22	<1.288	mg/kg	<0.000129 %		<LOD
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1	mg/kg	1.142	<0.114	mg/kg	<0.0000114 %		<LOD
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		1.2	mg/kg	1.462	1.754	mg/kg	0.000175 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5	mg/kg	1.923	<0.962	mg/kg	<0.0000962 %		<LOD
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		3	mg/kg	1.126	3.378	mg/kg	0.000338 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	2.6	mg/kg	1.56	4.056	mg/kg	0.00026 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05	mg/kg	1.353	<0.0677	mg/kg	<0.00000677 %		<LOD
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		1.2	mg/kg	2.976	3.572	mg/kg	0.000357 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.25	mg/kg	1.405	0.351	mg/kg	0.0000351 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		8.3	mg/kg	2.774	23.025	mg/kg	0.0023 %		
12	TPH (C6 to C40) petroleum group			TPH		<10	mg/kg		<10	mg/kg	<0.001 %		<LOD
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5	mg/kg	1.884	<0.942	mg/kg	<0.0000942 %		<LOD
14	pH			PH		8.8	pH		8.8	pH	8.8 pH		
										Total:	0.00487 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Classification of sample: A4/TP02

Non Hazardous Waste
Classified as **17 05 04**
in the List of Waste

Sample details

Sample name:
A4/TP02
Sample Depth:
0.60-1.60 m
Moisture content:
18%
(no correction)

LoW Code:
Chapter: 17: Construction and Demolition Wastes (including excavated soil from contaminated sites)
Entry: 17 05 04 (Soil and stones other than those mentioned in 17 05 03)

Hazard properties

None identified

Determinands

Moisture content: 18% No Moisture Correction applied (MC)

#	Determinand	EU CLP index number	EC Number	CAS Number	CLP Note	User entered data	Conv. Factor	Compound conc.	Classification value	MC Applied	Conc. Not Used
1	arsenic { arsenic trioxide }	033-003-00-0	215-481-4	1327-53-3		<0.5 mg/kg	1.32	<0.66 mg/kg	<0.000066 %		<**LOD**
2	boron { diboron trioxide; boric oxide }	005-008-00-8	215-125-8	1303-86-2		<0.4 mg/kg	3.22	<1.288 mg/kg	<0.000129 %		<**LOD**
3	cadmium { cadmium oxide }	048-002-00-0	215-146-2	1306-19-0		<0.1 mg/kg	1.142	<0.114 mg/kg	<0.0000114 %		<**LOD**
4	chromium in chromium(III) compounds { chromium(III) oxide (worst case) }		215-160-9	1308-38-9		0.7 mg/kg	1.462	1.023 mg/kg	0.000102 %		
5	chromium in chromium(VI) compounds { chromium(VI) oxide }	024-001-00-0	215-607-8	1333-82-0		<0.5 mg/kg	1.923	<0.962 mg/kg	<0.0000962 %		<**LOD**
6	copper { dicopper oxide; copper (I) oxide }	029-002-00-X	215-270-7	1317-39-1		0.59 mg/kg	1.126	0.664 mg/kg	0.0000664 %		
7	lead { lead chromate }	082-004-00-2	231-846-0	7758-97-6	1	0.9 mg/kg	1.56	1.404 mg/kg	0.00009 %		
8	mercury { mercury dichloride }	080-010-00-X	231-299-8	7487-94-7		<0.05 mg/kg	1.353	<0.0677 mg/kg	<0.00000677 %		<**LOD**
9	nickel { nickel chromate }	028-035-00-7	238-766-5	14721-18-7		0.63 mg/kg	2.976	1.875 mg/kg	0.000188 %		
10	selenium { selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex }	034-002-00-8				0.28 mg/kg	1.405	0.393 mg/kg	0.0000393 %		
11	zinc { zinc chromate }	024-007-00-3	236-878-9	13530-65-9		3.1 mg/kg	2.774	8.6 mg/kg	0.00086 %		
12	TPH (C6 to C40) petroleum group			TPH		<10 mg/kg		<10 mg/kg	<0.001 %		<**LOD**
13	cyanides { salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex }	006-007-00-5				<0.5 mg/kg	1.884	<0.942 mg/kg	<0.0000942 %		<**LOD**
14	pH			PH		8.6 pH		8.6 pH	8.6 pH		
								Total:	0.00275 %		

Key

	User supplied data
	Determinand values ignored for classification, see column 'Conc. Not Used' for reason
	Determinand defined or amended by HazWasteOnline (see Appendix A)
	Speciated Deteminand - Unless the Determinand is Note 1, the Conversion Factor is used to calculate the compound concentration
<LOD	Below limit of detection
ND	Not detected
CLP: Note 1	Only the metal concentration has been used for classification

Appendix A: Classifier defined and non GB MCL determinands

- **chromium(III) oxide (worst case)** (EC Number: 215-160-9, CAS Number: 1308-38-9)

Description/Comments: Data from C&L Inventory Database
Data source: https://echa.europa.eu/information-on-chemicals/cl-inventory-database/-/discli/details/33806
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H332 , Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Resp. Sens. 1; H334 , Skin Sens. 1; H317 , Repr. 1B; H360FD , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **TPH (C6 to C40) petroleum group** (CAS Number: TPH)

Description/Comments: Hazard statements taken from WM3 1st Edition 2015; Risk phrases: WM2 3rd Edition 2013
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: Flam. Liq. 3; H226 , Asp. Tox. 1; H304 , STOT RE 2; H373 , Muta. 1B; H340 , Carc. 1B; H350 , Repr. 2; H361d , Aquatic Chronic 2; H411

- **acenaphthylene** (EC Number: 205-917-1, CAS Number: 208-96-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Acute Tox. 4; H302 , Acute Tox. 1; H330 , Acute Tox. 1; H310 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315

- **acenaphthene** (EC Number: 201-469-6, CAS Number: 83-32-9)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Aquatic Chronic 2; H411

- **fluorene** (EC Number: 201-695-5, CAS Number: 86-73-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **phenanthrene** (EC Number: 201-581-5, CAS Number: 85-01-8)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Carc. 2; H351 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410 , Skin Irrit. 2; H315

- **anthracene** (EC Number: 204-371-1, CAS Number: 120-12-7)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 17 Jul 2015
Hazard Statements: Eye Irrit. 2; H319 , STOT SE 3; H335 , Skin Irrit. 2; H315 , Skin Sens. 1; H317 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **fluoranthene** (EC Number: 205-912-4, CAS Number: 206-44-0)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Acute Tox. 4; H302 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **pyrene** (EC Number: 204-927-3, CAS Number: 129-00-0)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 2014
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 21 Aug 2015
Hazard Statements: Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , STOT SE 3; H335 , Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

- **indeno[123-cd]pyrene** (EC Number: 205-893-2, CAS Number: 193-39-5)

Description/Comments: Data from C&L Inventory Database
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 06 Aug 2015
Hazard Statements: Carc. 2; H351

benzo[ghi]perylene (EC Number: 205-883-8, CAS Number: 191-24-2)

Description/Comments: Data from C&L Inventory Database; SDS Sigma Aldrich 28/02/2015
Data source: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database
Data source date: 23 Jul 2015
Hazard Statements: Aquatic Acute 1; H400 , Aquatic Chronic 1; H410

salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex

GB MCL index number: 006-007-00-5
Description/Comments: Conversion factor based on a worst case compound: sodium cyanide
Additional Hazard Statement(s): EUH032 >= 0.2 %
Reason for additional Hazards Statement(s):
20 Nov 2021 - EUH032 >= 0.2 % hazard statement sourced from: WM3, Table C12.2

pH (CAS Number: PH)

Description/Comments: Appendix C4
Data source: WM3 1st Edition 2015
Data source date: 25 May 2015
Hazard Statements: None.

ethylbenzene (EC Number: 202-849-4, CAS Number: 100-41-4)

GB MCL index number: 601-023-00-4
Description/Comments:
Additional Hazard Statement(s): Carc. 2; H351
Reason for additional Hazards Statement(s):
20 Nov 2021 - Carc. 2; H351 hazard statement sourced from: IARC Group 2B (77) 2000

Appendix B: Rationale for selection of metal species

arsenic {arsenic trioxide}

Reasonable case CLP species based on hazard statements/molecular weight and most common (stable) oxide of arsenic. Industrial sources include: smelting; main precursor to other arsenic compounds (edit as required)

boron {diboron trioxide; boric oxide}

Reasonable case CLP species based on hazard statements/ molecular weight, physical form and low solubility. Industrial sources include: fluxing agent for glass/enamels; additive for fibre optics, borosilicate glass (edit as required)

cadmium {cadmium oxide}

Reasonable case CLP species based on hazard statements/molecular weight, very low solubility in water. Industrial sources include: electroplating baths, electrodes for storage batteries, catalysts, ceramic glazes, phosphors, pigments and nematocides. (edit as required) Worst case compounds in CLP: cadmium sulphate, chloride, fluoride & iodide not expected as either very soluble and/or compound's industrial usage not related to site history (edit as required)

chromium in chromium(III) compounds {chromium(III) oxide (worst case)}

Reasonable case species based on hazard statements/molecular weight. Industrial sources include: tanning, pigment in paint, inks and glass (edit as required)

copper {dicopper oxide; copper (I) oxide}

Reasonable case CLP species based on hazard statements/molecular weight and insolubility in water. Industrial sources include: oxidised copper metal, brake pads, pigments, antifouling paints, fungicide. (edit as required) Worse case copper sulphate is very soluble and likely to have been leached away if ever present and/or not enough soluble sulphate detected. (edit as required)

lead {lead chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

mercury {mercury dichloride}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

nickel {nickel chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

zinc {zinc chromate}

Worst case CLP species based on hazard statements/molecular weight (edit as required)

selenium {selenium compounds with the exception of cadmium sulphoselenide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case. Pigment cadmium sulphoselenide not likely to be present in this soil. No evidence for the other CLP entries: sodium selenite, nickel II selenite and nickel selenide, to be present in this soil. (edit as required)

cyanides {salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex}

Harmonised group entry used as most reasonable case as complex cyanides and those specified elsewhere in the annex are not likely to be present in this soil: [Note conversion factor based on a worst case compound: sodium cyanide] (edit as required)

chromium in chromium(VI) compounds {chromium(VI) oxide}

Worst case CLP species based on hazard statements/molecular weight. Industrial sources include: production stainless steel, electroplating, wood preservation, anti-corrosion agents or coatings, pigments (edit as required)

Appendix C: Version

HazWasteOnline Classification Engine: WM3 1st Edition v1.2.GB - Oct 2021
HazWasteOnline Classification Engine Version: 2022.192.5237.9831 (11 Jul 2022)
HazWasteOnline Database: 2022.192.5237.9831 (11 Jul 2022)

This classification utilises the following guidance and legislation:
WM3 v1.2.GB - Waste Classification - 1st Edition v1.2.GB - Oct 2021
CLP Regulation - Regulation 1272/2008/EC of 16 December 2008
1st ATP - Regulation 790/2009/EC of 10 August 2009
2nd ATP - Regulation 286/2011/EC of 10 March 2011
3rd ATP - Regulation 618/2012/EU of 10 July 2012
4th ATP - Regulation 487/2013/EU of 8 May 2013
Correction to 1st ATP - Regulation 758/2013/EU of 7 August 2013
5th ATP - Regulation 944/2013/EU of 2 October 2013
6th ATP - Regulation 605/2014/EU of 5 June 2014
WFD Annex III replacement - Regulation 1357/2014/EU of 18 December 2014
Revised List of Waste 2014 - Decision 2014/955/EU of 18 December 2014
7th ATP - Regulation 2015/1221/EU of 24 July 2015
8th ATP - Regulation (EU) 2016/918 of 19 May 2016
9th ATP - Regulation (EU) 2016/1179 of 19 July 2016
10th ATP - Regulation (EU) 2017/776 of 4 May 2017
HP14 amendment - Regulation (EU) 2017/997 of 8 June 2017
13th ATP - Regulation (EU) 2018/1480 of 4 October 2018
14th ATP - Regulation (EU) 2020/217 of 4 October 2019
15th ATP - Regulation (EU) 2020/1182 of 19 May 2020
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use)(Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1567 of 16th December 2020
The Waste and Environmental Permitting etc. (Legislative Functions and Amendment etc.) (EU Exit) Regulations 2020 - UK: 2020 No. 1540 of 16th December 2020
GB MCL List - version 1.1 of 09 June 2021

Proforma A – Baseline Land Quality Characteristics/Waste Classification

TABLE 1. SITE DETAILS	
Site	**SAUNDERTON DATA CENTRE, HAW LANE**
Plan reference	Area C – Grid Squares A4, A5, A6, A7, B4, B5, B6, C4, C5, C6
Area (sq m)	Approx 24,200 m^2
Plan	223159/C/C
Ground Level	Approx. 129.5 m AOD
Relevant Previous Reports	Ove Arup & Partners Ltd (November 2007) 'Geo Environmental Investigation – Phase Two Report (REP/123955/001) Hydrock 'Desk Study and Ground Investigation Report (Ref R/13649/004)
AAe Investigation Date(s)	15/06/22 22-23/06/22 29/06/22 05/07/22 07/07/22 13-14/07/22 20/07/22 11/08/22
Scope and attachments	Pre-characterisation of soils for waste classification in accordance with AAe WASTE SEGREGATION & DISCOVERY STRATEGY (ENABLING WORKS PHASE) (Ref. 223159/WSDS/001). Excavation of Trial Pits on 25 m grid across areas of proposed bulk excavation. Sampling and inspection of Made Ground and Natural Chalk Subsoils for waste classification purposes. Samples submitted to Chemtest Eurofins, UKAS/MCERTS accredited laboratory, for chemical analysis against a comprehensive solids suite. Results classified in accordance with Environment Agency guidance WM3 using HazWaste Online software. Results combined with previous data from Hydrock/Arup/RPS investigations. Attachments: • Trial Pit Logs and Photo Plates • Certificates of Analysis • HWOL Classification Report

TABLE 2. STRATA		
Strata	**Strata thickness**	**Comments/Data**
Surfacing - **Macadam** - **Concrete**	Absent-0.35 m	Hardstanding removed from some areas prior to AAe investigation. In some areas, hardstanding was underlain by Made Ground and then further hardstanding. This was the case in the vicinity of B6/TP01 (total thickness of hardstanding and Made Ground was 0.40 m), and of B6/TP02 (total thickness of hardstanding and Made Ground was recorded as 0.60 m). In the vicinity of C4/TP05 a 0.10 m layer of hardstanding was recorded below the Made Ground surface.
Made Ground	Absent-1.90 m	Relevant previous SI: WS112 – WS113, WS115, TP114, TP301 – TP302, TP304 – TP305, TP310 – TP311, TP329, and TP341. Note: Not all strata tested in previous SI. Relevant data incorporated. AAe Report References: 22-22573, 22-23669, 22-23673 (ACM), 22-23892, 22-24775, 22-24777 (ACM), 22-25607, 22-26016, 22-26893, 22-27030, 22-27034 (ACM), 22-27700 (ACM), 22-27703, 22-28163, 22-31013 (includes ACM) & 22-31259 (includes ACM).

W www.aae-ltd.co.uk
T 01235 536042
E info@aae-ltd.co.uk

Proforma A – Baseline Land Quality Characteristics/Waste Classification

		The Made Ground classification plan is presented on Drawing 223159/C/C. Details of the recorded Hazardous areas and further delineation testing are presented in Table 3.
Natural Chalk	Proved to maximum 3.10 m BGL	Relevant previous SI: WS112, WS115, WS119, WS208 – WS212, TP114, TP303, TP313, and TP330. Note: Not all strata tested in previous SI. Relevant data incorporated. AAe Report References: 22-22573, 22-23669, 22-23892, 22-24775, 22-25607, 22-26016, 22-26893, 22-27030, 22-27703, 22-31013, and 22-31259. All natural strata samples classified as Non-Hazardous with the exception of hazardous hotspots delineated as per Table 3 below.

TABLE 3: DELINEATION OF HAZARDOUS

Location	Hazardous Properties	Strata	Extend into underlying Natural? (Yes/No)	Further delineation testing and inspection	Laboratory report reference(s)
C5-TP01	TPH	Made Ground	No	13/07/22 Refer to attached photo plates	22-26919
C4/TP01	TPH (PAH and heavy oil)	Made Ground	Yes	13-14/07/22 Refer to attached photo plates	22-26920
B4/TP01	TPH	No Non-Hazardous in Made Ground	Yes Hazardous in Natural)	03/08/22 Refer to attached photo plates	22-29535
WS113, WS114 and C5-TP05	pH	Made Ground (suspected due to presence of concrete in sample – otherwise Non-Hazardous matrix)	C5/TP05 No (no Natural samples tested for WS113 and WS114)	13/07/22 Refer to attached photo plates	22-26919
TP304, B5/TP03, B6/TP02 and B6/TP03	pH	Made Ground (suspected due to presence of concrete in sample – otherwise Non-Hazardous matrix))	No	Site wide removal of Made Ground	See final site validation results
TP329	pH and Visible asbestos fragments	Made Ground (suspected due to presence of concrete in sample)	No Natural sample tested	05/07/22 Refer to attached photo plates	22-25611
C6-TP02	Asbestos identified Amosite fibres/clumps	Made Ground (Non-Hazardous <0.1%)	No	Shallow scrape of Made Ground to remove asbestos undertaken. Site-wide removal of Made Ground.	See final site validation results
C4-TP01 and C4-TP04	Visible asbestos fragments (Chrysotile cement)	Made Ground	No	29/06/22 V/B3 and 13/07/22 Refer to attached photo plates	22-26919 22-26920

W www.aae-ltd.co.uk
T 01235 536042
E info@aae-ltd.co.uk

Proforma A – Baseline Land Quality Characteristics/Waste Classification

B5-TP01	Visible Asbestos Fragment (Chrysotile cement)	Made Ground	No	Shallow scrape of Made Ground to remove asbestos undertaken. Site-wide removal of Made Ground.	See final site validation results
B4/TP04	Visible asbestos fragment (Chrysotile cement)	Made Ground	No	03/08/22 Refer to attached photo plates	22-29535
A5/TP01, A5/TP04, A6/TP01 and TP114	Visible asbestos fragments (Chrysotile cement), A5/TP01 asbestos identified as Amosite fibres/clumps	Made Ground A5/TP01 (Non-Hazardous <0.1%)	No	Shallow scrape of Made Ground to remove asbestos undertaken. Site-wide removal of Made Ground.	See final site validation results
Delineation sample locations presented on Drawing 223159/D/C. Reduced level/survey drawings to be provided by Enterprise.					

	Name	Signature	Date
Sign off	J Taylor		29/11/22 (FINAL)

W www.aae-ltd.co.uk
T 01235 536042
E info@aae-ltd.co.uk