



Slurry lagoon constructed using pre-stressed vertical panels. Perforated pipe is installed at the base of the construction to allow for regular inspection of leaks from the lagoon.

Lagoon has been designed and constructed to meet all requirements of BS 5502

PAPER SIZE	Rev No	Revision Note.	Date	Drawn	Checked
A2					

THIS DRAWING IS COPYRIGHT. IT MUST NOT BE COPIED, USED OR DISCLOSED TO THIRD PARTIES WITHOUT PRIOR PERMISSION.
 ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT.
 ANY DISCREPANCIES TO BE BROUGHT TO THE ATTENTION OF CLIENTS AGENT IMMEDIATELY.
 ALL DRAWINGS TO BE READ IN STRICT CONJUNCTION WITH THE RELEVANT ENGINEERS DRAWINGS WHERE APPLICABLE. FULL APPROVAL OF ANY WORK AS STATED OR UNCOVERED TO BE OBTAINED BY EITHER CA OR LOCAL AUTHORITY BUILDING INSPECTOR.

ATSS
<http://www.atssltd.com>
 TEL 01264 850446 - EMAIL INFO@ATSSLTD.COM

BOURNE WORKS
 COLLINGBOURNE DUCIS
 MARLBOROUGH
 WILTS, SN8 3EQ

TITLE	DRN BY	DATE	CHK BY	SCALE
Digestate Lagoon	LM	7.2.18	JD	1:100
NUMBER - REV - CLIENT - PROJECT	SHEET			
01180-01 - A - Construction Details	01			