

PSC Land

From: John Davies <john@eandjsolutions.co.uk>
Sent: 03 June 2021 09:55
To: PSC Land; Nigel Green
Subject: Re: We need more information about your application and underpayment of application charge EPR/BB3633DS/V002
Attachments: EPRBB3633 C4 4A Emmissions Monitoring.pdf; EPRBB3633DS Environmental Management System Document Index.pdf; EPRBB3633DS Environmental Managment System.pdf



Application reference: EPR/BB3633DS/V002

1. **Already Sent.**
2. You need to provide an updated version of your Management System taking your proposed changes into account. You must include information on revised waste acceptance procedures. **Please find attached.**
3. **Already Sent.**
4. **Already Sent.**
5. Consider the sites infrastructure and provide details e.g. secondary containment. **Please see Environmental Management System documentation.**
6. You have stated you have submitted Emissions Monitoring, Please re-submit as I cannot locate this document. **Please find attached.**
7. Provide information on whether you are still using your ancillary flare. We believe you may now be using an ancillary boiler. Please confirm and provide full details. **Please see Environmental Management System documentation**
8. **Already Sent.**
9. **Already Sent.**

John Davies
Agronomist & Farm Advisor



01544267931

07818 084455

john@eandjsolutions.co.uk

www.eandjsolutions.co.uk

E & J Solutions Ltd, Upper House, Brierley, Presteigne, Powys LD8 2NA

Registered Office: Upper House, Brierley, Presteigne, Powys LD8 2NA.

Registered as a company in England and Wales, number 6076029.

VAT Registration Number: 762 3495 16

The information in this email and any attachments is confidential and intended for the sole use of the addressee(s). Access, copying, disclosure or re-use, in any way, of the information contained in this email and attachments by anyone other than the addressee(s) is unauthorised. If you have received this email in error, please return it to the sender and highlight the error. We accept no legal liability for the content of the message. Any opinions or views presented are solely the responsibility of the author and do not necessarily represent those of E & J Solutions Ltd. We cannot guarantee that this message has not been modified in transit, and this message should not be viewed as contractually binding. Although we have taken reasonable steps to ensure that this email and attachments are free from any virus, we advise that in keeping with good computing practice the recipient should ensure they are actually virus free.



Virus-free. www.avg.com

On Tue, 18 May 2021 at 15:12, PSC Land <PSC@environment-agency.gov.uk> wrote:

Dear Mr Nigel Green & Mrs Sally Green

We need more information about your application and underpayment of application charge

Application reference: EPR/BB3633DS/V002

Operator: Mr Nigel Green & Mrs Sally Green

Facility: Much Fawley Farm

Thank you for your application received on **06/04/2021**.

Your Application is Not Duly Made as of **18/05/2021** for the following reasons;

1. Part F – we must have a declaration from all of the permit holders. Currently we only have a declaration from Nigel Green.
2. You need to provide an updated version of your Management System taking your proposed changes into account. You must include information on revised waste acceptance procedures.
3. We require a revised site plan to include the extended boundary. At present the plans you have provided do not show the whole of the extended boundary and the whole of the permit area with a continuous line around it.
4. This site plan must also form part of your Site Condition Report. At present you have provided your current site boundary plan but the revised site plan which is included does not show the whole area as explained in number 3 above.
5. Consider the sites infrastructure and provide details e.g. secondary containment.
6. You have stated you have submitted Emissions Monitoring, Please re-submit as I cannot locate this document.
7. Provide information on whether you are still using your ancillary flare. We believe you may now be using an ancillary boiler. Please confirm and provide full details.
8. You must provide a Noise Management Plan (NMP) and Noise Impact Assessment (NIA) which reflects the potential noise impact from all your activities on site – current and proposed.
9. You must provide an extra fee of £1,246 as a component charge for the assessment of the NMP and NIA. This is shown in Table 1.19 – Charges for plans and assessment in the current charging scheme.

Please send the required information listed above and additional fee remittance details, quoting the above application reference to psc@environment-agency.gov.uk

Please send the information and payment within 10 working days of this email, by **2nd June 2021**. Details of how to pay are given in Part F1 of the application form.

If we do not receive the information and payment within 10 working days we will return your application.

If we do receive the requested information and payment within 10 working days, we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by email whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application and requesting information. This maximum amount we'll retain is capped at £1,500. Further information on charging can be found at:

<https://www.gov.uk/government/publications/environmental-permitting-ep-charges-scheme>

If you have any questions please phone [REDACTED]
[REDACTED]

Yours sincerely

[REDACTED]
Permitting Support Advisor – National Permitting Service

[REDACTED]

[REDACTED]

[REDACTED]



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.



Virus-free. www.avg.com