

[REDACTED]

From: Lidgett, James
Sent: 09 May 2023 07:27
To: steve raasch
Subject: RE: FW: Hill House Farm EPR/AP3329SB/A001 - Not Duly Made

Steve

Thank you for your response. Could you please provide further detail in relation to question 3.

1. Complete
2. Complete
3. I was looking for a list of specific hazardous substances stored on site. e.g. cleaning chemicals, any hazardous substances required for operation and maintenance of the ground source heat pump. Please add further detail.
4. Complete – technical standards includes release height and efflux velocity

Regards

James Lidgett MCMI, Practising Environmental Regulator
Team Leader - Waste
National Permitting Service ♦♦♦♦ Part of National Services E&B

✉ [Quadrant 2, 99 Parkway Avenue, Sheffield, South Yorkshire, S9 4WF](#)
📞 [REDACTED]
📍 [REDACTED]

☑ [Help us to improve our service and complete our customer survey – click NPS Survey.](#)

Operations, Regulation, Monitoring Customer – National Permitting Service

Creating a better place
for people and wildlife





From: steve raasch [REDACTED]
Sent: 06 May 2023 15:57
To: Lidgett, James [REDACTED]
Subject: Re: FW: Hill House Farm EPR/AP3329SB/A001 - Not Duly Made

Hi James

Please see attached in response to not duly made questions.

Regards

Steve

On Fri, 5 May 2023 at 18:42, Lidgett, James [REDACTED] wrote:

Steve

I have added another question to your not duly made email, marked as question 4 could you please address this in your response.

Thank you

James Lidgett MCMI, Practising Environmental Regulator

Team Leader - Waste

National Permitting Service ♦ ♦ ♦ ♦ **Part of National Services E&B**

✉ **Quadrant 2, 99 Parkway Avenue, Sheffield, South Yorkshire, S9 4WF**

☎ [REDACTED]

📍 [REDACTED]

✉ **Help us to improve our service and complete our customer survey – click [NPS Survey](#).**

Operations, Regulation, Monitoring Customer – National Permitting Service



From: Lidgett, James
Sent: 05 May 2023 17:39

To: steve raasch [REDACTED]
Subject: Hill House Farm EPR/AP3329SB/A001 - Not Duly Made

Steve

Good evening, I have been allocated the above application for determination. I have now completed the duly making checks and the following additional information needs to be provide before I am able to duly make the application.

Please provide the required information within the next 10 working days, **by 22/05/23 at the latest** (I have made allowance for the bank holiday). If the requested information is not received by that date then the application will need to be returned.

1. In part 1c of application for B3.5 the three individuals who will operate the site are described as being in a 'Partnership'. The term Partnership is used to describe a legal relationship between the individuals concerned e.g. Limited liability partnership. Is there are legal relationship between the individuals or are they instead a 'group of individuals'? Please provide further details and amend the application as necessary.
2. The technical standard document submitted is for another site (Wooferton Poultry Unit). Produce a technical standards document that is specific for this site.
3. List any hazardous substances that are stored on the site in your Site Condition Report.
4. Your non-technical summary says medium velocity fans are fitted to the sheds. The ammonia screening is based upon the use of high velocity fans at a height of 5.5 metres with an efflux velocity of 7m/s. State the height of the fans above the ground and the efflux velocity. If the screening is incorrect it will need to be re-run before the application can be duly made.

Questions Post Duly Making

I will need to send a Schedule 5 notice to ask additional questions. At this stage I can advise that the schedule 5 will cover the following.

- The management plans provide are generic and in some instances lack sufficient detail. I will be going through the documents and will highlight those sections that need amending.
- Further information on the GHS closed loop heat pump.
- Further information on the procedures for isolation value during normal operations and clean out.
- Details of how wash water is prevented from escaping to the environment. E.g. is there kerbing around the concrete apron at the front of the shed.
- Further details in relation to the generators e.g. hours of testing over a year, thermal input etc.
- Details of the animal type that was stocked in the sheds previously. Number of animals and for how long.

Regards

James Lidgett MCMI, Practising Environmental Regulator

Team Leader - Waste

National Permitting Service ♦♦♦♦ Part of National Services E&B

✉ **Quadrant 2, 99 Parkway Avenue, Sheffield, South Yorkshire, S9 4WF**

☎ [REDACTED]

📍 [REDACTED]

✉ **Help us to improve our service and complete our customer survey – click [NPS Survey](#).**

Operations, Regulation, Monitoring Customer – National Permitting Service



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.