

Arsenal® EC9055A

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: **Arsenal® EC9055A**
Substance type: CLP Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : ANTIFOAM

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

Company : Nalco Ltd.
NORTHWICH, CHESHIRE, U.K. CW8 4DX
+44 (0)1606 74488
For Product Safety information please contact:
msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number : +44 1618841235
+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision: 06.10.2020
Version Number: 1.6

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements	: Prevention:	
	P264	Wash hands thoroughly after handling.
	Response:	
	P314	Get medical advice/ attention if you feel unwell.
	Storage:	
	P401	Store in accordance with local regulations.

Special labelling of certain mixtures : Safety data sheet available on request.

Arsenal® EC9055A

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Ethoxylated Tall Oil	61791-00-2	Skin irritation Category 2; H315 Eye irritation Category 2; H319	3 - < 5

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

- If inhaled : Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if symptoms occur.
- In case of eye contact : Rinse with plenty of water.
Get medical attention if symptoms occur.
- If swallowed : Rinse mouth.
Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action.
Do not put yourself at risk of injury. If in doubt, contact
emergency responders. Use personal protective equipment as
required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

- Treatment : No specific measures identified.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.
- Unsuitable extinguishing
media : None known.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during
firefighting : Not flammable or combustible.

Arsenal® EC9055A

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Flush away traces with water.
For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.
For personal protection see section 8.
See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed.
Store in suitable labelled containers.

Arsenal® EC9055A

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Carbon Steel C1018, Stainless Steel 304, Stainless Steel 316L, MDPE, HDPE (high density polyethylene), TFE, Perfluoroelastomer, Nitrile, Neoprene, Viton, EPDM, PTFE, FEP (encapsulated)

7.3 Specific end uses

Specific use(s) : ANTIFOAM

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Eye/face protection (EN 166) : Safety glasses

Hand protection (EN 374) : Recommended preventive skin protection
Gloves
Nitrile rubber
butyl-rubber
Breakthrough time: 1 – 4 hours
Minimum thickness for butyl-rubber 0.3 mm for nitrile rubber 0.2 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection (EN 14605) : Wear suitable protective clothing.

Respiratory protection (EN 143, 14387) : When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type: A-P

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Arsenal® EC9055A**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Appearance	: liquid
Colour	: clear
Odour	: Somewhat sweet
Flash point	: 120 °C Method: PMCC
pH	: no data available
Odour Threshold	: no data available
Melting point/freezing point	: POUR POINT: -17 °C Freezing Point: -34 °C
Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 0.5 mm Hg (37.8 °C)
Relative vapour density	: no data available
Relative density	: 1.003 (15 °C)
Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity	
Viscosity, dynamic	: no data available
Viscosity, kinematic	: 573 mm ² /s (15.6 °C) Method: ASTM D 2983
	171 mm ² /s (40 °C) Method: ASTM D 445
Explosive properties	: no data available
Oxidizing properties	: no data available

9.2 Other information

Arsenal® EC9055A

no data available

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.

10.6 Hazardous decomposition products

Hazardous decomposition products : Depending on combustion properties, decomposition products may include following materials:
Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Arsenal® EC9055A

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Ethoxylated Tall Oil
LD50 rat: > 6,400 mg/kg

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Further information : no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product

Environmental Effects : This product has no known ecotoxicological effects.

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Arsenal® EC9055A

Toxicity to algae : no data available

Components

Toxicity to fish : Ethoxylated Tall Oil
96 h LC50: 7.8 mg/l

12.2 Persistence and degradability

Product

Biodegradability : The organic portion of this preparation is expected to be readily biodegradable.

Components

Biodegradability : Ethoxylated Tall Oil
Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product

Bioaccumulation : This preparation or material is not expected to bioaccumulate.

12.4 Mobility in soil

Product

The portion in water is expected to float on the surface.

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No adverse effects expected.

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Arsenal® EC9055A

Do not re-use empty containers.

Guidance for Waste Code selection : Organic wastes containing not dangerous substances with concentration $\geq 0.1\%$. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number:	Not applicable.
14.2 UN proper shipping name:	PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.

Air transport (IATA)

14.1 UN number:	Not applicable.
14.2 UN proper shipping name:	PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.

Sea transport (IMDG/IMO)

14.1 UN number:	Not applicable.
14.2 UN proper shipping name:	PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es):	Not applicable.
14.4 Packing group:	Not applicable.
14.5 Environmental hazards:	No
14.6 Special precautions for user:	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable.

Section: 15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:****INTERNATIONAL REGULATIONS**

FOOD AND DRUG ADMINISTRATION (FDA) Federal Food, Drug and Cosmetic Act

When use situations necessitate compliance with FDA regulations, this product is acceptable under: 21 CFR 175.105 Adhesives

Arsenal® EC9055A

Limitations: no more than required to produce intended technical effect. 176.170 Limitation: The final food contact surface must comply with the extractives limitations as outlined in 176.170(c).

KOSHER

This product has been certified as KOSHER/PAREVE for year-round use EXCEPT FOR THE PASSOVER SEASON by the CHICAGO RABBINICAL COUNCIL.

INTERNATIONAL CHEMICAL CONTROL LAWS**CANADA**

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

NATIONAL REGULATIONS GERMANY

Water contaminating class : WGK 2
(Germany)

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out.

Section: 16. OTHER INFORMATION**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

Classification	Justification
Not a hazardous substance or mixture.	Calculation method

Full text of H-Statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for

Arsenal® EC9055A

Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERICards, Non European official regulatory data and other data sources.

Prepared By : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.