

From: [Karl Collett](#)
To: [Wray, Kate](#)
Subject: RE: EPR/BP3334CB/V006 - Falcon Hall Farm - Not duly made request for further information
Date: 14 December 2022 16:02:18
Attachments: [image001.png](#)
[Response to not duly making questions.pdf](#)
[Falcons Hall Ammonia Report sgs241122.pdf](#)
[H1 Environmental risk assessment Falcons Hall Farm Poultry Unit.pdf](#)
[Noise management plan Falcons Hall Farm Poultry Unit Dec-2022.pdf](#)
[Odour management plan Falcons Hall Farm Poultry Unit Dec-2022.pdf](#)
[Supporting Information Falcons Hall Farm Poultry Unit.pdf](#)
[Dust and bio-aerosol management plan Falcons Hall Farm Poultry Unit Dec-2022.pdf](#)

Hi Kate

Pleased to confirm supplied all the information requested.

Minor updates to some other documents in reference to changes in DMP, NMP and OMP and highlighted the changes, otherwise nothing else in the documents has been changed and paid the additional fees today.

Kind regards
Karl

From: Wray, Kate <kate.wray@environment-agency.gov.uk>
Sent: 17 November 2022 17:16
To: k.collett420@btinternet.com
Subject: EPR/BP3334CB/V006 - Falcon Hall Farm - Not duly made request for further information

Dear Karl,

Further to our telephone conversation this afternoon, I have now completed an initial review of the application and supporting documents and require the following information before I will be able to duly make the application:

1. As discussed, please submit detailed ammonia dispersion modelling, with reference to the ammonia screening advice emailed to you on 08/11/22, and associated data input files and emission parameters, in accordance with [Environmental permitting: air dispersion modelling reports - GOV.UK \(www.gov.uk\)](#) .
2. With reference to Table 1.19 (1.19.8) of [The Environment Agency \(Environmental Permitting and Abstraction Licensing\) \(England\) Charging Scheme 2022 \(publishing.service.gov.uk\)](#), a fixed charge of £620 is payable for assessment of the ammonia modelling. Please note that the additional fee must be paid in full before we can class the application as 'duly made'.
3. Our mapping system shows two sensitive receptors within 280m of the proposed installation boundary at NGR 604291,273560 (Falcon Hall) and NGR 604320,273518 (The Annexe, Falcon Hall). Please confirm if these are lived in by people connected to the farm (the farm owner or farm workers). If they are lived in by people not connected with the farm, you will need to submit a revised odour and noise management plan.
4. There is a sensitive receptor within 100 metres of the existing installation boundary. Please submit a dust management plan.
5. With reference to Table 1.19 (1.19.9) of the [The Environment Agency \(Environmental](#)

[Permitting and Abstraction Licensing\) \(England\) Charging Scheme 2022](#)

publishing.service.gov.uk a fixed charge of £620 is payable for assessment of the Dust Management Plan. Please note that the additional fee must be paid in full before we can class the application as 'duly made'.

Please provide this information by **15/12/22**. If we do not receive the information by this date we will return your application.

If we do receive the requested information we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by letter whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application and requesting information. This maximum amount we'll retain is capped at £1,500. Further information on charging can be found at:

<https://www.gov.uk/government/publications/environmental-permitting-ep-charges-scheme>

Please let me know if you have any queries.

Kind regards

Kate

Kate Wray

Senior Permitting Officer – Installations, National Permitting Service

Environment Agency: Trentside, Scarrington Road, West Bridgford, Nottingham, NG2 5FA

Email: [REDACTED]

Mobile: [REDACTED]

External: 02030253297

Internal: 33297

Working days: Tuesday to Thursday



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for

litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.