

FOYLE MEATS
MELTON RD
SIX HILLS
MELTON MOWBRAY
LE14 3PR

Environmental Permit Application

Effluent Transferred Off-Site

Document Ref: Attachment B.3.4

FOYLE MEATS, SIX HILLS, MELTON MOWBRAY, UK

1.0 EFFLUENT MANAGEMENT

No effluent treatment occurs at the site.

Effluent is stored in two separate underground concrete sumps: the Effluent Sump or the Truck-Wash Sump.

Effluent Storage Sump

All internal process effluent flows to the 75M³ underground effluent storage sump located in the rear yard area. Solids are removed from the effluent using a auger screen, which are collect in a dolay before removal to the CAT3 storage trailer.

The contents of this sump are removed off-site via road tanker twice daily, by register haulier.

Surface water from the animal-by-product handling area and CAT storage area also enters this sump.

Truck-Wash Sump

Internal wash water from the lairage, surface water from an external area of dirty yard to the east of the lairage and wash water from the Truck-Wash flows to the 35M³ underground Truck-Wash Sump.

The contents of this sump is also removed off-site via road tanker twice daily, by the same register haulier.

Foul Water

Non-Production related foul water (i.e. toilets) is directed to an underground septic tank, which is emptied approx. every three months.

2.0 WASTE HAULIER

The screened material in the Effluent Storage Sump and Truck-wash Sump contents is removed off-site by Whites Recycling Ltd, The Mine Site, Mill Lane, South Witham, Grantham, NG33 5QN, who have a waste carried licence (ref: CBDU199465).

FOYLE MEATS, SIX HILLS, MELTON MOWBRAY, UK



FOYLE MEATS, SIX HILLS, MELTON MOWBRAY, UK

Appendix B: Photo Log



Figure B.1: Truck-Wash Sump



Figure B.3: Truck-Wash Sump – Outlet



Figure B.2: Truck-Wash Sump – Internal Drain



Figure B.4: Effluent Sump

FOYLE MEATS, SIX HILLS, MELTON MOWBRAY, UK



Figure B.5: Effluent Sump – Outlet



Figure B.6: Effluent Sump – Solids Screw Screen