Leicester Quarry

Environmental Permit Application

Operating Techniques

September 2019

Prepared on behalf of Mick George Limited

Geneva Building, Lake View Drive, Sherwood Business Park, Annesley, NG15 0ED
Tel: 01623 684 628
Email: michael.jones@wyg.com

Document Control

Document:	Operating Techniques
Project:	Leicester Quarry Inert Landfill Permit Application
Client:	Mick George Limited
Job Number:	A108671
File Origin:	\\southampton14\Data\Projects\Mick George (G05059)\A108671 (Leicester Quarry Permit)\Project Data

Revision:	Version 5	
Date:	September 2019	
Prepared by: Alice Shaw	Checked by: Jessica Allan	Approved By: Michael Jones
Description of revision:		

Contents

1.0 Introduction 1

2.0 Operating Procedures..... 4

3.0 Regulated Facility Infrastructure 10

4.0 Emissions Control.....11

5.0 Accident Management 13

6.0 Site Management 15

7.0 Management of Documentation 16

8.0 Incidents and Non-Conformances 17

Drawings

MGL/A108671/PER/01 - Site Location and Environmental Permit Boundary

MGL/A108671/RES/01 - Indicative Restoration Scheme

Appendices

Appendix A – Certificate of Technical Competence

Appendix B – ISO 14001 Certificate

1.0 Introduction

1.1 Report Context

1.1.1 This section of the Environmental Permit Application corresponds to Section 3 of Part B4 of the Environmental Permit Application forms and specifically details the operating and management procedures that will be in place at the site.

1.1.2 This Environmental Permit Application has been prepared by WYG on behalf of the Operator, Mick George Limited (Mick George).

1.1 Site Setting

1.1.1 The application site is situated at Leicester Quarry which is located approximately 735m south west from the village of Ellistown and is centred at approximate National Grid Reference (NGR) SK 441969, 310916. The site location and the environmental permit boundary is shown on Drawing Number MGL/A108671/PER/01.

1.1.2 Access to the site is achieved from an unnamed access road off Ellistown Terrace Road / Whitehill Road which is located to the east of the site. The immediate surroundings of the site comprise agricultural land to the north, east and south with a number of residential properties along Leicester Road (to the north) and Pretoria Road (to the south). The Ibstock Brickworks is situated to the west of the site and utilises clays that are extracted from the quarry for the manufacture of bricks.

1.2 Geology

1.2.1 According to the British Geological Survey's (BGS) 'Geology of Britain Viewer', the bedrock geology of the site comprises of various Mudstone and Siltstone members of the Mercia Mudstone group. The east of the site comprises mudstone of the Gunthorpe Member which was formed approximately 237 to 247 million years ago in the Triassic Period in a local environment that was previously dominated by hot deserts.

1.2.2 In terms of the western section of the site, the 'Geology of Britain Viewer' splits the site into two areas. The north western section of the site and a portion of the south west comprises mudstone of the Radcliffe Member which was formed approximately 242 to 247 million years ago in the Triassic Period. There is also a parcel of land to the south west of the site which comprises siltstone of the Tarporley Siltstone Formation. This sedimentary bedrock was formed

approximately 242 to 250 million years ago in the Triassic Period in a local environmental that was previously dominated by lakes.

1.2.3 Superficial deposits are shown to be largely absent across the majority of the site with the exception of the northern and western area where the Oadby Member – Diamicton deposits are shown to be present. As the site is a quarry, any overburden has subsequently been removed and re-deposited in the excavation void space.

1.3 Hydrogeology

1.3.1 With reference to the Multi Agency Geographic Information for the Countryside's (MAGIC) website, the site is not situated within a Groundwater Source Protection Zone (GSPZ).

1.3.2 In terms of aquifers, the MAGIC website shows that the majority of the application site overlies a Secondary B aquifer with a section to the west that overlies an Undifferentiated Secondary aquifer. These aquifers are associated with "skerry" beds within the Mercia Mudstones.

1.4 Hydrology

1.4.1 According to the Flood Map for Planning Service (FMPS), the application site is not situated in an area at risk of flooding.

1.4.2 In terms of surface water features, there is a pool of water within the centre of the current quarry void at approximate NGR SK 41949 10919. This waterbody receives all incident water from around the excavation. This is subsequently pumped into two settling ponds that are located to the north west of the quarry site. There is also a waterbody to the north of these settling ponds which receives flows from the settling ponds.

1.4.3 A number of other waterbodies are situated the quarry site which are related to the running of the clay making process and receive recycled water from the adjacent Ibstock Brickworks.

1.4.4 Beyond the site boundary and Ibstock Brickworks, the River Sense is located approximately 850m north and runs in a west to east direction. There is also a stream that is located approximately 880m south west from the application site and runs in a north to south direction.

1.5 Ecology

1.5.1 A 'Nature and Heritage Conservation Screen' (EPR/GB3500KL/A001) was requested from the Environment Agency. The screen determines the presence of any site of nature and heritage conservation, or protected species or habitats that may be impacted by the proposal. A copy

of the results is appended in the Environmental Risk Assessment (Appendix D of the Environmental Risk Assessment).

1.5.2 The results of the screen identified one local wildlife site (Ellistown Hedges) adjacent to Ibstock Brickworks, which lies approximately 200m to the east of the site.

2.0 Operating Procedures

2.1 Operating Hours

2.1.1 The hours of operation will be as per the planning permission for the site (Reference Number 2015/0262/07) which are as follows:-

- Monday to Friday: 07:00 – 19:00
- Saturday: 07:00 – 14:00

2.1.2 No work shall be undertaken on Sundays and Public Holidays.

2.2 Permitted Activities

2.2.1 The proposal entails the importation of inert waste to infill and progressively restore the quarry void that will be created following mineral extraction activities that are currently underway to provide brick making materials for Ibstock plc. See Drawing No. MGL/A108671/RES/01 for the full permit boundary and extent of filling.

2.2.2 The works will be completed in accordance with the restoration scheme (Drawing Number MGL/A108671/RES/01 - Indicative Restoration Scheme). Mick George Limited will be submitting a planning application shortly to change the restoration design.

2.2.3 It is considered that the proposed activities at Leicester Inert Landfill will fall under the following Recovery and Disposal codes, provided for in Annex II to Directive 2008/98/EC of the European Parliament and The Council of 19th November 2008 Waste.

Table 1: Proposed Permitted R/D Codes

R/D Code	Description of Activity
D1	Deposit into or on to land.
D15	Storage pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where the waste is produced).

2.3 Waste Types

2.3.1 Waste is defined as *'Any substance or object the holder discards, intends to discard or is required to discard'* under the Waste Framework Directive (European Directive 2008/98/EC), which repeals the European Directive 75/442/EC as amended.

2.3.2 Permitted wastes accepted at the site will be strictly inert as classified under the Landfill Directive (1999/31/EC) and Council Decision (2003/33/EC) of 19th December 2002 *'establishing criteria and procedures for the acceptance of waste landfills and are set out in Table 2'.*

2.3.3 Inert waste is defined in Article 2 of the Landfill Directive 1999/31/EC as follows:-

'Inert waste' means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm to human health. The total leachability and pollutant content and the ecotoxicity of its leachate are insignificant and, in particular, do not endanger the quality of any surface water and/or groundwater. Table 2 lists those wastes that may be accepted at the site which do not require Waste Acceptance Criteria (WAC) testing under Council Decision (2003/33/EC), provided that they are inert and from a single source only (mixed loads from more than one site cannot be accepted without testing).'

2.3.4 Table 2 lists those wastes that may be accepted at the site which do not require Waste Acceptance Criteria (WAC) testing under Council Decision (2003/33/EC), provided that they are inert and from a single source only (mixed loads from more than one site cannot be accepted without testing).'

Table 2: Permitted Waste Types

EWC Code	Description	Restriction
10	**WASTES FROM THERMAL PROCESSES**	
10 11	**Wastes from manufacture of glass and glass products**	
10 11 03	Waste glass-based fibrous materials	Only without organic Binders
15	**WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED**	
15 01	**Packaging (including separately collected municipal packaging waste)**	
15 01 07	Glass packaging	
17	**CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)**	
17 01	**Concrete, bricks, tiles and ceramics**	
17 01 01	Concrete	Selected C&D waste only*
17 01 02	Bricks	Selected C&D waste only*
17 01 03	Tiles and ceramics	Selected C&D waste only*
17 01 07	Mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06	Selected C&D waste only*
17 02	**Wood, glass and plastic**	

17 02 02	Glass	
17 05	**Soil (including excavated soil from contaminated sites), stones and dredging spoil**	
17 05 04	Soil and stones other than those mentioned in 17 05 03 **	Excluding topsoil, peat; excluding soil and stones from contaminated sites
19	**WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE**	
19 12	**Wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified**	
19 12 05	Glass	
20	**MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS**	
20 01	**Separately collected fractions (Except 15 01)**	
20 01 02	Glass	Separately collected glass only
20 02	**Garden and park wastes (including cemetery waste)**	
20 02 02	Soil and stones**	Only from garden and parks waste; excluding topsoil, peat.

*Selected construction and demolition waste with low contents of other types of materials (like metals, plastic, soil, organics, wood, rubber etc). The origin of the waste must be known.

- No C&D waste from construction, polluted with inorganic or organic dangerous substances e.g. because of production processes in the construction, soil pollution, storage and usage of pesticides or other dangerous substances etc, unless it is made clear that the demolished construction was not significantly polluted.

- No C&D waste from constructions treated, covered or painted with materials, containing dangerous substances in significant amounts.

2.4 Waste Quantities

2.4.1 As mentioned in Section 1.1.4, clays are currently extracted from the quarry to manufacture bricks at the adjacent Ibstock Brickworks. Any residual/waste clays that are generated from this process are deposited back in to the quarry void. It is not possible to quantify the amount of material that will be redeposited from this process and therefore the total void space that will require infilling using waste materials is currently uncertain.

2.4.2 At present, the estimated total void that will be available for filling equates to approximately 12Mm^3 which is approximately 19.2 million tonnes when using a bulk density factor of 1.6 tonnes/m^3.

2.5 Waste Acceptance Procedures

2.5.1 The site will accept inert waste as defined by the Landfill Directive in accordance with the details provided in the Council Decision 2003/33/EC. Inert wastes are insoluble, inorganic materials and they:-

a) Will not undergo any significant physical, chemical or biological transformations;

b) Will not dissolve;

c) Will not burn;

d) Will not physically or chemically react;

e) Will not biodegrade;

f) Will not adversely affect other matter with which it comes into contact in a way likely to give rise to environment pollution or harm human health;

g) Have insignificant total leachability and pollutant content; and

h) Produce a leachate with an eco-toxicity that is insignificant (if they produce a leachate).

2.5.2 In order to demonstrate the acceptability of waste at the regulated facility, Mick George will implement waste acceptance procedures in accordance with Annex I of Council Decision 2003/33/EC which includes the following stages:-

- Basic Characterisation (Level 1);
- Compliance Testing (Level 2); and
- On-site Verification (Level 3).

Basic Characterisation (Level 1)

2.5.3 Basic characterisation will ensure that the waste is suitable for acceptance at the regulated facility. The information to be supplied at this stage includes:-

- Source and origin of the waste;
- Information on the process producing the waste;
- Appearance of the waste, e.g. physical form; and
- The List of Wastes (England) Regulations 2005 code.

2.5.4 The inert wastes detailed in Table 2 will be accepted at the site without testing. The information above will be provided, together with confirmation that the wastes are single stream materials from known and reliable sources. Different wastes contained in the list will be accepted together provided they are from the same source. The inert wastes considered in Table 2 are considered to meet the inert waste criteria set out the Landfill Directive.

2.5.5 As previously mentioned, only inert wastes will be accepted at the site. For any wastes where there is uncertainty regarding their acceptance at the site, testing will be required.

Compliance Testing (Level 2)

2.5.6 With reference to Annex I, Section 1.2 of Council Decision 2003/33/EC, wastes that are exempt from the testing requirements for basic characterisation are also exempt from compliance testing.

2.5.7 As mentioned in Section 2.5.4, Mick George will only accept waste types listed in Table 2 which are considered to meet the inert waste criteria set out in the Landfill Directive and therefore do not require testing as part of the basic characterisation phase.

2.5.8 In light of the above, Mick George does not propose to undertake any compliance testing as part of the proposed activities at Leicester Quarry Inert Landfill.

On Site Verification (Level 3)

2.5.9 Each load of waste delivered to the site shall be, where possible, visually inspected before unloading. Each load will be inspected after unloading. These inspections will ensure that the waste conforms to the description compiled as part of the basic characterisation.

2.6 Unauthorised and Rejected Wastes

2.6.1 Any loads or part loads identified as unacceptable upon discharge of the load shall be reloaded into the container and isolated whilst the Environment Agency are contacted by telephone. The most appropriate course of action shall then be agreed with the Environment Agency.

2.6.2 Any load or part load identified as unacceptable upon discharge of the load when the haulier has exited the site shall be isolated or quarantined on the site. The Environment Agency shall be kept informed of the subsequent course of action.

2.6.3 The following details of the rejected waste will be kept on site:-

- Time and date of incident;
- Haulier and vehicle registration number;
- Customer;
- Waste type; and
- Reason for rejection.

2.6.4 Records will be kept of all rejected loads and these will be made available to the Environment Agency.

3.0 Regulated Facility Infrastructure

3.1 Wheel Cleaning Facilities

3.1.1 Wheel cleaning facilities will be provided on site and will be checked on a monthly basis and any necessary work will be carried out as soon as practicable. In the event of a breakdown with prolonged downtime, additional road cleaning equipment will be provided. If necessary, a road sweeper will be contracted to clean the site access road and Leicester Road where vehicles exit the site.

3.2 Fuel Tanks

3.2.1 Tanks for fuel, oil and lubricants will be provided on site, and they will be appropriately bunded (with 110% capacity). These will allow the quick and efficient fuelling and repair of the site machinery. The tanks will be maintained and inspected in accordance with the manufacturer's recommendations.

3.3 Security

3.3.1 All vehicles delivering waste to the landfill will be required to report to the site office. Upon request, they may have to provide evidence of Registration as Waste Carriers. All other visitors to the site must sign the Visitors Book before proceeding onto the site and sign out prior to leaving.

3.3.2 A sign will be located at the site entrance detailing the name, address and telephone numbers of the permit holder, emergency contact numbers, site operating hours and the contact details of the Environment Agency. Any permanent changes to these details will be updated within 30 days. The sign will be located so that it does not encourage fly tipping and will be maintained in a satisfactory condition at all times. Signs will be erected on peripheral fences giving warnings of operations at the site.

3.3.3 A notice board will be maintained in the site reception area. A copy of the Environmental Permit and a copy of the company's 'Health and Safety Policy' will be displayed, together with any other relevant notices. A copy of all documents accompanying this application, detailing all site procedures will be kept in the site office.

3.3.4 The site will be secured from the public highway by substantial lockable gates at the site entrance and all reasonable precautions will be taken to prevent the unauthorised entry of the general public and the unauthorised depositing of wastes.

4.0 Emissions Control

4.1 Point Source Emissions to Air

4.1.1 There will be no point source emissions to air as a result of this application.

4.2 Point Source Emissions to Groundwater

4.2.1 There will be no point source emissions to groundwater as a result of this application.

4.3 Point Source Emissions to Surface Water and Sewers

4.3.1 There will be no point source emissions to surface water or sewer as a result of this application.

4.4 Fugitive Emissions

4.4.1 Fugitive emissions have been identified as a potential environmental risk resulting from the proposal, as detailed in the Environmental Risk Assessment that accompanies this application.

Particulate Matter (Dust)

4.4.2 The Site Manager will undertake daily visual assessments of dust levels and all site operatives will be vigilant and report any problems to the Site Manager. The following operational procedures may be implemented to reduce the risk of dust:-

- Enforcement of a speed limit on site to prevent re-suspension and entrainment;
- Use of water to dampen site roads and operational area as necessary;
- Utilisation of a road sweeper to maintain site roads as necessary; and
- Operations will be halted if necessary.

4.4.3 The Site Manager will be responsible for monitoring wind strength and direction and implementing any necessary preventive measures.

Contaminated Surface Water Runoff

4.4.4 The potential fugitive emissions of contaminated surface water runoff resulting from the proposed activities must be considered. However, the proposed waste types are inert and therefore should not pose a risk to surface water.

4.4.5 There will be strict waste acceptance procedures in place at the site to prevent the acceptance of non-conforming waste types.

Mud

4.4.6 HGV movements could result in the tracking of mud on to the access road and local highways.

4.4.7 The amount of mud on these roads will be monitored and in the event that mud is deposited, a road sweeper will be utilised as necessary.

Noise

4.4.8 All noise and vibration generating activities will be confined to the operating hours stipulated in the planning permission, with the exception of emergency repairs.

4.4.9 A number of screening bunds will be placed along the perimeter of the working phases using soils that will be stripped from the site. This will minimise the potential for noise to impact receptors that are situated beyond the site boundary.

4.4.10 All equipment and vehicles will have effective silencers where practicable and will be maintained in accordance with the manufacturer's requirements. Further, all equipment and vehicles will be switched off when not in regular use.

4.4.11 All noise generating activity will be monitored closely and site operatives will be vigilant and report any excessive noise or vibration issues to the Site Manager.

5.0 Accident Management

5.0.1 All necessary measures will be taken to prevent the occurrence of accidents. The types of accidents and the potential environmental consequences associated with them have been identified in the Environmental Risk Assessment that accompanies this application.

5.0.2 It is considered that the most significant risk associated with the site is the unauthorised acceptance of non-compliant waste types. The waste acceptance procedures listed in Section 2 of this document aim to control and minimise this risk.

5.1 Fire Control

5.1.1 Fires from the acceptance of inert waste are considered unlikely due to the nature of the waste material. However, the operation and/or maintenance of mobile plant do pose a potential fire hazard, if precautions are not taken.

5.1.2 Firefighting equipment of a suitable type shall be kept at appropriate locations as advised by the Health and Safety Manager or the local Fire Service. Where appropriate, mobile plant will be fitted with firefighting equipment. All firefighting equipment shall be kept in good condition, be unobstructed and be serviced at least once a year by a competent person. The site will be designated as a "no smoking area" and signed accordingly.

5.1.3 Any fire on the site will be treated as an emergency and will be extinguished at the earliest opportunity. If necessary, the Fire Service will be summoned. Any incidents of fire will be reported to the Environment Agency and recorded in the Site Diary.

5.2 Spillage Procedure

5.2.1 Material accepted at the site will be inert. The most likely source for spillages will be from fuel tanks or spillages of fuel or oil associated with plant and machinery.

5.2.2 In the event of a spillage of fuel/oil from site machinery or vehicles, the following procedures will be implemented:-

- Clear the area straight away;
- Lay absorbent granules over the spill to soak up the spillage;
- Use Personal Protective Equipment (PPE) provided on site if required;

- Once the liquid has all been absorbed, use a shovel to clear up the waste, put it in a plastic sack and then place it in the container for non-compliant waste for disposal at a suitably permitted facility; and
- Record the spill incident and remedial action taken in the Site Diary.

5.2.3 Spillage kits will be maintained on site in order to respond to any spillage incident. The spillage kits will be kept securely in the site office.

5.3 Maintenance Procedures

5.3.1 A Planned Preventative Maintenance programme (PPM) will be put in place to minimise the risk to safety, health and the environment by ensuring that all appropriate items and elements within the site are serviced and inspected on a regular basis or to the manufacturers' maintenance schedules.

5.3.2 Details of faults, breakdowns and repairs will be documented and records will be maintained at the site office. Faults and breakdowns will be investigated and the service schedule revised if necessary.

6.0 Site Management

6.1 Technical Competence

6.1.1 The Site Manager possesses the required level of technical competence (see Appendix A for the Certificate of Technical Competence).

6.2 Management System

6.2.1 The operator, Mick George, has a certified Environmental Management System (EMS) in place which is compliant with the requirements of ISO 14001. A copy of the company's ISO 14001 Certificate is provided as Appendix B.

6.2.2 All site operatives will be adequately trained in health, safety and environmental issues. Staff will only be permitted to undertake activities that they have been trained for. They will be made aware of the procedures they must follow in the event of an accident or incident and will be able to access any relevant documentation that they may require. All training, experience and qualifications of staff will be noted and these records will be maintained and kept up to date.

7.0 Management of Documentation

7.1 Record Keeping

7.1.1 Mick George has a Management System which is compliant with ISO14001 and this includes procedures for the management of documentation.

7.1.2 A record will be kept that provides details on all wastes deposited at the site. This will include details on waste types, quantities and the date of deposition. This will be provided to the Environment Agency at three-monthly intervals, within one month of the end of each period. A record of basic waste characterisation and any compliance testing or on-site verification will be maintained in the site office.

7.1.3 A site diary will be kept in the site office, and this will be updated daily. The diary will be used to record any accidents, incidents or complaints. This will provide an ongoing record throughout the period of operation at the site, and this will enable any investigative or corrective action that may be required.

7.1.4 The Environmental Permit and other documents containing information regarding the operation of the site will be kept in a convenient location, allowing access for any person that may be working at or visiting the site.

8.0 Incidents and Non-Conformances

8.0.1 Mick George has procedures for investigating and recording any incidents and non-conformances at the site, and for taking any corrective action. Mick George has an EMS which is compliant with ISO 14001 and this includes procedures for handling incidents and non-conformances.

8.0.2 The following types of incidents will require investigation:-

- Malfunction, breakdown or failure of plant and equipment;
- Deviation from site procedures and operating techniques;
- Near misses; and
- Complaints from external parties.

8.0.3 All staff will be trained to detect and report any such occurrences. Procedures will be taken to allow operations to resume and preventative measures may be put in place to ensure that the incident does not reoccur.

Drawings

MGL/A108671/PRE/01 - Site Location and Environmental Permit Boundary

MGL/A108671/RES/01 - Indicative Restoration Scheme

Appendices

Appendix A – Certificate of Technical Competence

Appendix B – ISO 14001 Certificate

Certificate of Registration

This is to certify that the Environmental Management System of

Mick George Limited and Subsidiary Companies

6 Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire, PE29 6XU

has been assessed by The Certification Group for conformance to the requirements of:

BS EN ISO 14001:2015

Scope of Registration

Waste Management, Recycling, Contracting, Demolition Services, Aggregate and Concrete Sales, Quarrying, Facilities Management, Marketing and E-Commerce

Signed on Behalf of The Certification Group
Certification Manager: Elaine Hanaghan ……

Registration No	**2100491**
Initial Certification Date	**12/07/2016**
Certificate Issue Date	**11/07/2018**
Certificate Expiry Date	**11/07/2019**
Issue No	**10**

The Certification Group Limited

This Certificate was issued electronically by The Certification Group Limited and Remains the Property of The Certification Group Limited and is bound by Conditions of Contract.

The Certification Group Limited, Archer House, Northbourne Road Eastbourne East Sussex BN22 8PW Reg: 10104589 United Kingdom Part 1 of Companies Act.

WAMITAB

WASTE MANAGEMENT INDUSTRY TRAINING AND ADVISORY BOARD

CERTIFICATE No: 0048

CERTIFICATE OF TECHNICAL COMPETENCE

This Certificate confirms that

MR STUART RICHARDSON

has demonstrated the standard of technical competence required for the management of a facility of the type set out below

Facility Type:

MANAGING LANDFILL OPERATIONS:

SPECIAL WASTE (LEVEL IV) - L4-A

WAMITAB INCORPORATED 1989

Authorising Signatures:

Director General _____

Director _____

Date of issue: 2 December, 1996

Certificate No. CCC18857

Continuing Competence Certificate

This certificate confirms that

Stuart Richardson

Has met the relevant requirements of the Continuing Competence scheme for the following award(s) which will remain current for two years from 12/10/2018

LH	Landfill - Hazardous Waste
TSH	Transfer - Hazardous Waste

Awarded: 12/10/2018

Expiry Date: 12/10/2020

Authorised

WAMITAB Chief Executive Officer

CIWM Executive Director

The Chartered Institution of Wastes Management

00117333

Peterbridge House
3 The Lakes
Northampton
NN4 7HE

Tel: 01604 231950

Email: info.admin@wamitab.org.uk
www.wamitab.org.uk

Our Ref: CJ/21/10/15

15 October 2018

Mr Stuart Richardson
Mick George Ltd
6 Lancaster Way
Ermine Business Park
Huntingdon
PE29 6XU

Candidate No. 2437

Dear Mr Richardson

Award of Certificate of Continuing Competence

Congratulations on your success in the Continuing Competence Test, please find your official certificate enclosed.

The Continuing Competence Certificate is awarded as part of the competence scheme developed jointly by WAMITAB and the Chartered Institution of Wastes Management (CIWM) and approved by Defra and the Welsh Assembly Government.

Please keep the certificate in a safe place as it provides evidence to show that you meet the requirements of The Environmental Permitting Regulations 2007 (and any subsequent amendments).

The Certificate is valid for two years from the date of taking the test, and the expiry date is clearly shown on the Certificate. You will need to make arrangements to take the test again by the date shown in order to maintain your competence status.

Yours sincerely

Chris James
Chief Executive Officer

Enc.

A company limited by guarantee in England. Registered No. 02332283
Registered Office: Peterbridge House, 3 The Lakes, Northampton, NN4 7HE
Registered by the Charity Commission No. 1006826

Printed on recycled paper

WAMITAB

Waste Management Industry
Training and Advisory Board

The Chartered Institution
of Wastes Management

Certificate No. OCC-1161

Operators Competence Certificate

Qualification Title:

Level 4 in Waste Management Operations - Managing Transfer Non-Hazardous Waste (4TSNH)

This Certificate is awarded to

Stuart Richardson

Awarded: 30/06/2010

Authorised

WAMITAB Director General

CIWM Chief Executive Officer

This certificate is jointly awarded by WAMITAB and the Chartered Institution of Wastes Management (CIWM) and provides evidence to meet the Operator Competence requirements of the Environmental Permitting (EP) Regulations, which came into force on 6 April 2008.

WAMITAB. Waste Management Industry Training and Advisory Board. Peterbridge House, 3 The Lakes, Northampton, NN4 7HE
Telephone: 01604 231950 Fax: 01604 232457 Email: info.admin@wamitab.org.uk Website: www.wamitab.org.uk

WAMITAB

Waste Management Industry
Training and Advisory Board

National Vocational Qualification

Qualification Title:

Level 4 in Waste Management Operations - Managing Transfer Non-Hazardous Waste (4TSNH)

Qualification Accreditation Number:

10026575

This Certificate is awarded to

Stuart Richardson

Awarded: 30/06/2010

Serial No:2437/4TSNH/1

Authorised

Lawrence Strong
Director General, WAMITAB

Ray Burberry
Qualifications Manager, WAMITAB

Ofqual

Llywodraeth Cymru
Welsh Assembly Government

Rewarding Learning

The qualifications regulators logos on this certificate indicate that the qualification is accredited only for England, Wales and Northern Ireland.

WAMITAB. Waste Management Industry Training and Advisory Board. Peterbridge House, 3 The Lakes, Northampton, NN4 7HE
Telephone: 01604 231950 Fax: 01604 232457 Email: info.admin@wamitab.org.uk Website: www.wamitab.org.uk