



- NOTES :**
- This drawing is to be read in conjunction with all relevant Architect's, Engineer's and specialist's drawings and specifications.
  - Do not scale from this drawing in either paper or digital form. Use written dimensions only. To check that this drawing has been printed to the intended scale this bar should be 50mm long @ A1 or 25mm long @ A3.
  - Health & Safety : All specific drawing notes are to be read in conjunction with the project "Information Pack" and "Site Rules".
  - For general notes refer to Drawing No. 29166 / 0002

DRAINAGE LEGEND	
	New FW Drain
	New SW Drain
	New Perforated Pipe

  

DRAINAGE KEY	
	FWP Foul Waste Pipe
	RWP Rainwater Down Pipe
	RE Rodding Eye
	RG Road Gully
	YG Yard Gully
	SG Shower Gully
	S1 Surface Water Manhole Chamber
	F1 Foul Water Manhole Chamber
	FCMH1 Flow Control Chamber (SW only)
	Petrol Interceptor / Cesspool Tank
	Existing Headwall
	Attenuation Tank
	Gravel Trench

  

ABBREVIATIONS	
IL	- Invert Level
CP	- Cover Level

Rev	Date	Drawn	Eng	Amendment
P04	18.06.21	WS	HH	Issued for Information
P03	04.06.21	PJ	HH	Issued for Planning
P02	07.05.21	WS	HH	Issued for Planning
P01	04.12.20	WS	HH	Issued for Stage 3

**KIBWORTH RHWS**

**BELOW GROUND DRAINAGE LAYOUT**

Status: **FOR INFORMATION**  
NOT FOR CONSTRUCTION

Drawn	WS	Eng	HH
Scales	1:250 at A1	1:500 at A3	
Drawing No	Rev		
	29166 / 6000	P04	
Doc Ref:	M00460-PAM-00-ZZ-DR-C-6000		

**PRICE & MYERS**

Consulting Engineers  
37 Alfred Place  
London  
WC1E 7DP

020 7631 5128  
mail@pricemyers.com  
www.pricemyers.com

HEALTH & SAFETY	
List of site specific or unusual hazards relevant to the drawing: (Must be read in conjunction with the CDM risk register.)	
Excavations	Excavation for manholes Contractor to ensure adequate edge protection to excavations for workers and plant and to ensure sides of excavations are sufficiently stable or shored up. Contractor to restrict access into areas where excavations are being carried out.
Sewer Connections	Working with live sewers Extra care must be taken when dealing with live sewers to ensure there is no adverse effect to the existing drainage.
Existing Services	Working alongside/near existing services. Extra care must be taken when working/digging near existing services. A survey should be carried out prior to works commencing to determine the exact location of existing services.