



ALL PIPEWORK TO BE INSTALLED IN ACCORDANCE WITH BUILDING REGULATIONS PART H
 MIN GRADIENT FOR PIPES TO BE 1 IN DIA IN mm. i.e. > 150mm PIPES TO BE LAID AT MIN 1 IN 150.
 PIPES ABOVE 300mm TO BE LAID AT MIN GRADIENT OF 1 IN 300

- NOTES**
1. CONTOURS PLOTTED FROM A 10m GRID OF LIDAR LEVELS.
 2. FLOOD OUTLINES FROM EA INFORMATION CCN-2021-TRACED & OVERLAIN TO OS GRID
 3. DETAILED DESIGN TO FOLLOW THE DRAINAGE PRINCIPLES ILLUSTRATED ON THIS DRAWING

CROWN COPYRIGHT.
 ALL RIGHTS RESERVED. LICENCE NO.100040210.

George Shuttleworth Ltd
Consulting Engineers
 gsl_engineers@outlook.com
 1 Fulmar Court, Fulmar Rd, Lincoln, LN6 3NE
 Tel 07940 927285

CLIENT
LJ FAIRBURN & SONS LTD

PROJECT
NEW POULTRY UNITS ON LAND OFF THURLBY RD (B1449), THURLBY, ALFORD, LINCS

DRAWING TITLE
PROPOSED DEVELOPMENT & OUTLINE SW DRAINAGE SCHEME

SCALE
AS SHOWN

APPROVED BY
GS

DATE
FEB 24

ORG SIZE DRAWING NO.
A1 735-002

REV.
A

REV	DESCRIPTION	AP	DATE
A	PIPEWORK REVISED	GS	28-02-24
A	CHANGED TO ATTEN BASIN	GS	27-02-24
REV	DESCRIPTION	AP	DATE