[redacted]

Dear Harry,

I have finished re-running the ammonia screening (it's fine, everything still screens out) and have had some internal consultation with the local Area officer and Groundwater team. As a result of my initial checks and conversations with colleagues, please find attached the further information I need to request before I can duly make the application.

I apologise this isn't on an official EA template, however I am having some IT difficulties and rather than delay this further, I have decided to send the document as a list of questions.

I will be on leave from 16/11/2020 - 02/12/2020, so if you could **respond by 02/12/2020** I can pick this up on my return. In the meantime I will begin drafting the permit and our internal Site Condition Report for the part surrender.

Please do not hesitate to contact me should you wish to discuss.

Kind regards,

Christine Sellers
Permitting Officer (Installations)
National Permitting Service ¨¨¨¨ Part of National Operations
[redacted]

[redacted]

Dear Harry,

-

RE: EPR/ NP3231JC/V004 (and S003), Caenby Cliff Farm

I am emailing to let you know that I have picked up the above application to vary/ part surrender a permit.

However, I cannot yet duly make the application as the pre application screening is over 3 months old, meaning I will need to re run it.

I will endeavour to complete the screening ASAP and begin the duly making process. I will let you know if I need any further information in due course. In the meantime, please do not hesitate to contact me should you wish to discuss the application.

Kind regards,

Christine Sellers

Permitting Officer (Installations)
National Permitting Service Part of National Operations