

Waller, Nicola

From: Wray, Kate
Sent: 02 March 2022 15:08
To: Lizzie Jennings
Subject: EPR/BP3506LE/A001 - Jesmond Farm - not duly made request for information

Hi Lizzie,

Further to my earlier voicemail, I have now carried out initial checks on the above application and require the following information before it can be duly made, as follows:

1. Please submit a site plan showing the installation boundary and the location of the pig sheds, in accordance with section 5a of application form Part B3.5. The plan should include a scale and north arrow, and should be geographically correct (i.e. include fences, hedgerows or other recognisable features on site).
2. Please submit a site drainage plan, in accordance with section 5a of application form Part B3.5, including the following details:
 - Pig sheds (appropriately numbered)
 - Sources of emissions/releases (e.g. ventilation fans, generator, feed silos, carcass storage)
 - Fuel and chemical storage (e.g. diesel, pesticides)
 - Site drainage (e.g. clean and dirty water drainage routes, soakaways, discharge points and site surfacing)

The application documents do refer to Appendix 4: Site Location, Site layout, drainage and emission points, however I do not appear to have received these plans as part of the supporting documents.

Please submit the information by 16 March 2022. If we do not receive the information by this date, we will return your application.

If we do receive the requested information we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by letter whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application and requesting information. This maximum amount we'll retain is capped at £1,500. Further information on charging can be found at: <https://www.gov.uk/government/publications/environmental-permitting-ep-charges-scheme>

Please let me know if you have any queries.

Kind regards
Kate

Kate Wray
Senior Permitting Officer – Installations, National Permitting Service

Environment Agency: Trentside, Scarrington Road, West Bridgford, Nottingham, NG2 5FA
Email: kate.wray@environment-agency.gov.uk
Mobile: 07721 117199

External: 02030253297
Internal: 33297

Working days: Tuesday to Thursday

