Site Condition Report

1.0 SITE DETAILS	
Applicants Name	Poolham Poultry Ltd
Activity Address	
	Harriet's Farm Poultry Unit
	Poolham Lane
	Thimbleby
	Horsington
	East Lyndsey
	Lincolnshire
	LN9 5RZ
National Grid Reference	521743, 369272
Document Reference for Site Condition	3rd April 2025
Report at permit application and surrender	
	Location Plan
	Layout/Drainage Plan

	,
2.0 Condition of the Land at Permit issue	
Environmental setting including:	The poultry unit lies on level ground to the west of Thimbleby. Predominant land
Geology	use is arable farming. Field pattern is
Hydrogeology	semi large scale with a strong pattern of
Surface Waters	field boundaries. There are no sensitive receptors within 400m of site.
	Topography and Drainage
	The poultry houses are between 20 and 30 metres above sea level. Soil bunding and tree planting will help to minimise the visual intrusion normally associated with poultry units. Site clean water drainage all goes to a lined attenuation pond for rainwater harvesting.
	Geology and Hydrogeology
	According to the BGS Extract British

	Geological Survey map shows that the Bedrock geology comprises Kimmeridge Clay Formation - Mudstone. Sedimentary bedrock formed of the Jurassic period. Searches indicate the site is not underlain with a Bedrock Aquifer. Superficial drift aquifer – Secondary (undifferentiated). The Site is situated in a Groundwater Vulnerability Zone - Low. The site is situated within a Surface Nitrate Vulnerable Zone. The site is not situated in a Groundwater/Source water protection zone. The site is not situated in a drinking water protection/safeguard zone Hydrology General drainage is in a northerly direction. Average rainfall for this area is 1100 mm.
Pollution history including:	
Pollution incidents that may have affected land	None noted
Historical land uses and associated contaminants	Polluting substances – None noted Previous use prior to 2025 – Arable farming.
Any visual/olfactory evidence of existing contamination	None noted
Evidence of damage to pollution prevention measures	None noted
Evidence of historical contamination	N/A

Immediately following depopulation, litter is removed off site and sold for land spreading. The houses are then washed and disinfected prior to the cycle beginning again. Underground storage tanks have been installed to catch all wash waters. Dead birds are removed from the houses and stored in sealed containers awaiting collection. Diesel fuel storage is in a bunded integral tank in the standby generator.
N/A
Location Plan Layout/Drainage Plan H1 Assessment
N/A
Site will be operated in compliance with "how to comply" routine maintenance schedules are followed and recorded and with any abnormal operations recorded.
N/A
No monitoring will be undertaken at the installation.