

## Home Farm Grange

### Order Details

**Date:** 24/03/2025  
**Your ref:** SOL\_25\_P007\_ENG - Home Farm Grange  
**Our Ref:** GS-WW2-W5C-P3H-UI8

### Site Details

**Location:** 450410 432189  
**Area:** 6.96 ha  
**Authority:** [The North Yorkshire Council](#) ↗



[Summary of findings](#)

[p. 2 >](#)

[Aerial image](#)

[p. 9 >](#)

[OS MasterMap site plan](#)

[p.14 >](#)

[Insight User Guide](#) ↗

Contact us with any questions at:

[info@groundsure.com](mailto:info@groundsure.com) ↗

01273 257 755

## Summary of findings

Page	Section	<a href="#">Past land use &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">15 &gt;</a>	<a href="#">1.1 &gt;</a>	<a href="#">Historical industrial land uses &gt;</a>	0	0	7	18	-
<a href="#">17 &gt;</a>	<a href="#">1.2 &gt;</a>	<a href="#">Historical tanks &gt;</a>	0	1	0	1	-
17	1.3	Historical energy features	0	0	0	0	-
17	1.4	Historical petrol stations	0	0	0	0	-
18	1.5	Historical garages	0	0	0	0	-
18	1.6	Historical military land	0	0	0	0	-
Page	Section	<a href="#">Past land use - un-grouped &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">19 &gt;</a>	<a href="#">2.1 &gt;</a>	<a href="#">Historical industrial land uses &gt;</a>	0	0	8	24	-
<a href="#">21 &gt;</a>	<a href="#">2.2 &gt;</a>	<a href="#">Historical tanks &gt;</a>	0	3	0	1	-
21	2.3	Historical energy features	0	0	0	0	-
21	2.4	Historical petrol stations	0	0	0	0	-
22	2.5	Historical garages	0	0	0	0	-
Page	Section	<a href="#">Waste and landfill &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
23	3.1	Active or recent landfill	0	0	0	0	-
23	3.2	Historical landfill (BGS records)	0	0	0	0	-
24	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
24	3.4	Historical landfill (EA/NRW records)	0	0	0	0	-
24	3.5	Historical waste sites	0	0	0	0	-
<a href="#">24 &gt;</a>	<a href="#">3.6 &gt;</a>	<a href="#">Licensed waste sites &gt;</a>	0	2	0	1	-
<a href="#">25 &gt;</a>	<a href="#">3.7 &gt;</a>	<a href="#">Waste exemptions &gt;</a>	0	0	0	14	-
Page	Section	<a href="#">Current industrial land use &gt;</a>	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">27 &gt;</a>	<a href="#">4.1 &gt;</a>	<a href="#">Recent industrial land uses &gt;</a>	0	2	0	-	-
28	4.2	Current or recent petrol stations	0	0	0	0	-
28	4.3	Electricity cables	0	0	0	0	-
28	4.4	Gas pipelines	0	0	0	0	-
28	4.5	Sites determined as Contaminated Land	0	0	0	0	-



<a href="#">28</a> >	<a href="#">4.6</a> >	<a href="#">Control of Major Accident Hazards (COMAH)</a> >	0	0	0	2	-
29	4.7	Regulated explosive sites	0	0	0	0	-
<a href="#">29</a> >	<a href="#">4.8</a> >	<a href="#">Hazardous substance storage/usage</a> >	0	0	0	1	-
29	4.9	Historical licensed industrial activities (IPC)	0	0	0	0	-
30	4.10	Licensed industrial activities (Part A(1))	0	0	0	0	-
<a href="#">30</a> >	<a href="#">4.11</a> >	<a href="#">Licensed pollutant release (Part A(2)/B)</a> >	0	0	0	1	-
30	4.12	Radioactive Substance Authorisations	0	0	0	0	-
30	4.13	Licensed Discharges to controlled waters	0	0	0	0	-
31	4.14	Pollutant release to surface waters (Red List)	0	0	0	0	-
31	4.15	Pollutant release to public sewer	0	0	0	0	-
31	4.16	List 1 Dangerous Substances	0	0	0	0	-
31	4.17	List 2 Dangerous Substances	0	0	0	0	-
<a href="#">31</a> >	<a href="#">4.18</a> >	<a href="#">Pollution Incidents (EA/NRW)</a> >	0	0	0	3	-
32	4.19	Pollution inventory substances	0	0	0	0	-
32	4.20	Pollution inventory waste transfers	0	0	0	0	-
32	4.21	Pollution inventory radioactive waste	0	0	0	0	-
Page	Section	<a href="#">Hydrogeology</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">33</a> >	<a href="#">5.1</a> >	<a href="#">Superficial aquifer</a> >	Identified (within 500m)				
<a href="#">35</a> >	<a href="#">5.2</a> >	<a href="#">Bedrock aquifer</a> >	Identified (within 500m)				
<a href="#">37</a> >	<a href="#">5.3</a> >	<a href="#">Groundwater vulnerability</a> >	Identified (within 50m)				
<a href="#">38</a> >	<a href="#">5.4</a> >	<a href="#">Groundwater vulnerability- soluble rock risk</a> >	Identified (within 0m)				
39	5.5	Groundwater vulnerability- local information	None (within 0m)				
<a href="#">40</a> >	<a href="#">5.6</a> >	<a href="#">Groundwater abstractions</a> >	0	0	0	6	32
<a href="#">50</a> >	<a href="#">5.7</a> >	<a href="#">Surface water abstractions</a> >	1	0	0	0	6
52	5.8	Potable abstractions	0	0	0	0	0
52	5.9	Source Protection Zones	0	0	0	0	-
52	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-
Page	Section	<a href="#">Hydrology</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">53</a> >	<a href="#">6.1</a> >	<a href="#">Water Network (OS MasterMap)</a> >	0	4	6	-	-



<a href="#">54</a> >	<a href="#">6.2</a> >	<a href="#">Surface water features</a> >	0	3	6	-	-
<a href="#">55</a> >	<a href="#">6.3</a> >	<a href="#">WFD Surface water body catchments</a> >	1	-	-	-	-
<a href="#">55</a> >	<a href="#">6.4</a> >	<a href="#">WFD Surface water bodies</a> >	1	0	0	-	-
<a href="#">55</a> >	<a href="#">6.5</a> >	<a href="#">WFD Groundwater bodies</a> >	1	-	-	-	-
Page	Section	<a href="#">River and coastal flooding</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">57</a> >	<a href="#">7.1</a> >	<a href="#">Risk of flooding from rivers and the sea</a> >	High (within 50m)				
58	7.2	Historical Flood Events	0	0	0	-	-
58	7.3	Flood Defences	0	0	0	-	-
58	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
58	7.5	Flood Storage Areas	0	0	0	-	-
<a href="#">59</a> >	<a href="#">7.6</a> >	<a href="#">Flood Zone 2</a> >	Identified (within 50m)				
<a href="#">60</a> >	<a href="#">7.7</a> >	<a href="#">Flood Zone 3</a> >	Identified (within 50m)				
Page	Section	<a href="#">Surface water flooding</a> >					
<a href="#">61</a> >	<a href="#">8.1</a> >	<a href="#">Surface water flooding</a> >	1 in 30 year, 0.3m - 1.0m (within 50m)				
Page	Section	<a href="#">Groundwater flooding</a> >					
<a href="#">63</a> >	<a href="#">9.1</a> >	<a href="#">Groundwater flooding</a> >	High (within 50m)				
Page	Section	<a href="#">Environmental designations</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">64</a> >	<a href="#">10.1</a> >	<a href="#">Sites of Special Scientific Interest (SSSI)</a> >	0	0	0	0	1
65	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
65	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
65	10.4	Special Protection Areas (SPA)	0	0	0	0	0
65	10.5	National Nature Reserves (NNR)	0	0	0	0	0
66	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
66	10.7	Designated Ancient Woodland	0	0	0	0	0
66	10.8	Biosphere Reserves	0	0	0	0	0
66	10.9	Forest Parks	0	0	0	0	0
67	10.10	Marine Conservation Zones	0	0	0	0	0
<a href="#">67</a> >	<a href="#">10.11</a> >	<a href="#">Green Belt</a> >	1	0	0	0	0
67	10.12	Proposed Ramsar sites	0	0	0	0	0



67	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
68	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
68	10.15	Nitrate Sensitive Areas	0	0	0	0	0
<b>68 &gt;</b>	<b>10.16 &gt;</b>	<b><u>Nitrate Vulnerable Zones &gt;</u></b>	2	0	0	0	1
<b>69 &gt;</b>	<b>10.17 &gt;</b>	<b><u>SSSI Impact Risk Zones &gt;</u></b>	1	-	-	-	-
<b>70 &gt;</b>	<b>10.18 &gt;</b>	<b><u>SSSI Units &gt;</u></b>	0	0	0	0	3
Page	Section	<b><u>Visual and cultural designations &gt;</u></b>	On site	0-50m	50-250m	250-500m	500-2000m
72	11.1	World Heritage Sites	0	0	0	-	-
73	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
73	11.3	National Parks	0	0	0	-	-
<b>73 &gt;</b>	<b>11.4 &gt;</b>	<b><u>Listed Buildings &gt;</u></b>	0	0	1	-	-
74	11.5	Conservation Areas	0	0	0	-	-
74	11.6	Scheduled Ancient Monuments	0	0	0	-	-
74	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	<b><u>Agricultural designations &gt;</u></b>	On site	0-50m	50-250m	250-500m	500-2000m
<b>75 &gt;</b>	<b>12.1 &gt;</b>	<b><u>Agricultural Land Classification &gt;</u></b>	Grade 3 (within 250m)				
76	12.2	Open Access Land	0	0	0	-	-
76	12.3	Tree Felling Licences	0	0	0	-	-
76	12.4	Environmental Stewardship Schemes	0	0	0	-	-
<b>76 &gt;</b>	<b>12.5 &gt;</b>	<b><u>Countryside Stewardship Schemes &gt;</u></b>	2	2	2	-	-
Page	Section	<b><u>Habitat designations &gt;</u></b>	On site	0-50m	50-250m	250-500m	500-2000m
<b>78 &gt;</b>	<b>13.1 &gt;</b>	<b><u>Priority Habitat Inventory &gt;</u></b>	0	0	3	-	-
79	13.2	Habitat Networks	0	0	0	-	-
79	13.3	Open Mosaic Habitat	0	0	0	-	-
79	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	<b><u>Geology 1:10,000 scale &gt;</u></b>	On site	0-50m	50-250m	250-500m	500-2000m
<b>80 &gt;</b>	<b>14.1 &gt;</b>	<b><u>10k Availability &gt;</u></b>	Identified (within 500m)				
<b>81 &gt;</b>	<b>14.2 &gt;</b>	<b><u>Artificial and made ground (10k) &gt;</u></b>	0	2	8	10	-
<b>83 &gt;</b>	<b>14.3 &gt;</b>	<b><u>Superficial geology (10k) &gt;</u></b>	3	0	0	3	-




84	14.4	Landslip (10k)	0	0	0	0	-
<a href="#">85</a> >	<a href="#">14.5</a> >	<a href="#">Bedrock geology (10k)</a> >	2	1	0	4	-
<a href="#">86</a> >	<a href="#">14.6</a> >	<a href="#">Bedrock faults and other linear features (10k)</a> >	1	0	1	3	-
Page	Section	<a href="#">Geology 1:50,000 scale</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">87</a> >	<a href="#">15.1</a> >	<a href="#">50k Availability</a> >	Identified (within 500m)				
<a href="#">88</a> >	<a href="#">15.2</a> >	<a href="#">Artificial and made ground (50k)</a> >	0	0	0	2	-
89	15.3	Artificial ground permeability (50k)	0	0	-	-	-
<a href="#">90</a> >	<a href="#">15.4</a> >	<a href="#">Superficial geology (50k)</a> >	2	0	2	1	-
<a href="#">91</a> >	<a href="#">15.5</a> >	<a href="#">Superficial permeability (50k)</a> >	Identified (within 50m)				
91	15.6	Landslip (50k)	0	0	0	0	-
91	15.7	Landslip permeability (50k)	None (within 50m)				
<a href="#">92</a> >	<a href="#">15.8</a> >	<a href="#">Bedrock geology (50k)</a> >	2	1	2	1	-
<a href="#">93</a> >	<a href="#">15.9</a> >	<a href="#">Bedrock permeability (50k)</a> >	Identified (within 50m)				
<a href="#">93</a> >	<a href="#">15.10</a> >	<a href="#">Bedrock faults and other linear features (50k)</a> >	1	0	2	3	-
Page	Section	<a href="#">Boreholes</a> >	On site	0-50m	50-250m	250-500m	500-2000m
<a href="#">95</a> >	<a href="#">16.1</a> >	<a href="#">BGS Boreholes</a> >	1	4	13	-	-
Page	Section	<a href="#">Natural ground subsidence</a> >					
<a href="#">97</a> >	<a href="#">17.1</a> >	<a href="#">Shrink swell clays</a> >	Low (within 50m)				
<a href="#">98</a> >	<a href="#">17.2</a> >	<a href="#">Running sands</a> >	Low (within 50m)				
<a href="#">100</a> >	<a href="#">17.3</a> >	<a href="#">Compressible deposits</a> >	Moderate (within 50m)				
<a href="#">101</a> >	<a href="#">17.4</a> >	<a href="#">Collapsible deposits</a> >	Very low (within 50m)				
<a href="#">102</a> >	<a href="#">17.5</a> >	<a href="#">Landslides</a> >	Very low (within 50m)				
<a href="#">103</a> >	<a href="#">17.6</a> >	<a href="#">Ground dissolution of soluble rocks</a> >	Low (within 50m)				
Page	Section	<a href="#">Mining and ground workings</a> >	On site	0-50m	50-250m	250-500m	500-2000m
105	18.1	BritPits	0	0	0	0	-
<a href="#">106</a> >	<a href="#">18.2</a> >	<a href="#">Surface ground workings</a> >	0	1	2	-	-
106	18.3	Underground workings	0	0	0	0	0
106	18.4	Underground mining extents	0	0	0	0	-
106	18.5	Historical Mineral Planning Areas	0	0	0	0	-



107	18.6	Non-coal mining	0	0	0	0	0
107	18.7	JPB mining areas	None (within 0m)				
107	18.8	The Coal Authority non-coal mining	0	0	0	0	-
107	18.9	Researched mining	0	0	0	0	-
108	18.10	Mining record office plans	0	0	0	0	-
108	18.11	BGS mine plans	0	0	0	0	-
<b>108 &gt;</b>	<b>18.12 &gt;</b>	<b>Coal mining &gt;</b>	Identified (within 0m)				
108	18.13	Brine areas	None (within 0m)				
109	18.14	Gypsum areas	None (within 0m)				
109	18.15	Tin mining	None (within 0m)				
109	18.16	Clay mining	None (within 0m)				
Page	Section	Ground cavities and sinkholes	On site	0-50m	50-250m	250-500m	500-2000m
110	19.1	Natural cavities	0	0	0	0	-
110	19.2	Mining cavities	0	0	0	0	0
110	19.3	Reported recent incidents	0	0	0	0	-
110	19.4	Historical incidents	0	0	0	0	-
Page	Section	Radon >					
<b>112 &gt;</b>	<b>20.1 &gt;</b>	<b>Radon &gt;</b>	Less than 1% (within 0m)				
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
<b>114 &gt;</b>	<b>21.1 &gt;</b>	<b>BGS Estimated Background Soil Chemistry &gt;</b>	5	9	-	-	-
115	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
115	21.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects >	On site	0-50m	50-250m	250-500m	500-2000m
116	22.1	Underground railways (London)	0	0	0	-	-
116	22.2	Underground railways (Non-London)	0	0	0	-	-
117	22.3	Railway tunnels	0	0	0	-	-
<b>117 &gt;</b>	<b>22.4 &gt;</b>	<b>Historical railway and tunnel features &gt;</b>	0	0	1	-	-
117	22.5	Royal Mail tunnels	0	0	0	-	-
117	22.6	Historical railways	0	0	0	-	-

<a href="#">118</a> >	<a href="#">22.7</a> >	<a href="#">Railways</a> >	0	0	31	-	-
119	22.8	Crossrail 2	0	0	0	0	-
119	22.9	HS2	0	0	0	0	-

## Recent aerial photograph




Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2025. All Rights Reserved

Capture Date: 04/04/2023

Site Area: 6.96ha



## Recent site history - 2020 aerial photograph



Capture Date: 24/06/2020

Site Area: 6.96ha



## Recent site history - 2017 aerial photograph



Capture Date: 19/09/2017

Site Area: 6.96ha



## Recent site history - 2007 aerial photograph




Capture Date: 24/08/2007

Site Area: 6.96ha



## Recent site history - 1999 aerial photograph




Capture Date: 03/05/1999

Site Area: 6.96ha





# 1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks

## 1.1 Historical industrial land uses

Records within 500m

25

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 15 >](#)

ID	Location	Land use	Dates present	Group ID
2	87m S	Railway Buildings	1950	1436280

ID	Location	Land use	Dates present	Group ID
A	166m SW	Unspecified Mill	1950 - 1957	1503292
A	206m SW	Unspecified Mill	1908	1552732
A	223m SW	Unspecified Mill	1967	1534587
3	233m NE	Railway Sidings	1950	1574083
B	233m NE	Railway Wagon Works	1950	1454642
C	243m S	Unspecified Works	1967	1460800
B	256m NE	Railway Sidings	1957 - 1967	1514028
B	256m NE	Unspecified Works	1957 - 1967	1571250
4	277m NE	Railway Sidings	1957	1528261
D	297m NE	Airfield	1950	1493773
D	309m NE	Disused Airfield	1957 - 1967	1511088
C	312m S	Sewage Works	1950	1543769
C	313m S	Sewage Works	1908	1539884
5	349m NE	Disused Airfield	1986	1582887
D	349m NE	Airfield	1994	1505581
E	458m S	Pumping Station	1994	1506369
E	458m S	Pumping Station	1986	1546461
7	459m S	Unspecified Works	1967	1460295
F	460m S	Railway Sidings	1950	1491188
F	463m S	Railway Sidings	1986 - 1994	1493977
F	463m S	Railway Sidings	1957	1504268
F	463m S	Railway Sidings	1967	1551826
8	465m S	Railway Building	1908 - 1950	1517662
F	474m S	Railway Sidings	1908	1534640

*This data is sourced from Ordnance Survey / Groundsure.*



## 1.2 Historical tanks

Records within 500m

2

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on [page 15 >](#)

ID	Location	Land use	Dates present	Group ID
1	42m N	Tanks	1985 - 1995	255138
6	351m N	Unspecified Tank	1960	237644

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.3 Historical energy features

Records within 500m

0

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.4 Historical petrol stations

Records within 500m

0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*



## 1.5 Historical garages

Records within 500m

0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.6 Historical military land

Records within 500m



0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

*This data is sourced from Ordnance Survey / Groundsure / other sources.*



## 2 Past land use - un-grouped



### 2.1 Historical industrial land uses

**Records within 500m** **32**

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19](#) >

ID	Location	Land Use	Date	Group ID
1	87m S	Railway Buildings	1950	1436280
B	166m SW	Unspecified Mill	1957	1503292
B	206m SW	Unspecified Mill	1908	1552732

ID	Location	Land Use	Date	Group ID
B	206m SW	Unspecified Mill	1950	1503292
B	223m SW	Unspecified Mill	1967	1534587
2	233m NE	Railway Sidings	1950	1574083
C	233m NE	Railway Wagon Works	1950	1454642
D	243m S	Unspecified Works	1967	1460800
C	256m NE	Railway Sidings	1967	1514028
C	256m NE	Railway Sidings	1957	1514028
C	256m NE	Unspecified Works	1957	1571250
3	277m NE	Railway Sidings	1957	1528261
E	297m NE	Airfield	1950	1493773
E	309m NE	Disused Airfield	1967	1511088
E	309m NE	Disused Airfield	1957	1511088
D	312m S	Sewage Works	1950	1543769
D	313m S	Sewage Works	1908	1539884
D	313m S	Sewage Works	1908	1539884
C	335m NE	Unspecified Works	1967	1571250
4	349m NE	Disused Airfield	1986	1582887
E	349m NE	Airfield	1994	1505581
F	458m S	Pumping Station	1986	1546461
F	458m S	Pumping Station	1994	1506369
6	459m S	Unspecified Works	1967	1460295
G	460m S	Railway Sidings	1950	1491188
G	463m S	Railway Sidings	1967	1551826
G	463m S	Railway Sidings	1957	1504268
G	463m S	Railway Sidings	1986	1493977
G	463m S	Railway Sidings	1994	1493977
H	465m S	Railway Building	1950	1517662
H	466m S	Railway Building	1908	1517662



ID	Location	Land Use	Date	Group ID
G	474m S	Railway Sidings	1908	1534640

This data is sourced from Ordnance Survey / Groundsure.

## 2.2 Historical tanks

<b>Records within 500m</b>	<b>4</b>
----------------------------	----------

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on [page 19 >](#)

ID	Location	Land Use	Date	Group ID
A	42m N	Tanks	1985	255138
A	42m N	Tanks	1993	255138
A	44m N	Tanks	1995	255138
5	351m N	Unspecified Tank	1960	237644

This data is sourced from Ordnance Survey / Groundsure.

## 2.3 Historical energy features

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

## 2.4 Historical petrol stations

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.



## 2.5 Historical garages

Records within 500m



0

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*



### 3 Waste and landfill



#### 3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

*This data is sourced from the British Geological Survey.*

### 3.3 Historical landfill (LA/mapping records)

Records within 500m

0

Landfill sites identified from Local Authority records and high detail historical mapping.

*This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.*

### 3.4 Historical landfill (EA/NRW records)

Records within 500m

0

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.5 Historical waste sites

Records within 500m

0

Waste site records derived from Local Authority planning records and high detail historical mapping.

*This data is sourced from Ordnance Survey/Groundsure and Local Authority records.*

### 3.6 Licensed waste sites

Records within 500m

3

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Details		
A	24m N	Site Name: Low Farm Energy Ltd Site Address: Low Farm, Sherburn In Elmet, Leeds, West Yorkshire, LS25 6EP Correspondence Address: -	Type of Site: On-farm anaerobic digestion - farm wastes only Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: LFE001 EPR reference: EA/EPR/EB3305FS/A001 Operator: Low Farm Energy Ltd Waste Management licence No: 403432 Annual Tonnage: 36499	Issue Date: 01/08/2016 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued

ID	Location	Details		
A	24m N	Site Name: Low Farm Energy Ltd Site Address: Low Farm, Sherburn In Elmet, Leeds, West Yorkshire, LS25 6EP Correspondence Address: -	Type of Site: On-farm anaerobic digestion - farm wastes only Size: >= 25000 tonnes 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: 627934 EPR reference: EA/EPR/EB3305FS Operator: Low Farm Energy Ltd Waste Management licence No: 403432 Annual Tonnage: 36499	Issue Date: 01/08/2016 Effective Date: 01/08/2016 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
2	382m W	Site Name: Newthorpe Quarry Site Address: Newthorpe Quarry, Newthorpe, Sheburn In Elmet, North Yorkshire, LS25 6AA Correspondence Address: -	Type of Site: Physico-Chemical Treatment Facility Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: 660639 EPR reference: EA/EPR/KB3104TV Operator: Newthorpe Aggregates Limited Waste Management licence No: 407505 Annual Tonnage: 150000	Issue Date: 27/01/2022 Effective Date: 27/01/2022 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued

This data is sourced from the Environment Agency and Natural Resources Wales.

### 3.7 Waste exemptions

<b>Records within 500m</b>	<b>14</b>
----------------------------	-----------

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on [page 23 >](#)

ID	Location	Site	Reference	Category	Sub-Category	Description
B	252m SW	Ash Tree Farm Mill Lane Leeds Ls25 5bn	EPR/JE5257Y W/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
B	252m SW	Ash Tree Farm Mill Lane Leeds Ls25 5bn	EPR/JE5257Y W/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters




ID	Location	Site	Reference	Category	Sub-Category	Description
B	252m SW	Ash Tree Farm Mill Lane Leeds Ls25 5bn	EPR/JE5257Y W/A001	Treating waste exemption	Agricultural waste only	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
B	252m SW	Ash Tree Farm Mill Lane Leeds Ls25 5bn	EPR/JE5257Y W/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
1	268m SW	Burley House Farm, South Milford, Leeds, Ls25 5as	WEX131830	Storing waste exemption	On a farm	Storage of sludge
C	325m NE	31, Moor Lane Trading Estate, Sherburn In Elmet, Leeds, Ls25 6es	WEX111161	Storing waste exemption	Not on a farm	Storage of waste in a secure place
C	325m NE	31, Moor Lane Trading Estate, Sherburn In Elmet, Leeds, Ls25 6es	WEX111161	Treating waste exemption	Not on a farm	Preparatory treatments (baling, sorting, shredding etc)
D	398m NE	Unit 31 Moxon Way, Moor Lane Trading Estate, Sherburn In Elmet, Leeds, Ls256es	WEX256248	Storing waste exemption	Not on a farm	Storage of waste in a secure place
D	398m NE	Unit 31 Moxon Way, Moor Lane Trading Estate, Sherburn In Elmet, Leeds, Ls256es	WEX256248	Treating waste exemption	Not on a farm	Preparatory treatments (baling, sorting, shredding etc)
3	401m S	Burley House Farm South Milford Ls25 5as	EPR/HF0136QJ /A001	Storing waste exemption	Non- agricultural waste only	Storage of sludge
4	420m SW	Burley House Farm South Milford Ls25 5as	EPR/TF0636Q D/A001	Storing waste exemption	Non- agricultural waste only	Storage of sludge
5	469m W	-	WEX344485	Storing waste exemption	On a farm	Storage of sludge
E	469m NE	Unit 26 Moor Lane Trading Estate Leeds West Yorkshire Ls25 6es	EPR/WF0005S K/A001	Storing waste exemption	Both agricultural and non- agricultural waste	Storage of waste in a secure place
E	469m NE	Unit 26 Moor Lane Trading Estate Leeds West Yorkshire Ls25 6es	EPR/WF0005S K/A001	Treating waste exemption	Both agricultural and non- agricultural waste	Preparatory treatments (baling, sorting, shredding etc)

This data is sourced from the Environment Agency and Natural Resources Wales.



## 4 Current industrial land use



### 4.1 Recent industrial land uses

Records within 250m

2

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on [page 27 >](#)

ID	Location	Company	Address	Activity	Category
1	38m NE	Biogas Power Station	North Yorkshire, LS25	Energy Production	Industrial Features
2	48m S	Mast (Telecommunication)	North Yorkshire, LS25	Telecommunications Features	Infrastructure and Facilities

*This data is sourced from Ordnance Survey.*

## 4.2 Current or recent petrol stations

**Records within 500m** **0**

Open, closed, under development and obsolete petrol stations.

*This data is sourced from Experian.*

## 4.3 Electricity cables

**Records within 500m** **0**

High voltage underground electricity transmission cables.

*This data is sourced from National Grid.*

## 4.4 Gas pipelines

**Records within 500m** **0**

High pressure underground gas transmission pipelines.

*This data is sourced from National Grid.*

## 4.5 Sites determined as Contaminated Land

**Records within 500m** **0**

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

*This data is sourced from Local Authority records.*

## 4.6 Control of Major Accident Hazards (COMAH)

**Records within 500m** **2**

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

Features are displayed on the Current industrial land use map on [page 27 >](#)

ID	Location	Company	Address	Operational status	Tier
A	269m NE	Lansdowne Chemicals Plc	Lansdowne Chemicals Plc, Sherburn in Elmet, Leeds, Moor Lane Trading Estate, Sherburn in Elmet, Leeds, West Yorkshire, LS25 6ES	Historical NIHHS Site	-
A	269m NE	Gower Chemicals Limited	Gower Chemicals Limited, Sherburn in Elmet, Leeds, Cygnus House, Moxon Way, Moor Lane Trading Estate, Sherburn in Elmet, Leeds, West Yorkshire, LS25 6ES	Current COMAH Site	COMAH Upper Tier Operator

This data is sourced from the Health and Safety Executive.

## 4.7 Regulated explosive sites

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

## 4.8 Hazardous substance storage/usage

<b>Records within 500m</b>	<b>1</b>
----------------------------	----------

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

Features are displayed on the Current industrial land use map on [page 27 >](#)

ID	Location	Details	
4	469m NE	Application reference number: No Details Application status: Approved Application date: No Details Address: Gower Chemicals Ltd, Moor Lane Trading Estate, Sherburn in Elmet, North Yorkshire, England, LS25 6ES	Details: No Details Enforcement: No Details Date of enforcement: No Details Comment: No Details

This data is sourced from Local Authority records.

## 4.9 Historical licensed industrial activities (IPC)

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.



#### 4.10 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

1

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on [page 27 >](#)

ID	Location	Address	Details	
A	436m NE	Moxon Leyland Daf Truck Services, Moor Lane Trading Estate, Sherburn-In-Elmete, LS25 6ES	Process: Waste Oil Burner 0.4MW Status: Revoked Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

*This data is sourced from Local Authority records.*

#### 4.12 Radioactive Substance Authorisations

Records within 500m

0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.13 Licensed Discharges to controlled waters

Records within 500m

0

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



#### 4.14 Pollutant release to surface waters (Red List)

Records within 500m 0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.15 Pollutant release to public sewer

Records within 500m 0

Discharges of Special Category Effluents to the public sewer.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.16 List 1 Dangerous Substances

Records within 500m 0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.17 List 2 Dangerous Substances

Records within 500m 0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.18 Pollution Incidents (EA/NRW)

Records within 500m 3

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on [page 27 >](#)

ID	Location	Details	
3	348m NE	Incident Date: 12/04/2002 Incident Identification: 71065 Pollutant: Oils and Fuel Pollutant Description: Unidentified Oil	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
B	453m S	Incident Date: 14/07/2003 Incident Identification: 173611 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
B	465m S	Incident Date: 10/12/2001 Incident Identification: 47525 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.19 Pollution inventory substances

**Records within 500m**

**0**

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

#### 4.20 Pollution inventory waste transfers

**Records within 500m**

**0**

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

#### 4.21 Pollution inventory radioactive waste

**Records within 500m**



**0**

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*



## 5 Hydrogeology - Superficial aquifer



### 5.1 Superficial aquifer

Records within 500m

5

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on [page 33 >](#)



ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	On site	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

ID	Location	Designation	Description
3	309m SW	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
4	315m SW	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
5	364m SW	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*



## Bedrock aquifer



### 5.2 Bedrock aquifer

Records within 500m

3

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on [page 35 >](#)



ID	Location	Designation	Description
1	On site	Principal	<b>Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers</b>
2	9m NE	Secondary B	Predominantly lower permeability layers which may store/yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering. These are generally the water-bearing parts of the former non-aquifers

ID	Location	Designation	Description
3	309m SW	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*



## Groundwater vulnerability



### 5.3 Groundwater vulnerability

Records within 50m

5

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on [page 37](#) >



ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	<b>Summary Classification:</b> Secondary superficial aquifer - Medium Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, Productive Superficial Aquifer	<b>Leaching class:</b> Low <b>Infiltration value:</b> 40-70% <b>Dilution value:</b> <300mm/year	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Secondary <b>Thickness:</b> 3-10m <b>Patchiness value:</b> >90% <b>Recharge potential:</b> Low	<b>Vulnerability:</b> Low <b>Aquifer type:</b> Principal <b>Flow mechanism:</b> Well connected fractures
2	On site	<b>Summary Classification:</b> Principal bedrock aquifer - Medium Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, Unproductive Superficial Aquifer	<b>Leaching class:</b> Low <b>Infiltration value:</b> 40-70% <b>Dilution value:</b> <300mm/year	<b>Vulnerability:</b> Unproductive <b>Aquifer type:</b> Unproductive <b>Thickness:</b> 3-10m <b>Patchiness value:</b> <90% <b>Recharge potential:</b> Low	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Principal <b>Flow mechanism:</b> Well connected fractures
A	On site	<b>Summary Classification:</b> Principal bedrock aquifer - Low Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, Unproductive Superficial Aquifer	<b>Leaching class:</b> Low <b>Infiltration value:</b> 40-70% <b>Dilution value:</b> <300mm/year	<b>Vulnerability:</b> Unproductive <b>Aquifer type:</b> Unproductive <b>Thickness:</b> 3-10m <b>Patchiness value:</b> >90% <b>Recharge potential:</b> Low	<b>Vulnerability:</b> Low <b>Aquifer type:</b> Principal <b>Flow mechanism:</b> Well connected fractures
4	7m SW	<b>Summary Classification:</b> Secondary superficial aquifer - Medium Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, Productive Superficial Aquifer	<b>Leaching class:</b> Low <b>Infiltration value:</b> 40-70% <b>Dilution value:</b> <300mm/year	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Secondary <b>Thickness:</b> 3-10m <b>Patchiness value:</b> <90% <b>Recharge potential:</b> Low	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Principal <b>Flow mechanism:</b> Well connected fractures
5	9m NE	<b>Summary Classification:</b> Secondary bedrock aquifer - Medium Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, Unproductive Superficial Aquifer	<b>Leaching class:</b> Low <b>Infiltration value:</b> 40-70% <b>Dilution value:</b> <300mm/year	<b>Vulnerability:</b> Unproductive <b>Aquifer type:</b> Unproductive <b>Thickness:</b> 3-10m <b>Patchiness value:</b> <90% <b>Recharge potential:</b> Low	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Secondary <b>Flow mechanism:</b> Well connected fractures

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*

## 5.4 Groundwater vulnerability- soluble rock risk

### Records on site

2

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.



ID	Maximum soluble risk category	Percentage of grid square covered by maximum risk
3	Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.	100.0%
A	Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.	100.0%

*This data is sourced from the British Geological Survey and the Environment Agency.*


## 5.5 Groundwater vulnerability- local information

<b>Records on site</b>	<b>0</b>
------------------------	----------

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on [enquiries@environment-agency.gov.uk](mailto:enquiries@environment-agency.gov.uk) ↗.

*This data is sourced from the British Geological Survey and the Environment Agency.*

## Abstractions and Source Protection Zones



### 5.6 Groundwater abstractions

Records within 2000m

38

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 40 >](#)

ID	Location	Details	
A	363m S	Status: Active Licence No: 2/27/24/458/R01 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: Jane Elizabeth Ward and Kathryn Helen Parkin Easting: 450243 Northing: 431610	Annual Volume (m <sup>3</sup> ): 9000 Max Daily Volume (m <sup>3</sup> ): 100 Original Application No: NPS/WR/037876 Original Start Date: 01/04/2018 Expiry Date: 31/03/2030 Issue No: 2 Version Start Date: 25/02/2021 Version End Date: -
A	363m S	Status: Historical Licence No: 2/27/24/458 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: LUNN BROS Easting: 450243 Northing: 431610	Annual Volume (m <sup>3</sup> ): 9000 Max Daily Volume (m <sup>3</sup> ): 100 Original Application No: - Original Start Date: 01/01/2007 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 01/01/2007 Version End Date: -
A	371m S	Status: Historical Licence No: 2/27/24/347 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE Data Type: Point Name: LUNN BROS Easting: 450250 Northing: 431600	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 16/06/1997 Expiry Date: 31/12/2006 Issue No: 100 Version Start Date: 16/06/1997 Version End Date: -
A	371m S	Status: Historical Licence No: 2/27/24/347 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: LUNN BROS Easting: 450250 Northing: 431600	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 16/06/1997 Expiry Date: 31/12/2006 Issue No: 100 Version Start Date: 16/06/1997 Version End Date: -



ID	Location	Details	
A	371m S	Status: Historical Licence No: 2/27/24/347 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: LUNN BROS Easting: 450250 Northing: 431600	Annual Volume (m <sup>3</sup> ): 9000 Max Daily Volume (m <sup>3</sup> ): 50 Original Application No: - Original Start Date: 16/06/1997 Expiry Date: 31/12/2006 Issue No: 100 Version Start Date: 16/06/1997 Version End Date: -
A	371m S	Status: Historical Licence No: 2/27/24/458 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: LUNN BROS Easting: 450250 Northing: 431600	Annual Volume (m <sup>3</sup> ): 9000 Max Daily Volume (m <sup>3</sup> ): 100 Original Application No: - Original Start Date: 01/01/2007 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 01/01/2007 Version End Date: -
B	564m S	Status: Historical Licence No: 2/27/24/118 Details: General use relating to Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (2) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: BAIRDS MALT LTD Easting: 450540 Northing: 431380	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/01/1996 Version End Date: -
B	566m S	Status: Active Licence No: 2/27/24/118 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE 2 - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: CARRIE Easting: 450550 Northing: 431380	Annual Volume (m <sup>3</sup> ): 136380 Max Daily Volume (m <sup>3</sup> ): 373.64 Original Application No: 1655 Original Start Date: 28/04/1966 Expiry Date: - Issue No: 103 Version Start Date: 25/05/2005 Version End Date: -



ID	Location	Details	
B	566m S	Status: Historical Licence No: 2/27/24/118 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (2) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: CARRIE Easting: 450550 Northing: 431380	Annual Volume (m <sup>3</sup> ): 136380 Max Daily Volume (m <sup>3</sup> ): 373.64 Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 103 Version Start Date: 25/05/2005 Version End Date: -
-	710m S	Status: Active Licence No: 2/27/24/118 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE 3 - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: CARRIE Easting: 450490 Northing: 431230	Annual Volume (m <sup>3</sup> ): 136380 Max Daily Volume (m <sup>3</sup> ): 373.64 Original Application No: 1655 Original Start Date: 28/04/1966 Expiry Date: - Issue No: 103 Version Start Date: 25/05/2005 Version End Date: -
-	710m S	Status: Historical Licence No: 2/27/24/118 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (3) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: CARRIE Easting: 450490 Northing: 431230	Annual Volume (m <sup>3</sup> ): 136380 Max Daily Volume (m <sup>3</sup> ): 373.64 Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 103 Version Start Date: 25/05/2005 Version End Date: -
3	782m SW	Status: Historical Licence No: 2/27/24/167 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE Data Type: Point Name: LUNN BROS Easting: 449900 Northing: 431300	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 20/08/1974 Expiry Date: - Issue No: 100 Version Start Date: 01/01/1997 Version End Date: -



ID	Location	Details	
-	792m S	Status: Active Licence No: 2/27/24/118 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE 1 - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: CARRIE Easting: 450520 Northing: 431150	Annual Volume (m <sup>3</sup> ): 136380 Max Daily Volume (m <sup>3</sup> ): 373.64 Original Application No: 1655 Original Start Date: 28/04/1966 Expiry Date: - Issue No: 103 Version Start Date: 25/05/2005 Version End Date: -
-	792m S	Status: Historical Licence No: 2/27/24/118 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (1) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: CARRIE Easting: 450520 Northing: 431150	Annual Volume (m <sup>3</sup> ): 136380 Max Daily Volume (m <sup>3</sup> ): 373.64 Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 103 Version Start Date: 25/05/2005 Version End Date: -
-	800m S	Status: Historical Licence No: 2/27/24/118 Details: General use relating to Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (1) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: BAIRDS MALT LTD Easting: 450480 Northing: 431140	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 28/04/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/01/1996 Version End Date: -
-	943m N	Status: Historical Licence No: 2/27/24/207 Details: General Washing/Process Washing Direct Source: GROUNDWATERS Point: MAGNESIAN LIMESTONE Data Type: Point Name: LINPAC LEYLAND DAF Easting: 450600 Northing: 433400	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 09/03/1977 Expiry Date: - Issue No: 100 Version Start Date: 16/02/1998 Version End Date: -



ID	Location	Details	
-	943m N	Status: Historical Licence No: 2/27/24/207 Details: General Washing/Process Washing Direct Source: GROUNDWATERS Point: WELL - MAGNESIAN LIMESTONE- SHERBURN IN ELMET Data Type: Point Name: LINPAC LEYLAND DAF Easting: 450600 Northing: 433400	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 09/03/1977 Expiry Date: - Issue No: 100 Version Start Date: 16/02/1998 Version End Date: -
-	1223m NW	Status: Historical Licence No: 2/27/24/142 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: SPRING Data Type: Point Name: QUALTER Easting: 449700 Northing: 433500	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 24/04/1968 Expiry Date: - Issue No: 100 Version Start Date: 24/04/1968 Version End Date: -
-	1348m W	Status: Historical Licence No: 2/27/24/384 Details: General Farming & Domestic Direct Source: GROUNDWATERS Point: BOREHOLE Data Type: Point Name: H A & L BATTY Easting: 448980 Northing: 431740	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 11/03/1999 Expiry Date: - Issue No: 100 Version Start Date: 11/03/1999 Version End Date: -
-	1348m W	Status: Historical Licence No: 2/27/24/384 Details: General Farming & Domestic Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: H A & L BATTY Easting: 448980 Northing: 431740	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 11/03/1999 Expiry Date: - Issue No: 100 Version Start Date: 11/03/1999 Version End Date: -
-	1463m W	Status: Active Licence No: 2/27/24/445/R01 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD 'A' Data Type: Point Name: R T Batty & Son Easting: 448887 Northing: 431625	Annual Volume (m <sup>3</sup> ): 43165 Max Daily Volume (m <sup>3</sup> ): 1233 Original Application No: NPS/WR/021502 Original Start Date: 01/04/2017 Expiry Date: 31/03/2030 Issue No: 1 Version Start Date: 01/04/2017 Version End Date: -



ID	Location	Details	
-	1463m W	Status: Historical Licence No: 2/27/24/445 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD 'A' Data Type: Point Name: R T Batty & Son Easting: 448887 Northing: 431625	Annual Volume (m <sup>3</sup> ): 43165 Max Daily Volume (m <sup>3</sup> ): 1233 Original Application No: - Original Start Date: 01/04/2005 Expiry Date: 31/03/2017 Issue No: 1 Version Start Date: 01/04/2005 Version End Date: -
-	1497m W	Status: Historical Licence No: 2/27/24/445 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: R T Batty & Son Easting: 448850 Northing: 431630	Annual Volume (m <sup>3</sup> ): 43165 Max Daily Volume (m <sup>3</sup> ): 1233 Original Application No: - Original Start Date: 01/04/2005 Expiry Date: 31/03/2017 Issue No: 1 Version Start Date: 01/04/2005 Version End Date: -
-	1553m W	Status: Historical Licence No: 2/27/24/309 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE Data Type: Point Name: H A & L BATTY Easting: 448800 Northing: 431600	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 15/06/1995 Expiry Date: 30/09/2004 Issue No: 100 Version Start Date: 15/06/1995 Version End Date: -
-	1553m W	Status: Historical Licence No: 2/27/24/309 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: H A & L BATTY Easting: 448800 Northing: 431600	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 15/06/1995 Expiry Date: 30/09/2004 Issue No: 100 Version Start Date: 15/06/1995 Version End Date: -



ID	Location	Details	
-	1792m SW	Status: Historical Licence No: 2/27/24/420 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - LOWER MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: H A & L BATTY Easting: 448840 Northing: 430940	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 25/10/2002 Expiry Date: 30/09/2004 Issue No: 1 Version Start Date: 25/10/2002 Version End Date: -
-	1792m SW	Status: Historical Licence No: 2/27/24/445 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - LOWER MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: R T Batty & Son Easting: 448840 Northing: 430940	Annual Volume (m <sup>3</sup> ): 43165 Max Daily Volume (m <sup>3</sup> ): 1233 Original Application No: - Original Start Date: 01/04/2005 Expiry Date: 31/03/2017 Issue No: 1 Version Start Date: 01/04/2005 Version End Date: -
-	1823m SW	Status: Active Licence No: 2/27/24/445/R01 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - LOWER MAGNESIAN LIMESTONE - SOUTH MILFORD 'B' Data Type: Point Name: R T Batty & Son Easting: 448815 Northing: 430922	Annual Volume (m <sup>3</sup> ): 43165 Max Daily Volume (m <sup>3</sup> ): 1233 Original Application No: NPS/WR/021502 Original Start Date: 01/04/2017 Expiry Date: 31/03/2030 Issue No: 1 Version Start Date: 01/04/2017 Version End Date: -
-	1823m SW	Status: Historical Licence No: 2/27/24/445 Details: Spray Irrigation - Direct Direct Source: GROUNDWATERS Point: BOREHOLE - LOWER MAGNESIAN LIMESTONE - SOUTH MILFORD 'B' Data Type: Point Name: R T Batty & Son Easting: 448815 Northing: 430922	Annual Volume (m <sup>3</sup> ): 43165 Max Daily Volume (m <sup>3</sup> ): 1233 Original Application No: - Original Start Date: 01/04/2005 Expiry Date: 31/03/2017 Issue No: 1 Version Start Date: 01/04/2005 Version End Date: -



ID	Location	Details	
-	1961m N	Status: Historical Licence No: 2/27/24/154 Details: General Use Relating To Secondary Category (High Loss) Direct Source: GROUNDWATERS Point: BOREHOLE - LOWER MAGNESIAN LIMESTONE - SHERBURN IN ELMET Data Type: Point Name: BPB United Kingdom Ltd Easting: 451000 Northing: 434350	Annual Volume (m <sup>3</sup> ): 358410 Max Daily Volume (m <sup>3</sup> ): 981.94 Original Application No: - Original Start Date: 17/02/1969 Expiry Date: - Issue No: 101 Version Start Date: 29/07/2009 Version End Date: -
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: Dust suppression Direct Source: GROUNDWATERS Point: BOREHOLE (3) Data Type: Point Name: RJB MINING (UK) LTD Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 100 Version Start Date: 17/11/1997 Version End Date: -
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: General use relating to Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (3) Data Type: Point Name: RJB MINING (UK) LTD Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 100 Version Start Date: 17/11/1997 Version End Date: -
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: Dust suppression Direct Source: GROUNDWATERS Point: BOREHOLE (3) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: UK COAL MINING LTD Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): 600000 Max Daily Volume (m <sup>3</sup> ): 2718 Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -



ID	Location	Details	
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: General use relating to Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (3) - MAGNESIAN LIMESTONE - SOUTH MILFORD Data Type: Point Name: UK COAL MINING LTD Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): 600000 Max Daily Volume (m <sup>3</sup> ): 2718 Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: Dust Suppression Direct Source: GROUNDWATERS Point: BOREHOLE (3) - SHERWOOD SANDSTONE - SOUTH MILFORD Data Type: Point Name: UK COAL MINING LTD Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): 290000 Max Daily Volume (m <sup>3</sup> ): 582 Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE (3) - SHERWOOD SANDSTONE - SOUTH MILFORD Data Type: Point Name: UK COAL MINING LTD Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): 290000 Max Daily Volume (m <sup>3</sup> ): 582 Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 102 Version Start Date: 01/01/2004 Version End Date: -
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: Dust Suppression Direct Source: GROUNDWATERS Point: BOREHOLE 3 - SHERWOOD SANDSTONE - SOUTH MILFORD Data Type: Point Name: Harworth Estates (Agricultural Land) Ltd Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): 290000 Max Daily Volume (m <sup>3</sup> ): 582 Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 103 Version Start Date: 03/09/2013 Version End Date: -



ID	Location	Details	
-	1977m E	Status: Historical Licence No: 2/27/24/171 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: GROUNDWATERS Point: BOREHOLE 3 - SHERWOOD SANDSTONE - SOUTH MILFORD Data Type: Point Name: Harworth Estates (Agricultural Land) Ltd Easting: 452450 Northing: 431860	Annual Volume (m <sup>3</sup> ): 290000 Max Daily Volume (m <sup>3</sup> ): 582 Original Application No: - Original Start Date: 21/07/1976 Expiry Date: - Issue No: 103 Version Start Date: 03/09/2013 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

## 5.7 Surface water abstractions

### Records within 2000m

7

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on [page 40 >](#)

ID	Location	Details	
1	On site	<b>Status: Active</b> <b>Licence No: NE/027/0024/081</b> <b>Details: Spray Irrigation - Direct</b> <b>Direct Source: SURFACE WATER</b> <b>Point: REACH AT MILL DYKE, SHERBURN IN ELEM T</b> <b>Data Type: Line</b> <b>Name: J Bramley and Son</b> <b>Easting: 450447</b> <b>Northing: 432882</b>	<b>Annual Volume (m<sup>3</sup>): 24000</b> <b>Max Daily Volume (m<sup>3</sup>): 324</b> <b>Original Application No: NPS/WR/030616</b> <b>Original Start Date: 24/05/2023</b> <b>Expiry Date: 31/03/2026</b> <b>Issue No: 1</b> <b>Version Start Date: 24/05/2023</b> <b>Version End Date: -</b>
2	604m N	Status: Active Licence No: NE/027/0024/078 Details: Spray Irrigation - Direct Direct Source: SURFACE WATER Point: REACH ON TRIBUTARY OF MILL DIKE DRAIN Data Type: Line Name: J Bramley and Son Easting: 450188 Northing: 433064	Annual Volume (m <sup>3</sup> ): 24000 Max Daily Volume (m <sup>3</sup> ): 900 Original Application No: NPS/WR/039120 Original Start Date: 09/07/2019 Expiry Date: 31/03/2030 Issue No: 2 Version Start Date: 08/03/2023 Version End Date: -



ID	Location	Details	
D	717m SE	Status: Historical Licence No: 2/27/24/433 Details: Make-Up Or Top Up Water Direct Source: SURFACE WATER Point: UNNAMES DRAIN - SOUTH MILFORD Data Type: Point Name: VAIRY Easting: 451110 Northing: 431620	Annual Volume (m <sup>3</sup> ): 3002 Max Daily Volume (m <sup>3</sup> ): 200 Original Application No: - Original Start Date: 23/03/2004 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 23/03/2004 Version End Date: -
D	717m SE	Status: Historical Licence No: 2/27/24/433 Details: Make-Up Or Top Up Water Direct Source: SURFACE WATER Point: DRAIN - SOUTH MILFORD Data Type: Point Name: VAIRY Easting: 451110 Northing: 431620	Annual Volume (m <sup>3</sup> ): 3002 Max Daily Volume (m <sup>3</sup> ): 200 Original Application No: - Original Start Date: 23/03/2004 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 23/03/2004 Version End Date: -
F	890m SE	Status: Active Licence No: 2/27/24/017 Details: Spray Irrigation - Direct Direct Source: SURFACE WATER Point: LUMBY COMMON DRAIN AND MILFORD COMMON DRAIN Data Type: Line Name: R T Batty & Son Easting: 450700 Northing: 431020	Annual Volume (m <sup>3</sup> ): 5818 Max Daily Volume (m <sup>3</sup> ): 291 Original Application No: NPS/WR/02467 Original Start Date: 14/12/1965 Expiry Date: - Issue No: 102 Version Start Date: 11/10/2016 Version End Date: -
F	890m SE	Status: Historical Licence No: 2/27/24/017 Details: Spray Irrigation - Direct Direct Source: SURFACE WATER Point: LUMBY COMMON DRAIN & MILFORD COMMON DRAIN Data Type: Line Name: H A & L BATTY Easting: 450700 Northing: 431020	Annual Volume (m <sup>3</sup> ): - Max Daily Volume (m <sup>3</sup> ): - Original Application No: - Original Start Date: 14/12/1965 Expiry Date: - Issue No: 100 Version Start Date: 02/03/1999 Version End Date: -
-	1316m W	Status: Active Licence No: 2/27/24/044 Details: Spray Irrigation - Direct Direct Source: SURFACE WATER Point: NEWTHORPE BECK TO MILL DYKE Data Type: Line Name: ASPINALL Easting: 446500 Northing: 432300	Annual Volume (m <sup>3</sup> ): 13640 Max Daily Volume (m <sup>3</sup> ): 168 Original Application No: 1454 Original Start Date: 20/01/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2024 Version End Date: -



*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.8 Potable abstractions

**Records within 2000m**

**0**

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.9 Source Protection Zones

**Records within 500m**

**0**

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 5.10 Source Protection Zones (confined aquifer)

**Records within 500m**



**0**

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 6 Hydrology



### 6.1 Water Network (OS MasterMap)

Records within 250m

10

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on [page 53 >](#)

ID	Location	Type of water feature	Ground level	Permanence	Name
5	4m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Dike

ID	Location	Type of water feature	Ground level	Permanence	Name
7	10m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Dike
A	14m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
A	43m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
C	66m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
9	141m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
10	144m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Mill Dike
F	163m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Mill Dike
G	239m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Bond Ings Drain
G	244m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	Bond Ings Drain

*This data is sourced from the Ordnance Survey.*

## 6.2 Surface water features

**Records within 250m**

**9**

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on [page 53 >](#)

*This data is sourced from the Ordnance Survey.*



### 6.3 WFD Surface water body catchments

<b>Records on site</b>	<b>1</b>
------------------------	----------

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on [page 53 >](#)

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
1	On site	River	Mill Dike from Source to Bishop Dike	GB104027063640	Ouse Lower Yorkshire	Wharfe and Ouse Lower

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 6.4 WFD Surface water bodies

<b>Records identified</b>	<b>1</b>
---------------------------	----------

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on [page 53 >](#)

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
2	On site	River	Mill Dike from Source to Bishop Dike	<a href="#">GB104027063640</a> ↗	Poor	Fail	Poor	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 6.5 WFD Groundwater bodies

<b>Records on site</b>	<b>1</b>
------------------------	----------

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.



Features are displayed on the Hydrology map on [page 53](#) >

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
3	On site	Wharfe Magnesian Limestone	<a href="#">GB40401G701100</a> ↗	Poor	Poor	Good	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 7 River and coastal flooding



### 7.1 Risk of flooding from rivers and the sea

Records within 50m

12

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

Features are displayed on the River and coastal flooding map on [page 57 >](#)

Distance	Flood risk category
<b>On site</b>	<b>High</b>
0 - 50m	High

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.2 Historical Flood Events

<b>Records within 250m</b>	<b>0</b>
----------------------------	----------

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.3 Flood Defences

<b>Records within 250m</b>	<b>0</b>
----------------------------	----------

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.4 Areas Benefiting from Flood Defences

<b>Records within 250m</b>	<b>0</b>
----------------------------	----------

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.5 Flood Storage Areas


<b>Records within 250m</b>	<b>0</b>
----------------------------	----------

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## River and coastal flooding - Flood Zones



### 7.6 Flood Zone 2

Records within 50m

1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

Features are displayed on the River and coastal flooding map on [page 57 >](#)

Location	Type
1m N	Zone 2 - (Fluvial /Tidal Models)

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.7 Flood Zone 3

Records within 50m

1


Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

Features are displayed on the River and coastal flooding map on [page 57 >](#)

Location	Type
1m N	Zone 3 - (Fluvial Models)

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 8 Surface water flooding



### 8.1 Surface water flooding

**Highest risk on site**

**1 in 30 year, 0.1m - 0.3m**

**Highest risk within 50m**

**1 in 30 year, 0.3m - 1.0m**

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on [page 61](#) >

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.


The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.3m and 1.0m
1 in 250 year	Between 0.3m and 1.0m
1 in 100 year	Between 0.3m and 1.0m
1 in 30 year	Between 0.1m and 0.3m

*This data is sourced from Ambiental Risk Analytics.*



## 9 Groundwater flooding



### 9.1 Groundwater flooding

Highest risk on site

High

Highest risk within 50m



High

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on [page 63](#) >

*This data is sourced from Ambiental Risk Analytics.*

## 10 Environmental designations



### 10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

1

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

Features are displayed on the Environmental designations map on [page 64](#) >

ID	Location	Name	Data source
-	1526m W	Sherburn Willows	Natural England

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.2 Conserved wetland sites (Ramsar sites)

**Records within 2000m**

**0**

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.3 Special Areas of Conservation (SAC)

**Records within 2000m**

**0**

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.4 Special Protection Areas (SPA)

**Records within 2000m**

**0**

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.5 National Nature Reserves (NNR)

**Records within 2000m**

**0**

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*



## 10.6 Local Nature Reserves (LNR)

Records within 2000m

0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.7 Designated Ancient Woodland

Records within 2000m

0

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

*This data is sourced from the Forestry Commission.*

## 10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.11 Green Belt

Records within 2000m

1

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on [page 64 >](#)

ID	Location	Name	Local Authority name
1	On site	South and West Yorkshire Green Belt	North Yorkshire

*This data is sourced from the Ministry of Housing, Communities and Local Government.*

## 10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

## 10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

*This data is sourced from Natural England and Natural Resources Wales.*



## 10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

## 10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

*This data is sourced from Natural England.*

## 10.16 Nitrate Vulnerable Zones

Records within 2000m

3



Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
On site	Selby Dam from Conf. Fox Dike & Carr Dike to Ouse NVZ	Surface Water	287	Existing
On site	Yorkshire Mag Limestone	Groundwater	101	Existing
1590m SE	The Fleet from Source to River Aire NVZ	Surface Water	272	Existing

*This data is sourced from Natural England and Natural Resources Wales.*



## SSSI Impact Zones and Units



### 10.17 SSSI Impact Risk Zones

Records on site

1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on [page 69](#) >

ID	Location	Type of developments requiring consultation
1	On site	<p>Infrastructure - Pipelines and underground cables, pylons and overhead cables. Any transport proposal including road, rail and by water (excluding routine maintenance). Airports, helipads and other aviation proposals.</p> <p>Wind and Solar - Solar schemes with footprint &gt; 0.5ha, all wind turbines.</p> <p>Minerals, Oil and Gas - Planning applications for quarries, including: new proposals, Review of Minerals Permissions (ROMP), extensions, variations to conditions etc. Oil &amp; gas exploration/extraction.</p> <p>Air pollution - Any industrial/agricultural development that could cause AIR POLLUTION (incl: industrial processes, livestock &amp; poultry units with floorspace &gt; 500m<sup>2</sup>, slurry lagoons &amp; digestate stores &gt; 200m<sup>2</sup>, manure stores &gt; 250t).</p> <p>Combustion - General combustion processes &gt;20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.</p> <p>Waste - Landfill. Incl: inert landfill, non-hazardous landfill, hazardous landfill.</p> <p>Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management.</p> <p>Water supply - Large infrastructure such as warehousing / industry where total net additional gross internal floorspace following development is 1,000m<sup>2</sup> or more.</p>

*This data is sourced from Natural England.*

## 10.18 SSSI Units

Records within 2000m

3

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

Features are displayed on the SSSI Impact Zones and Units map on [page 69](#) >

ID: -  
 Location: 1526m W  
 SSSI name: Sherburn Willows  
 Unit name: 1  
 Broad habitat: Calcareous Grassland - Lowland  
 Condition: Favourable  
 Reportable features:

Feature name	Feature condition	Date of assessment
Lowland calcareous grassland (CG3-5)	Favourable	16/07/2014



ID: -  
Location: 1601m W  
SSSI name: Sherburn Willows  
Unit name: 2  
Broad habitat: Fen, Marsh And Swamp - Lowland  
Condition: Favourable  
Reportable features:


Feature name	Feature condition	Date of assessment
Valley fen (lowland)	Favourable	01/10/2010

ID: -  
Location: 1692m W  
SSSI name: Sherburn Willows  
Unit name: 3  
Broad habitat: Fen, Marsh And Swamp - Lowland  
Condition: Favourable  
Reportable features:

Feature name	Feature condition	Date of assessment
Valley fen (lowland)	Favourable	01/10/2010

*This data is sourced from Natural England and Natural Resources Wales.*

## 11 Visual and cultural designations



### 11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

*This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.*

## 11.4 Listed Buildings

Records within 250m

1

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on [page 72 >](#)

ID	Location	Name	Grade	Reference Number	Listed date
1	109m S	Common Lane Bridge, Hul3/4	II	1419073	05/03/2015

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*



## 11.5 Conservation Areas

Records within 250m

0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.6 Scheduled Ancient Monuments

Records within 250m

0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.7 Registered Parks and Gardens

Records within 250m



0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*



## 12 Agricultural designations



### 12.1 Agricultural Land Classification

Records within 250m

1

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on [page 75 >](#)

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

This data is sourced from Natural England.

## 12.2 Open Access Land

Records within 250m

0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

*This data is sourced from Natural England and Natural Resources Wales.*

## 12.3 Tree Felling Licences

Records within 250m

0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

*This data is sourced from the Forestry Commission.*

## 12.4 Environmental Stewardship Schemes

Records within 250m

0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

*This data is sourced from Natural England.*

## 12.5 Countryside Stewardship Schemes

Records within 250m

6

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

Location	Reference	Scheme	Start Date	End Date
On site	1453714	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1453714	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
47m NW	1453714	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
50m N	1453714	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027




Location	Reference	Scheme	Start Date	End Date
78m E	1453714	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
129m S	821924	Countryside Stewardship (Middle Tier)	01/01/2020	31/12/2024

*This data is sourced from Natural England.*



## 13 Habitat designations



### 13.1 Priority Habitat Inventory

Records within 250m

3

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on [page 78](#) >

ID	Location	Main Habitat	Other habitats
1	57m SW	Deciduous woodland	Main habitat: DWOOD (INV > 50%); Additional: LFENS (INV 50%); RBEDS (INV 50%)
2	60m SW	Lowland fens	Main habitat: LFENS (INV > 50%); RBEDS (INV > 50%)
3	73m SW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

## 13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

*This data is sourced from Natural England.*

## 13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

*This data is sourced from Natural England.*

## 13.4 Limestone Pavement Orders

Records within 250m


0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

*This data is sourced from Natural England.*



## 14 Geology 1:10,000 scale - Availability



— Site Outline  
 Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

### 14.1 10k Availability

Records within 500m

2

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.



Features are displayed on the Geology 1:10,000 scale - Availability map on [page 80](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	No coverage	SE53SW
2	309m SW	Full	Full	Full	Full	SE43SE

This data is sourced from the British Geological Survey.



## Geology 1:10,000 scale - Artificial and made ground



### 14.2 Artificial and made ground (10k)

Records within 500m

20

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on [page 81](#) >


ID	Location	LEX Code	Description	Rock description
1	3m N	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
A	33m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
B	54m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
2	55m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit

ID	Location	LEX Code	Description	Rock description
3	57m E	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
A	67m SW	WGR-VOID	Worked Ground (Undivided)	Void
B	89m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
4	94m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
5	213m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
6	217m SW	WMGR-ARTDP	Infilled Ground	Artificial Deposit
7	309m SW	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
C	320m S	DDGR-UKNOWN	Disturbed Ground (Undivided)	Unknown/unclassified Entry
8	351m NE	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
C	397m S	DDGR-UKNOWN	Disturbed Ground (Undivided)	Unknown/unclassified Entry
C	411m S	WMGR-ARTDP	Infilled Ground	Artificial Deposit
9	424m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
C	426m S	WMGR-ARTDP	Infilled Ground	Artificial Deposit
C	439m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
D	464m S	DDGR-UKNOWN	Disturbed Ground (Undivided)	Unknown/unclassified Entry
C	483m S	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- Landslip (10k)
- Superficial geology (10k)  
Please see table for more details.

### 14.3 Superficial geology (10k)

Records within 500m

6

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on [page 83](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	HEM-CZPS	Hemingbrough Glaciolacustrine Formation - Clay, Silty, Peaty, Sandy (unlithified Deposits Coding Scheme)	Clay, Silty, Peaty, Sandy
2	On site	ALV-XCZSV	Alluvium - Clay, Silt, Sand And Gravel	Clay, Silt, Sand And Gravel
3	On site	ALV-XCZSV	Alluvium - Clay, Silt, Sand And Gravel	Clay, Silt, Sand And Gravel

ID	Location	LEX Code	Description	Rock description
4	309m SW	GLLD-XCZ	Glaciolacustrine Deposits - Clay And Silt	Clay And Silt
5	317m SW	ALV-CZ	Alluvium - Silty Clay	Clay, Silty
6	364m SW	GLLD-XCZ	Glaciolacustrine Deposits - Clay And Silt	Clay And Silt

*This data is sourced from the British Geological Survey.*

## 14.4 Landslip (10k)

**Records within 500m**


**0**

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- ..... Bedrock faults and other linear features (10k)
- Bedrock geology (10k)  
Please see table for more details.

### 14.5 Bedrock geology (10k)

Records within 500m

7

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 85](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	BTH-DOLMST	Brotherton Formation - Dolomitic Limestone	Late Permian Epoch [Obsolete name]
2	On site	BTH-DOLMST	Brotherton Formation - Dolomitic Limestone	Late Permian Epoch [Obsolete name]

ID	Location	LEX Code	Description	Rock age
4	1m NE	ROX-CAMDST	Roxby Formation - Calcareous Mudstone	Early Triassic Epoch - Late Permian Epoch [Obsolete name]
6	309m SW	BTH-DOLO	Brotherton Formation - Dolostone	Late Permian Epoch [Obsolete name]
7	312m SW	BTH-DOLO	Brotherton Formation - Dolostone	Late Permian Epoch [Obsolete name]
9	457m N	BTH-DOLMST	Brotherton Formation - Dolomitic Limestone	Late Permian Epoch [Obsolete name]
11	483m NW	BTH-DOLMST	Brotherton Formation - Dolomitic Limestone	Late Permian Epoch [Obsolete name]

*This data is sourced from the British Geological Survey.*

## 14.6 Bedrock faults and other linear features (10k)

<b>Records within 500m</b>	<b>5</b>
----------------------------	----------

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.


Features are displayed on the Geology 1:10,000 scale - Bedrock map on [page 85 >](#)

ID	Location	Category	Description
<b>3</b>	<b>On site</b>	<b>FAULT</b>	<b>Normal fault, inferred; crossmarks on downthrow side</b>
5	80m S	FAULT	Normal fault, inferred; crossmarks on downthrow side
8	312m SW	FAULT	Normal fault, inferred
10	457m N	FAULT	Normal fault, inferred; crossmarks on downthrow side
12	483m NW	FAULT	Normal fault, inferred

*This data is sourced from the British Geological Survey.*



## 15 Geology 1:50,000 scale - Availability



**— Site Outline**

Search buffers in metres (m)

**□ Geographical map tile**

### 15.1 50k Availability

Records within 500m

2

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.


Features are displayed on the Geology 1:50,000 scale - Availability map on [page 87](#) >

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	EW070_leeds_v4
2	62m S	Full	Full	Full	Full	EW078_wakefield_v4

This data is sourced from the British Geological Survey.



## Geology 1:50,000 scale - Artificial and made ground



### 15.2 Artificial and made ground (50k)

Records within 500m

2

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on [page 88](#) >

ID	Location	LEX Code	Description	Rock description
1	381m NE	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
2	392m S	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT

This data is sourced from the British Geological Survey.



### 15.3 Artificial ground permeability (50k)

Records within 50m


0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*



## Geology 1:50,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- Landslip (50k)
- Superficial geology (50k)  
Please see table for more details.

### 15.4 Superficial geology (50k)

Records within 500m

5

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on [page 90](#) >

ID	Location	LEX Code	Description	Rock description
1	On site	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL
2	On site	HEM-CZ	HEMINGBROUGH GLACIOLACUSTRINE FORMATION	CLAY, SILTY
3	62m S	HEM-CZ	HEMINGBROUGH GLACIOLACUSTRINE FORMATION	CLAY, SILTY
4	84m S	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL



ID	Location	LEX Code	Description	Rock description
5	414m SW	GLLDD-XCZ	GLACIOLACUSTRINE DEPOSITS, DEVENSIAN	CLAY AND SILT

*This data is sourced from the British Geological Survey.*

## 15.5 Superficial permeability (50k)

<b>Records within 50m</b>	<b>2</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	High	Very Low
On site	Mixed	Low	Very Low

*This data is sourced from the British Geological Survey.*

## 15.6 Landslip (50k)

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

*This data is sourced from the British Geological Survey.*


## 15.7 Landslip permeability (50k)

<b>Records within 50m</b>	<b>0</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*

## Geology 1:50,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- ..... Bedrock faults and other linear features (50k)
- Bedrock geology (50k)  
Please see table for more details.

### 15.8 Bedrock geology (50k)

Records within 500m

6

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 92](#) >

ID	Location	LEX Code	Description	Rock age
1	On site	BTH-DOLMST	BROTHERTON FORMATION - LIMESTONE, DOLOMITIC	-
2	On site	BTH-DOLMST	BROTHERTON FORMATION - LIMESTONE, DOLOMITIC	-

ID	Location	LEX Code	Description	Rock age
4	9m NE	ROX-CAMDST	ROXBY FORMATION - MUDSTONE, CALCAREOUS	-
5	62m S	BTH-DOLMST	BROTHERTON FORMATION - LIMESTONE, DOLOMITIC	-
7	85m S	BTH-DOLMST	BROTHERTON FORMATION - LIMESTONE, DOLOMITIC	-
10	455m N	BTH-DOLMST	BROTHERTON FORMATION - LIMESTONE, DOLOMITIC	-

This data is sourced from the British Geological Survey.

## 15.9 Bedrock permeability (50k)

<b>Records within 50m</b>	<b>2</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
<b>On site</b>	<b>Fracture</b>	<b>Very High</b>	<b>High</b>
9m NE	Fracture	Very High	Low

This data is sourced from the British Geological Survey.

## 15.10 Bedrock faults and other linear features (50k)

<b>Records within 500m</b>	<b>6</b>
----------------------------	----------

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on [page 92 >](#)

ID	Location	Category	Description
<b>3</b>	<b>On site</b>	<b>FAULT</b>	<b>Fault, inferred</b>
6	81m S	FAULT	Fault, inferred
8	85m S	FAULT	Fault, inferred
9	313m SW	FAULT	Fault, inferred





ID	Location	Category	Description
11	455m N	FAULT	Fault, inferred
12	481m NW	FAULT	Fault, inferred

*This data is sourced from the British Geological Survey.*



## 16 Boreholes



### 16.1 BGS Boreholes

Records within 250m

18

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on [page 95 >](#)



ID	Location	Grid reference	Name	Length	Confidential	Web link
1	On site	450370 432220	SHERBURN/S.MILFORD BYPASS BH9	10.0	N	<a href="#">118519 ↗</a>
2	20m N	450380 432490	SHERBURN/S.MILFORD BYPASS BH11	12.0	N	<a href="#">118521 ↗</a>
3	34m NW	450330 432290	SHERBURN/S.MILFORD BYPASS BH10	17.0	N	<a href="#">118520 ↗</a>

ID	Location	Grid reference	Name	Length	Confidential	Web link
A	48m S	450300 431920	SHERBURN/S.MILFORD BYPASS BH8	30.2	N	<a href="#">118518</a> ↗
A	48m S	450300 431920	SHERBURN/S.MILFORD BYP BH8A	5.7	N	<a href="#">118542</a> ↗
B	91m SW	450280 431880	SHERBURN/S.MILFORD BYPASS BH7	31.3	N	<a href="#">118517</a> ↗
B	91m SW	450280 431880	SHERBURN/S.MILFORD BYP BH7A	5.7	N	<a href="#">118541</a> ↗
B	101m S	450280 431870	SHERBURN/S.MILFORD BYPASS BH6	10.0	N	<a href="#">118516</a> ↗
4	110m SW	450214 431912	PECKFIELD COLLIERY NO.3 U.G.BH	24.84	N	<a href="#">118310</a> ↗
5	152m S	450270 431820	SHERBURN-IN-ELMET DRAIN 22	3.35	N	<a href="#">118496</a> ↗
6	167m SW	450230 431820	SHERBURN/S.MILFORD BYPASS BH5	10.0	N	<a href="#">118515</a> ↗
7	179m SW	450165 431861	PECKFIELD COLLIERY NO.1 U.G.B.H.	23.16	N	<a href="#">118293</a> ↗
C	195m N	450320 432660	SHERBURN/S.MILFORD BYP BH34	25.0	N	<a href="#">118539</a> ↗
C	195m N	450320 432660	SHERBURN/S.MILFORD BYP BH34A	5.0	N	<a href="#">118540</a> ↗
C	197m N	450310 432660	SHERBURN/S.MILFORD BYPASS BH33	26.0	N	<a href="#">118537</a> ↗
C	197m N	450310 432660	SHERBURN/S.MILFORD BYP BH33A	6.0	N	<a href="#">118538</a> ↗
D	231m SE	450673 431833	Garforth to Hull Contract 1 L2H-P1-GH01-007	9.99	N	<a href="#">21195346</a> ↗
D	231m SE	450673 431833	Garforth to Hull Contract 1 L2H-P1-GH01-007_IP	1.2	N	<a href="#">21195347</a> ↗

*This data is sourced from the British Geological Survey.*



## 17 Natural ground subsidence - Shrink swell clays



### 17.1 Shrink swell clays

Records within 50m

2



The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on [page 97 >](#)

Location	Hazard rating	Details
On site	Very low	Ground conditions predominantly low plasticity.
On site	Low	Ground conditions predominantly medium plasticity.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Running sands



### 17.2 Running sands

Records within 50m

2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on [page 98 >](#)



Location	Hazard rating	Details
On site	Negligible	Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.

Location	Hazard rating	Details
On site	Low	Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Compressible deposits



### 17.3 Compressible deposits

#### Records within 50m

1



The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on [page 100](#) >

Location	Hazard rating	Details
On site	Moderate	Compressibility and uneven settlement hazards are probably present. Land use should consider specifically the compressibility and variability of the site.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Collapsible deposits



### 17.4 Collapsible deposits

Records within 50m

2


The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on [page 101 >](#)

Location	Hazard rating	Details
On site	Negligible	Deposits with potential to collapse when loaded and saturated are believed not to be present.
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Landslides



— Site Outline  
Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

### 17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.



Features are displayed on the Natural ground subsidence - Landslides map on [page 102 >](#)

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Ground dissolution of soluble rocks



### 17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.


Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on [page 103 >](#)

Location	Hazard rating	Details
On site	Low	Soluble rocks are present within the ground. Some dissolution features may be present. Potential for difficult ground conditions are at a level where they may be considered, localised subsidence need not be considered except in exceptional circumstances.

*This data is sourced from the British Geological Survey.*



## 18 Mining and ground workings



### 18.1 BritPits

Records within 500m

0

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

*This data is sourced from the British Geological Survey.*

## 18.2 Surface ground workings

Records within 250m

3

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on [page 105 >](#)

ID	Location	Land Use	Year of mapping	Mapping scale
A	34m SW	Ponds	1986	1:10000
A	61m SW	Ponds	1994	1:10000
1	222m SW	Pond	1908	1:10560

*This is data is sourced from Ordnance Survey/Groundsure.*

## 18.3 Underground workings

Records within 1000m

0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

*This is data is sourced from Ordnance Survey/Groundsure.*

## 18.4 Underground mining extents

Records within 500m

0

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

*This data is sourced from Groundsure.*

## 18.5 Historical Mineral Planning Areas

Records within 500m

0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

*This data is sourced from the British Geological Survey.*



## 18.6 Non-coal mining

Records within 1000m

0

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

*This data is sourced from the British Geological Survey.*

## 18.7 JPB mining areas

Records on site

0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

*This data is sourced from Johnson Poole and Bloomer.*

## 18.8 The Coal Authority non-coal mining

Records within 500m

0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

*This data is sourced from The Coal Authority.*

## 18.9 Researched mining

Records within 500m

0

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

*This data is sourced from Groundsure.*



## 18.10 Mining record office plans

Records within 500m

0

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

*This data is sourced from Groundsure.*

## 18.11 BGS mine plans

Records within 500m

0

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

*This data is sourced from Groundsure.*

## 18.12 Coal mining

Records on site

1

Areas which could be affected by past, current or future coal mining.

Location	Details
On site	<b>The site is located within a coal mining area as defined by the Coal Authority. A Consultants Coal Mining Report is recommended to further assess coal mining issues at the site. This can be ordered directly through Groundsure or your preferred search provider.</b>

*This data is sourced from the Coal Authority.*

## 18.13 Brine areas

Records on site

0

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

*This data is sourced from the Cheshire Brine Subsidence Compensation Board.*

### 18.14 Gypsum areas

Records on site	0
-----------------	---

Generalised areas that may be affected by gypsum extraction.

*This data is sourced from British Gypsum.*

### 18.15 Tin mining

Records on site	0
-----------------	---

Generalised areas that may be affected by historical tin mining.

*This data is sourced from Groundsure.*

### 18.16 Clay mining

Records on site	0
-----------------	---

Generalised areas that may be affected by kaolin and ball clay extraction.

*This data is sourced from the Kaolin and Ball Clay Association (UK).*

## 19 Ground cavities and sinkholes

### 19.1 Natural cavities

Records within 500m

0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

*This data is sourced from Stantec UK Ltd.*

### 19.2 Mining cavities

Records within 1000m

0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

*This data is sourced from Stantec UK Ltd.*

### 19.3 Reported recent incidents

Records within 500m

0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

*This data is sourced from Groundsure.*

### 19.4 Historical incidents

Records within 500m

0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.



Not all 'holes' noted on Ordnance Survey mapping will necessarily be present within this dataset.



*This data is sourced from Groundsure.*



## 20 Radon



### 20.1 Radon

#### Records on site

1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on [page 112 >](#)

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None

*This data is sourced from the British Geological Survey and UK Health Security Agency.*



## 21 Soil chemistry

### 21.1 BGS Estimated Background Soil Chemistry

Records within 50m

14

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km<sup>2</sup>. In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km<sup>2</sup>; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
3m E	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
7m SW	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
7m SW	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
9m NE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
19m NE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
20m NE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
24m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
24m SE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
28m N	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

*This data is sourced from the British Geological Survey.*



## 21.2 BGS Estimated Urban Soil Chemistry

Records within 50m

0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km<sup>2</sup>).

*This data is sourced from the British Geological Survey.*

## 21.3 BGS Measured Urban Soil Chemistry

Records within 50m



0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km<sup>2</sup>.

*This data is sourced from the British Geological Survey.*



## 22 Railway infrastructure and projects



### 22.1 Underground railways (London)

Records within 250m

0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

*This data is sourced from publicly available information by Groundsure.*

### 22.2 Underground railways (Non-London)

Records within 250m

0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

*This data is sourced from publicly available information by Groundsure.*

## 22.3 Railway tunnels

Records within 250m

0

Railway tunnels taken from contemporary Ordnance Survey mapping.

*This data is sourced from the Ordnance Survey.*

## 22.4 Historical railway and tunnel features

Records within 250m

1

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on [page 116 >](#)

Location	Land Use	Year of mapping	Mapping scale
233m NE	Railway Sidings	1950	10560

*This data is sourced from Ordnance Survey/Groundsure.*

## 22.5 Royal Mail tunnels

Records within 250m

0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

*This data is sourced from Groundsure/the Postal Museum.*

## 22.6 Historical railways

Records within 250m

0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

*This data is sourced from OpenStreetMap.*



## 22.7 Railways

**Records within 250m**
**31**

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways. Features are displayed on the Railway infrastructure and projects map on [page 116 >](#)

Location	Name	Type
66m E	Normanton and Colton Junction Line	rail
67m E	Not given	Multi Track
69m E	Not given	Multi Track
70m E	Normanton and Colton Junction Line	rail
70m S	Hull Line	rail
70m S	Hull Line	rail
70m S	Hull Line	rail
72m S	Not given	Multi Track
74m S	Hull Line	rail
74m S	Hull Line	rail
74m S	Hull Line	rail
75m SW	Hull Line	rail
79m SW	Hull Line	rail
82m SE	Normanton and Colton Junction Line	rail
85m SE	Normanton and Colton Junction Line	rail
88m SW	Hull Line	rail
91m SW	Hull Line	rail
100m S	Hull Line	rail
103m S	Hull Line	rail
108m S	Not given	Multi Track
114m S	Not given	Multi Track
114m S	Not given	Multi Track
117m S	Hull Line	rail
120m S	Hull Line	rail



Location	Name	Type
244m NE	Sherburn Curve	rail
245m NE	Not given	Multi Track
246m NE	Not given	Multi Track
246m NE	Not given	Multi Track
246m NE	Not given	Multi Track
247m NE	Not given	Multi Track
248m NE	Sherburn Curve	rail

*This data is sourced from Ordnance Survey and OpenStreetMap.*

## 22.8 Crossrail 2

**Records within 500m**

**0**

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

*This data is sourced from publicly available information by Groundsure.*

## 22.9 HS2

**Records within 500m**

**0**

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

*This data is sourced from HS2 Ltd.*



---

## Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <https://www.groundsure.com/sources-reference> ↗.

---

## Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: [www.groundsure.com/terms-and-conditions-april-2023/](http://www.groundsure.com/terms-and-conditions-april-2023/) ↗.

