

From: [REDACTED]
To: [REDACTED]
Cc: [REDACTED]
Subject: Re: EPR/AP3526LV/A002 We Need More Information About Your Application
Date: 21 November 2025 10:11:59
Attachments: [image001.png](#)
[image002.jpg](#)
[Outlook-4p004djb.png](#)
[SOL_24_P076_PCM_Not Duly Made Response I1.pdf](#)

Hi [REDACTED]

As discussed on the phone, the answers to all queries are all provided within the response document, re attached for reference.

Kind regards,

[REDACTED] | Sol Environment Ltd
t: [REDACTED]
e: [REDACTED] w: [REDACTED]
....Consulting Sustainability

Registered Office: 10 The Lees, Malvern, Worcestershire, WR14 3HT. Company Registered In England no. 7068933

The contents of this email are confidential and must not be read, copied or disclosed or used by any person other than the above-named addressee without permission. If you have received this message in error, please contact us immediately and delete the e-mail from your system.

* Before printing this email, think about the environment. You'll only throw it away in the end anyway!



Sol Environment Ltd is ISO 9001:2015 certified by British Assessment Bureau Limited, a UKAS Accredited Certification Body number 8289, for the scope of Environmental Consultancy providing a range of services to companies in the UK and Europe. Certificate number: 259774. You can verify the validity of our ISO certificate and find out more about the standard by entering the certificate number 259774 via this link: www.britishassessment.co.uk/verify-certification/

From: [REDACTED]
Sent: Friday, November 21, 2025 9:58 AM
To: [REDACTED]
Cc: [REDACTED]
Subject: RE: EPR/AP3526LV/A002 We Need More Information About Your Application

H [REDACTED]

I can see [REDACTED] is out of office until Tuesday. Please can this either be picked up by you or

someone else and the missing information in the email below be sent over **by COP today** (21/11/2025).

Thanks,

[REDACTED]
Installations Officer

Direct: [REDACTED]

From: [REDACTED]

Sent: 21 November 2025 09:54

To: [REDACTED]

Cc: [REDACTED]

Subject: RE: EPR/AP3526LV/A002 We Need More Information About Your Application

Importance: High

Hi [REDACTED]

Thank you for sending this over. We still require the following information from the original request:

2. More detail is required on the infrastructure considered (secondary containment, tank specification, surfacing etc.)
3. Please provide the maximum amount of raw material at any one time on site.
4. Please provide the raw materials usage efficiency techniques that will be implemented
6. Environmental Risk Assessment
 - a. Please confirm the following missing information:
 - i. The source and what is expected to be within the effluent and any other discharge which is discharged via the sewer (S1)?
8. The BAT assessment provided is missing the following information:
 - a. Details of the flue gas cooling method to be used and justification for this choice

Please send this over **by COP today** (21/11/2025).

Thanks,

[REDACTED]

Installations Officer

Direct: [REDACTED]

From: [REDACTED]

Sent: 20 November 2025 17:04

To: [REDACTED]

Cc: [REDACTED]

Subject: Re: EPR/AP3526LV/A002 We Need More Information About Your Application

Hi [REDACTED]

Hope you are well.

Please find a link below containing our response to your request for more information.

[REDACTED]
[REDACTED]

If you have any questions, please let me know.

Many thanks,

[REDACTED]

[REDACTED] | Sol Environment Ltd

t: [REDACTED]

m: [REDACTED]

e: [REDACTED] - w: [REDACTED]

....Consulting Sustainability

Registered Office: 10 The Lees, Malvern, Worcestershire, WR14 3HT. Company Registered In England no. 7068933

The contents of this email are confidential and must not be read, copied or disclosed or used by any person other than the above-named addressee without permission. If you have received this message in error, please contact us immediately and delete the email from your system.

* Before printing this email, think about the environment. You'll only throw it away in the end anyway!



Sol Environment Ltd is ISO 9001:2015 certified by British Assessment Bureau Limited, a UKAS Accredited Certification Body number 8289, for the scope of Environmental Consultancy providing a range of services to companies in the UK and Europe. Certificate number: 259774. You can verify the validity of our ISO certificate and find out more about the standard by entering the certificate number 259774 via this link:

www.britishassessment.co.uk/verify-certification/

From: [REDACTED]

Sent: 07 November 2025 15:40

To: [REDACTED]

Subject: RE: EPR/AP3526LV/A002 We Need More Information About Your Application

Dear [REDACTED]

Thank you for your application received on 09/09/2025.

I need to ask you for some missing information before we can do any more work on your application. Please complete and/or provide us with more information to the following questions:

1. The site plan provided is insufficient. The following features should be provided/identified:
 - a. The location of where it is and defining nearby features e.g. road names with a scale for context
 - b. All emission points – including to air (including odour), to water, and all inspection / monitoring locations
 - c. Raw material storage locations
 - d. Entrances / exits
 - e. A surface drainage plan (including foul) is also required
2. More detail is required on the infrastructure considered (secondary containment, tank specification, surfacing etc.)
3. Please provide the maximum amount of raw material at any one time on site.
4. Please provide the raw materials usage efficiency techniques that will be implemented.
5. Noise Management Plan
 - a. Despite the outcome of the Noise Impact Assessment being low risk, this is based on the implementation of mitigation which in this case is the design of the building. If a lower specification was used for the building walls/roof, then the impacts could be higher, so this information needs to be documented in an NMP. Additionally, there are assumptions made regarding sound source levels for the plant, which need to be documented in an NMP. Please provide a NMP which includes the following as a minimum:
 - i. Sound insulation performance specifications in octave frequency bands (Rw dB) for the roof, walls and doors associated with the

EfW building.

- ii. Sound power levels for the proposed plant in octave frequency bands (Rw dB).

I've included a NMP template which you can also refer to.

6. Environmental Risk Assessment

- a. Please confirm the following missing information:
 - i. The source and what is expected to be within the effluent and any other discharge which is discharged via the sewer (S1)?
- b. Please provide the modelling files used for the Human Health Risk Assessment.

7. Air emissions risk assessment

- a. Several model files with different titles were sent over in the application.
Please confirm which model file was used for the dispersion modelling report.
- b. Provide the emission rates (in g/s) for the proposed facility at:
 - i. The emission limit values (ELVs) listed in Table B1 of Annex B of the AQA report; and
 - ii. The half-hourly ELVs listed in section 5.3 of the AQA report.

8. The BAT assessment provided is missing the following information:

- a. Calculations behind how the boiler efficiency figure was calculated
- b. Details of the flue gas cooling method to be used and justification for this choice

9. A payment for the FPP has been provided but this is included in the base application fee, there will be a refund for this.

10. The site has the potential to be of HPI which is in discussion internally. This will be clarified ASAP but it won't hold up the Duly Making process. Either way, the site will need to be published in the newspaper to inform the local public. An additional fee of £538 is required for the Advertising of this site in line with page 17 of our charging scheme. This will be worked out in combination with the refund for the overpayment of the FPP and we will be in touch about this further down the line.

Please reply directly to this email with your information.

You must send us the information within 10 working days of this letter (**21/11/2025**). If we do not receive the information within 10 working days, we will return your application.

If we do receive the requested information and payment within 10 working days, we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and

decide if we can allow what you've asked for.

We'll let you know by letter whether your application can be duly made. If it can't be duly made, we'll return your application to you.

If we do have to return your application, we'll send you a partial refund of your application payment. We'll retain 20% of the application charge to cover our costs in reviewing your application and requesting information. The maximum amount we'll retain is capped at £1,500. Further information on charging can be found at: <https://www.gov.uk/government/publications/environmental-permits-and-abstraction-licences-tables-of-charges>

If you have any questions, please email [REDACTED]
[REDACTED]

Thanks,

[REDACTED]
Installations Officer

Direct: [REDACTED]

From: [REDACTED]
Sent: 28 October 2025 17:18
To: [REDACTED]
Subject: Re: EPR/AP3526LV/A002 Receipt of Environmental Permitting Application
CRM:0452067

Hi [REDACTED]


Just to let you know your application has been assigned to me for duly making. If I need anything more, I will be in touch. If you have any questions in the meantime, you can contact me on [REDACTED]

Thanks,

[REDACTED]
Installations Officer

Direct: [REDACTED]

From: SM-Defra-RESP-noreply (DEFRA) <RESP-noreply@defra.gov.uk>
Sent: Tuesday, September 16, 2025 15:45
To: Sophie Rainey [REDACTED]
Subject: EPR/AP3526LV/A002 Receipt of Environmental Permitting Application



Dear [REDACTED]

Environmental Permitting (England and Wales) Regulations 2016

Application reference: EPR/AP3526LV/A002

Operator: Energy Ventures No1 Ltd

Facility: Selby Energy Recovery Plant, Aviation Road, Leeds, LS25 6NF

Thank you for your application, received 09/09/2025.

We received your application charge on 09/09/2025.

Duly made checks

Once your application is allocated, the permitting officer will check your application. When we are satisfied we have the necessary information to begin our assessment and decision making, your application is considered 'duly made'. We will then begin our technical assessment of your application, we call this the determination stage.

If we need any more information from you at the duly making stage, we will contact you to tell you what additional information you need to submit. You have 5 working days to provide this information. The day after we request it is 'day 1'.

If we are still unable to progress your application any further, we will return it to you. Please note that we will retain part of the correct charge for your application where we have spent time reviewing your application and requesting information. Further details can be found in our [Charging Scheme](#).

When we decide that your application is duly made, we will confirm this by email or letter.

What happens next?

Your application will be allocated for checking and technical assessment as quickly as we can, and we will contact you if we need any further information. If you need to add something, please send it to us at PSC@environment-agency.gov.uk, quoting your application reference.

A permitting officer will check that all relevant information requested in the application forms and application guidance is provided, and will contact you if information is missing.

- Depending on how much information is missing, we may ask you to provide this within a maximum of ten working days. If you do not respond to the request, or what is provided still doesn't meet the requirements, we will return your application.
- If we think there is too much information missing to be provided within 10 working days, we will return your application with a list of what is missing to help you reapply.

If we return your application we will retain 20% of the correct charge for your application, capped at £1,613, to cover our costs in reviewing your application. Further details can be found in our [Charging Scheme](#).

If you have used our enhanced pre application advice service, you must ensure you have paid all associated fees before your application can progress.

For more information on the permitting process and the next steps see [Waste: environmental permits](#) or [A1 installations: environmental permits](#).

Exemptions

Waste exemptions allow low-risk waste management operations to be carried out without an environmental permit.

Future reforms to waste exemptions will mean exemptions cannot be registered at or adjacent to (where there is a direct link) permitted waste operations. Waste exemptions cannot currently be used on a permitted installation.

For further details please read [Waste Exemptions – Getting Ready for Change](#). As part of this work, we are also asking operators to deregister any exemptions no longer used or needed. We do not expect changes to the Environmental Permitting Regulations (EPR) before 2025. This may change as it depends on Parliament and its legislative programme.

Consultation

If your application needs consultation with the public and other organisations we use an online consultation tool where we will add all application documents. [Environmental permits: when and how we consult](#) explains which applications we are required to consult on and how long this will take.

We aim to respond to all customer enquiries however, this can have a significant impact on our ability and capacity to progress applications. Please rest assured that we will contact you as soon as there is any update on your application, so please avoid contacting us unnecessarily for updates. For urgent enquiries, you can contact our National Customer Contact Centre on 03708 506 506.

Yours sincerely,

[REDACTED]
Permitting Support Advisor - Permitting Service
Environment Agency | NPS Sheffield, [REDACTED]
ips_admin@environment-agency.gov.uk



Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this

message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.