

Appendix C

C.1 Noise Survey Data

Table C.1 ST1 Non-Operational

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 13:37	48	44	50	55
26/11/2024 13:38	47	43	50	56
26/11/2024 13:39	45	42	48	51
26/11/2024 13:40	44	41	47	50
26/11/2024 13:41	43	42	44	46
26/11/2024 13:42	43	41	43	46
26/11/2024 13:43	47	43	47	63
26/11/2024 13:44	49	43	53	65
26/11/2024 13:45	49	42	55	63
26/11/2024 13:46	49	42	52	62
26/11/2024 13:47	43	41	45	48
26/11/2024 13:48	44	41	46	52
26/11/2024 13:49	43	41	45	53
26/11/2024 13:50	42	41	44	46
26/11/2024 13:51	44	42	45	48
26/11/2024 13:52	47	44	50	56
26/11/2024 13:53	44	42	46	56
26/11/2024 13:54	49	42	53	58
26/11/2024 13:55	50	44	54	61
26/11/2024 13:56	44	42	45	51



Table C.2 ST1 Operational

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 11:52	47	45	45	49
26/11/2024 11:53	48	44	44	50
26/11/2024 11:54	47	45	45	47
26/11/2024 11:55	47	45	45	48
26/11/2024 11:56	49	46	46	50
26/11/2024 11:57	47	45	45	50
26/11/2024 11:58	46	44	44	49
26/11/2024 11:59	47	44	44	48
26/11/2024 12:00	46	45	45	48
26/11/2024 12:01	47	44	44	49
26/11/2024 12:02	50	47	47	50
26/11/2024 12:03	46	44	44	48
26/11/2024 12:04	48	44	44	48
26/11/2024 12:05	50	45	45	55
26/11/2024 12:06	47	44	44	48
26/11/2024 12:07	50	46	46	52
26/11/2024 12:08	50	45	45	53
26/11/2024 12:09	53	45	45	56
26/11/2024 12:10	48	46	46	49
26/11/2024 12:11	59	49	49	62
26/11/2024 12:12	52	46	46	55
26/11/2024 12:13	49	45	51	61
26/11/2024 12:14	47	44	49	53
26/11/2024 12:15	52	45	56	61
26/11/2024 12:16	47	44	48	54
26/11/2024 12:17	49	46	51	54
26/11/2024 12:18	47	44	49	56
26/11/2024 12:19	49	46	51	59
26/11/2024 12:20	48	46	51	55
26/11/2024 12:21	49	44	52	58
26/11/2024 12:22	50	47	51	53
26/11/2024 12:23	47	45	49	53
26/11/2024 12:24	47	45	48	52
26/11/2024 12:25	46	45	47	50
26/11/2024 12:26	45	43	46	49
26/11/2024 12:27	46	44	47	50
26/11/2024 12:28	47	45	48	52
26/11/2024 12:29	47	45	48	57
26/11/2024 12:30	48	46	50	58
26/11/2024 12:31	53	48	55	59
26/11/2024 12:32	48	45	51	64
26/11/2024 12:33	47	44	49	61
26/11/2024 12:34	44	43	46	49



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 12:35	46	44	48	58
26/11/2024 12:36	45	43	47	58
26/11/2024 12:37	48	45	50	57
26/11/2024 12:38	46	44	49	58
26/11/2024 12:39	47	44	51	56
26/11/2024 12:40	48	45	50	57
26/11/2024 12:41	50	46	53	64
26/11/2024 12:42	51	46	55	63
26/11/2024 12:43	50	46	52	62
26/11/2024 12:44	48	45	48	61
26/11/2024 12:45	48	46	50	56
26/11/2024 12:46	48	46	50	57
26/11/2024 12:47	50	47	51	58
26/11/2024 12:48	49	47	50	57
26/11/2024 12:49	48	45	51	59
26/11/2024 12:50	49	46	51	56
26/11/2024 12:51	50	48	52	60

Table C.3 ST2 Non-Operational

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 14:04	52	45	53	69
26/11/2024 14:05	49	46	51	58
26/11/2024 14:06	54	46	54	69
26/11/2024 14:07	50	47	51	61
26/11/2024 14:08	51	48	55	60
26/11/2024 14:09	70	49	74	81
26/11/2024 14:10	62	53	65	73
26/11/2024 14:11	54	47	53	72
26/11/2024 14:12	58	48	61	76
26/11/2024 14:13	70	49	74	84
26/11/2024 14:14	58	46	64	75
26/11/2024 14:15	55	47	56	73
26/11/2024 14:16	57	47	61	67
26/11/2024 14:17	58	50	63	74
26/11/2024 14:18	58	52	60	73
26/11/2024 14:19	59	49	62	78
26/11/2024 14:20	51	46	54	61
26/11/2024 14:21	53	49	57	62
26/11/2024 14:22	52	47	56	61
26/11/2024 14:23	54	48	58	64



Table C.4 ST2 Operational

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 10:41	57	53	60	65
26/11/2024 10:42	59	54	60	77
26/11/2024 10:43	60	58	62	72
26/11/2024 10:44	57	51	60	68
26/11/2024 10:45	55	49	60	65
26/11/2024 10:46	58	49	62	65
26/11/2024 10:47	54	47	58	68
26/11/2024 10:48	54	50	58	63
26/11/2024 10:49	63	50	67	78
26/11/2024 10:50	55	50	57	70
26/11/2024 10:51	54	48	57	66
26/11/2024 10:52	61	47	64	79
26/11/2024 10:53	53	49	57	64
26/11/2024 10:54	58	48	62	79
26/11/2024 10:55	61	49	67	77
26/11/2024 10:56	56	50	59	66
26/11/2024 10:57	58	51	62	72
26/11/2024 10:58	53	49	56	63
26/11/2024 10:59	59	50	62	68
26/11/2024 11:00	55	50	59	64
26/11/2024 11:01	56	47	60	70
26/11/2024 11:02	68	51	72	81
26/11/2024 11:03	56	47	61	65
26/11/2024 11:04	54	48	57	63
26/11/2024 11:05	57	49	62	68
26/11/2024 11:06	52	49	55	62
26/11/2024 11:07	55	47	58	68
26/11/2024 11:08	55	47	59	64
26/11/2024 11:09	57	48	61	73
26/11/2024 11:10	58	53	60	74
26/11/2024 11:11	63	48	64	81
26/11/2024 11:12	69	48	74	84
26/11/2024 11:13	59	48	61	80
26/11/2024 11:14	54	47	58	64
26/11/2024 11:15	62	48	66	79
26/11/2024 11:16	53	48	58	62
26/11/2024 11:17	57	48	63	69
26/11/2024 11:18	53	48	56	62
26/11/2024 11:19	51	45	55	65
26/11/2024 11:20	58	51	61	71
26/11/2024 11:21	55	45	59	67
26/11/2024 11:22	55	45	60	67
26/11/2024 11:23	58	47	62	68



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 11:24	57	47	61	65
26/11/2024 11:25	48	46	49	64
26/11/2024 11:26	63	50	68	77
26/11/2024 11:27	65	46	70	79
26/11/2024 11:28	66	49	72	81
26/11/2024 11:29	59	46	63	75
26/11/2024 11:30	53	47	55	73
26/11/2024 11:31	55	46	61	64
26/11/2024 11:32	57	50	61	66
26/11/2024 11:33	51	47	53	60
26/11/2024 11:34	54	49	58	64
26/11/2024 11:35	58	48	63	73
26/11/2024 11:36	57	51	60	68
26/11/2024 11:37	53	50	55	65
26/11/2024 11:38	52	48	58	66
26/11/2024 11:39	51	48	54	58
26/11/2024 11:40	47	44	49	57

Table C.5 ST3

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 10:01	55	46	56	73
26/11/2024 10:02	47	45	49	53
26/11/2024 10:03	51	46	56	62
26/11/2024 10:04	54	46	56	71
26/11/2024 10:05	57	48	61	69
26/11/2024 10:06	49	44	52	60
26/11/2024 10:07	49	45	52	64
26/11/2024 10:08	54	45	57	66
26/11/2024 10:09	53	43	56	70
26/11/2024 10:10	50	45	53	57
26/11/2024 10:11	49	45	51	63
26/11/2024 10:12	48	46	49	54
26/11/2024 10:13	46	44	47	55
26/11/2024 10:14	52	49	54	63
26/11/2024 10:15	56	51	53	77
26/11/2024 10:16	55	53	57	62
26/11/2024 10:17	66	54	72	82
26/11/2024 10:18	62	54	67	81
26/11/2024 10:19	63	54	68	77
26/11/2024 10:20	59	56	60	77
26/11/2024 10:21	62	59	66	70
26/11/2024 10:22	65	61	67	74
26/11/2024 10:23	68	63	68	84



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 10:24	72	68	74	78
26/11/2024 10:25	72	69	74	77
26/11/2024 10:26	77	68	78	95
26/11/2024 10:27	68	66	71	82
26/11/2024 10:28	67	65	67	77
26/11/2024 10:29	71	66	73	78
26/11/2024 10:30	74	69	78	82
26/11/2024 10:31	70	66	74	79
26/11/2024 10:32	70	66	71	85
26/11/2024 10:33	73	66	78	88
26/11/2024 10:34	74	68	78	88
26/11/2024 10:35	70	66	72	84
26/11/2024 10:36	69	66	70	86
26/11/2024 10:37	72	67	76	85
26/11/2024 10:38	76	69	78	91
26/11/2024 10:39	70	66	70	72
26/11/2024 10:40	69	66	70	84
26/11/2024 10:41	72	67	73	78
26/11/2024 10:42	72	68	74	88
26/11/2024 10:43	70	66	71	86
26/11/2024 10:44	71	66	74	86
26/11/2024 10:45	70	56	74	83
26/11/2024 10:46	59	53	63	73
26/11/2024 10:47	57	54	60	66
26/11/2024 10:48	64	55	67	74
26/11/2024 10:49	65	53	70	80
26/11/2024 10:50	65	52	70	78
26/11/2024 10:51	74	58	78	93
26/11/2024 10:52	61	52	66	72
26/11/2024 10:53	61	51	61	72
26/11/2024 10:54	70	64	73	85
26/11/2024 10:55	70	67	73	78
26/11/2024 10:56	69	67	71	77
26/11/2024 10:57	69	67	71	81
26/11/2024 10:58	70	67	73	76
26/11/2024 10:59	66	56	66	85
26/11/2024 11:00	61	56	64	72
26/11/2024 11:01	61	55	64	67
26/11/2024 11:02	59	55	62	74
26/11/2024 11:03	67	55	72	74
26/11/2024 11:04	72	64	74	77
26/11/2024 11:05	79	60	85	94
26/11/2024 11:06	61	52	64	78
26/11/2024 11:07	63	53	69	75



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 11:08	58	54	61	68
26/11/2024 11:09	61	54	65	78
26/11/2024 11:10	68	56	71	77
26/11/2024 11:11	72	56	69	85
26/11/2024 11:12	75	54	80	92
26/11/2024 11:13	58	52	59	65
26/11/2024 11:14	54	51	55	76
26/11/2024 11:15	55	52	58	64
26/11/2024 11:16	69	61	72	79
26/11/2024 11:17	56	52	58	74
26/11/2024 11:18	55	53	57	61
26/11/2024 11:19	54	51	57	64
26/11/2024 11:20	54	50	56	60
26/11/2024 11:21	54	52	56	62
26/11/2024 11:22	56	54	58	70
26/11/2024 11:23	55	53	57	59
26/11/2024 11:24	55	54	56	59
26/11/2024 11:25	58	55	59	77
26/11/2024 11:26	58	55	60	63
26/11/2024 11:27	72	56	74	89
26/11/2024 11:28	58	56	59	68
26/11/2024 11:29	59	55	60	77
26/11/2024 11:30	59	55	60	77
26/11/2024 11:31	61	56	61	81
26/11/2024 11:32	61	56	63	75
26/11/2024 11:33	59	56	62	68
26/11/2024 11:34	64	56	66	77
26/11/2024 11:35	73	56	78	88
26/11/2024 11:36	69	56	69	88
26/11/2024 11:37	75	56	80	89
26/11/2024 11:38	69	66	72	79
26/11/2024 11:39	69	65	71	82
26/11/2024 11:40	68	63	69	83
26/11/2024 11:41	69	63	73	79
26/11/2024 11:42	64	62	66	76
26/11/2024 11:43	65	62	67	77
26/11/2024 11:44	67	61	72	82
26/11/2024 11:45	72	68	74	84
26/11/2024 11:46	72	65	71	92
26/11/2024 11:47	71	64	71	90
26/11/2024 11:48	73	68	77	82
26/11/2024 11:49	72	60	76	87
26/11/2024 11:50	61	57	63	74
26/11/2024 11:51	62	57	61	82



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 11:52	61	57	63	69
26/11/2024 11:53	65	62	68	76
26/11/2024 11:54	67	64	68	86
26/11/2024 11:55	66	65	66	77
26/11/2024 11:56	67	63	69	84
26/11/2024 11:57	64	61	66	71
26/11/2024 11:58	66	61	70	80
26/11/2024 11:59	68	62	70	86
26/11/2024 12:00	69	62	70	84
26/11/2024 12:01	70	63	74	84
26/11/2024 12:02	66	63	68	84
26/11/2024 12:03	67	64	69	81
26/11/2024 12:04	75	63	71	93
26/11/2024 12:05	65	57	69	89
26/11/2024 12:06	69	59	72	85
26/11/2024 12:07	73	60	74	83
26/11/2024 12:08	71	61	75	92
26/11/2024 12:09	77	62	81	92
26/11/2024 12:10	67	59	71	86
26/11/2024 12:11	78	65	81	84
26/11/2024 12:12	70	55	75	85
26/11/2024 12:13	70	56	73	83
26/11/2024 12:14	76	65	78	95
26/11/2024 12:15	78	65	78	98
26/11/2024 12:16	68	60	70	89
26/11/2024 12:17	67	62	71	80
26/11/2024 12:18	63	59	64	76
26/11/2024 12:19	71	62	76	82
26/11/2024 12:20	73	67	76	84
26/11/2024 12:21	64	56	69	84
26/11/2024 12:22	75	53	76	94
26/11/2024 12:23	57	50	61	64
26/11/2024 12:24	59	50	63	71
26/11/2024 12:25	56	49	58	74
26/11/2024 12:26	56	50	58	73
26/11/2024 12:27	56	52	57	69
26/11/2024 12:28	57	53	59	74
26/11/2024 12:29	59	55	62	76
26/11/2024 12:30	61	54	68	63
26/11/2024 12:31	66	60	70	74
26/11/2024 12:32	61	57	62	72
26/11/2024 12:33	70	62	73	76
26/11/2024 12:34	77	72	77	93
26/11/2024 12:35	67	60	69	82



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 12:36	63	58	63	77
26/11/2024 12:37	64	58	65	81
26/11/2024 12:38	61	58	64	72
26/11/2024 12:39	68	60	72	84
26/11/2024 12:40	64	59	64	82
26/11/2024 12:41	74	64	78	84
26/11/2024 12:42	82	64	86	102
26/11/2024 12:43	66	59	69	97
26/11/2024 12:44	61	59	62	77
26/11/2024 12:45	66	60	70	83
26/11/2024 12:46	63	59	66	75
26/11/2024 12:47	76	61	81	91
26/11/2024 12:48	68	61	72	85
26/11/2024 12:49	69	65	71	77
26/11/2024 12:50	72	64	75	90
26/11/2024 12:51	64	61	68	82
26/11/2024 12:52	65	61	69	76
26/11/2024 12:53	62	61	64	79
26/11/2024 12:54	65	57	66	80
26/11/2024 12:55	65	61	69	75
26/11/2024 12:56	72	56	75	91
26/11/2024 12:57	72	52	63	93
26/11/2024 12:58	59	55	61	68
26/11/2024 12:59	62	55	65	69
26/11/2024 13:00	59	55	61	68
26/11/2024 13:01	53	49	55	61
26/11/2024 13:02	54	50	56	64
26/11/2024 13:03	54	51	57	62
26/11/2024 13:04	57	52	60	65
26/11/2024 13:05	53	51	56	65
26/11/2024 13:06	62	50	64	75
26/11/2024 13:07	70	62	73	78
26/11/2024 13:08	69	61	72	77
26/11/2024 13:09	69	52	72	77
26/11/2024 13:10	65	52	69	74
26/11/2024 13:11	73	63	76	92
26/11/2024 13:12	72	64	76	84
26/11/2024 13:13	69	61	73	79
26/11/2024 13:14	70	54	74	80
26/11/2024 13:15	52	50	53	59
26/11/2024 13:16	52	51	53	56
26/11/2024 13:17	66	61	71	72
26/11/2024 13:18	70	62	73	80
26/11/2024 13:19	69	62	73	78



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 13:20	69	62	73	80
26/11/2024 13:21	71	67	74	79
26/11/2024 13:22	67	63	68	82
26/11/2024 13:23	67	60	70	79
26/11/2024 13:24	71	60	75	87
26/11/2024 13:25	56	53	59	63
26/11/2024 13:26	52	49	54	65
26/11/2024 13:27	53	49	55	63
26/11/2024 13:28	54	48	57	70
26/11/2024 13:29	53	47	59	66
26/11/2024 13:30	48	45	49	54
26/11/2024 13:31	46	44	47	51
26/11/2024 13:32	50	45	54	60
26/11/2024 13:33	48	45	49	59
26/11/2024 13:34	52	46	56	65
26/11/2024 13:35	48	45	49	62
26/11/2024 13:36	49	45	51	65
26/11/2024 13:37	53	48	54	65
26/11/2024 13:38	57	48	60	69
26/11/2024 13:39	53	45	57	70
26/11/2024 13:40	49	45	50	59
26/11/2024 13:41	45	44	46	50
26/11/2024 13:42	47	44	47	51
26/11/2024 13:43	52	45	57	64
26/11/2024 13:44	47	45	48	61
26/11/2024 13:45	53	45	55	66
26/11/2024 13:46	50	45	52	64
26/11/2024 13:47	49	45	53	62
26/11/2024 13:48	52	43	56	66
26/11/2024 13:49	50	44	48	69
26/11/2024 13:50	54	44	56	69
26/11/2024 13:51	52	47	54	67
26/11/2024 13:52	61	47	62	79
26/11/2024 13:53	56	47	59	73
26/11/2024 13:54	55	47	58	70
26/11/2024 13:55	61	47	63	81
26/11/2024 13:56	50	45	52	70
26/11/2024 13:57	53	45	53	72
26/11/2024 13:58	46	44	48	57
26/11/2024 13:59	50	44	52	52
26/11/2024 14:00	47	43	50	65
26/11/2024 14:01	54	44	52	72
26/11/2024 14:02	49	44	51	59
26/11/2024 14:03	48	45	51	58



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 14:04	53	44	52	74
26/11/2024 14:05	50	45	52	67
26/11/2024 14:06	48	45	50	63
26/11/2024 14:07	47	45	49	59
26/11/2024 14:08	59	46	63	75
26/11/2024 14:09	63	48	66	78
26/11/2024 14:10	61	50	65	79
26/11/2024 14:11	60	46	65	72
26/11/2024 14:12	55	45	60	71
26/11/2024 14:13	49	47	50	55
26/11/2024 14:14	47	44	49	54
26/11/2024 14:15	47	45	49	53
26/11/2024 14:16	50	46	54	61
26/11/2024 14:17	50	46	51	57
26/11/2024 14:18	51	49	53	57
26/11/2024 14:19	57	50	61	74
26/11/2024 14:20	53	48	52	73
26/11/2024 14:21	51	47	54	63
26/11/2024 14:22	49	45	51	64
26/11/2024 14:23	51	46	50	52
26/11/2024 14:24	59	47	56	79

Table C.6 ST4

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 10:11	57	52	60	73
26/11/2024 10:12	57	51	58	71
26/11/2024 10:13	53	51	54	69
26/11/2024 10:14	51	50	51	56
26/11/2024 10:15	53	50	56	61
26/11/2024 10:16	61	51	61	81
26/11/2024 10:17	66	52	63	87
26/11/2024 10:18	52	50	54	59
26/11/2024 10:19	51	50	52	56
26/11/2024 10:20	50	50	51	51
26/11/2024 10:21	63	50	64	79
26/11/2024 10:22	51	50	52	62
26/11/2024 10:23	51	50	53	58
26/11/2024 10:24	51	50	51	53
26/11/2024 10:25	51	50	51	61
26/11/2024 10:26	51	50	53	55
26/11/2024 10:27	53	50	57	65
26/11/2024 10:28	52	50	54	60
26/11/2024 10:29	52	49	54	65



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 10:30	56	50	60	63
26/11/2024 10:31	55	54	56	70
26/11/2024 10:32	65	58	68	77
26/11/2024 10:33	67	61	71	78
26/11/2024 10:34	70	61	74	82
26/11/2024 10:35	67	59	72	81
26/11/2024 10:36	69	62	73	78
26/11/2024 10:37	60	58	60	71
26/11/2024 10:38	63	58	64	75
26/11/2024 10:39	61	57	65	72
26/11/2024 10:40	65	58	67	75
26/11/2024 10:41	67	57	72	77
26/11/2024 10:42	59	53	61	75
26/11/2024 10:43	62	55	65	72
26/11/2024 10:44	61	55	61	77
26/11/2024 10:45	63	58	66	77
26/11/2024 10:46	62	57	64	76
26/11/2024 10:47	63	55	67	76
26/11/2024 10:48	64	54	69	80
26/11/2024 10:49	73	57	73	90
26/11/2024 10:50	73	56	76	89
26/11/2024 10:51	65	54	65	86
26/11/2024 10:52	62	56	66	76
26/11/2024 10:53	70	56	71	86
26/11/2024 10:54	76	60	80	84
26/11/2024 10:55	68	54	73	80
26/11/2024 10:56	73	53	75	90
26/11/2024 10:57	68	57	72	87
26/11/2024 10:58	63	56	67	80
26/11/2024 10:59	63	56	67	77
26/11/2024 11:00	65	58	68	75
26/11/2024 11:01	74	65	78	88
26/11/2024 11:02	72	58	75	78
26/11/2024 11:03	67	60	73	77
26/11/2024 11:04	68	63	72	75
26/11/2024 11:05	71	63	74	86
26/11/2024 11:06	67	56	67	81
26/11/2024 11:07	64	57	67	79
26/11/2024 11:08	69	59	75	77
26/11/2024 11:09	71	60	74	80
26/11/2024 11:10	75	59	74	92
26/11/2024 11:11	69	53	69	89
26/11/2024 11:12	63	53	68	76
26/11/2024 11:13	62	57	65	74



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 11:14	62	58	64	72
26/11/2024 11:15	73	68	75	77
26/11/2024 11:16	70	61	75	77
26/11/2024 11:17	68	62	71	76
26/11/2024 11:18	64	62	66	71
26/11/2024 11:19	64	60	67	74
26/11/2024 11:20	67	61	70	72
26/11/2024 11:21	70	69	71	76
26/11/2024 11:22	75	69	80	88
26/11/2024 11:23	74	68	77	85
26/11/2024 11:24	72	60	78	83
26/11/2024 11:25	68	61	70	88
26/11/2024 11:26	69	62	71	84
26/11/2024 11:27	64	56	65	83
26/11/2024 11:28	77	59	68	97
26/11/2024 11:29	70	65	72	77
26/11/2024 11:30	70	61	73	80
26/11/2024 11:31	63	61	66	73
26/11/2024 11:32	64	61	66	71
26/11/2024 11:33	62	58	64	75
26/11/2024 11:34	62	60	64	71
26/11/2024 11:35	65	55	69	83
26/11/2024 11:36	56	54	57	68
26/11/2024 11:37	60	54	64	71
26/11/2024 11:38	76	69	81	89
26/11/2024 11:39	62	53	62	79
26/11/2024 11:40	60	53	63	65
26/11/2024 11:41	69	63	72	89
26/11/2024 11:42	70	64	71	91
26/11/2024 11:43	71	63	72	91
26/11/2024 11:44	65	63	66	78
26/11/2024 11:45	66	58	69	84
26/11/2024 11:46	66	62	68	85
26/11/2024 11:47	65	62	67	78
26/11/2024 11:48	71	64	76	89
26/11/2024 11:49	66	64	68	76
26/11/2024 11:50	69	63	70	89
26/11/2024 11:51	76	65	77	97
26/11/2024 11:52	67	64	71	79
26/11/2024 11:53	66	62	69	75
26/11/2024 11:54	70	60	69	91
26/11/2024 11:55	65	61	66	78
26/11/2024 11:56	65	60	66	80
26/11/2024 11:57	64	63	65	71



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 11:58	68	62	66	88
26/11/2024 11:59	68	63	66	89
26/11/2024 12:00	66	61	69	81
26/11/2024 12:01	69	64	71	80
26/11/2024 12:02	65	62	66	79
26/11/2024 12:03	71	63	77	88
26/11/2024 12:04	63	61	64	70
26/11/2024 12:05	76	63	69	100
26/11/2024 12:06	71	62	69	91
26/11/2024 12:07	69	63	69	88
26/11/2024 12:08	65	64	65	75
26/11/2024 12:09	67	64	68	79
26/11/2024 12:10	68	64	68	89
26/11/2024 12:11	68	64	67	86
26/11/2024 12:12	67	65	69	80
26/11/2024 12:13	72	65	70	95
26/11/2024 12:14	68	65	72	79
26/11/2024 12:15	68	66	71	80
26/11/2024 12:16	71	66	74	90
26/11/2024 12:17	71	66	71	92
26/11/2024 12:18	69	66	69	89
26/11/2024 12:19	79	66	71	104
26/11/2024 12:20	68	65	69	80
26/11/2024 12:21	74	66	76	91
26/11/2024 12:22	65	63	66	76
26/11/2024 12:23	73	64	78	86
26/11/2024 12:24	80	71	84	87
26/11/2024 12:25	71	71	72	74
26/11/2024 12:26	71	71	72	75
26/11/2024 12:27	86	57	90	92
26/11/2024 12:28	82	57	89	95
26/11/2024 12:29	65	56	68	81
26/11/2024 12:30	60	53	64	74
26/11/2024 12:31	66	54	70	79
26/11/2024 12:32	62	54	65	77
26/11/2024 12:33	58	55	60	67
26/11/2024 12:34	58	56	59	68
26/11/2024 12:35	63	58	66	74
26/11/2024 12:36	65	59	67	77
26/11/2024 12:37	71	55	75	84
26/11/2024 12:38	71	70	72	75
26/11/2024 12:39	71	70	71	85
26/11/2024 12:40	68	56	72	85
26/11/2024 12:41	56	52	58	63



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 12:42	65	60	67	74
26/11/2024 12:43	60	58	62	65
26/11/2024 12:44	60	58	61	65
26/11/2024 12:45	62	58	64	73
26/11/2024 12:46	61	60	62	64
26/11/2024 12:47	73	61	75	90
26/11/2024 12:48	70	68	72	83
26/11/2024 12:49	64	58	67	70
26/11/2024 12:50	59	54	64	68
26/11/2024 12:51	60	58	63	68
26/11/2024 12:52	65	59	66	82
26/11/2024 12:53	61	59	63	73
26/11/2024 12:54	59	58	60	66
26/11/2024 12:55	71	59	74	90
26/11/2024 12:56	66	59	68	85
26/11/2024 12:57	64	60	68	79
26/11/2024 12:58	65	61	68	77
26/11/2024 12:59	64	60	67	80
26/11/2024 13:00	63	59	63	76
26/11/2024 13:01	71	60	74	89
26/11/2024 13:02	69	60	71	88
26/11/2024 13:03	74	63	80	87
26/11/2024 13:04	76	68	81	90
26/11/2024 13:05	78	72	83	91
26/11/2024 13:06	70	61	72	85
26/11/2024 13:07	71	62	73	88
26/11/2024 13:08	68	62	71	81
26/11/2024 13:09	67	61	71	76
26/11/2024 13:10	68	66	68	81
26/11/2024 13:11	68	64	71	77
26/11/2024 13:12	66	59	69	76
26/11/2024 13:13	60	57	62	73
26/11/2024 13:14	60	57	62	74
26/11/2024 13:15	63	59	65	75
26/11/2024 13:16	63	55	65	72
26/11/2024 13:17	55	53	56	71
26/11/2024 13:18	60	53	63	67
26/11/2024 13:19	61	58	62	68
26/11/2024 13:20	62	56	65	70
26/11/2024 13:21	57	54	60	65
26/11/2024 13:22	61	51	64	76
26/11/2024 13:23	63	60	66	70
26/11/2024 13:24	69	64	72	83
26/11/2024 13:25	68	61	71	81



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 13:26	65	58	68	74
26/11/2024 13:27	72	59	78	89
26/11/2024 13:28	70	62	72	90
26/11/2024 13:29	69	60	73	81
26/11/2024 13:30	67	62	70	81
26/11/2024 13:31	55	52	58	65
26/11/2024 13:32	57	51	59	65
26/11/2024 13:33	62	55	65	70
26/11/2024 13:34	68	63	71	82
26/11/2024 13:35	66	61	68	76
26/11/2024 13:36	67	61	70	77
26/11/2024 13:37	68	59	70	80
26/11/2024 13:38	68	59	73	80
26/11/2024 13:39	77	60	82	95
26/11/2024 13:40	82	57	85	94
26/11/2024 13:41	69	61	72	78
26/11/2024 13:42	66	57	71	77
26/11/2024 13:43	66	60	70	76
26/11/2024 13:44	67	58	71	80
26/11/2024 13:45	63	49	64	80
26/11/2024 13:46	53	49	56	68
26/11/2024 13:47	50	48	52	57
26/11/2024 13:48	57	48	59	70
26/11/2024 13:49	52	49	55	63
26/11/2024 13:50	48	47	49	53
26/11/2024 13:51	49	48	51	61
26/11/2024 13:52	49	48	51	57
26/11/2024 13:53	62	51	62	81
26/11/2024 13:54	62	54	68	73
26/11/2024 13:55	65	51	71	78
26/11/2024 13:56	59	48	61	71
26/11/2024 13:57	50	46	53	62
26/11/2024 13:58	47	46	47	49
26/11/2024 13:59	59	48	61	75
26/11/2024 14:00	58	46	62	73
26/11/2024 14:01	48	46	50	59
26/11/2024 14:02	48	46	50	56
26/11/2024 14:03	49	46	51	56
26/11/2024 14:04	63	48	66	76
26/11/2024 14:05	52	48	55	64
26/11/2024 14:06	60	46	62	76
26/11/2024 14:07	49	47	51	59
26/11/2024 14:08	50	47	52	60
26/11/2024 14:09	49	46	52	62



Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 14:10	49	46	52	60
26/11/2024 14:11	53	48	57	65
26/11/2024 14:12	54	47	57	69
26/11/2024 14:13	54	49	57	62
26/11/2024 14:14	50	48	51	56
26/11/2024 14:15	51	48	53	59
26/11/2024 14:16	59	49	60	72
26/11/2024 14:17	56	47	62	70
26/11/2024 14:18	55	47	58	72
26/11/2024 14:19	51	49	52	59
26/11/2024 14:20	53	49	53	71
26/11/2024 14:21	51	49	53	63
26/11/2024 14:22	55	49	57	72
26/11/2024 14:23	52	49	55	60
26/11/2024 14:24	57	49	60	75
26/11/2024 14:25	59	49	63	75
26/11/2024 14:26	63	52	68	80
26/11/2024 14:27	51	49	52	59
26/11/2024 14:28	52	49	56	62
26/11/2024 14:29	51	49	53	56
26/11/2024 14:30	49	48	51	56
26/11/2024 14:31	50	47	52	64
26/11/2024 14:32	50	49	52	57
26/11/2024 14:33	60	49	66	74
26/11/2024 14:34	70	50	76	81

Table C.7 ST5

Period Start	L _{Aeq} dB	L _{A90} dB	L _{A10} dB	L _{Amax} dB
26/11/2024 13:37	48	44	50	55

