



Site Condition Report

Allington HWRC

Report No. C57-2486-ENV-R-0004

March 2026

Revision 00

FCC Recycling (UK) Limited

Document Control

Project

Allington HWRC

Client

FCC Recycling (UK) Limited

Document

Site Condition Report

Report Number:

C57-2486-ENV-R-0004

Document Checking:

Date	Rev	Details of Issue	Prepared by	Checked by	Approved by
March 2026	00	Issued to Client	<i>Jennie Walker</i>	<i>John Baxter</i>	<i>John Baxter</i>

Disclaimer: Please note that this report is based on specific information, instructions, and information from our Client and should not be relied upon by third parties.



www.ayesaeng.com

www.ayesa.com/en

Contents

[1] Introduction.....	1
[1.1] Background.....	1
[1.2] Site Details.....	2
[1.3] Site Operations	2
[1.4] Staff Competency	2
[2] Condition of the Land at Permit Issue.....	3
[2.1] Environmental Setting.....	3
[2.1.1] Made Ground	3
[2.1.2] Geology.....	3
[2.1.3] Hydrogeology.....	4
[2.1.4] Hydrology	4
[2.2] Pollution History	4
[2.2.1] Pollution Incidents.....	4
[2.2.2] Site History.....	5
[3] Maintaining your site condition report	7
[3.1] Review of Existing Infrastructure	7
[3.1.1] Site Walkover Survey	7
[3.2] Pollution Prevention Measures	15
[3.2.1] Assessment of Hazardous Substances.....	15
[3.2.2] Drainage Systems	16
[3.3] Climate Change Adaptations	16
[3.4] Pollution Incidents.....	16
[3.5] Soil and groundwater monitoring	16

Appendices

Appendix A	Historical & Landmark Maps
Appendix B	GroundSure Report
Appendix C	Site Management Plan (SMP)

Drawings

EC-18037/810/S01	Site Layout- with Re-Use Shop
21498/004(01)	As Built Drainage Layout (Storm Drainage Only)
21498/004(02)	As Built Drainage Layout
EC-18037/811/S01	Drainage Plan

[1] Introduction

[1.1] Background

FCC Environment (UK) Limited have instructed Ayesa to update the existing Site Condition Report (SCR) for their Household Waste Recycling Centre (HWRC) situated in Allington, Kent. The HWRC is regulated under Standard Rules (SR) permit, SR 2015 No.20 reference EPR/KB3102KL issued on 4th November 2020.

The Allington HWRC's permit was transferred from FCC Environment (UK) Ltd to FCC Recycling (UK) Limited (the Operator) on 30th March 2021, with the permitted registered office address being updated on 3rd January 2024. FCC Recycling (UK) Limited are a wholly owned subsidiary of FCC Environment (UK) Limited.

SR 2015 No.20 was replaced by SR2022 No.6 which has different location qualifying criteria, which this HWRC cannot achieve, because it is located within groundwater source protection zone 1. Consequently, as instructed by the Environment Agency, FCC has applied for a bespoke permit by April 2026. Accordingly, this SCR has been updated to incorporate the requirements of a bespoke environmental permit and include the following proposed additional European Waste Catalogue (EWC) code:

- 17 05 04: *soil and stones other than those mentioned in 17 05 03.*

This SCR has been produced in accordance with the Environment Agency's H5 Site Condition Report Guidance (LIT 8001 Version 3.0 April 2013) using the H5 template¹. The H5 SCR template is divided into the following sections and associated requirements:

- **Section 1 – Site personnel competency:** qualifications of site management
- **Section 2 – Produce an application site condition report:** relates to the site details and condition of the land at permit issue and what activities are undertaken under or outside the remit of that permit.
- **Section 3 – Maintain your site condition report:** this section should detail changes to the activity or activity boundary e.g. use of hazardous substances not in the original application, description of measures taken to protect the land, pollution incidents that may have occurred and any monitoring carried out.
- **Section 4 – Produce your surrender site condition report:** this section covers the post-closure, pre-surrender phase including decommissioning of the facility, any monitoring data collected and remediation work required and a statement to confirm the activities have stopped, there is no pollution and the site is in a satisfactory condition.

The Operator is applying for a bespoke permit for a site that currently operates under a SR permit. A SCR (ref. 4557_R_0002_01) was produced for the original permit application and as such, sections 1 and 2 have previously been completed. This document serves as an addendum to the SCR produced at the original permit application stage, and therefore updates sections 1 and 2 and satisfies section 3 which are applicable to the request for an additional waste code.

Section 4 will be completed at the site closure stage and have therefore not been covered within this report.


¹ <https://www.gov.uk/government/publications/environmental-permitting-h5-site-condition-report>

[1.2] Site Details

1.0 Site Details	
Name of the applicant	FCC Recycling (UK) Limited
Activity address	Laverstoke Road Allington ME16 0LE
National grid reference	TQ 73991 57955
Document reference and dates for Site Condition Report at permit application and changes to activity	4557-R-002-01 Site Condition Report at SR Permit application (dated March 2020) C57-2486-AYE-R-004 SCR February 2026

A location map for the site is shown in Figure 1.

Figure 1 Site Location



[1.3] Site Operations

The HWRC's key features include a split-level configuration, with the skips and containers positioned at a lower level to allow for easy access for the deposit of waste material. The location of all skips and containers is shown on the Site Layout drawing (Ref: EC-18037/810/S01)

The site is accessed directly by the entrance off Laverstoke Road to the southeast.

All waste activities will continue to be carried out upon an impermeable concrete/tarmac surface with a sealed drainage system to collect any contaminated run-off.

[1.4] Staff Competency

FCC Environment (UK) Limited have chosen to implement a Competence Management System (CMS). The CMS is approved by DEFRA and the Environment Agency to satisfy the environmental permit competency requirement. A copy of the CMS certificate is provided as Appendix G within the permit application.

[2] Condition of the Land at Permit Issue

[2.1] Environmental Setting

This section presents a summary of the environmental background information (geology, hydrology, hydrogeology *etc.*) available from public sources including the British Geological Survey (BGS) website, DEFRA's interactive "Magic Maps" located on their website and presented in the Phase I Site Investigation Report (desk study) undertaken by TerraConsult Limited dated August 2019 (Report Ref: 3756/01).

This information, together with the site history, represents the base data with regards to the condition of the land.

[2.1.1] Made Ground

No chemical quantification of soil and groundwater were undertaken prior to the site becoming operational. Historical records however confirm that the site sits above "made ground" comprising inert waste materials.

The site is located within the footprint of the former Allington Quarry which quarried limestone known as 'Ragstone'. The quarry void has subsequently been filled with non-putrescible inert fill, primarily quarry spoil from the old quarry.

There is significant evidence of historical surface ground workings in and around the site, and historical quarrying across the whole of the site. The HWRC and access road fall within the former Allington quarry. Surface limestone quarrying both on site and within proximity to the site can be dated back to 1931.

According to BGS borehole logs 791904 and 791906 (TQ75NW264 and TQ75NW261) available at BGS Viewer, this infill is comprised of chunks and cobbles of limestone, along with angular gravel, sand, silt and brick fragments.

As the made ground material is inert, (as per the requirements of the associated landfill permit) there is not expected to be any subsidence due to waste mass compaction, nor any leachate or gas production. The made ground has been re-engineered for the site development.

[2.1.2] Geology

The 1:50,000 scale BGS solid and drift map (sheet 288, 1976) shows the site is not underlain by any superficial deposits. This is confirmed by the detailed geology on BGS viewer². There are some River Terrace Deposits comprising of sand and gravel to the south and to the northwest of the site, as well as head deposits comprising of clay, silt, sand and gravel found further to the west. None of these superficial deposits are connected, or in connection with any adjacent watercourse.

The bedrock underlying the majority of the site is the Lower Greensands Group, Hythe Formation which is comprised of alternating sandy limestones ("Ragstone") and glauconitic sandy mudstones. The area to the south of the site is underlain by the Folkstone Formation comprised of medium and coarse-grained, well-sorted cross-bedded sands and weakly cemented sandstones. The Sandgate Formation comprises of fine sands, silts and silty clays and soft sandstone.

² <https://www.bgs.ac.uk/map-viewers/bgs-geology-viewer/>

The geological map shows minor faults within the local area.

There is no evidence of historical underground workings or coal mining areas within or in close proximity to the site.

[2.1.3] Hydrogeology

The Hythe Formation, part of the Lower Greensand Group, is classified by the Environment Agency as a Principal Aquifer capable of water supply and/or river base flow on a strategic scale (previously designated as a major aquifer). Groundwater flow is towards the north, and north-northeast, established from nearby groundwater boreholes associated with the inert landfill.

The site is located entirely within Source Protection Zone 1 – Inner catchment, of the Public Water Supply (PWS) boreholes at Forstal, some 650m north of the site, operated by Southeast Water.

The deepest borehole at the Forstal PWS station reaches 129m below ground level (mbgl) and takes water from the permeable strata (Hythe Formation) that extend southwards beneath the River Medway.

[2.1.4] Hydrology

The nearest watercourse is the River Medway located approximately 300m to the northeast. A pond is located to the west of the HWRC, with balancing ponds located to the south.

The site does not lie within a Flood Zone. To the northeast ~400m at its closest point to the site, is a Flood Zone 3, representing an approximate area of 100m either side of the River Medway.

[2.2] Pollution History

This section presents a summary of the following:

- Any pollution incidents that may have affected land;
- Historical land-uses and any associated contaminants;
- Any visual/olfactory evidence of existing contamination; and
- Evidence of damage to pollution prevention measures (where present).

[2.2.1] Pollution Incidents

The previous on-site land uses are recorded to have been undeveloped farmland in 1865. Since 1960, Allington Quarry was used for the extraction of Ragstone (a type of hard, grey limestone), with the majority of quarrying operations ceasing in the 1980s.

Waste Disposal Licence (WDL) P/11/24 was issued in 1991, permitting the landfill operator to continue the importation of inert wastes. P/11/24 was subject to numerous modifications including conversion to Waste Management Licence (WML) EAWML19514 in 1995. The WML was transferred to Waste Recycling Group (WRG) in 2003.

Planning permission for the construction of an Energy from Waste (EfW) facility was granted to WRG in 2000. This was constructed at the eastern end of the Allington landfill, but to reduce the visual

impact, the ground level of the construction platform had to be reduced. This required the removal of approximately 770,000 m³ of previously deposited waste and quarry material, which was then placed in the D Shaped Field quarry void under environmental permit EAWML10040. This permit did not allow for the deposit of new wastes brought in from off-site, with any excavated wastes unsuitable for redeposit removed for disposal elsewhere.

A variation notice issued to WRG by the Environment Agency in 2009 for both Allington and D Shaped Field Landfill permits reduced the allowable waste inputs to zero for both sites. These variation notices also changed the permit reference numbers to EPR/YP3398HR/V002 (Allington Landfill Site) and EPR/HP3695HS/N002 (D Shaped Field). The EfW was constructed to the west of the HWRC during 2005/06 and began operating in 2008. The two landfill areas were restored in 2005/06. The HWRC is located within the area of Allington Landfill Site.

In March 2014, a Landfill Gas Report for Closure (document reference 1557/R/004) and Landfill Site Closure Plan (document reference 1776/R/016/2) were submitted to the Environment Agency. The reports accompanied an application to progress the sites into definitive closure. In August 2015, the landfill sites entered the definitive closure phase and appropriate post-closure management, and monitoring schemes are being maintained. In 2016, a surrender application was submitted to the Environment Agency. The D-Shaped Field Landfill was successfully surrendered. However, the Environment Agency required additional information to support the surrender of Allington Landfill.

The GroundSure report provided in Appendix B is summarised in the following paragraphs.

There are significant industrial processes identified both on site and within 500m, with 108 records of potentially contaminative previous land uses including the old “Ragstone” quarry as well as unspecified tanks (Table 1).

The EfW facility operated by Kent Enviropower Ltd, a wholly owned subsidiary of FCC Recycling (UK) Ltd operates under permit reference EPR/BR4551IC/V012. The EfW facility also has a Radioactive Substances permit for monitoring equipment.

There are no Control of Major Accident sites (COMAH), Explosives Sites or Notification of Installations Handling Hazardous Substances (NIHHS) close to the HWRC.

There are historical landfill sites close to the HWRC site³.

There are 14 records of pollution incidents within 500m of HWRC. The closest incident recorded in proximity to the site occurred to the west of the site in 2007, related to chemical odour (air impact).

No evidence is presented in the Phase I reports of historical pollution incidents, and no pollution incidents have occurred since the original permit application in 2019.

[2.2.2] Site History

Historical mapping from 1865 to 2014 have been reviewed for the site and surrounding area. Copies of the historical maps are provided in Appendix A, a supporting Groundsure Report for the nearby area is attached as Appendix B of this report. The site history is summarised in Table 1.

³ <https://insights.groundsure.io/data/info>

Table 1 Site Historical Records

Information Resource	On-site Features	Off-site Features
1865 -1867 County Series Plan 1:10,560 map & 1867 County Series Plan 1:2,500 & 1868 County Series Plan 1:2,500	Undeveloped land no buildings present on site.	Farmland surrounds the site. A single farm dwelling is shown to the east of the site. The River Medway is shown to the northeast.
1895 - 1896 County Series Plan 1:10,560 & 1897 County Series 1:2,500	No significant changes noted.	The farm to the east of the site is labelled as 'White House Farm'. The London Chatham & Dover Railway line is shown to the south of the site. A quarry is shown to the north of the site.
1908 County Series Plan 1:2,500 & 1907 1:10,560 map	No significant changes noted.	Woodland areas around the farm and quarry have expanded.
1931-1933 County Series Plan 1:2,500 & 1936-1938 County Series Plan 1:2,500 & 1931 - 1933 1:10,560 map & 1938 County Series 1:10,560	No significant changes noted.	Aylesford Quarry and a Tar Macadam Works is shown to the north of the site. The farm to the east is labelled as New House Farm. Glebe quarry is shown to the east of the farm. A tank is shown to the southwest of the site. Allington Nursery is shown to the south of the site. Sports grounds are shown to the west.
1947 – 1948 County Series 1:10,560 map & 1956 1:10,560 map	No significant changes noted.	Aylesford Quarry has expanded south and been relabelled Allington Quarries.
1960 County Series Plan 1:2,500 & 1961 - 1966 1:10,000 map	Allington Quarries has expanded across the north of the site. A track is shown across the site.	Hillside Cottages are shown to the northeast. British Legion Village has expanded to the west.
1971 & 1972 National Grid Plan 1:2,500 & 1971 - 1974 1:10,560 map	No significant changes noted.	The quarry is labelled Allington Quarry (Ragstone). Residential areas are shown to the south of the site. The M20 is shown to the north of the site.
1989 County Series Plan 1:2,500 & 1987 - 1991 1:10,000 map	No significant changes noted.	Industrial estate with warehouses shown to the east of the site.
1992 - 1993 National Grid 1:2,500	No significant changes noted.	No significant changes noted.
2002 1:10,000 map	No significant changes noted.	Significant development of the industrial estate to the east of site. Layout of the industrial estate is the same as the present-day layout suggesting no further development. Allington Quarry has expanded further. Laverstoke Road is shown to the east of the site.
2010 National Grid 1:10,000	Allington Quarry has been infilled as landfill.	Energy from Waste (EFW) facility and substation is shown to the west of the site
2014	Woodland areas are shown on the site.	No significant changes.
2019, Phase 1 Site Investigation Report, 3756/01 Issue 1	There are no buildings present on the site. The site is an area of the restored inert landfill. The current site surface comprises trees and grassed areas.	No significant changes since 2014. The EfW facility is still shown to the west of the site. The A20 is shown to the southwest of the site and Laverstoke Road and the industrial estate are still shown to the east of the site.

Information Resource	On-site Features	Off-site Features
2026	HWRC in operation, located between EfW facility (to west) and Channel Commercials PLC (to east)	No significant changes since 2019

[3] Maintaining your site condition report

[3.1] Review of Existing Infrastructure

[3.1.1] Site Walkover Survey

A site walkover survey has been carried out by the Operator in February 2026. The purpose of the walkover survey was to visually assess the HWRC site for the presence of any evidence of contamination and the condition of any pollution prevention measures that are in place.

The Allington HWRC is located on Laverstoke Road which is accessed via the A20 and St Laurence Avenue, situated adjacent to junction 5 of the M20. The site is easily identifiable by clear signage at the entrance with steel palisade fencing and 24-hour CCTV securing the site during both operational and non-operational hours (Figure 2). Emergency contact numbers for FCC, the Environment Agency and the emergency services are provided on the entrance signage, with instructions for understanding and navigating the site traffic routes and opening hours also visually identified (Figure 3).

The site operates a one-way traffic system with arrows clearly demarcated on the tarmacked road and site speed limits clearly visible on above-ground signage (Figure 4). Entry to site is controlled via a barrier system to allow site operatives to identify and manage incoming vehicles and verify HWRC bookings (Figure 5). The operational area can be seen to be kept clear of obstructions and debris and regularly swept with perimeter fencing shown to be in good condition (Figure 6). Kerbing and drains are shown to be visibly clear of debris and in good condition (Figure 7 and Figure 8).

Figure 2 Allington HWRC Site Entrance



Figure 3 Site Signage



Figure 4 Site Entrance and Exit (one-way system)



Figure 5 Site Entrance and Barrier System



Figure 6 View of Western Perimeter Fencing and Operational Yard



Figure 7 Yard Area Sealed Drainage



Figure 8 Kerbing with integrated drainage



Waste reception bays are clearly visible with parking spaces for public use identified by white markings (Figure 9). Pedestrian and vehicle separation is maintained via brightly painted bollards. The waste accepted within each bay (Figure 10 and Figure 11) and storage containers (Figure 12) is identified by signage.

Figure 9 Waste Reception Bays (1)



Figure 10 Waste reception bays (2)



Figure 11 Waste Reception Containers



Figure 12 Waste Storage Containers



The designated gas bottle cage and oil containers are clearly demarcated for public ease of access, with the impermeable yard area seen to be clear of debris and no spillages visible (Figure 13).

Figure 13 Gas Bottle, Fuel & Oil Containers



Clear instructions are provided at the deposit points for used engine and cooking oils, with only trained site operatives permitted to deposit the oils into the containers. Containers are shown to be in good condition, closed and maintaining integrity. Staining indicates previous minor spillages that were contained on the impermeable yard surface and cleaned up, indicating good housekeeping (Figure 14).

Figure 14 Instructions for Public Disposal of Oils



Plant parking areas show that 6m separation distances between waste piles and site vehicles are maintained, in accordance with fire prevention guidance (Figure 15).

Figure 15 Plant Parking



[3.2] Pollution Prevention Measures

[3.2.1] Assessment of Hazardous Substances

Hazardous substances are limited to site vehicle oils and fuels and hazardous wastes accepted at the HWRC in accordance with permit table 2.2 of SR2015 No.20. All wastes and materials classified as hazardous are contained on concrete / tarmac hardstanding, within which a sealed drainage system is installed. The following are in place for the prevention, detection, control, minimisation and remediation of leaks and spillages.

- Supplies of sand or other non-flammable absorbent material adjacent to tanks containing flammable liquids for dealing with minor spillages.
- Skips and containers are clearly labelled and visible for ease of identification by public site users. Site users are directed by site operatives to skips/containers appropriate to the waste they are depositing.
- The waste oil tanks/containers are bunded to 110% of their capacity.
- All site vehicles and plant are inspected daily. Any vehicles or plant found leaking fuel or oil will be repaired as soon as reasonably practicable, with an approved contractor notified immediately.
- Oils and fuels are kept away from waste operations and securely stored.
- Damaged or leaking chemical and battery containers shall be taken out of use and the contents transferred to a new container.

- A spill kit is available on the lower level near to the plant parking. Spill kits are also placed around the site near to potential spill areas, e.g. waste and cooking oil collection points, bag splitting area, chemical and paint storage areas.
- Chemicals are stored within a Chemsafe intermediate bulk container (IBC).
- Paints are contained within an IBC.
- All batteries (e.g. lead acid, nickel and cadmium) are segregated into the appropriate type and stored in acid proof containers on a bunded area.
- Gas bottles are placed within a locked cage, segregated from other wastes and plant.

[3.2.2] Drainage Systems

The HWRC is located on concrete / tarmac hardstanding with a sealed drainage system. The site benefits from both surface water sewer and foul sewer connections, with all surface water originating from the waste collection and storage areas, draining to a leachate attenuation tank with a capacity of 148m³, prior to release to sewer via a type 2 full retention separator fitted with a capacity alarm. The drainage to foul sewer layout is illustrated in drawing reference 21498/004(02).

All clean surface water and rainwater run-off originating from the haul road and yard areas excluding waste storage areas, is diverted to a surface water sewer via an attenuation tank, silt trap and full oil retention interceptor. A flow control chamber limits effluent egress to the surface water sewer to 1.8l/s and a penstock prevents discharge of surface water run-off in a fire or spillage emergency. The drainage to surface water sewer layout is illustrated in drawing EC-18037/811/S01.

The site's ability to manage excess surface waters during a storm event, is illustrated in drawing 21498/004(01).

In accordance with the site's EMS and Site Management Plan (Appendix C – Version 2.1), a responsible person(s) will undertake daily and weekly visual inspections of the surface areas and drainage system, with the sealed drainage system physically inspected no less than once a month for flow and integrity. The inspection and accompanying maintenance requirements are recorded and maintained on site. Any defects identified will result in the penstock being shut immediately and repairs sought by a suitably qualified contractor to be undertaken within 24 hours.

[3.3] Climate Change Adaptations

A Climate Change Risk Assessment was completed for the site in 2024, which detailed the site's energy saving technology and techniques. The site benefits from LED lighting and solar panels installed across the site to reduce energy consumption. All plant used on the site are of the latest technology and therefore contain the most energy efficient engines. All plant is switched off when not in use to prevent engines idling. Electric vehicle charging points are provided in the staff and visitor car parks.

[3.4] Pollution Incidents

No pollution incidents have occurred at the site since it became operational in 2021.

[3.5] Soil and groundwater monitoring

Soil and groundwater monitoring is not a requirement of the site's permit. Consequently, no monitoring of underlying or surrounding soils and groundwater has been undertaken since the site became operational.

Appendix A – Ground Investigation Reports

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

	Gravel Pit		Sand Pit		Other Pits
	Quarry		Shingle		Orchard
	Osiers		Reeds		Marsh
	Mixed Wood		Deciduous		Brushwood
	Fir		Furze		Rough Pasture
	Arrow denotes flow of water		Trigonometrical Station		
	Site of Antiquities		Bench Mark		
	Pump, Guide Post, Signal Post		Well, Spring, Boundary Post		
	•285 Surface Level				
	Sketched Contour		Instrumental Contour		
	Main Roads		Minor Roads		
	Sunken Road		Raised Road		
	Road over Railway		Railway over River		
	Railway over Road		Level Crossing		
	Road over River or Canal		Road over Stream		
	Road over Stream				
	County Boundary (Geographical)				
	County & Civil Parish Boundary				
	Administrative County & Civil Parish Boundary				
	County Borough Boundary (England)				
	County Burgh Boundary (Scotland)				
	Rural District Boundary				
	Civil Parish Boundary				

Ordnance Survey Plan 1:10,000

	Chalk Pit, Clay Pit or Quarry		Gravel Pit
	Sand Pit		Disused Pit or Quarry
	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
	Coniferous Trees		Non-Coniferous Trees
	Orchard		Scrub
	Bracken		Heath
	Marsh		Reeds
	Building		Glasshouse
	Sloping Masonry		Pylon
	Cutting		Embankment
	Road Under		Road Over
	Level Crossing		Foot Bridge
	Standard Gauge Multiple Track		Standard Gauge Single Track
	Siding, Tramway or Mineral Line		Narrow Gauge
	Geographical County		Administrative County, County Borough or County of City
	Municipal Borough, Urban or Rural District, Burgh or District Council		Borough, Burgh or County Constituency
	Civil Parish		
	BP, BS Boundary Post or Stone		Police Station
	Church		Post Office
	Club House		Public Convenience
	Fire Engine Station		Public House
	Foot Bridge		Signal Box
	Fountain		Spring
	Guide Post		Telephone Call Box
	Mile Post		Telephone Call Post
	Mile Stone		Well

1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle		Mud
	Sand		Sand Pit
	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only)		Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
	Area of wooded vegetation		Non-coniferous trees
	Non-coniferous trees (scattered)		Coniferous trees
	Coniferous trees (scattered)		Positioned tree
	Orchard		Coppice or Osiers
	Rough Grassland		Heath
	Scrub		Marsh, Salt Marsh or Reeds
	Water feature		Flow arrows
	Mean high water (springs)		Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
	Bench mark (where shown)		Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)		Pylon, flare stack or lighting tower
	Site of (antiquity)		Glasshouse
	General Building		Important Building

TerraConsult

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Kent	1:10,560	1869 - 1870	2
Kent	1:10,560	1898	3
Kent	1:10,560	1909	4
Kent	1:10,560	1931 - 1934	5
Kent	1:10,560	1938	6
Kent	1:10,560	1947 - 1948	7
Ordnance Survey Plan	1:10,000	1961	8
Ordnance Survey Plan	1:10,000	1965 - 1966	9
Ordnance Survey Plan	1:10,000	1972 - 1974	10
Ordnance Survey Plan	1:10,000	1983 - 1989	11
Ordnance Survey Plan	1:10,000	1992	12
10K Raster Mapping	1:10,000	1999	13
Street View	Variable		14

Historical Map - Slice A



Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Kent

Published 1869 - 1870


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Kent

Published 1898


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

031SW 1898 1:10,560	031SE 1898 1:10,560
042NW 1898 1:10,560	042NE 1898 1:10,560

Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Kent

Published 1909


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

031SW 1909 1:10,560	031SE 1909 1:10,560
042NW 1909 1:10,560	042NE 1909 1:10,560

Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Kent

Published 1931 - 1934


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

031SW 1931 1:10,560	031SE 1931 1:10,560
042NW 1934 1:10,560	042NE 1933 1:10,560

Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Kent

Published 1947 - 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

031SW 1948 1:10,560	031SE 1947 1:10,560
042NW 1947 1:10,560	042NE 1947 1:10,560

Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Ordnance Survey Plan

Published 1961


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Ordnance Survey Plan

Published 1965 - 1966


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Ordnance Survey Plan

Published 1972 - 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Ordnance Survey Plan

Published 1983 - 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A





Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH







Ordnance Survey Plan
Published 1992
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details
Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details
1, Bramble Close, MAIDSTONE, ME16 0LH


10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Street View

Published 2019


Source map scale - 1:10,000

Street View is a street-level map for the whole of Great Britain produced by the Ordnance Survey. These maps are provided at a nominal scale of 1:10,000

Map Name(s) and Date(s)



Street View Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Ordinance Survey Plan, Additional SIMs and Supply of Unpublished Survey Information

	Quarry		Gravel Pit		Sand Pit
	Clay Pit		Shingle		Refuse Heap
	Sloping Masonry		Flat Rock		
	Marsh		Reeds		Osiers
	Rough Pasture		Furze		Wood
	Mixed Wood		Brushwood		Orchard
	Fir		Ford		Stepping Stones
	Ferry		Waterfall		Lock

	Trig. Station	507 	Altitude at Trig. Station
<i>B.M. 325-9</i> 	Bench Mark	342 +	Surface Level
	Arrow denotes flow of water		Antiquities (site of)



Cutting



Embankment

Railway crossing Road

Level Crossing

Road crossing Railway

Railway crossing
River or Canal

Road over
single stream

Road over
River or Canal

— — — — —	County Boundary (Geographical)
- . - . - .	County & Civil Parish Boundary
+ . + . + .	Administrative County & Civil Parish Boundary
— — — — —	County Borough Boundary (England)
Co. Boro. Bdy.	
— — — — —	County Burgh Boundary (Scotland)
Co. Burgh Bdy.	

<i>B.P.B.S.</i>	Boundary Post or Stone	<i>P.C.B.</i>	Police Call Box
<i>B.R.</i>	Bridle Road	<i>P.</i>	Pump
<i>E.P.</i>	Electricity Pylon	<i>S.P.</i>	Signal Post
<i>F.B.</i>	Foot Bridge	<i>Sl.</i>	Sluice
<i>F.P.</i>	Foot Path	<i>Sp.</i>	Spring
<i>G.P.</i>	Guide Post or Board	<i>T.C.B.</i>	Telephone Call Box
<i>M.S.</i>	Mile Stone	<i>Tr.</i>	Trough
<i>M.P.M.R.</i>	Mooring Post or Ring	<i>W.</i>	Well

	or		Inactive Quarry, Chalk Pit or Clay Pit		Active Quarry, Chalk Pit or Clay Pit
			Rock		Boulders
			Cliff		
			Roofed Building		Glazed Roof Building
			Sloping Masonry		Archway
			Non-Coniferous Tree (surveyed)		Coniferous Tree (surveyed)
			Non-Coniferous Trees (not surveyed)		Coniferous Trees (not surveyed)

	Orchard Tree		Scrub		Bracken
	Coppice, Osier		Reeds		Marsh, Saltings
	Rough Grassland		Heath		Culvert
	Direction of water flow		Bench Mark		Antiquity (site of)

 Cave Entrance
  Triangulation Station
  Electricity Pylon

ETL Electricity Transmission Line

	County Boundary (Geographical)
	County & Civil Parish Boundary
	Civil Parish Boundary
	Admin. County or County Bor. Boundary
	London Borough Boundary
	Symbol marking point where boundary merging changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EI P	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
H	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

	Cliff		Slopes		Top
	Rock		Rock (scattered)		Boulders (scattered)
	Boulders		Positioned Boulder		Scree
	Non-Coniferous Tree (surveyed)		Non-Coniferous Trees (not surveyed)		Coniferous Tree (surveyed)
	Coniferous Tree (surveyed)		Coniferous Trees (not surveyed)		Orchard Tree
	Orchard Tree		Scrub		Bracken
	Coppice, Osier		Reeds		Marsh, Saltings
	Rough		Heath		Culvert

 Direction of water flow
  Triangulation Station
  Antiquity (site of)

 Electricity Transmission Line
  Electricity Pylon

 BM 231.60m Bench Mark
  Buildings with Building Seed


 Roofed Building
  Glazed Roof Building

• • • •	Civil parish/community boundary
— — — —	District boundary
— • — —	County boundary
o	Boundary post/stone
⌘	Boundary mereing symbol (note: these always appear in opposed pairs or groups of three)

Bks	Barracks	P	Pillar, Pole or Post
Bty	Battery	PO	Post Office
Cemy	Cemetery	PC	Public Convenience
Chy	Chimney	Pp	Pump
Cis	Cistern	Ppg Sta	Pumping Station
Dismtd Rly	Dismantled Railway	PW	Place of Worship
El Gen Sta	Electricity Generating Station	Sewage Ppg Sta	Sewage Pumping Station
El P	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge
El Sub Sta	Electricity Sub Station	SP, SL	Signal Post or Light
FB	Filter Bed	Spr	Spring
Fn / D Fn	Fountain / Drinking Ftn.	Tk	Tank or Track
Gas Gov	Gas Valve Compound	Tr	Trough
GVC	Gas Governor	Wd Pp	Wind Pump
GP	Guide Post	Wr Pt, Wr T	Water Point, Water Tap
MH	Manhole	Wks	Works (building or area)
MP, MS	Mile Post or Mile Stone	W	Well

Mapping Type	Scale	Date	Page
Kent	1:2,500	1879	2
Kent	1:2,500	1896	3
Kent	1:2,500	1908	4
Kent	1:2,500	1938	5
Ordnance Survey Plan	1:2,500	1960 - 1963	6
Ordnance Survey Plan	1:2,500	1965 - 1972	7
Ordnance Survey Plan	1:2,500	1973 - 1991	8
Additional SIMs	1:2,500	1977 - 1987	9
Additional SIMs	1:2,500	1989 - 1990	10
Ordnance Survey Plan	1:1,250	1991	11
Large-Scale National Grid Data	1:2,500	1993	12
Large-Scale National Grid Data	1:1,250	1993	13
Large-Scale National Grid Data	1:1,250	1994	14

Historical Map - Segment A13




Order Details

Order Number:	225477777_1_1
Customer Ref:	3756
National Grid Reference:	574010, 157920
Slice:	A
Site Area (Ha):	1.79
Search Buffer (m):	100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



TerraConsult


Kent

Published 1879


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Kent

Published 1896


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Kent

Published 1908


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




Kent

Published 1938


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)



Historical Map - Segment A13




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Ordnance Survey Plan

Published 1960 - 1963


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TQ7358 1963 1:2,500	TQ7458 1961 1:2,500
TQ7357 1961 1:2,500	TQ7457 1960 1:2,500

Historical Map - Segment A13




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Ordnance Survey Plan

Published 1965 - 1972


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TQ7358 1965 1:2,500	TQ7458 1969 1:2,500
TQ7357 1972 1:2,500	

Historical Map - Segment A13




Order Details

Order Number: 22547777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Ordnance Survey Plan

Published 1973 - 1991


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

Map Name(s) and Date(s)

TQ7358	TQ7458
1973	1991
1:2,500	1:2,500

Historical Map - Segment A13




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Additional SIMs

Published 1977 - 1987


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ7358 1977 12,500	TQ7458 1979 12,500
TQ7357 1987 12,500	

Historical Map - Segment A13





Order Details

Order Number: 22547777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH





TerraConsult

Additional SIMs

Published 1989 - 1990


Source map scale - 1:2,500

The SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') are further, minor editions of mapping which were produced and published in between the main editions as an area was updated. They date from 1947 to 1994, and contain detailed information on buildings, roads and land-use. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)

TQ7358 1990 12,500	TQ7458 1989 12,500
TQ7357 1989 12,500	

Historical Map - Segment A13



Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Large-Scale National Grid Data

Published 1993


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 100

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH






Large-Scale National Grid Data

Published 1994


Source map scale - 1:1,250

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

Map Name(s) and Date(s)



Historical Map - Segment A13



Order Details


Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 100

Site Details


1, Bramble Close, MAIDSTONE, ME16 0LH



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



572000 572500 573000 573500 574000 574500 575000 575500 576000



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km

TerraConsult

Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Bedrock Aquifers


- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

- Unproductive Aquifer
- Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 22547777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000


Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

572000 572500 573000 573500 574000 574500 575000 575500 576000



© Crown Copyright. All Rights Reserved. License Number 100022432

0 1 km

TerraConsult

Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 22547777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000


Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

572000 572500 573000 573500 574000 574500 575000 575500 576000



© Crown Copyright. All Rights Reserved. License Number 100022432

TerraConsult

Superficial Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000


Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

572000 572500 573000 573500 574000 574500 575000 575500 576000



© Crown Copyright. All Rights Reserved. License Number 100022432

TerraConsult

Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 22547777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000


Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

572000 572500 573000 573500 574000 574500 575000 575500 576000



© Crown Copyright. All Rights Reserved. License Number 100022432

TerraConsult

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000


Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

572000 572500 573000 573500 574000 574500 575000 575500 576000



© Crown Copyright. All Rights Reserved. License Number 100022432

TerraConsult

BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Landmark
 INFORMATION GROUP

Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

225477777_1_1

Customer Reference:

3756

National Grid Reference:

574010, 157920

Slice:

A

Site Area (Ha):

1.79

Search Buffer (m):

1000

Site Details:

1, Bramble Close

MAIDSTONE

ME16 0LH

Client Details:

Ms L Stock

TerraConsult

TerraConsult Ltd

Unit 38 Bold Business Centre

Bold Lane, Sutton

St Helens

Merseyside

WA9 4TX

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	38
Hazardous Substances	-
Geological	44
Industrial Land Use	51
Sensitive Land Use	64
Data Currency	65
Data Suppliers	70
Useful Contacts	71

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2019. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2019. © Natural Resources Wales & United Kingdom Research and Innovation 2019.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2019. Land & Property Services © Crown copyright and database right.

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 2		1	6	8
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control	pg 6		22	2	
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 11			5	8
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 13		Yes		
Pollution Incidents to Controlled Waters	pg 13			10	31
Prosecutions Relating to Authorised Processes					
Registered Radioactive Substances	pg 20		1		
River Quality	pg 20			3	1
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points	pg 21				1
Substantiated Pollution Incident Register	pg 21		3	1	13
Water Abstractions	pg 24				10 (*20)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 31	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 32	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones	pg 32	3			
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 33			13	25

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites					
Historical Landfill Sites	pg 38		2	1	6
Integrated Pollution Control Registered Waste Sites	pg 39	1			
Licensed Waste Management Facilities (Landfill Boundaries)	pg 40	1			1
Licensed Waste Management Facilities (Locations)	pg 40		1	3	3
Local Authority Landfill Coverage	pg 41	2	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 42	1	1		7
Registered Landfill Sites	pg 43	1			
Registered Waste Transfer Sites	pg 43			1	
Registered Waste Treatment or Disposal Sites					
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 44	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 44	1	3	2	17
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities	pg 48		1	6	5
Non Coal Mining Areas of Great Britain	pg 49	Yes		n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 49	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 50	Yes		n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 50	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards				n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 51		28	20	86
Fuel Station Entries	pg 63				2
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland	pg 64		1	3	2
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves	pg 64			1	
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest	pg 64		1		
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NW)	0	1	574009 157924
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13SW (SW)	39	1	573900 157850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (N)	65	1	574000 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (N)	67	1	573950 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13NW (W)	116	1	573850 157924
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NW (NW)	132	1	573850 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	226	1	574200 158200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	240	1	574150 158250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (NE)	263	1	574250 158200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (W)	264	1	573700 157950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	265	1	574200 158250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NW (NW)	272	1	573700 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A13NE (NE)	279	1	574300 158150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (NE)	297	1	574250 158250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (NE)	303	1	574300 158200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (W)	314	1	573650 158000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A12NE (W)	315	1	573650 157950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (NW)	321	1	573650 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (NE)	333	1	574300 158250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (NW)	335	1	573650 158150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14NW (E)	354	1	574400 158050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (NW)	355	1	573650 158200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (W)	364	1	573600 158000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (W)	365	1	573600 157924
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A18SE (NE)	368	1	574300 158300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (N)	370	1	574100 158400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14NW (NE)	373	1	574350 158250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (NE)	376	1	574250 158350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (NW)	400	1	573600 158200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A14NW (E)	409	1	574450 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A12NE (W)	414	1	573550 158000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (W)	415	1	573550 157950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A12NE (W)	415	1	573550 157924
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14NW (NE)	415	1	574400 158250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A19SW (NE)	443	1	574400 158300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A14NW (E)	459	1	574500 158100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SE (N)	466	1	574050 158500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A19SW (NE)	475	1	574400 158350
1	Discharge Consents Operator: Ringway Ltd Property Type: Undefined Or Other Location: St Lawrence Ave, 20 Maidstone, Allington, Maidstone Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P02249 Permit Version: 1 Effective Date: 11th May 1989 Issued Date: 11th May 1989 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge Environment: Freshwater Stream/River Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Manually corrected supplier location	A13SW (SW)	129	2	573850 157800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	Discharge Consents Operator: Hanson Premix Property Type: Undefined Or Other Location: Allington Premix Unit, Downs Way, Allington, Maidstone Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P01576 Permit Version: 1 Effective Date: 10th June 1988 Issued Date: 10th June 1988 Revocation Date: 28th March 2019 Discharge Type: Trade Effluent Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Surrendered under EPR 2010 Positional Accuracy: Located by supplier to within 100m	A13NE (NE)	289	2	574330 158090
3	Discharge Consents Operator: Southern Water Services Limited. + Property Type: MINERAL/GRAVEL EXTRACTION/QUARRYING Location: Allington Quarry, London Road, Maidstone Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P00442 Permit Version: 1 Effective Date: 17th April 1986 Issued Date: 17th April 1986 Revocation Date: Not Supplied Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Freshwater River Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A13NE (NE)	343	2	574340 158210
4	Discharge Consents Operator: Marston'S Plc Property Type: FOOD+BEVERAGE SERVICES/CAFE/RESTAURANT/PUB Location: New Marston'S Pub E Of A20, S Of St Laurence Ave, Allington, Maidstone, Kent, Me20 7sl Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: Eprab3095vw Permit Version: 1 Effective Date: 18th February 2014 Issued Date: 18th February 2014 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Land/Soakaway Environment: Gw Via Infiltration System Receiving Water: Gw Via Infiltration System Status: New issued under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	446	2	573646 157524
5	Discharge Consents Operator: Travis Perkins Plc Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: Travis Perkins, Forstal Rd, Aylesford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Supplied Reference: P09581 Permit Version: 1 Effective Date: 30th January 2001 Issued Date: 30th January 2001 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Saline Estuary Environment: Saline Estuary Receiving Water: Saline Estuary Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 10m	A18SE (N)	468	2	574150 158490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: Southern Water Services Ltd Property Type: Not Given Location: Allington Sewage Pumping Station, ALLINGTON, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: RP4/73 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 9th February 1973 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge-Storm Effluent Discharge: Freshwater Stream/River Environment: Receiving Water: Not Supplied Status: Not Supplied Positional Accuracy: Located by supplier to within 100m	A14NW (E)	481	2	574520 158115
6	Discharge Consents Operator: Southern Water Services Ltd (K) Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Allington Sewage Pumping Station, Allington, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: K02070 Permit Version: 1 Effective Date: 9th February 1973 Issued Date: 9th February 1973 Revocation Date: 30th January 2002 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A14NW (E)	482	2	574520 158120
7	Discharge Consents Operator: Travis Perkins Plc Property Type: WATER TRANSPORT/SEA + INLAND Location: Land Rear Of Cobtree Wharf, Forstal Road, Aylesford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: P02386 Permit Version: 1 Effective Date: 8th August 1989 Issued Date: 8th August 1989 Revocation Date: 31st March 1997 Discharge Type: Discharge Of Other Matter-Surface Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A18SE (NE)	531	2	574300 158500
8	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Castle Rd Allington Ps+Storm Tk Ceo Off Castle Road, Allington, Maidstone, Kent, Me16 0bp Authority: Environment Agency, Southern Region Catchment Area: Medway Estuary Reference: A00654 Permit Version: 3 Effective Date: 28th July 2017 Issued Date: 28th July 2017 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Saline Estuary Environment: Receiving Water: Medway Estuary Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A14NW (E)	551	2	574590 158120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Castle Rd Allington Ps+Storm Tk Ceo Off Castle Road, Allington, Maidstone, Kent, Me16 0bp Authority: Environment Agency, Southern Region Catchment Area: Medway Estuary Reference: A00654 Permit Version: 3 Effective Date: 28th July 2017 Issued Date: 28th July 2017 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Saline Estuary Environment: Receiving Water: Medway Estuary Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A14NW (E)	551	2	574590 158120
8	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Castle Rd Allington Ps+Storm Tk Ceo Off Castle Road, Allington, Maidstone, Kent, Me16 0bp Authority: Environment Agency, Southern Region Catchment Area: Medway Estuary Reference: A00654 Permit Version: 3 Effective Date: 28th July 2017 Issued Date: 28th July 2017 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Saline Estuary Environment: Receiving Water: Medway Estuary Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A14NW (E)	551	2	574590 158120
8	Discharge Consents Operator: Southern Water Services Limited. + Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Castle Rd Allington Ps+Storm Tk Ceo Off Castle Road, Allington, Maidstone, Kent, Me16 0bp Authority: Environment Agency, Southern Region Catchment Area: Medway Estuary Reference: A00654 Permit Version: 2 Effective Date: 3rd October 2007 Issued Date: 3rd October 2007 Revocation Date: 27th July 2017 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Saline Estuary Environment: Receiving Water: Medway Estuary Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A14NW (E)	551	2	574590 158120
8	Discharge Consents Operator: Southern Water Services Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Castle Rd Allington Ps+Storm Tk Ceo Off Castle Road, Allington, Maidstone, Kent, Me16 0bp Authority: Environment Agency, Southern Region Catchment Area: Medway Estuary Reference: A00654 Permit Version: 1 Effective Date: 1st May 1998 Issued Date: 1st May 1998 Revocation Date: 2nd October 2007 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Saline Estuary Environment: Receiving Water: Medway Estuary Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A14NW (E)	551	2	574590 158120

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
9	Discharge Consents Operator: Sandell Smythe & Drayson Ltd Property Type: Undefined Or Other Location: Companys Works At Cobtree Wharf, Forstal Road, Aylesford, Kent Authority: Environment Agency, Southern Region Catchment Area: Not Given Reference: K02085 Permit Version: 1 Effective Date: 20th November 1970 Issued Date: 20th November 1970 Revocation Date: 31st March 1997 Discharge Type: Trade Discharges - Cooling Water Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater River Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A18NE (N)	566	2	574030 158600
10	Discharge Consents Operator: Waitrose Central Offices Property Type: Undefined Or Other Location: Safeway Foods Stores, Beddow Way, Aylesford, Maidstone, Kent Authority: Environment Agency, Southern Region Catchment Area: Medway Estuary Reference: A02021 Permit Version: 1 Effective Date: 22nd March 1985 Issued Date: 22nd March 1985 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Freshwater Stream Or River Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989 Positional Accuracy: Located by supplier to within 100m	A18NW (N)	666	2	574000 158700
11	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Laverstoke Road, Maidstone, ME16 0LY Authority: Environment Agency, Southern Region Permit Reference: GP3235LE Original Permit Ref: Br4551ic Effective Date: 31st January 2006 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Manually positioned to the road within the address or location Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SE (S)	40	2	574051 157767
11	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Laverstoke Road, Maidstone, ME16 0LY Authority: Environment Agency, Southern Region Permit Reference: WP3334LG Original Permit Ref: Br4551ic Effective Date: Not Supplied Status: Valid Application Type: Variation App. Sub Type: Minor Positional Accuracy: Manually positioned to the road within the address or location Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SE (S)	40	2	574051 157767
11	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Laverstoke Road, Maidstone, Kent, ME16 0LY Authority: Environment Agency, Southern Region Permit Reference: Br4551ic Original Permit Ref: Br4551ic Effective Date: 27th August 2003 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Manually positioned to the address or location Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SE (S)	42	2	574044 157765

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Incinerator - Epr/Br4551ic, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LE Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: EP3334QA Original Permit Ref: Br4551ic Effective Date: 16th January 2019 Status: Effective Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (B) Activity Description: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Primary Activity: N Activity Code: 5.4 A(1) a) (ii) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Incinerator, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LE Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: JP3635WZ Original Permit Ref: Br4551ic Effective Date: 19th November 2014 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 5.4 A(1) a) (ii) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: N Activity Code: 5.1 A(1) (B) Activity Description: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Incinerator, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LE Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: WP3937EA Original Permit Ref: Br4551ic Effective Date: 4th June 2014 Status: Superseded By Variation Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (B) Activity Description: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Primary Activity: Y Activity Code: 5.4 A(1) a) (ii) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: N	A13SW (SW)	56	2	573938 157786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Incinerator, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LE Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: RP3431NP Original Permit Ref: Br4551ic Effective Date: 5th September 2013 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (B) Activity Description: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Primary Activity: Y Activity Code: 5.4 A(1) a) (ii) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: N	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: AP3139ZU Original Permit Ref: Br4551ic Effective Date: 14th May 2013 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: AP3431UN Original Permit Ref: Br4551ic Effective Date: 7th September 2007 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Laverstoke Road, Allington, Maidstone, Kent, ME16 0LE Authority: Environment Agency, Southern Region Permit Reference: AP3431UN Original Permit Ref: Br4551ic Effective Date: 7th September 2007 Status: Effective Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: BP3837ML Original Permit Ref: Br4551ic Effective Date: 20th March 2007 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Laverstoke Road, Allington, Maidstone, Kent, ME16 0LE Authority: Environment Agency, Southern Region Permit Reference: BP3837ML Original Permit Ref: Br4551ic Effective Date: 20th March 2007 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: GP3235LE Original Permit Ref: Br4551ic Effective Date: 31st January 2006 Status: Superseded By Variation Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: BX4518IH Original Permit Ref: Br4551ic Effective Date: 15th March 2004 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Waste To Energy Facility, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: BR4551IC Original Permit Ref: Br4551ic Effective Date: 27th August 2003 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786
12	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Waste To Energy Facility, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LY Authority: Environment Agency, Southern Region Permit Reference: WP3532KX Original Permit Ref: Br4551ic Effective Date: Not Supplied Status: Valid Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	56	2	573938 157786

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Integrated Pollution Prevention And Control Name: Sekisui Diagnostics (Uk) Limited Location: Maidstone Diagnostics Epr/Vp3136hs, Henry Blair Building, Liphook Way,,Allington, Maidstone, Kent, ME16 0LQ Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: YP3336AS Original Permit Ref: Vp3136hs Effective Date: 5th August 2015 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (IV) Activity Description: Organic Chemicals; Nitrogen Containing Compounds Eg Amines Primary Activity: Y	A13NE (E)	237	2	574282 157931
13	Integrated Pollution Prevention And Control Name: Sekisui Diagnostics (Uk) Ltd Location: Maidstone Diagnostics, Henry Blair Building, Liphook Way,,Allington, Maidstone, Kent, ME16 0LQ Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: VP3136HS Original Permit Ref: Vp3136hs Effective Date: 31st January 2011 Status: Superseded By Variation Application Type: Transfer App. Sub Type: Whole limited change in management Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (IV) Activity Description: Organic Chemicals; Nitrogen Containing Compounds Eg Amines Primary Activity: Y	A13NE (E)	237	2	574282 157931
13	Integrated Pollution Prevention And Control Name: Sekisui Diagnostics (Uk) Ltd Location: Maidstone Diagnostics, Henry Blair Building, Liphook Way,,Allington, Maidstone, Kent, ME16 0LQ Authority: Environment Agency, Southern Region Permit Reference: VP3136HS Original Permit Ref: Vp3136hs Effective Date: 31st January 2011 Status: Effective Application Type: Transfer App. Sub Type: Whole limited change in management Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (IV) Activity Description: Organic Chemicals; Nitrogen Containing Compounds Eg Amines Primary Activity: Y	A13NE (E)	237	2	574282 157931
13	Integrated Pollution Prevention And Control Name: Genzyme Ltd Location: Maidstone Diagnostics, Henry Blair Building, Liphook Way,,Allington, Maidstone, Kent, ME16 0LQ Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: NP3738LN Original Permit Ref: Np3738ln Effective Date: 27th September 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (IV) Activity Description: Organic Chemicals; Nitrogen Containing Compounds Eg Amines Primary Activity: Y	A13NE (E)	237	2	574282 157931
13	Integrated Pollution Prevention And Control Name: Genzyme Ltd Location: Henry Blair Building, Liphook Way, Allington, MAIDSTONE, Kent, ME16 0LQ Authority: Environment Agency, Southern Region Permit Reference: NP3738LN Original Permit Ref: Np3738ln Effective Date: 27th September 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (IV) Activity Description: Organic Chemicals; Nitrogen Containing Compounds Eg Amines Primary Activity: Y	A13NE (E)	237	2	574282 157931

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
13	Integrated Pollution Prevention And Control Name: Sekisui Diagnostics (Uk) Limited Location: Maidstone Diagnostics Intermediates Manufacturing, Henry Blair Building, Liphook Way,,Allington, Maidstone, Kent, ME16 0LQ Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: PP3735QE Original Permit Ref: Vp3136hs Effective Date: 17th June 2019 Status: Effective Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (IV) Activity Description: Organic Chemicals; Nitrogen Containing Compounds Eg Amines Primary Activity: Y	A13SE (E)	239	2	574285 157917
14	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Allington Incinerator, Allington Quarry, Laverstoke Road,,, MAIDSTONE, Kent, ME16 0LE Authority: Environment Agency - South East Region, Kent & South London Area Permit Reference: AP3835DZ Original Permit Ref: Br4551ic Effective Date: 27th October 2016 Status: Superseded By Variation Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 5.4 A(1) a) (ii) Activity Description: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Primary Activity: Y Activity Code: 5.1 A(1) (B) Activity Description: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Primary Activity: N	A13SW (W)	280	2	573686 157881
15	Integrated Pollution Prevention And Control Name: Kent Enviropower Ltd Location: Waste Recycling Facility, Allington Quarry, Allington Quarry, Laverstoke Road, Maidstone, Kent, ME16 0LY Authority: Environment Agency, Southern Region Permit Reference: Bx4518ih Original Permit Ref: Br4551ic Effective Date: 15th March 2004 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Manually positioned to the address or location Activity Code: 5.1 A(1) (D) Activity Description: Waste Incineration; Hazardous Waste Unless Otherwise Stated Primary Activity: Y	A13SW (SW)	325	2	573673 157714
16	Local Authority Pollution Prevention and Controls Name: Hanson Aggregates Location: 20/20 Estate, Liphook Way, Allington, Maidstone, Kent, ME16 0LL Authority: Tonbridge And Malling Borough Council, Environmental Health Department Permit Reference: AY8/2 Dated: 1st August 2000 Process Type: Local Authority Pollution Prevention and Control Description: PG3/16 Mobile screening and crushing processes Status: Permitted Positional Accuracy: Manually positioned to the address or location	A14SW (SE)	323	3	574366 157769
16	Local Authority Pollution Prevention and Controls Name: Hanson AggregatesRoadstone Coating Plant Location: St Laurence Avenue, 20/20 Industrial Estate, Allington, Maidstone, Kent, Me16 0LL Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: PPC-06(PG3/15a)P3 Dated: 21st July 1992 Process Type: Local Authority Air Pollution Control Description: PG3/15 Mineral drying and roadstone coating processes Status: Authorised Positional Accuracy: Manually positioned to the address or location	A14SW (SE)	356	4	574397 157753

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Local Authority Pollution Prevention and Controls Name: Hanson AggregatesPremix Plant Location: St Laurence Avenue, 20/20 Industrial Estate, Allington, Maidstone, Kent, Me16 0LL Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: EPA-05.PG3/01-03/P2 Dated: 27th April 1992 Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorised Positional Accuracy: Manually positioned to the address or location	A14SW (SE)	356	4	574397 157753
16	Local Authority Pollution Prevention and Controls Name: Hanson AggregatesRoadstone Coating Plant Location: St Laurence Avenue, 20/20 Industrial Estate, Allington, Maidstone, Kent, Me16 0LL Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: EPA-66.PG3/16/P3 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/16 Mobile screening and crushing processes Status: Authorised Positional Accuracy: Manually positioned to the address or location	A14SW (SE)	356	4	574397 157753
16	Local Authority Pollution Prevention and Controls Name: Arc Southern Location: St Laurence Way, Allington, MAIDSTONE, Kent, ME16 0LL Authority: Tunbridge Wells Borough Council, Environmental Health Department Permit Reference: 13 Dated: Not Supplied Process Type: Local Authority Air Pollution Control Description: PG3/1Blending, packing, loading and use of bulk cement Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	A14SW (SE)	356	5	574397 157753
17	Local Authority Pollution Prevention and Controls Name: Travis Perkins Trading Co Ltd Location: Cobtree House, Forstal Road, AYLESFORD, Kent, ME20 7AG Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: EPA-06.PG6/2/P2 Dated: 18th May 1992 Process Type: Local Authority Air Pollution Control Description: PG6/2 Manufacture of timber and wood-based products Status: Authorised Positional Accuracy: Manually positioned to the address or location	A18NE (N)	663	4	574297 158647
18	Local Authority Pollution Prevention and Controls Name: Lipscombe Cars Ltd Location: Performance House, Forstal Road, Aylesford, Maidstone, Me20 7xa Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: Not Supplied Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	A18NE (N)	665	4	574141 158692
19	Local Authority Pollution Prevention and Controls Name: Uk Accident Repair Centre Ltd Location: Junction 6 Trading Estate, Forstal Road, Aylesford, MAIDSTONE, Kent, ME20 7AE Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: EPA-38.PG6/34-12/P1 Dated: 20th September 1996 Process Type: Local Authority Air Pollution Control Description: PG6/34 Respraying of road vehicles Status: Authorisation revoked Positional Accuracy: Manually positioned to the road within the address or location	A18NW (N)	720	4	573943 158754
20	Local Authority Pollution Prevention and Controls Name: Johnson Cleaners Uk Ltd Location: Mid Kent Shopping Centre, Castle Road, Maidstone, Me16 0pt Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: PPC-73(PG6/46)P1 Dated: 2nd October 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Manually positioned to the address or location	A8SE (S)	748	4	574227 157081

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	Local Authority Pollution Prevention and Controls Name: Aylesford Service Station Location: 198 Forstal Road, AYLESFORD, Kent, ME20 7AD Authority: Tonbridge And Malling Borough Council, Environmental Health Department Permit Reference: PP1/11/034/04 Dated: 1st February 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Automatically positioned to the address	A18NW (N)	753	3	573780 158765
22	Local Authority Pollution Prevention and Controls Name: David Payne & Son (Coachbuilders) Ltd Location: Beddow Way, AYLESFORD, Kent, ME20 7BT Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: PPC-24(PG6/34)/P2 Dated: 17th September 1996 Process Type: Local Authority Pollution Prevention and Control Description: PG6/34 Respraying of road vehicles Status: Authorised Positional Accuracy: Automatically positioned to the address	A18NW (N)	859	4	573909 158892
23	Local Authority Pollution Prevention and Controls Name: Tudor Garage Location: London Road, MAIDSTONE, Kent, ME16 0HE Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: PPC-43(PG1/14)/P1 Dated: 20th November 1998 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Authorised Positional Accuracy: Automatically positioned to the address	A8SE (S)	883	4	574030 156922
24	Local Authority Pollution Prevention and Controls Name: Cts Location: The Forstal, Forstal Road, Aylesford, Kent, ME20 7HB Authority: Maidstone Borough Council, Environmental Health Department Permit Reference: PPC-26(PG6/34)/P2 Dated: 19th April 1996 Process Type: Local Authority Pollution Prevention and Control Description: PG6/34 Respraying of road vehicles Status: Authorised Positional Accuracy: Located by supplier to within 10m	A23SE (N)	938	4	574110 158970
	Nearest Surface Water Feature	A13NW (W)	14	-	573952 157925
25	Pollution Incidents to Controlled Waters Property Type: Private Sewage (Non-PLC): Surface Water Outfall Location: 20/20 Site , Swo At Boat Yard Authority: Environment Agency, Southern Region Pollutant: Unknown Sewage Note: Sewage Discharge To Medway Incident Date: 24th July 1998 Incident Reference: 197239 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Overfilling During Delivery Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NE (NE)	262	2	574300 158100
26	Pollution Incidents to Controlled Waters Property Type: Quarrying (Hard Rock) Location: 20:20 Estate, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Chemicals - Unknown Note: Foam In Use On Tyre Fire Incident Date: 28th June 1998 Incident Reference: 398186 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Vandalism Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	300	2	574200 157550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	Pollution Incidents to Controlled Waters Property Type: Quarrying (Hard Rock) Location: 20:20 Estate , MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Chemicals - Unknown Note: Foam In Use On Tyre Fire Incident Date: 28th June 1998 Incident Reference: 197264 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Vandalism Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	304	2	574200 157545
27	Pollution Incidents to Controlled Waters Property Type: Boats/Ships Location: Allington Boat Yard, MAIDSTONE, Kent Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Brown Liquid Being Discharged Into Medway Incident Date: 8th March 1993 Incident Reference: 92T559 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	415	2	574400 158250
28	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: Allington Pumping Station, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Storm Sewage Note: Pumping Station Overflowing; Water Company Sewage: Pumping Station Incident Date: 8th December 1994 Incident Reference: 94T414 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	435	2	574450 158195
28	Pollution Incidents to Controlled Waters Property Type: Mining Location: Pipe From Gabriels Wharf Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Inert Suspended Solids Note: River Went Dark Red Incident Date: 26th February 1993 Incident Reference: 92T598 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	437	2	574450 158200
28	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Allington, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Allington Pumping Station Pumping To Medway Incident Date: 8th November 1997 Incident Reference: 397465 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	483	2	574500 158200
29	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Allington Pumping Station, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Power Failure And Discharge Incident Date: 13th October 1996 Incident Reference: 396480 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Pumping Station Storm Overflow Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (E)	459	2	574500 158100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
29	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Storm Overflow Location: Downstream Allington Sluice Gate Authority: Environment Agency, Southern Region Pollutant: Storm Sewage Note: Sewage Outlet Pouring Incident Date: 29th May 1992 Incident Reference: 92T207 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (E)	486	2	574525 158115
30	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Allington, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Allington Pumping Station Pumping To Medway Incident Date: 8th November 1997 Incident Reference: 197035 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	482	2	574500 158195
31	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Behind Forstal Road Authority: Environment Agency, Southern Region Pollutant: Oils - Gas Oil Note: Diesel On River Medway Incident Date: 10th March 1997 Incident Reference: 397071 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	566	2	574000 158600
32	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: Boarley Lane, SANDLING Authority: Environment Agency, Southern Region Pollutant: Crude Sewage Note: Pumping Station Failure; Water Company Sewage: Pumping Station Incident Date: 19th January 1995 Incident Reference: 94T464 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	576	2	574560 158295
32	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Boarley Lane, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Storm Sewage Note: Sewage In Stream From Pumping Station Incident Date: 18th December 1997 Incident Reference: 397486 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	581	2	574565 158295
33	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Lower Medway, 50 Yards Below, Allington Lock Authority: Environment Agency, Southern Region Pollutant: Sewage - Storm Overflow Note: Detergent Coming From Sewer Outflow Incident Date: 19th May 1992 Incident Reference: 92T230 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 1 - Major Incident Positional Accuracy: Located by supplier to within 100m	A14NW (NE)	600	2	574620 158210

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: D/S Allington Lock Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Urban Runoff Note: Sewage Entering Medway; Water Company Sewage: Surface Water Outfall Incident Date: 3rd July 1994 Incident Reference: 94T220 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (E)	615	2	574650 158150
34	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: Gabriels Wharf Down Stream , ALLINGTON Authority: Environment Agency, Southern Region Pollutant: Unknown Sewage Note: Sewage From Outfall Incident Date: 26th July 1997 Incident Reference: 397311 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NW (E)	621	2	574660 158130
34	Pollution Incidents to Controlled Waters Property Type: Other Transport Location: Allington, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Oil At Allington Sluice; Ships/Boats Incident Date: 29th May 1994 Incident Reference: 94T089 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	664	2	574700 158150
34	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: Allington Lock, ALLINGTON Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Diesel On River Medway Incident Date: 12th July 1996 Incident Reference: 396311 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	673	2	574700 158195
34	Pollution Incidents to Controlled Waters Property Type: Other General Premises Location: Allington, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Turbidity High; Miscellaneous Premises: Other Incident Date: 26th January 1995 Incident Reference: 94T489 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	675	2	574700 158200
34	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Allington Pumping Station, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Storm Sewage Note: Storm Sewage Pumping Into River Medway Incident Date: 22nd June 1997 Incident Reference: 397270 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Plc Sewage Other Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	678	2	574705 158195

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Unknown Location: Medway From Culvert, 50M D/S From The Lock Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Foam Note: Large Amount Of Oil Entering Medway Incident Date: 8th February 1997 Incident Reference: 397032 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	702	2	574740 158140
35	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Pumping Station Location: Allington Pumping Station, ALLINGTON Authority: Environment Agency, Southern Region Pollutant: Storm Sewage Note: Sewage In River Incident Date: 17th July 1997 Incident Reference: 397437 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	644	2	574690 158000
36	Pollution Incidents to Controlled Waters Property Type: Construction Location: Medway, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil On Estuary Incident Date: 15th February 1997 Incident Reference: 397037 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	645	2	574640 158285
36	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Other Location: N R A Site Allington, ALLINGTON Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil Spill Incident Date: 23rd January 1997 Incident Reference: 397050 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SW (NE)	647	2	574640 158290
37	Pollution Incidents to Controlled Waters Property Type: Boats/Ships Location: Back Of Phoenix House, Forestal Road, AYLESFORD, Kent Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Diesel Coming Out Of Pipe Incident Date: 23rd December 1993 Incident Reference: 93T277 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	661	2	574000 158695
38	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Forstal Road, Opposite Beddow Way, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel From Culvert Into Medway; Industrial: Other Incident Date: 21st March 1995 Incident Reference: 94T560 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	665	2	573850 158690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Culvert Behind Esso Garage, Forstal Road, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Diesel In Medway Incident Date: 13th August 1993 Incident Reference: 93T154 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	668	2	573900 158700
40	Pollution Incidents to Controlled Waters Property Type: Private Sewage (Non-PLC): Other Location: Culvert Opposite Beddow Way, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel In River Medway; Private Sewage (Non-Plc): Surface Water Outfall Incident Date: 10th July 1995 Incident Reference: 395214 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	680	2	573800 158695
40	Pollution Incidents to Controlled Waters Property Type: Private Sewage (Non-PLC): Sewage Treatment Works Location: Coming From , Travis Perkins Timber Yard Area Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil On River Incident Date: 29th July 1998 Incident Reference: 197245 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Poor Operational Practice Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	685	2	573800 158700
41	Pollution Incidents to Controlled Waters Property Type: Miscellaneous Premises: Other Location: 20/20 Roundabout, ALLINGTON Authority: Environment Agency, Southern Region Pollutant: Other Pollutant Note: Not Supplied Incident Date: 13th May 1999 Incident Reference: 2428 Catchment Area: Medway Estuary Receiving Water: Estuary Cause of Incident: Unauthorised Activity : Other Activity Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m	A12NW (W)	685	2	573300 158200
42	Pollution Incidents to Controlled Waters Property Type: Road (Road Traffic Accident) Location: Station Road, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Unknown Note: Oil In Medway Incident Date: 26th November 1997 Incident Reference: 197032 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	724	2	573850 158750
43	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Forstal, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel Spillage Outside Bp Garage; Oil Industry (Not Garages) Incident Date: 25th April 1995 Incident Reference: 395056 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	747	2	573750 158750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Other Location: Medway, FORSTAL Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil In River; Water Company Sewage: Surface Water Outfall Incident Date: 18th April 1995 Incident Reference: 395064 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18NW (N)	795	2	573750 158800
44	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Location Description Not Available Authority: Environment Agency, Southern Region Pollutant: Chemicals - Alkali Note: Allington Pumping Station Overflow Incident Date: 4th July 1997 Incident Reference: 397299 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	771	2	574800 158195
44	Pollution Incidents to Controlled Waters Property Type: Water Company Sewage: Surface Water Outfall Location: Allington, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel Oil On Medway Incident Date: 27th April 1997 Incident Reference: 397165 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	772	2	574800 158200
44	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Allington - Medway Authority: Environment Agency, Southern Region Pollutant: Oils - Other Oil Note: Oil Incident Date: 21st July 1993 Incident Reference: 93T131 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	780	2	574810 158190
45	Pollution Incidents to Controlled Waters Property Type: Other Transport Location: M20, Between Junction 5 & 7 Authority: Environment Agency, Southern Region Pollutant: Miscellaneous - Foam Note: Whisky Lorry On Fire; Road (Road Traffic Accident) Incident Date: 3rd April 1995 Incident Reference: 395010 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A14NE (E)	962	2	574990 158220
46	Pollution Incidents to Controlled Waters Property Type: Industrial: Other Location: Swift Services (Haulage), St Michaels Close, AYLESFORD Authority: Environment Agency, Southern Region Pollutant: Oils - Waste Oil Note: Oil Being Washed Down Surface Water Drain; Textile Industry Incident Date: 22nd November 1995 Incident Reference: 395433 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A23SE (N)	988	2	574250 159000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	Pollution Incidents to Controlled Waters Property Type: Boats/Ships Location: U/S Allington Lock, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Diesel On River Medway Incident Date: 24th October 1993 Incident Reference: 93T223 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Oils/Related Products Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A19SE (E)	992	2	575001 158301
48	Pollution Incidents to Controlled Waters Property Type: Rail Location: Beetween Fords Wharf, And Allington Authority: Environment Agency, Southern Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil On Medway Incident Date: 28th August 1996 Incident Reference: 396462 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A9NE (SE)	994	2	574900 157300
48	Pollution Incidents to Controlled Waters Property Type: Construction Location: Fords Wharf, MAIDSTONE Authority: Environment Agency, Southern Region Pollutant: Organic Chemicals : Diesel Fuels Note: Not Supplied Incident Date: 14th May 1999 Incident Reference: 1295 Catchment Area: Medway Receiving Water: Potential River Cause of Incident: Climatic Conditions : Localised High Rainfall Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	996	2	574900 157295
49	Registered Radioactive Substances Name: The Active Collection Bureau Limited Location: Socorro House, Liphook Way, 20/20 Business Park, Maidstone, Me16 0lq Authority: Environment Agency, Thames Region Permit Reference: NB3535DV Dated: Not Supplied Process Type: Not Supplied Description: Not Supplied Status: Application has been determined by the EA Positional Accuracy: Automatically positioned to the address	A13NE (NE)	243	2	574285 158078
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A13NE (NE)	270	2	574241 158221
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A13NE (NE)	270	2	574277 158184
	River Quality Name: Not Supplied GQA Grade: Unclassified Tidal River Reach: Not Supplied Estimated Distance (km): Not Supplied Flow Rate: Not Supplied Flow Type: Not Supplied Year: 1995	A14NW (E)	420	2	574463 158084

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	River Quality Name: Medway GQA Grade: River Quality B Reach: Allington Sluices - Ensfield Bridge Estimated Distance (km): 1.2 Flow Rate: Flow less than 20 cumecs Flow Type: River Year: 2000	A14NE (E)	810	2	574855 158045
50	River Quality Chemistry Sampling Points Name: River Medway Reach: Allington Sluices To Ensfield Bridge Estimated Distance: 1.20 Objective: Not Supplied Positional Accuracy: Located by supplier to within 10m Year: 1990 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1993 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1994 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1995 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1996 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1997 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1998 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 1999 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2000 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2001 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2002 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2003 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2004 GQA Grade: River Quality Chemistry GQA Grade D - Fair Compliance: Not Supplied Year: 2005 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2006 GQA Grade: River Quality Chemistry GQA Grade B - Good Compliance: Not Supplied Year: 2007 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2008 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied Year: 2009 GQA Grade: River Quality Chemistry GQA Grade C - Fairly Good Compliance: Not Supplied	A14NE (E)	854	2	574892 158154
51	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 31st August 2007 Incident Reference: 527489 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants And Effects: Chemical Odour	A13SW (W)	105	2	573861 157919

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 31st August 2007 Incident Reference: 527376 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants And Effects: Sulphide Odour	A13SE (SE)	124	2	574166 157779
53	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 12th September 2007 Incident Reference: 530630 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A13SE (SE)	139	2	574158 157726
54	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 14th December 2004 Incident Reference: 282948 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Oils - Diesel (Including Agricultural)	A12NE (W)	411	2	573560 158110
55	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 9th October 2007 Incident Reference: 537232 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A8NE (S)	531	2	574254 157318
55	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 29th September 2007 Incident Reference: 534833 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A8NE (S)	531	2	574254 157318
55	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 29th July 2007 Incident Reference: 518292 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A8NE (S)	531	2	574254 157318
56	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 28th September 2007 Incident Reference: 534684 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A8NW (S)	564	2	573821 157267
57	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 11th September 2007 Incident Reference: 530503 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A9NW (SE)	594	2	574346 157294

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
57	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 10th September 2007 Incident Reference: 530105 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A9NW (SE)	594	2	574346 157294
58	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 11th October 2007 Incident Reference: 537648 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A9NW (SE)	658	2	574460 157296
59	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 11th September 2007 Incident Reference: 530173 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A8SE (S)	660	2	574230 157173
60	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 17th September 2007 Incident Reference: 532018 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A9NW (SE)	718	2	574668 157449
60	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 4th September 2007 Incident Reference: 528345 Water Impact: Category 4 - No Impact Air Impact: Category 2 - Significant Incident Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Atmospheric Pollutants and Effects: Landfill Odour	A9NE (SE)	758	2	574690 157409
61	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 25th March 2003 Incident Reference: 145667 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Oils And Fuel: Gas And Fuel Oils	A14NE (E)	792	2	574829 158150
61	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 27th December 2001 Incident Reference: 49588 Water Impact: Category 1 - Major Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Oils - Diesel (Including Agricultural)	A14NE (E)	814	2	574852 158145
62	Substantiated Pollution Incident Register Authority: Environment Agency - South East Region, Kent & South London Area Incident Date: 20th December 2004 Incident Reference: 284073 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Oils - Diesel (Including Agricultural)	A23SW (N)	958	2	573794 158977

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
63	Water Abstractions Operator: Mid Kent Water Plc Licence Number: 01/108 Permit Version: Not Supplied Location: Forstal Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 11200 Yearly Rate (m3): 4230200 Details: H2 Lower Greensand; Licence Status: Revoked; Lapsed Or Cancelled Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18NW (N)	666	2	574000 158700
63	Water Abstractions Operator: Mid Kent Water Plc Licence Number: 2/0250/C/G Permit Version: Not Supplied Location: Forstal Pumping Station , FORSTAL Authority: Environment Agency, Southern Region Abstraction: Agriculture (General) Abstraction Type: Not Supplied Source: Pond or Lake Daily Rate (m3): 11200 Yearly Rate (m3): 4099200 Details: Additional Purpose: Public Water Supply Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A18NW (N)	666	2	574005 158700
63	Water Abstractions Operator: South East Water Ltd Licence Number: 9/40/02/0250/G Permit Version: 102 Location: Boreholes At Forstal Ps (Nos. 1 To 3) Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 27th October 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18NW (N)	706	2	573990 158740
63	Water Abstractions Operator: South East Water Plc Licence Number: 9/40/02/0250/G Permit Version: 101 Location: Boreholes At Forstal Ps (Nos. 1 To 3) Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 14th December 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18NW (N)	706	2	573990 158740

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
63	Water Abstractions Operator: Mid Kent Water Plc Licence Number: 9/40/02/0250/G Permit Version: 100 Location: Boreholes At Forstal Ps (Nos. 1 To 3) Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 30th November 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A18NW (N)	706	2	573990 158740
64	Water Abstractions Operator: South East Water Ltd Licence Number: 9/40/02/0250/G Permit Version: 102 Location: Borehole No. 4 At Forstal Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 27th October 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	670	2	574370 158620
64	Water Abstractions Operator: South East Water Plc Licence Number: 9/40/02/0250/G Permit Version: 101 Location: Borehole No. 4 At Forstal Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 14th December 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	670	2	574370 158620
64	Water Abstractions Operator: Mid Kent Water Plc Licence Number: 9/40/02/0250/G Permit Version: 100 Location: Borehole No. 4 At Forstal Ps Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: N/A Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 30th November 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A19NW (NE)	670	2	574370 158620

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
65	Water Abstractions Operator: Environment Agency Licence Number: So/040/0001/006/R01 Permit Version: 1 Location: River Medway At Allington Lock, Maidstone Authority: Environment Agency, Southern Region Abstraction: Environmental: Fish Pass/Canoe Pass Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st April 2018 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NE (E)	813	2	574848 158165
65	Water Abstractions Operator: The Environment Agency Licence Number: So/040/0001/006 Permit Version: 1 Location: River Medway At Allington Lock, Maidstone Authority: Environment Agency, Southern Region Abstraction: Environmental: Fish Pass/Canoe Pass Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 8th November 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A14NE (E)	813	2	574848 158165
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 9/40/03/0083/Sr Permit Version: 101 Location: River Medway At Allington Sewage Treatment Works Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: General Washing/Process Washing Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land Edged Red On Plan Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st May 2007 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	1037	2	574950 157300
	Water Abstractions Operator: Southern Water Services Plc Licence Number: 9/40/03/0083/Sr Permit Version: 100 Location: River Medway At Allington Sewage Treatment Works Authority: Environment Agency, Southern Region Abstraction: Other Industrial/Commercial/Public Services: General Washing/Process Washing Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land Edged Red On Plan Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st March 1966 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A9NE (SE)	1037	2	574950 157300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: The Abbeycourt Licence Number: 3/0483/ /I Permit Version: Not Supplied Location: Bluebell Fishery, MAIDSTONE Authority: Environment Agency, Southern Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Tributary Of Medway Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A20SE (E)	1478	2	575500 158300
	Water Abstractions Operator: Rmc Aggregates (Southern) Limited Licence Number: 9/40/02/0227/G Permit Version: 100 Location: Point B, Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 1023 Yearly Rate (m3): 159091 Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SW (NW)	1527	2	573010 159227
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 02/114 Permit Version: 101 Location: River Medway At Springfield Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 22nd November 2017 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A10SW (SE)	1555	2	575327 156927
	Water Abstractions Operator: The Abbeycourt Licence Number: 3/0483/ /I Permit Version: Not Supplied Location: Bluebell Fishery, MAIDSTONE Authority: Environment Agency, Southern Region Abstraction: Impounding Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 0 Yearly Rate (m3): 0 Details: Tributary Of Medway Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A20SE (E)	1565	2	575560 158430

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Aylesford Heritage Limited Licence Number: 9/40/02/0227/G Permit Version: 107 Location: Point B, Excavation At Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th May 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1583	2	572950 159250
	Water Abstractions Operator: Aylesford Heritage Limited Licence Number: 9/40/02/0227/G Permit Version: 106 Location: Point B, Excavation At Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 23rd September 2015 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1583	2	572950 159250
	Water Abstractions Operator: Aylesford Heritage Limited Licence Number: 9/40/02/0227/G Permit Version: 105 Location: Point B, Excavation At Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 24th November 2014 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1583	2	572950 159250
	Water Abstractions Operator: Cemex Uk Materials Ltd Licence Number: 9/40/02/0227/G Permit Version: 104 Location: Point B, Excavation At Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 22nd July 2005 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1583	2	572950 159250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Rmc Aggregates (Southern) Limited Licence Number: 9/40/02/0227/G Permit Version: 103 Location: Point B, Excavation At Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 21st July 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1583	2	572950 159250
	Water Abstractions Operator: Rmc Aggregates (Southern) Limited Licence Number: 9/40/02/0227/G Permit Version: 101 Location: Point B, Excavation At Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Area Shown On Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 7th November 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1583	2	572950 159250
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 02/114 Permit Version: 100 Location: River Medway At Springfield Authority: Environment Agency, Southern Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: River Medway Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 2nd April 1992 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A5NE (SE)	1630	2	575400 156900
	Water Abstractions Operator: Southern Water Services Ltd Licence Number: 2/114C Permit Version: Not Supplied Location: River Medway At , SPRINGFIELD Authority: Environment Agency, Southern Region Abstraction: General Industrial Abstraction Type: Not Supplied Source: Spring Daily Rate (m3): 136000 Yearly Rate (m3): 37700000 Details: Additional Purpose: Public Water Supply Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A5NE (SE)	1637	2	575405 156895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Whatman International Ltd Licence Number: 9/40/03/0159/B/Sr Permit Version: 100 Location: Point Y, River Medway At Springfield Mill Authority: Environment Agency, Southern Region Abstraction: Industrial/Commercial/Energy/Public Services: Transfer between sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Two Ponds Shown Blue On Plan Authorised Start: 01 September Authorised End: 30 November Permit Start Date: 1st April 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NE (SE)	1864	2	575560 156720
	Water Abstractions Operator: Whatman International Ltd Licence Number: 9/40/03/0159/A/Gr Permit Version: 100 Location: Point A, A Well At Springfield Mill, Maidstone Authority: Environment Agency, Southern Region Abstraction: Paper And Printing: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 2400 Yearly Rate (m3): 310778.2 Details: Land Shown Blue On Plan At Springfield Mill Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 6th December 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NE (SE)	1898	2	575580 156690
	Water Abstractions Operator: Whatman International Ltd Licence Number: 9/40/03/0159/A/Gr Permit Version: 100 Location: Point C, A Catchpit At Springfield Mill ,Maidstone Authority: Environment Agency, Southern Region Abstraction: Paper And Printing: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land Shown Blue On Plan At Springfield Mill Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 6th December 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NE (SE)	1913	2	575530 156600
	Water Abstractions Operator: Whatman International Ltd Licence Number: 9/40/03/0159/A/Gr Permit Version: 100 Location: Point B, A Well At Springfield Mill ,Maidstone Authority: Environment Agency, Southern Region Abstraction: Paper And Printing: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land Shown Blue On Plan At Springfield Mill Authorised Start: 01 October Authorised End: 30 September Permit Start Date: 6th December 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5NE (SE)	1930	2	575560 156610

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Rmc Aggregates (Southern) Limited Licence Number: 9/40/0227/G Permit Version: 100 Location: Point A, Aylesford Sandpit Authority: Environment Agency, Southern Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land Outlined In Purple On Map Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21NE (NW)	1947	2	572691 159508
	Water Abstractions Operator: Whatman International Ltd Licence Number: 9/40/03/0159/B/Sr Permit Version: 100 Location: Point X On The River Medway At Springfield Mill, Maidstone Authority: Environment Agency, Southern Region Abstraction: Industrial/Commercial/Energy/Public Services: Transfer between sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Two Ponds Shown Blue On Plan Authorised Start: 01 September Authorised End: 30 November Permit Start Date: 1st April 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A5SE (SE)	1982	2	575570 156540
	Groundwater Vulnerability Map Combined Classification: Principle Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Mixed Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: High	A13NW (N)	0	6	574000 158000
	Groundwater Vulnerability Map Combined Classification: Principle Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: No Data	A13NE (N)	0	6	574009 158000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Principle Bedrock Aquifer - High Vulnerability Classification: High Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Mixed Dilution: 300-550 mm/year Baseflow Index: >70% Superficial <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A13NW (W)	0	6	574000 157924
	Groundwater Vulnerability Map Combined Principle Bedrock Aquifer - Medium Vulnerability Classification: Medium Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Mixed Dilution: 300-550 mm/year Baseflow Index: >70% Superficial <90% Patchiness: 3-10m Superficial Thickness: Medium Superficial Recharge:	A13NE (NW)	0	6	574009 157924
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	A13NE (NW)	0	6	574009 157924
	Superficial Aquifer Designations No Data Available				
66	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	A13NE (NW)	0	2	574009 157924
67	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone I (Inner Protection Zone): Travel time of 50 days or less to the groundwater source.	A13NE (NW)	0	2	574009 157924
68	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	A13NE (NW)	0	2	574009 157924
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 627.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A13NE (NE)	335	7	574299 158254
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 87.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A18SE (NE)	364	7	574332 158259
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A8NW (SW)	374	7	573791 157490
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 41.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A8NW (SW)	375	7	573792 157488
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A18SE (NE)	377	7	574341 158269
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A8NW (SW)	414	7	573762 157461
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A7NE (SW)	421	7	573648 157562
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A8NW (SW)	421	7	573756 157457
77	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 940.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A18SE (N)	458	7	574146 158481

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
78	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 9.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A18SE (N)	458	7	574146 158481
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 302.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A18SE (N)	465	7	574154 158486
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A8NW (SW)	471	7	573716 157423
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 15.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A8NW (SW)	478	7	573710 157419
82	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 218.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A14NW (E)	590	7	574625 158146
83	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 38.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 2	A14NW (E)	593	7	574629 158143
84	OS Water Network Lines Watercourse Form: Lock or flight of locks Watercourse Length: 63.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 2	A14NW (E)	629	7	574666 158136
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 123.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 2	A14NE (E)	690	7	574729 158133
86	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 194.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A19NW (NE)	718	7	574403 158657

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
87	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 1.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A14NE (E)	795	7	574831 158157
88	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 12.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 2	A14NE (E)	795	7	574831 158157
89	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A14NE (E)	796	7	574832 158157
90	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A14NE (E)	801	7	574837 158160
91	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A14NE (E)	801	7	574836 158169
92	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 27.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A14NE (E)	801	7	574837 158160
93	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 399.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A17SE (NW)	805	7	573345 158550
94	OS Water Network Lines Watercourse Form: Tidal river Watercourse Length: 23.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	A17SE (NW)	805	7	573345 158550
95	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 119.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A19SE (NE)	807	7	574725 158471

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 166.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A14NE (E)	810	7	574849 158140
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A17SE (NW)	816	7	573351 158573
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A17SE (NW)	821	7	573354 158584
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A17SE (NW)	826	7	573357 158594
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 65.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A14NE (E)	861	7	574892 158193
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A19NW (NE)	912	7	574503 158823
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 59.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A19NW (NE)	914	7	574504 158825
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 107.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A14NE (E)	970	7	575012 158119
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 281.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Medway Catchment Name: Medway Primacy: 1	A14NE (E)	970	7	575012 158119

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
105	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 145.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 1	A19NW (NE)	972	7	574527 158879
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 89.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Medway Primacy: 2	A19NW (NE)	972	7	574527 158879

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
107	Historical Landfill Sites Licence Holder: ARC Limited Location: 20/20 Estate, Allington, Kent Name: Allington Quarry No.1 Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19551 First Input Date: 1st November 1991 Last Input Date: 30th June 2002 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7503 BGS Ref: Not Supplied Other Ref: P/11/24, MA6, TO34A	A13SE (SE)	87	2	574121 157759
108	Historical Landfill Sites Licence Holder: ARC Limited Location: 20/20 Estate, Allington, Kent Name: Allington Quarry No.1 Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19549 First Input Date: Not Supplied Last Input Date: 30th June 2002 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7503 BGS Ref: Not Supplied Other Ref: TO34A, P/11/24, MA6	A13SE (SE)	176	2	574221 157804
109	Historical Landfill Sites Licence Holder: Not Supplied Location: D Shaped Field, Allington, Kent Name: D Shaped Field Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19869 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Not Supplied Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: Not Supplied	A12NE (W)	393	2	573561 157985
110	Historical Landfill Sites Licence Holder: Gallagher Location: Castle Way, Allington, Kent Name: Castle Way Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19555 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7492 BGS Ref: Not Supplied Other Ref: MA10	A9NW (SE)	605	2	574520 157426
111	Historical Landfill Sites Licence Holder: Gallaghers - ARC Limited Location: Castle Road, Maidstone, Kent Name: Allington No.1 Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19553 First Input Date: 1st January 1976 Last Input Date: 31st December 1987 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7497 BGS Ref: Not Supplied Other Ref: MA15	A9NW (SE)	613	2	574549 157457

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
112	Historical Landfill Sites Licence Holder: Sterling Homes Location: Allington, Kent Name: Castle Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19560 First Input Date: 1st January 1976 Last Input Date: 31st December 1985 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7494 BGS Ref: Not Supplied Other Ref: MA12	A9NW (SE)	628	2	574370 157269
113	Historical Landfill Sites Licence Holder: ARC Limited Location: Allington Open Space, Castle Road, Maidstone, Kent Name: Allington No.2 Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19550 First Input Date: Not Supplied Last Input Date: 31st December 1973 Specified Waste: Deposited Waste included Inert, Commercial and Household Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7498 BGS Ref: Not Supplied Other Ref: MA16	A14SE (E)	727	2	574760 157679
114	Historical Landfill Sites Licence Holder: Pearsons Ballast Location: Aylesford, Kent Name: Deacon Trading Estate Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19528 First Input Date: 1st January 1976 Last Input Date: 31st December 1977 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7317 BGS Ref: Not Supplied Other Ref: TO29	A17NE (NW)	745	2	573641 158705
115	Historical Landfill Sites Licence Holder: Not Supplied Location: Aylesford, Kent Name: Old Aylesford Pit Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD19522 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 2200/7302 BGS Ref: Not Supplied Other Ref: TO14	A18NW (N)	825	2	573719 158822
116	Integrated Pollution Control Registered Waste Sites Name: Kent Enviropower Ltd Location: Allington Quarry, Laverstoke Road, MAIDSTONE, KENT, ME16 0LY Authority: Environment Agency, Southern Region Permit Reference: BF3362 Dated: 9th February 1999 Process Type: IPC staged application Description: 5.1 A (C) Incineration within the Waste Disposal Industry Status: Application has met the requirements for authorisation (but not yet authorised) Positional Accuracy: Manually positioned to the road within the address or location	A13SE (S)	0	2	574038 157829

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
117	Licensed Waste Management Facilities (Landfill Boundaries) Name: Allington Landfill Licence Number: 19514 Location: Land/ Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Licence Holder: Waste Recycling Group (Central) Ltd Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Landfills Taking Non-biodegradable Wastes (Not Construction) Max Input Rate: Not Supplied Licence Status: Modified Issued: 4th October 1991 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A13NE (NW)	0	2	574009 157924
118	Licensed Waste Management Facilities (Landfill Boundaries) Name: D-Shaped Field Licence Number: 10040 Location: Land / Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Licence Holder: Waste Recycling Group (Central) Ltd Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Landfills Taking Non-biodegradable Wastes (Not Construction) Max Input Rate: Not Supplied Licence Status: Modified Issued: 27th November 2001 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A14SE (E)	730	2	574763 157678
119	Licensed Waste Management Facilities (Locations) Licence Number: 100300 Location: Land / Premises At, Laverstoke Road, 20/20 Business Park, Maidstone, Kent, ME16 0LE Operator Name: Kent Enviropower Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Issued Issued: 11th July 2008 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13SW (SW)	10	2	573960 157855
120	Licensed Waste Management Facilities (Locations) Licence Number: 104072 Location: Allington Depot, Liphook Way, Maidstone, Kent, ME16 0LQ Operator Name: Hanson Quarry Products Europe Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Material Recycling Treatment Facilities Licence Status: Modified Issued: 22nd June 2012 Last Modified: 5th November 2015 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A13SE (E)	255	2	574300 157900
120	Licensed Waste Management Facilities (Locations) Licence Number: 19514 Location: Land/ Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Operator Name: Waste Recycling Group (Central) Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Landfills Taking Non-biodegradable Wastes (Not Construction) Licence Status: Modified Issued: 4th October 1991 Last Modified: 6th August 2015 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A13SE (E)	255	2	574300 157900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
121	Licensed Waste Management Facilities (Locations) Licence Number: 19514 Location: London Road, Allington, Maidstone, Kent Operator Name: Hanson Quarry Products Europe Ltd Operator Location: The Ridge, Chipping Sodbury, Bristol, BS37 6AY Authority: Environment Agency - Southern Region, Kent Area Site Category: Landfills Taking Non-biodegradable Wastes (Not Construction) Licence Status: Issued Issued: 4th October 1991 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A12SE (W)	466	2	573500 157900
122	Licensed Waste Management Facilities (Locations) Licence Number: 10000 Location: Hanson Depot, Allington Unit, 20/20 Industrial Estate, Liphook Way, Maidstone, Kent, ME16 0LQ Operator Name: Hanson Quarry Products Europe Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Transfer Stations Taking Non-biodegradable Wastes Licence Status: Surrendered Issued: 27th November 1998 Last Modified: 12th December 2003 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 25th April 2014 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A14SW (E)	555	2	574600 157900
123	Licensed Waste Management Facilities (Locations) Licence Number: 10040 Location: Land / Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Operator Name: Waste Recycling Group (Central) Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Landfills Taking Non-biodegradable Wastes (Not Construction) Licence Status: Surrendered Issued: 27th November 2001 Last Modified: 6th August 2015 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 24th November 2017 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A12SE (W)	571	2	573400 157800
124	Licensed Waste Management Facilities (Locations) Licence Number: 104569 Location: Double Day House, St Michaels Close, Aylesford, Kent, ME20 7BU Operator Name: Enterprise (A O L) Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, Kent & South London Area Site Category: Physical Treatment Facilities Licence Status: Modified Issued: 24th October 2012 Last Modified: 2nd September 2019 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A23SE (N)	963	2	574206 158983
	Local Authority Landfill Coverage Name: Tonbridge And Malling Borough Council - Has supplied landfill data		0	3	574009 157924
	Local Authority Landfill Coverage Name: Kent County Council - Had landfill data but passed it to the relevant environment agency		0	8	574009 157924
	Local Authority Landfill Coverage Name: Maidstone Borough Council - Has supplied landfill data		20	4	574105 157863

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
125	Local Authority Recorded Landfill Sites Location: Allington Quarry Reference: TO34 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Not Supplied Status: Types of Waste: Inert Material Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A13NE (W)	0	4	574009 157924
126	Local Authority Recorded Landfill Sites Location: Allington Quarry Reference: MA6 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Closed Status: Types of Waste: Inert Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A13SE (SE)	169	4	574214 157829
127	Local Authority Recorded Landfill Sites Location: Castle Way, Maidstone, Kent Reference: MA10 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Closed Status: Types of Waste: Inert, Mainly Inert With Some Slow Degradable Matter Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A9NW (SE)	602	4	574518 157428
128	Local Authority Recorded Landfill Sites Location: Allington Road - 1 Reference: MA15 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Closed Status: Types of Waste: Inert Date of Closure: 1987 Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A9NW (SE)	606	4	574543 157461
129	Local Authority Recorded Landfill Sites Location: Castle Road, Maidstone, Kent Reference: MA12 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Closed Status: Types of Waste: Inert, Mainly Inert With Some Slow Degradable Matter Date of Closure: 1985 Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A9NW (SE)	625	4	574367 157270
130	Local Authority Recorded Landfill Sites Location: Allington Road - 2, Maidstone, Kent Reference: MA16 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Closed Status: Types of Waste: Inert Material, Mainly Inert Material With Some Slow Degradable Matter, Putrescible And Difficult Waste Date of Closure: Pre 1974 Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A14SE (E)	716	4	574750 157683
131	Local Authority Recorded Landfill Sites Location: Deacon Trading Estate Reference: TO29 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Not Supplied Status: Types of Waste: Inert Material, Mainly Inert With Some Slow Degradable Matter, Putrescible And Difficult Waste Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A17NE (NW)	741	4	573628 158696

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
132	Local Authority Recorded Landfill Sites Location: Old Aylesford Pit Reference: TO14 Authority: Maidstone Borough Council, Environmental Health Department Last Reported Status: Closed Types of Waste: Inert Material, Mainly Inert With Some Slow Degradable Matter, Putrescible And Difficult Waste Date of Closure: Pre 1970 Positional Accuracy: Positioned by the supplier Boundary Quality: Good	A18NW (N)	824	4	573710 158818
133	Local Authority Recorded Landfill Sites Location: Old Aylesford Pit Reference: TO14 Authority: Tonbridge And Malling Borough Council, Environmental Health Department Last Reported Status: Closed Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Applicable	A17NE (NW)	983	3	573492 158896
134	Registered Landfill Sites Licence Holder: Hanson Quarry Products Europe Ltd Licence Reference: P/11/24 Site Location: Allington Quarry, A20 London Road, Allington, MAIDSTONE, Kent, ME16 0LY Licence Easting: Not Supplied Licence Northing: Not Supplied Operator Location: The Ridge, Chipping Sodbury, BRISTOL, Avon, BS17 6AY Authority: Environment Agency - Southern Region, Kent Area Site Category: Landfill Max Input Rate: Very Large (Equal to or greater than 250,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Operational as far as is knownOperational Dated: 4th October 1991 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Positioned by the supplier Boundary Accuracy: Moderate Authorised Waste: Kent Cat. A -Inert * Max.Waste Permitted By Licence Tunnel Excavation Arisings Prohibited Waste: Waste N.O.S.	A13NE (NW)	0	2	574009 157924
135	Registered Waste Transfer Sites Licence Holder: Hanson Quarry Products Europe Ltd Licence Reference: EAWML10000 Site Location: The Sidings - ARC Depot, Allington Unit 20/20 Industrial Park, Allington, MAIDSTONE, Kent, ME6 0LT Operator Location: The Ridge, Chipping Sodbury, BRISTOL, Avon, BS17 6AY Authority: Environment Agency - Southern Region, Kent Area Site Category: Transfer Max Input Rate: Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) Waste Source: Some restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 27th November 1998 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Located by supplier to within 100m Boundary Quality: Not Supplied Authorised Waste: Inert Materials (As In Post'98 E.A.Lics And Equivalent To 21.00.00) Maximum Storage In Licence Maximum Waste Permitted By Licence Prohibited Waste: Waste Not Otherwise Specified	A14SW (E)	315	2	574360 157820

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Lower Greensand Group	A13NE (NW)	0	1	574009 157924
136	BGS Recorded Mineral Sites Site Name: Allington Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 2504 Type: Opencast Status: Ceased Operator: Hanson Aggregates, South East Region Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 100m	A13SW (S)	0	1	574000 157900
137	BGS Recorded Mineral Sites Site Name: Aylesford Quarry Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 132006 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	34	1	573931 158017
138	BGS Recorded Mineral Sites Site Name: Allington Quarry Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 9134 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A13NE (N)	78	1	574070 158108
139	BGS Recorded Mineral Sites Site Name: Tonguewood Quarry Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 10162 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	198	1	573820 158170
140	BGS Recorded Mineral Sites Site Name: Glebe Quarry Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 132005 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A14SW (E)	311	1	574356 157919

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
141	BGS Recorded Mineral Sites Site Name: Allington Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 116780 Type: Opencast Status: Ceased Operator: Hanson Aggregates, South East Region Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A12SE (W)	366	1	573600 157912
142	BGS Recorded Mineral Sites Site Name: Allington Rail Depot Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 10490 Type: Rail Depot Status: Active Operator: Hanson Aggregates Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Quarry (Hard Rock) Commodity: Crushed Rock Positional Accuracy: Located by supplier to within 10m	A14SW (E)	505	1	574550 157830
142	BGS Recorded Mineral Sites Site Name: Allington Rail Depot Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 10490 Type: Rail Depot Status: Active Operator: Hanson Aggregates Operator Location: Not Supplied Periodic Type: Quaternary Geology: Marine Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A14SW (E)	505	1	574550 157830
143	BGS Recorded Mineral Sites Site Name: Glebe Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 10148 Type: Opencast Status: Ceased Operator: Hanson Aggregates, South East Region Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A14SW (E)	518	1	574560 157750
144	BGS Recorded Mineral Sites Site Name: Allington No 2 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 116785 Type: Opencast Status: Ceased Operator: W. H. Bensted & Son Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9NW (SE)	638	1	574378 157262
145	BGS Recorded Mineral Sites Site Name: Allington No 2 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 116784 Type: Opencast Status: Ceased Operator: W. H. Bensted & Son Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	708	1	574430 157212

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
146	BGS Recorded Mineral Sites Site Name: Allington No 2 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 10145 Type: Opencast Status: Ceased Operator: W. H. Bensted & Son Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	729	1	574370 157154
147	BGS Recorded Mineral Sites Site Name: Allington No 2 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 116786 Type: Opencast Status: Ceased Operator: W. H. Bensted & Son Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A8SE (S)	750	1	574317 157108
148	BGS Recorded Mineral Sites Site Name: The Mounts Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 66613 Type: Opencast Status: Ceased Operator: Allington Quarry Co., Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9NW (SE)	756	1	574620 157315
149	BGS Recorded Mineral Sites Site Name: Sandling Farm Sand Pit Location: Sandling, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 109369 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Folkestone Formation Commodity: Sand Positional Accuracy: Located by supplier to within 10m	A19SE (NE)	764	1	574693 158441
150	BGS Recorded Mineral Sites Site Name: The Mounts Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 66612 Type: Opencast Status: Ceased Operator: Allington Quarry Co., Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	782	1	574545 157205
150	BGS Recorded Mineral Sites Site Name: Allington No 2 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 116783 Type: Opencast Status: Ceased Operator: W. H. Bensted & Son Ltd. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9SW (SE)	794	1	574584 157223

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
151	BGS Recorded Mineral Sites Site Name: Forstal Road Gravel Pit Location: Aylesford, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 249140 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits, 1 Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A18NW (N)	873	1	573816 158895
152	BGS Recorded Mineral Sites Site Name: Allington Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 12752 Type: Opencast Status: Ceased Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	916	1	574815 157310
152	BGS Recorded Mineral Sites Site Name: Allington No 1 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 116781 Type: Opencast Status: Ceased Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9NE (SE)	925	1	574797 157267
153	BGS Recorded Mineral Sites Site Name: Forstal Road Gravel Pit Location: Aylesford, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 16449 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Folkestone Formation Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	A22SE (N)	988	1	573660 158975
154	BGS Recorded Mineral Sites Site Name: Allington Castle Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 10149 Type: Opencast Status: Ceased Operator: Chittenham, Lake & Co. Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A15SW (E)	991	1	575025 157660
155	BGS Recorded Mineral Sites Site Name: Allington No 1 Location: Allington, Maidstone, Kent Source: British Geological Survey, National Geoscience Information Service Reference: 66614 Type: Opencast Status: Ceased Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Cretaceous Geology: Hythe Formation (Kentish Ragstone) Commodity: Limestone Positional Accuracy: Located by supplier to within 10m	A9SE (SE)	997	1	574840 157205

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Natural Cavities Easting: 573900 Northing: 157900 Distance: 66 Quadrant Reference: A13 Quadrant Reference: SW Bearing Ref: W Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A13SW (W)	66	9	573900 157900
	Natural Cavities Easting: 574100 Northing: 158300 Distance: 272 Quadrant Reference: A18 Quadrant Reference: SE Bearing Ref: N Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A18SE (N)	272	9	574100 158300
	Natural Cavities Easting: 574390 Northing: 157720 Distance: 356 Quadrant Reference: A14 Quadrant Reference: SW Bearing Ref: SE Cavity Type: Gulls/Fissures due to Cambering x 11, Unknown Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A14SW (SE)	356	9	574390 157720
	Natural Cavities Easting: 574380 Northing: 157650 Distance: 370 Quadrant Reference: A14 Quadrant Reference: SW Bearing Ref: SE Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Chalk Group Superficial Geology No Details Detail:	A14SW (SE)	370	9	574380 157650
	Natural Cavities Easting: 574400 Northing: 157700 Distance: 371 Quadrant Reference: A14 Quadrant Reference: SW Bearing Ref: SE Cavity Type: Gulls/Fissures due to Cambering x 10 Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A14SW (SE)	371	9	574400 157700
	Natural Cavities Easting: 574410 Northing: 157690 Distance: 383 Quadrant Reference: A14 Quadrant Reference: SW Bearing Ref: SE Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Chalk Group Superficial Geology No Details Detail:	A14SW (SE)	383	9	574410 157690

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Natural Cavities Easting: 574450 Northing: 157650 Distance: 434 Quadrant Reference: A14 Quadrant Reference: SW Bearing Ref: SE Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Chalk Group Superficial Geology No Details Detail:	A14SW (SE)	434	9	574450 157650
	Natural Cavities Easting: 574600 Northing: 157500 Distance: 634 Quadrant Reference: A9 Quadrant Reference: NW Bearing Ref: SE Cavity Type: Gulls/Fissures due to Cambering x 4 Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A9NW (SE)	634	9	574600 157500
	Natural Cavities Easting: 573670 Northing: 157190 Distance: 694 Quadrant Reference: A8 Quadrant Reference: SW Bearing Ref: SW Cavity Type: Solution Widened Joint or Fissure x 1 Solid Geology Detail: Hythe Formation Superficial Geology Head Detail:	A8SW (SW)	694	9	573670 157190
	Natural Cavities Easting: 574800 Northing: 157800 Distance: 755 Quadrant Reference: A14 Quadrant Reference: SE Bearing Ref: E Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A14SE (E)	755	9	574800 157800
	Natural Cavities Easting: 574800 Northing: 157700 Distance: 762 Quadrant Reference: A14 Quadrant Reference: SE Bearing Ref: E Cavity Type: Gulls/Fissures due to Cambering x 4 Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A14SE (E)	762	9	574800 157700
	Natural Cavities Easting: 574300 Northing: 157000 Distance: 846 Quadrant Reference: A8 Quadrant Reference: SE Bearing Ref: S Cavity Type: Gulls/Fissures due to Cambering Solid Geology Detail: Atherfield Clay Formation, Hythe Formation Superficial Geology No Details Detail:	A8SE (S)	846	9	574300 157000
	Non Coal Mining Areas of Great Britain Risk: Rare Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	3	1	574032 157802
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NW (N)	17	1	573958 158051
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (NW)	0	1	574009 157924

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
156	Contemporary Trade Directory Entries Name: Hansons Location: Laverstoke Rd, Allington, Maidstone, Kent, ME16 0LE Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SE (S)	32	-	574055 157776
157	Contemporary Trade Directory Entries Name: Sainsbury'S Distribution Location: Laverstoke Road, Allington, Maidstone, Kent, ME16 0LE Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A13SW (SW)	56	-	573938 157786
158	Contemporary Trade Directory Entries Name: D H L Supply Chain Location: Laverstoke Road, Allington, MAIDSTONE, Kent, ME16 0LE Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	123	-	574169 157919
158	Contemporary Trade Directory Entries Name: Apogge Location: Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ Classification: Printers Status: Active Positional Accuracy: Manually positioned within the geographical locality	A13SE (E)	137	-	574182 157887
159	Contemporary Trade Directory Entries Name: Techno Film Location: Canada House, St. Leonards Road, Allington, Maidstone, ME16 0LS Classification: Window Film Manufacturers and Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	159	-	574177 157718
159	Contemporary Trade Directory Entries Name: Solar Shield Ltd Location: Canada House, St. Leonards Road, Allington, Maidstone, ME16 0LS Classification: Window Film Manufacturers and Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	159	-	574177 157718
160	Contemporary Trade Directory Entries Name: Ringway Location: St. Laurence Av, Twenty Twenty Ind Est, Allington, Maidstone, Kent, ME16 0LL Classification: Road Marking & Surfacing Equipment & Material Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SE (SE)	188	-	574146 157648
160	Contemporary Trade Directory Entries Name: Ringway Location: St. Laurence Av, Twenty Twenty Ind Est, Allington, Maidstone, Kent, ME16 0LL Classification: Road Marking & Surfacing Equipment & Material Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SE (SE)	198	-	574164 157648
161	Contemporary Trade Directory Entries Name: M J Autosprays Ltd Location: Advance House, Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (E)	208	-	574254 157976
161	Contemporary Trade Directory Entries Name: K & G Maintenance Location: Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Classification: Engineering Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A13NE (E)	208	-	574254 157976
161	Contemporary Trade Directory Entries Name: M V Trucks Location: Parkway House, Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Classification: Commercial Vehicle Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (E)	253	-	574298 157972
161	Contemporary Trade Directory Entries Name: Husqvarna Location: Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Classification: Drilling & Boring Equipment & Supplies Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13NE (E)	268	-	574314 158010

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
162	Contemporary Trade Directory Entries Name: Obart Pumps Location: Obart House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, ME16 0FZ Classification: Pumps - Sales, Servicing & Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	213	-	574258 157814
162	Contemporary Trade Directory Entries Name: Obart Pumps Location: Obart House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, ME16 0FZ Classification: Pump Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	213	-	574258 157814
162	Contemporary Trade Directory Entries Name: Apogee Location: Nimbus House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, ME16 0FZ Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	214	-	574257 157778
162	Contemporary Trade Directory Entries Name: Obart Pumps Ltd Location: Obart House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ Classification: Pumps - Sales, Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	219	-	574264 157816
162	Contemporary Trade Directory Entries Name: Balreed Digitec Location: Nimbus House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	221	-	574264 157777
162	Contemporary Trade Directory Entries Name: Balreed Digitec Location: Nimbus House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ Classification: Photocopiers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	221	-	574264 157777
162	Contemporary Trade Directory Entries Name: Balreed Digitec Location: Nimbus House, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ Classification: Photocopiers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	221	-	574264 157777
162	Contemporary Trade Directory Entries Name: Apogee Corporation Location: Unit 6, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, ME16 0FZ Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	238	-	574281 157775
162	Contemporary Trade Directory Entries Name: Apogee Corporation Location: Unit 6, Nimbus Enterprise Park, Liphook Way, Twenty Twenty Industrial Estate, Maidstone, ME16 0FZ Classification: Photocopiers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	238	-	574281 157775
163	Contemporary Trade Directory Entries Name: Stedman (Printers) Ltd Location: Unit A, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	219	-	574241 157709

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
163	Contemporary Trade Directory Entries Name: Fernway Business Services Ltd Location: Unit K, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Janitorial Equipment - Servicing & Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	228	-	574238 157685
163	Contemporary Trade Directory Entries Name: Cordell Southern Technical Services Ltd Location: Unit E, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Control Panels Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	241	-	574236 157660
163	Contemporary Trade Directory Entries Name: Colourwave Printers Location: Unit E, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13SE (SE)	241	-	574236 157660
163	Contemporary Trade Directory Entries Name: Summers P V C Location: Unit F, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, ME16 0JZ Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	250	-	574235 157644
163	Contemporary Trade Directory Entries Name: Summers Pvc Ltd Location: Unit F, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: PVC-U Products - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	250	-	574235 157644
163	Contemporary Trade Directory Entries Name: G A P Location: Unit F Orchard Business Centre, St Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Cladding Suppliers & Installers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	250	-	574235 157644
164	Contemporary Trade Directory Entries Name: Diamant Boart (Uk) Ltd Location: Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Classification: Diamond Tool Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	237	-	574283 158038
165	Contemporary Trade Directory Entries Name: Hanson Aggregates Location: 20 Maidstone Indust Est, Liphook Way, Allington, Maidstone, Kent, ME16 0LT Classification: Quarries Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13SE (E)	237	-	574282 157904
166	Contemporary Trade Directory Entries Name: Quatro Tech Ltd Location: Unit H, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Printing Engineering Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	265	-	574293 157712
167	Contemporary Trade Directory Entries Name: 2020 Mailing Equipment Ltd Location: Unit L, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Mailing Machines & Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	274	-	574292 157688

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
167	Contemporary Trade Directory Entries Name: Terminix Ltd Location: Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Damp & Dry Rot Control Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	274	-	574292 157688
167	Contemporary Trade Directory Entries Name: Fascias (Uk) Location: Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Fascias and Soffits Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	274	-	574292 157688
167	Contemporary Trade Directory Entries Name: G A P Location: Unit F Orchard Business Centre, St Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Cladding Suppliers & Installers Status: Active Positional Accuracy: Manually positioned within the geographical locality	A13SE (SE)	277	-	574293 157682
167	Contemporary Trade Directory Entries Name: Fernway Business Services Ltd Location: Unit N, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Cleaning Materials & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	287	-	574292 157660
167	Contemporary Trade Directory Entries Name: Septodont Ltd Location: R-S, Unit, Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ Classification: Pharmaceutical Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	301	-	574298 157645
168	Contemporary Trade Directory Entries Name: Kerry Aptunion Location: Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SE (E)	297	-	574342 157830
169	Contemporary Trade Directory Entries Name: Hanson Ready-Mixed Concrete Location: St. Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Concrete Manufacturers & Distributors Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (SE)	323	-	574366 157769
169	Contemporary Trade Directory Entries Name: Hanson Ready-Mixed Concrete Location: St. Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Concrete & Mortar Ready Mixed Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (SE)	323	-	574366 157769
169	Contemporary Trade Directory Entries Name: Hanson Aggregates Location: St. Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Sand, Gravel & Other Aggregates Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (SE)	323	-	574366 157769
169	Contemporary Trade Directory Entries Name: Hanson Premix Location: Twenty Twenty Industrial Estate, St. Laurence Avenue, Allington, Maidstone, Kent, ME16 0LL Classification: Concrete & Mortar Ready Mixed Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	323	-	574366 157769

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
169	Contemporary Trade Directory Entries Name: Hanson Premix Location: St. Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Concrete & Mortar Ready Mixed Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	323	-	574366 157769
169	Contemporary Trade Directory Entries Name: Build Scape Supplies Ltd Location: St Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (SE)	356	-	574397 157753
170	Contemporary Trade Directory Entries Name: Nexcraft Ltd Location: Gabriels Wharf, Castle Road, Maidstone, ME16 0LT Classification: Boatbuilders & Repairers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	354	-	574357 158203
171	Contemporary Trade Directory Entries Name: Bumgarte Boiler Systems Location: Twenty Twenty Ind Est, St. Laurence Av, Allington, Maidstone, Kent, ME16 0LL Classification: Heating Equipment - Sales & Service Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A14SW (E)	382	-	574425 157769
172	Contemporary Trade Directory Entries Name: Fire Risk Assessors Location: 40, Fordwich Close, Maidstone, Kent, ME16 0NU Classification: Firework Stockists Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	444	-	574038 157362
173	Contemporary Trade Directory Entries Name: Kent Van Lining Location: 9, Pippin Place, Allington, Maidstone, ME16 0XE Classification: Commercial Vehicle Servicing, Repairs, Parts & Accessories Status: Active Positional Accuracy: Automatically positioned to the address	A8NW (S)	450	-	573836 157382
174	Contemporary Trade Directory Entries Name: S & R Location: Unit 11-13 Spectrum West, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Plastic Products - Manufacturers Status: Active Positional Accuracy: Manually positioned within the geographical locality	A14SW (SE)	528	-	574557 157678
174	Contemporary Trade Directory Entries Name: Imko Gelria B V Location: Unit 1/2, Twenty Twenty Industrial Estate, St. Laurence Avenue, Allington, Maidstone, Kent, ME16 0LL Classification: Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14SW (SE)	528	-	574557 157678
174	Contemporary Trade Directory Entries Name: A R Cook & Son (Plant Hire) Ltd Location: Unit 1/2, Twenty Twenty Industrial Estate, St. Laurence Avenue, Allington, Maidstone, Kent, ME16 0LL Classification: Asphalt & Coated Macadam Laying Contractors Status: Inactive Positional Accuracy: Manually positioned to the address or location	A14SW (SE)	528	-	574557 157678
174	Contemporary Trade Directory Entries Name: Make Believe Bakery Location: Unit 1, Twenty Twenty Industrial Estate, St. Laurence Avenue, Allington, Maidstone, Kent, ME16 0LL Classification: Bakery Equipment Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	528	-	574557 157678
175	Contemporary Trade Directory Entries Name: Travis Perkins Builders Merchants Location: Cobtree House, Forstal Road, Aylesford, Kent, ME20 7AG Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (N)	559	-	574262 158549

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
176	Contemporary Trade Directory Entries Name: Sinclair & Rush Location: Unit 11-13, St. Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Plastic Products - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (E)	606	-	574641 157693
176	Contemporary Trade Directory Entries Name: Chess Hygiene Ltd Location: Unit 10, Twenty Twenty Industrial Estate, St. Laurence Avenue, Allington, Maidstone, Kent, ME16 0LL Classification: Cleaning Materials & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	645	-	574675 157669
176	Contemporary Trade Directory Entries Name: Soldata Ltd Location: Unit 9 Spectrum West, St Laurence Avenue, Maidstone, Kent, ME16 0LJ Classification: Scientific Apparatus & Instruments - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	647	-	574671 157642
176	Contemporary Trade Directory Entries Name: Sol Data Ltd Location: Unit 9, St. Laurence Avenue, Twenty Twenty Industrial Estate, Allington, Maidstone, Kent, ME16 0LL Classification: Industrial Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	650	-	574674 157643
177	Contemporary Trade Directory Entries Name: Sulzer Location: Unit 7, Twenty Twenty Industrial Estate, St. Laurence Avenue, Allington, Maidstone, Kent, ME16 0LL Classification: Precision Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	616	-	574634 157625
178	Contemporary Trade Directory Entries Name: Traffic Jam Cars Location: Unit 6, Junction Six Trading Est, Forstal Rd, Aylesford, Kent, ME20 7XA Classification: Car Dealers - Used Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NE (N)	624	-	574109 158655
178	Contemporary Trade Directory Entries Name: Uk Accident Location: Unit 6, Junction Six Trading Estate, Forstal Road, Aylesford, Kent, ME20 7XA Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	625	-	574110 158656
179	Contemporary Trade Directory Entries Name: M & C Cleaning Services Location: 9, Hextable Close, Maidstone, Kent, ME16 0TN Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NW (SE)	631	-	574518 157388
180	Contemporary Trade Directory Entries Name: Allington Cycle Store Location: 12, Cranleigh Gardens, Maidstone, Kent, ME16 0TX Classification: Cycle Accessories, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NW (SE)	634	-	574444 157313
181	Contemporary Trade Directory Entries Name: Cleansing Service Group Location: Forstal Road, Aylesford, Kent, ME20 7XA Classification: Waste Disposal Services Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	663	-	574213 158675
181	Contemporary Trade Directory Entries Name: Cleansing Service Group Ltd Location: Forstal Road, Aylesford, Kent, ME20 7XA Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	663	-	574213 158675

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
182	Contemporary Trade Directory Entries Name: Travis Perkins Plc Location: Cobtree House, Forstal Road, Aylesford, Kent, ME20 7AG Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	663	-	574299 158647
183	Contemporary Trade Directory Entries Name: Lipscomb Cars Ltd Location: Performance House, Forstal Road, Aylesford, Kent, ME20 7XA Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	670	-	574139 158698
183	Contemporary Trade Directory Entries Name: Lipscomb Alfa Romeo Location: Performance House, Forstal Road, Aylesford, Kent, ME20 7XA Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	670	-	574139 158698
183	Contemporary Trade Directory Entries Name: Lipscomb Cars Ltd Location: Performance House, Forstal Road, Aylesford, Kent, ME20 7XA Classification: Car Customisation & Conversion Specialists Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	670	-	574139 158698
184	Contemporary Trade Directory Entries Name: Kent Frozen Foods Location: Kent House, Beaver Road, Maidstone, Kent, ME16 0FF Classification: Frozen Food Processors & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A7SE (SW)	694	-	573639 157208
185	Contemporary Trade Directory Entries Name: Gallagher Concrete Ltd Location: Leitrim House, Coldharbour Lane, Aylesford, Kent, ME20 7NS Classification: Quarries Status: Inactive Positional Accuracy: Automatically positioned to the address	A17SE (NW)	698	-	573363 158390
186	Contemporary Trade Directory Entries Name: Lipscomb Location: Forstal Rd, Aylesford, Kent, ME20 7XA Classification: Car Dealers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A18NE (N)	706	-	574017 158740
186	Contemporary Trade Directory Entries Name: Jewson Location: Forstal Road, Aylesford, Kent, ME20 7AE Classification: Builders' Merchants Status: Active Positional Accuracy: Manually positioned within the geographical locality	A18NE (N)	726	-	574011 158760
186	Contemporary Trade Directory Entries Name: Minster Location: Forstal Road, Aylesford, Kent, ME20 7AE Classification: Insulation Materials Status: Active Positional Accuracy: Manually positioned within the geographical locality	A18NE (N)	726	-	574011 158760
187	Contemporary Trade Directory Entries Name: Everest Stephen Hackney Location: 13, Braunstone Drive, Allington, Maidstone, Kent, ME16 0UG Classification: Cladding Suppliers & Installers Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NE (SE)	714	-	574694 157507
188	Contemporary Trade Directory Entries Name: The Pool & Spa Store Location: Forstal Road, Aylesford, Kent, ME20 7AU Classification: Swimming Pool Contractors, Repairers & Service Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A18NW (N)	715	-	573960 158750
189	Contemporary Trade Directory Entries Name: Euromobility Location: 9, Mid Kent Shopping Centre, Castle Road, Maidstone, Kent, ME16 0PU Classification: Disability Equipment - Manufacturers & Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	724	-	574251 157112

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
189	Contemporary Trade Directory Entries Name: Euromobility Location: Mid Kent Shopping Centre, Castle Road, Maidstone, ME16 0PU Classification: Disability Equipment - Manufacturers & Suppliers Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	727	-	574225 157102
189	Contemporary Trade Directory Entries Name: Blazes Fireplace Centres Location: Midkent Shopping Centre, Castle Road, Maidstone, Kent, ME16 0PX Classification: Fireplaces & Mantelpieces Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	758	-	574255 157078
190	Contemporary Trade Directory Entries Name: H & S Partners Ltd Location: Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Boxes & Cartons Status: Inactive Positional Accuracy: Automatically positioned to the address	A17NE (NW)	729	-	573637 158686
190	Contemporary Trade Directory Entries Name: John Johnson (Kent) Ltd Location: Unit 1e-1f Deacon Ind Est, Forstal Rd, Aylesford, Kent, ME20 7SP Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Manually positioned to the address or location	A17NE (NW)	759	-	573617 158710
191	Contemporary Trade Directory Entries Name: Aylesford Tyres Location: Cottage Industrial Estate, Forstal Road, Aylesford, ME20 7AD Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	735	-	573757 158740
191	Contemporary Trade Directory Entries Name: Aylesford Service Station Location: Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	753	-	573780 158765
191	Contemporary Trade Directory Entries Name: Aylesford Mot Centre Ltd Location: Unit B, 198, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Mot Testing Centres Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	753	-	573780 158765
191	Contemporary Trade Directory Entries Name: Creative Colour Ltd Location: Unit D, 198 Cottage Ind Est, Forstal Rd, Aylesford, Kent, ME20 7AD Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	753	-	573778 158764
191	Contemporary Trade Directory Entries Name: Aylesford Service Station Location: Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	753	-	573780 158765
191	Contemporary Trade Directory Entries Name: Sureform Cutters Location: Unit C, 198, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Boxes & Cartons Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	771	-	573735 158771
191	Contemporary Trade Directory Entries Name: Aylesford Tyres Location: Cottage Industrial Estate, Forstal Road, AYLESFORD, Kent, ME20 7AD Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	771	-	573735 158771

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
191	Contemporary Trade Directory Entries Name: S & J Cleaning Systems Location: Unit C, 198, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Vacuum Cleaners, Industrial & Commercial - Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	771	-	573735 158771
191	Contemporary Trade Directory Entries Name: All Tyres (Maidstone) Location: Unit C, 198, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	771	-	573735 158771
191	Contemporary Trade Directory Entries Name: Aylesford Body Repair Centre Ltd Location: Unit A-b, 198, Cottage Industrial Estate, Forstal Road, Aylesford, ME20 7AD Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	782	-	573738 158783
191	Contemporary Trade Directory Entries Name: Triflex Productions Location: 190B Forstal Rd, Aylesford, Kent, ME20 7DB Classification: Packaging & Wrapping Equipment & Supplies Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A18NW (N)	799	-	573743 158802
191	Contemporary Trade Directory Entries Name: Ats Euromaster Ltd Location: Forstal Road, Aylesford, Kent, ME20 7SB Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	824	-	573738 158827
191	Contemporary Trade Directory Entries Name: Ats Euromaster Ltd Location: Forstal Road, Aylesford, Kent, ME20 7SB Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	824	-	573738 158827
192	Contemporary Trade Directory Entries Name: Remco Ltd Location: Phoenix House, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Hydraulic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	737	-	573834 158760
192	Contemporary Trade Directory Entries Name: Protea Solutions Location: Phoenix House, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Electronic Equipment - Manufacturers & Assemblers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	737	-	573834 158761
192	Contemporary Trade Directory Entries Name: Tei Ltd Location: Phoenix House, Cottage Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7AD Classification: Engineering Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	737	-	573834 158761
193	Contemporary Trade Directory Entries Name: Offset Productions Location: 188, Forstal Road, Aylesford, Kent, ME20 7DB Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	739	-	573706 158728
194	Contemporary Trade Directory Entries Name: Autokwik Location: Forstal Road, Aylesford, ME20 7AE Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	744	-	574038 158778

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
194	Contemporary Trade Directory Entries Name: Bowman Ballard Distribution Co Location: Jayar House, Forstal Road, Aylesford, ME20 7AF Classification: Pump Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	750	-	574092 158782
194	Contemporary Trade Directory Entries Name: Aylesford Print Services Location: Unit 4, Motorway Industrial Estate, Forstal, Aylesford, Kent, ME20 7AF Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	756	-	574075 158789
194	Contemporary Trade Directory Entries Name: Aylesford Print Services Location: Unit 4, Motorway Industrial Estate, Forstal Road, Aylesford, ME20 7AF Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	766	-	574079 158799
195	Contemporary Trade Directory Entries Name: Johnsons Cleaners Location: 4, Mid Kent Shopping Centre, Castle Road, Maidstone, ME16 0PU Classification: Dry Cleaners Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	766	-	574222 157061
196	Contemporary Trade Directory Entries Name: Loverage & Son Location: Bunyards Farm, London Road, Maidstone, Kent, ME16 0LP Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A7SE (SW)	777	-	573596 157137
197	Contemporary Trade Directory Entries Name: Allington Angels Location: 20, Braunstone Drive, Allington, Maidstone, Kent, ME16 0UG Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address	A9NE (SE)	786	-	574742 157443
198	Contemporary Trade Directory Entries Name: Airfloat Systems Uk Ltd Location: 11, Adisham Drive, Maidstone, Kent, ME16 0NL Classification: Materials Handling Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	788	-	574037 157018
199	Contemporary Trade Directory Entries Name: Minster Insulation & Dry Lining Location: Forstal Road, Aylesford, ME20 7AE Classification: Insulation Materials Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	795	-	574117 158826
200	Contemporary Trade Directory Entries Name: Keem Law Location: Unit 2, Superabbey Estate, Forstal Road, Aylesford, ME20 7BH Classification: Catering Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	796	-	573989 158830
200	Contemporary Trade Directory Entries Name: Hydraulic Adaptors & Hose Assemblies Ltd (H.A.H.A) Location: Unit 1, Super Abbey Estate, Forstal Road, Aylesford, Kent, ME20 7BH Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	813	-	573978 158847
200	Contemporary Trade Directory Entries Name: Haha - Hydraulic Adaptors & Hose Assemblies Ltd Location: Beddow Way, Aylesford, Kent, ME20 7BT Classification: Engineering Materials Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	813	-	573978 158847
200	Contemporary Trade Directory Entries Name: Prospect Litho Printers Location: Forstal Road, Aylesford, Kent, ME20 7AR Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	854	-	573998 158889

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
201	Contemporary Trade Directory Entries Name: J C Johnson Ltd Location: Deacon Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7SP Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A17NE (NW)	803	-	573548 158721
201	Contemporary Trade Directory Entries Name: E S P Technologies Group Location: Unit 2c, Deacon Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7SP Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A17NE (NW)	821	-	573523 158727
202	Contemporary Trade Directory Entries Name: Chemical Ltd Location: Endeavour House, 259, Forstal Road, Aylesford, Kent, ME20 7AP Classification: Pet Foods & Animal Feeds Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	807	-	573786 158822
202	Contemporary Trade Directory Entries Name: Alcaline (Uk) Location: Second Floor, Endeavour House, 259, Forstal Road, Aylesford, Kent, ME20 7AP Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	808	-	573786 158822
202	Contemporary Trade Directory Entries Name: Scandanavian Amenities (Uk) Ltd Location: Middle Floor, Endeavour House, 259, Forstal Road, Aylesford, Kent, ME20 7AQ Classification: Toiletries Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	808	-	573786 158822
202	Contemporary Trade Directory Entries Name: Metroplant London Ltd Location: Endeavour House, 259, Forstal Road, Aylesford, Kent, ME20 7AP Classification: Concrete Products Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	808	-	573786 158822
202	Contemporary Trade Directory Entries Name: Leach International Location: Endeavour House, 259, Forstal Road, Aylesford, Kent, ME20 7AQ Classification: Engineering Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NW (N)	808	-	573786 158822
203	Contemporary Trade Directory Entries Name: Johnson Vehicle Maintenance Ltd Location: Unit 1, Deacon Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7SP Classification: Mot Testing Centres Status: Active Positional Accuracy: Automatically positioned to the address	A17NE (NW)	824	-	573647 158795
204	Contemporary Trade Directory Entries Name: Newport Imports Location: Unit 1, 2, M Trade Park, Beddow Way, Aylesford, Kent, ME20 7BT Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	856	-	573847 158883
204	Contemporary Trade Directory Entries Name: U P G Ltd Location: Unit 4, 2, M Trade Park, Beddow Way, Aylesford, Kent, ME20 7BT Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	869	-	573813 158890
204	Contemporary Trade Directory Entries Name: Caf Ceramics Ltd Location: Unit 5, 2, M Trade Park, Beddow Way, Aylesford, Kent, ME20 7BT Classification: Ceramic Manufacturers, Supplies & Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NW (N)	875	-	573802 158895

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
204	Contemporary Trade Directory Entries Name: Computerstar Location: Unit 9-10, 2, M Trade Park, Beddow Way, AYLESFORD, Kent, ME20 7BT Classification: Computer Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	884	-	573820 158907
205	Contemporary Trade Directory Entries Name: David Payne & Son Coachbuilders Ltd Location: Beddow Way, Aylesford, Kent, ME20 7BT Classification: Commercial Vehicle Bodybuilders & Repairers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	859	-	573909 158892
205	Contemporary Trade Directory Entries Name: M C Truck & Bus Location: Beddow Way, AYLESFORD, Kent, ME20 7BT Classification: Commercial Vehicle Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A18NW (N)	859	-	573909 158892
205	Contemporary Trade Directory Entries Name: Stedman Ltd Location: 2 Beddow Way, Aylesford, Kent, ME20 7BT Classification: Printers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A18NW (N)	877	-	573883 158908
206	Contemporary Trade Directory Entries Name: Compact Group Location: Unit 4, Deacon Industrial Estate, Forstal Road, Aylesford, Kent, ME20 7SP Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A17NE (NW)	864	-	573557 158796
207	Contemporary Trade Directory Entries Name: B P Service Station Location: A20 London Road, Maidstone, Kent, ME16 0HE Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	883	-	574030 156922
207	Contemporary Trade Directory Entries Name: Tudor Location: London Road, Maidstone, Kent, ME16 0HE Classification: Petrol Filling Stations - 24 Hour Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	883	-	574030 156922
208	Contemporary Trade Directory Entries Name: Aylesford Fire Protection Ltd Location: 12, Froyle Close, Maidstone, Kent, ME16 0RQ Classification: Firefighting Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	890	-	574195 156930
209	Contemporary Trade Directory Entries Name: Uk Pool Store Location: Unit 12/A, 2, M Trade Park, Beddow Way, Aylesford, Kent, ME20 7BT Classification: Swimming Pool Contractors, Repairers & Service Status: Active Positional Accuracy: Automatically positioned to the address	A23SW (N)	912	-	573869 158942
210	Contemporary Trade Directory Entries Name: Recycling Helpline Location: Block H, The Forstal, Beddow Way, Aylesford, Kent, ME20 7BT Classification: Recycling Centres Status: Inactive Positional Accuracy: Automatically positioned in the proximity of the address	A23SW (N)	913	-	573947 158948
210	Contemporary Trade Directory Entries Name: Agrovista Location: Beddow Way, Aylesford, Kent, ME20 7BT Classification: Chemicals - Distributors & Wholesalers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A23SW (N)	947	-	573926 158981
211	Contemporary Trade Directory Entries Name: R R 7 Smart Repairs Location: 25, Juniper Close, Maidstone, Kent, ME16 0XP Classification: Commercial Vehicle Bodybuilders & Repairers Status: Inactive Positional Accuracy: Automatically positioned to the address	A7SE (S)	921	-	573659 156946

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
212	Contemporary Trade Directory Entries Name: Morrells Location: Unit 1 Aylesford Business Park, St Michaels Close, Aylesford, Kent, ME20 7US Classification: Paint Varnish & Lacquer Status: Active Positional Accuracy: Automatically positioned to the address	A23SE (N)	996	-	574061 159029
213	Fuel Station Entries Name: Aylesford Service Station Location: 198, Forstal Road , , Aylesford, Kent, ME20 7AD Brand: Gulf Premises Type: Petrol Station Status: Open Positional Accuracy: Automatically positioned to the address	A18NW (N)	753	-	573780 158765
214	Fuel Station Entries Name: Tudor Sf Connect Location: London Road Conway Road, Allington , Maidstone, Kent, ME16 0HE Brand: BP Premises Type: Petrol Station Status: Open Positional Accuracy: Automatically positioned to the address	A8SE (S)	883	-	574030 156922

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
215	Ancient Woodland Name: Not Supplied Reference: 1498708 Area(m²): 20030.55 Type: Ancient and Semi-Natural Woodland	A13NW (N)	204	10	574000 158238
216	Ancient Woodland Name: Not Supplied Reference: 1501686 Area(m²): 3776.31 Type: Ancient and Semi-Natural Woodland	A18SE (NE)	300	10	574181 158302
217	Ancient Woodland Name: Lock Wood Reference: 1500776 Area(m²): 66924.87 Type: Ancient and Semi-Natural Woodland	A14NW (E)	431	10	574475 158077
218	Ancient Woodland Name: Not Supplied Reference: 1498694 Area(m²): 4580.06 Type: Ancient and Semi-Natural Woodland	A17SE (NW)	433	10	573616 158293
219	Ancient Woodland Name: Not Supplied Reference: 1500791 Area(m²): 19153.05 Type: Ancient and Semi-Natural Woodland	A19NW (N)	884	10	574352 158863
220	Ancient Woodland Name: Not Supplied Reference: 1500547 Area(m²): 11187.9 Type: Ancient and Semi-Natural Woodland	A9NE (SE)	913	10	574898 157481
221	Marine Nature Reserves Name: Medway Estuary - Zone 2 Multiple Area: Y Area (m2): 2312853.78 Source: Natural England	A13NE (NE)	319	10	574298 158234
222	Sites of Special Scientific Interest Name: Allington Quarry Multiple Areas: N Total Area (m2): 8241.86 Source: Natural England Reference: 1002844 Designation Details: Geological Conservation Review Designation Date: 4th February 1993 Date Type: Notified Designation Details: Site Of Special Scientific Interest Designation Date: 4th February 1993 Date Type: Notified	A13SE (SE)	232	10	574207 157641

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Medway Council - Environmental Health Maidstone Borough Council - Environmental Health Department Tonbridge And Malling Borough Council - Environmental Health Department	August 2013 January 2013 January 2013	Annual Rolling Update Annual Rolling Update Annual Rolling Update
Discharge Consents Environment Agency - Southern Region	October 2019	Quarterly
Enforcement and Prohibition Notices Environment Agency - Southern Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - Southern Region	October 2008	Variable
Integrated Pollution Prevention And Control Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region	October 2019 October 2019	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control Tonbridge And Malling Borough Council - Environmental Health Department Medway Council - Environmental Health Maidstone Borough Council - Environmental Health Department	April 2014 June 2014 June 2016	Variable Variable Variable
Local Authority Pollution Prevention and Controls Tonbridge And Malling Borough Council - Environmental Health Department Tunbridge Wells Borough Council - Environmental Health Department Medway Council - Environmental Health Maidstone Borough Council - Environmental Health Department	April 2014 August 2013 June 2014 June 2016	Annual Rolling Update Annual Rolling Update Not Applicable Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements Tonbridge And Malling Borough Council - Environmental Health Department Medway Council - Environmental Health Maidstone Borough Council - Environmental Health Department	April 2014 June 2014 June 2016	Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	September 2019	
Pollution Incidents to Controlled Waters Environment Agency - Southern Region	December 1999	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Southern Region	March 2013	Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - Southern Region	March 2013	Annual Rolling Update
Registered Radioactive Substances Environment Agency - Southern Region Environment Agency - Thames Region	June 2016 June 2016	
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	October 2019 October 2019 October 2019	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Southern Region	October 2019	Quarterly
Water Industry Act Referrals Environment Agency - Southern Region	October 2017	Quarterly

Agency & Hydrological	Version	Update Cycle
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	October 2019	Quarterly
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2019	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	August 2019	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	August 2019	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	August 2019	Quarterly
Flood Defences Environment Agency - Head Office	August 2019	Quarterly
OS Water Network Lines Ordnance Survey	July 2019	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Environment Agency - Head Office	October 2019	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Southern Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	July 2018 July 2018 July 2018	Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - Kent & South London Area Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	October 2019 October 2019 October 2019	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Kent County Council - Waste Management Group Maidstone Borough Council - Environmental Health Department Medway Council - Environmental Protection Department Tonbridge And Malling Borough Council - Environmental Health Department	May 2000 May 2000 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Maidstone Borough Council - Environmental Health Department Kent County Council - Waste Management Group Medway Council - Environmental Protection Department Tonbridge And Malling Borough Council - Environmental Health Department	February 2004 May 2000 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable
Registered Landfill Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Treatment or Disposal Sites Environment Agency - Southern Region - Kent Area Environment Agency - Southern Region - Kent and East Sussex	March 2003 March 2003	Not Applicable Not Applicable
Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements Maidstone Borough Council Medway Council Tonbridge And Malling Borough Council Kent County Council	February 2016 February 2016 February 2016 January 2016	Variable Variable Variable Variable
Planning Hazardous Substance Consents Maidstone Borough Council Medway Council Tonbridge And Malling Borough Council Kent County Council	February 2016 February 2016 February 2016 January 2016	Variable Variable Variable Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	October 2019	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually
Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2019	Quarterly
Fuel Station Entries Catalist Ltd - Experian	September 2019	Quarterly
Gas Pipelines National Grid	July 2014	
Underground Electrical Cables National Grid	December 2015	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	August 2018	Bi-Annually
Areas of Adopted Green Belt Maidstone Borough Council Medway Council Tonbridge And Malling Borough Council	March 2019 March 2019 March 2019	As notified As notified As notified
Areas of Unadopted Green Belt Maidstone Borough Council Medway Council Tonbridge And Malling Borough Council	March 2019 March 2019 March 2019	As notified As notified As notified
Areas of Outstanding Natural Beauty Natural England	June 2019	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Natural England	March 2019	Bi-Annually
Marine Nature Reserves Natural England	July 2019	Bi-Annually
National Nature Reserves Natural England	July 2019	Bi-Annually
National Parks Natural England	April 2017	Bi-Annually
Nitrate Vulnerable Zones Environment Agency - Head Office Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	December 2017 October 2015	Bi-Annually
Ramsar Sites Natural England	April 2019	Bi-Annually
Sites of Special Scientific Interest Natural England	March 2019	Bi-Annually
Special Areas of Conservation Natural England	June 2019	Bi-Annually
Special Protection Areas Natural England	April 2019	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Peter Brett Associates	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Tonbridge And Malling Borough Council - Environmental Health Department Gibson Building, Gibson Drive, Kings Hill, West Malling, Kent, ME19 4LZ	Telephone: 01732 876184 Fax: 01732 876317 Email: environmental.protection@tmbsc.gov.uk Website: www.tmbc.gov.uk
4	Maidstone Borough Council - Environmental Health Department Maidstone House, King Street, Maidstone, Kent, ME15 6JQ	Telephone: 01622 602000 Fax: 01622 602444 Website: www.maidstone.gov.uk
5	Tunbridge Wells Borough Council - Environmental Health Department Town Hall, Royal Tunbridge Wells, Kent, TN1 1RS	Telephone: 01892 526121 Fax: 01892 546387 Website: www.tunbridgewells.gov.uk
6	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
7	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
8	Kent County Council - Waste Management Group Block H, The Forstal, Beddow Way, Aylesford, Kent, ME20 7BT	Telephone: 01622 605976 Website: www.kent.gov.uk
9	Peter Brett Associates Caversham Bridge House, Waterman Place, Reading, Berkshire, RG1 8DN	Telephone: 0118 950 0761 Fax: 0118 959 7498 Email: reading@pba.co.uk Website: www.pba.co.uk
10	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry

Site Sensitivity Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Underground Electrical Cables

Industrial Land Use Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A




Order Details

Order Number: 225477777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A




Order Details

Order Number: 225477777_1_1
 Customer Ref: 3756
 National Grid Reference: 574010, 157920
 Slice: A
 Site Area (Ha): 1.79
 Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foreshore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

OS Water Network Map - Slice A




Order Details

Order Number: 22547777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Slice: A
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH



Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice
Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment
A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant
A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:



Envirocheck reports are compiled from 136 different sources of data.

Client Details

Ms L Stock, TerraConsult, TerraConsult Ltd, Unit 38 Bold Business Centre, Bold Lane, Sutton, St Helens, Merseyside, WA9 4TX

Order Details

Order Number: 22547777_1_1
Customer Ref: 3756
National Grid Reference: 574010, 157920
Site Area (Ha): 1.79
Search Buffer (m): 1000

Site Details

1, Bramble Close, MAIDSTONE, ME16 0LH

Full Terms and Conditions can be found on the following link:
<http://www.landmarkinfo.co.uk/Terms/Show/515>

Appendix B – GroundSure Report



Terra Consult

Bold Business Centre, Bold Lane,
Bold Lane,
Sutton, WA9 4TX

Groundsure
Reference:

HMD-147-6171385

Your Reference: 3756_-_Allington_HWRC

Report Date 15 Jul 2019

Report Delivery Method: Email - pdf

Enviro Insight

Address: ALLINGTON WASTE MANAGEMENT FACILITY, LAVERSTOKE ROAD, ALLINGTON,
MAIDSTONE, ME16 0LE

Dear Sir/ Madam,

Thank you for placing your order with Groundsure. Please find enclosed the **Groundsure Enviro Insight** as requested.

If you need any further assistance, please do not hesitate to contact our helpline on 08444 159000 quoting the above Groundsure reference number.

Yours faithfully,

Managing Director
Groundsure Limited

Enc.
Groundsure Enviroinsight

Address: ALLINGTON WASTE MANAGEMENT FACILITY, LAVERSTOKE ROAD, ALLINGTON, MAIDSTONE, ME16 0LE

Date: 15 Jul 2019

Reference: HMD-147-6171385

Client: Terra Consult

NW

N

NE

W

E



SW

S

SE

Aerial Photograph Capture date: 14-Apr-2015

Grid Reference: 573676,157614

Site Size: 1.6906ha

Report Reference: HMD-147-6171385

Client Reference: 3756_-_Allington_HWRC

Contents Page

Contents Page	3
Overview of Findings	6
Using this report	10
1. Historical Land Use	11
1. Historical Industrial Sites	12
1.1 Potentially Contaminative Uses identified from 1:10,000 scale Mapping	12
1.2 Additional Information – Historical Tank Database	14
1.3 Additional Information – Historical Energy Features Database	16
1.4 Additional Information – Historical Petrol and Fuel Site Database	17
1.5 Additional Information – Historical Garage and Motor Vehicle Repair Database	17
1.6 Historical military sites	17
1.7 Potentially Infilled Land	17
2. Environmental Permits, Incidents and Registers Map	20
2. Environmental Permits, Incidents and Registers	21
2.1 Industrial Sites Holding Licences and/or Authorisations	21
2.1.1 Records of historic IPC Authorisations within 500m of the study site	21
2.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site	21
2.1.3 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site	25
2.1.4 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site	25
2.1.5 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site	26
2.1.6 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site	26
2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations	26
2.1.8 Records of Licensed Discharge Consents within 500m of the study site	27
2.1.9 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site	27
2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site	27
2.2 Dangerous or Hazardous Sites	27
2.3 Environment Agency/Natural Resources Wales Recorded Pollution Incidents	28
2.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site	28
2.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site	29
2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990	29
3. Landfill and Other Waste Sites Map	30
3. Landfill and Other Waste Sites	31
3.1 Landfill Sites	31
3.1.1 Records from Environment Agency/Natural Resources Wales landfill data within 1000m of the study site	31
3.1.2 Records of Environment Agency/Natural Resources Wales historic landfill sites within 1500m of the study site	31
3.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site	33
3.1.4 Records of Landfills from Local Authority and Historical Mapping Records within 1500m of the study site	33
3.2 Other Waste Sites	33
3.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site	33
3.2.2 Records of Environment Agency/Natural Resources Wales licensed waste sites within 1500m of the study site	35
4. Current Land Use Map	40
4. Current Land Uses	41
4.1 Current Industrial Data	41
4.2 Petrol and Fuel Sites	42
4.3 National Grid High Voltage Underground Electricity Transmission Cables	43
4.4 National Grid High Pressure Gas Transmission Pipelines	43

5. Geology	44
5.1 Artificial Ground and Made Ground.....	44
5.2 Superficial Ground and Drift Geology	44
5.3 Bedrock and Solid Geology	44
6 Hydrogeology and Hydrology	45
6a. Aquifer Within Superficial Geology	45
6b. Aquifer Within Bedrock Geology and Abstraction Licences	46
6c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licences	47
6d. Hydrogeology – Source Protection Zones within confined aquifer	48
6e. Hydrology – Watercourse Network and River Quality	49
6.Hydrogeology and Hydrology	50
6.1 Aquifer within Superficial Deposits.....	50
6.2 Aquifer within Bedrock Deposits.....	50
6.3 Groundwater Abstraction Licences.....	51
6.4 Surface Water Abstraction Licences.....	52
6.5 Potable Water Abstraction Licences.....	53
6.6 Source Protection Zones.....	54
6.7 Source Protection Zones within Confined Aquifer.....	54
6.8 Groundwater Vulnerability and Soil Leaching Potential.....	55
6.9 River Quality.....	55
6.9.1 Biological Quality:.....	55
6.9.2 Chemical Quality:.....	56
6.10 Ordnance Survey MasterMap Water Network.....	57
6.11 Surface Water Features.....	58
7a. Environment Agency/Natural Resources Wales Flood Map for Planning (from rivers and the sea)	59
7b. Environment Agency/Natural Resources Wales Risk of Flooding from Rivers and the Sea (RoFRaS)	60
Map	60
7 Flooding	61
7.1 River and Coastal Zone 2 Flooding.....	61
7.2 River and Coastal Zone 3 Flooding.....	61
7.3 Risk of Flooding from Rivers and the Sea (RoFRaS) Flood Rating.....	61
7.4 Flood Defences.....	61
7.5 Areas benefiting from Flood Defences.....	61
7.6 Areas benefiting from Flood Storage.....	62
7.7 Groundwater Flooding Susceptibility Areas.....	62
7.8 Groundwater Flooding Confidence Areas.....	62
8. Designated Environmentally Sensitive Sites Map	63
8. Designated Environmentally Sensitive Sites	64
8.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:.....	64
8.2 Records of National Nature Reserves (NNR) within 2000m of the study site:.....	64
8.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:.....	64
8.4 Records of Special Protection Areas (SPA) within 2000m of the study site:.....	64
8.5 Records of Ramsar sites within 2000m of the study site:.....	65
8.6 Records of Ancient Woodland within 2000m of the study site:	66
8.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:.....	67
8.8 Records of World Heritage Sites within 2000m of the study site:.....	67
8.9 Records of Environmentally Sensitive Areas within 2000m of the study site:	67
8.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:	67
8.11 Records of National Parks (NP) within 2000m of the study site:	67
8.12 Records of Nitrate Sensitive Areas within 2000m of the study site:.....	68
8.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:.....	68

8.14 Records of Green Belt land within 2000m of the study site:.....	68
9. Natural Hazards Findings.....	69
9.1 Detailed BGS GeoSure Data.....	69
9.1.1 Shrink Swell.....	69
9.1.2 Landslides.....	69
9.1.3 Soluble Rocks.....	69
9.1.4 Compressible Ground.....	70
9.1.5 Collapsible Rocks.....	70
9.1.6 Running Sand.....	70
9.2 Radon.....	71
9.2.1 Radon Affected Areas.....	71
9.2.2 Radon Protection.....	71
10. Mining.....	72
10.1 Coal Mining.....	72
10.2 Non-Coal Mining.....	72
10.3 Brine Affected Areas	72
Contact Details.....	73
Standard Terms and Conditions.....	75

Overview of Findings

For further details on each dataset, please refer to each individual section in the main report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

Section 1: Historical Industrial Sites	On-site	0-50	51-250	251-500
1.1 Potentially Contaminative Uses identified from 1:10,000 scale mapping	3	0	28	77
1.2 Additional Information – Historical Tank Database	0	0	13	39
1.3 Additional Information – Historical Energy Features Database	0	1	7	16
1.4 Additional Information – Historical Petrol and Fuel Site Database	0	0	0	0
1.5 Additional Information – Historical Garage and Motor Vehicle Repair Database	0	0	0	0
1.6 Historical military sites	0	0	0	0
1.7 Potentially Infilled Land	3	0	9	58
Section 2: Environmental Permits, Incidents and Registers	On-site	0-50m	51-250	251-500
2.1 Industrial Sites Holding Environmental Permits and/or Authorisations				
2.1.1 Records of historic IPC Authorisations	0	0	1	0
2.1.2 Records of Part A(1) and IPPC Authorised Activities	0	0	28	3
2.1.3 Records of Red List Discharge Consents	0	0	0	0
2.1.4 Records of List 1 Dangerous Substances Inventory sites	0	0	0	0
2.1.5 Records of List 2 Dangerous Substances Inventory sites	0	0	0	0
2.1.6 Records of Part A(2) and Part B Activities and Enforcements	0	0	0	2
2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations	0	0	0	1
2.1.8 Records of Licensed Discharge Consents	0	0	1	1
2.1.9 Records of Water Industry Referrals	0	0	0	0
2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site	0	0	0	0
2.2 Records of COMAH and NIHHS sites	0	0	0	0
2.3 Environment Agency/Natural Resources Wales Recorded Pollution Incidents				
2.3.1 National Incidents Recording System, List 2	0	0	4	10
2.3.2 National Incidents Recording System, List 1	0	0	0	0
2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990	0	0	0	0

Section 3: Landfill and Other Waste Sites	On-site	0-50m	51-250	251-500	501-1000	1000-1500
3.1 Landfill Sites						
3.1.1 Environment Agency/Natural Resources Wales Registered Landfill Sites	1	0	0	0	0	Not searched
3.1.2 Environment Agency/Natural Resources Wales Historic Landfill Sites	1	1	1	0	4	4
3.1.3 BGS/DoE Landfill Site Survey	0	0	0	0	0	0
3.1.4 Records of Landfills in Local Authority and Historical Mapping Records	0	0	0	0	4	2
3.2 Landfill and Other Waste Sites Findings						
3.2.1 Operational and Non-Operational Waste Treatment, Transfer and Disposal Sites	0	0	4	2	Not searched	Not searched
3.2.2 Environment Agency/Natural Resources Wales Licensed Waste Sites	0	0	8	4	4	6

Section 4: Current Land Use	On-site	0-50m	51-250	251-500
4.1 Current Industrial Sites Data	0	1	26	Not searched
4.2 Records of Petrol and Fuel Sites	0	0	0	0
4.3 National Grid Underground Electricity Cables	0	0	0	0
4.4 National Grid Gas Transmission Pipelines	0	0	0	0

Section 5: Geology	
5.1 Records of Artificial Ground and Made Ground present beneath the study site	None identified
5.2 Records of Superficial Ground and Drift Geology present beneath the study site	Identified
5.3 For records of Bedrock and Solid Geology beneath the study site see the detailed findings section.	

Section 6: Hydrogeology and Hydrology				0-500m		
6.1 Records of Strata Classification in the Superficial Geology within 500m of the study site				Identified		
6.2 Records of Strata Classification in the Bedrock Geology within 500m of the study site				Identified		
	On-site	0-50m	51-250	251-500	501-1000	1000-2000
6.3 Groundwater Abstraction Licences (within 2000m of the study site)	0	0	0	0	2	5
6.4 Surface Water Abstraction Licences (within 2000m of the study site)	0	0	0	0	3	4
6.5 Potable Water Abstraction Licences (within 2000m of the study site)	0	0	0	0	2	2
6.6 Source Protection Zones (within 500m of the study site)	2	0	1	1	Not searched	Not searched
6.7 Source Protection Zones within Confined Aquifer	0	0	0	0	Not searched	Not searched
6.8 Groundwater Vulnerability and Soil Leaching Potential (within 500m of the study site)	1	1	0	1	Not searched	Not searched

Section 6: Hydrogeology and Hydrology

0-500m

	On-site	0-50m	51-250	251-500	501-1000	1000-1500
6.9 Environment Agency/Natural Resources Wales information on river quality within 1500m of the study site	No	No	No	No	Yes	Yes
6.10 Ordnance Survey MasterMap Water Network entries within 500m of the site	0	2	12	0	Not searched	Not searched
6.11 Surface water features within 250m of the study site	No	No	Yes	Not searched	Not searched	Not searched

Section 7: Flooding

7.1 Environment Agency Zone 2 floodplains within 250m of the study site	None identified					
7.2 Environment Agency/Natural Resources Wales Zone 3 floodplains within 250m of the study site	None identified					
7.3 Risk of flooding from Rivers and the Sea (RoFRaS) rating for the study site	Very Low					
7.4 Flood Defences within 250m of the study site	None identified					
7.5 Areas benefiting from Flood Defences within 250m of the study site	None identified					
7.6 Areas used for Flood Storage within 250m of the study site	None identified					
7.7 Maximum BGS Groundwater Flooding susceptibility within 50m of the study site	Limited potential					
7.8 BGS confidence rating for the Groundwater Flooding susceptibility areas	Low					

Section 8: Designated Environmentally Sensitive Sites

	On-site	0-50m	51-250	251-500	501-1000	1000-2000
8.1 Records of Sites of Special Scientific Interest (SSSI)	0	0	1	0	0	1
8.2 Records of National Nature Reserves (NNR)	0	0	0	0	0	0
8.3 Records of Special Areas of Conservation (SAC)	0	0	0	0	0	0
8.4 Records of Special Protection Areas (SPA)	0	0	0	0	0	0
8.5 Records of Ramsar sites	0	0	0	0	0	0
8.6 Records of Ancient Woodlands	0	0	0	0	6	16
8.7 Records of Local Nature Reserves (LNR)	0	0	0	0	0	1
8.8 Records of World Heritage Sites	0	0	0	0	0	0
8.9 Records of Environmentally Sensitive Areas	0	0	0	0	0	0

Section 8: Designated Environmentally Sensitive Sites	On-site	0-50m	51-250	251-500	501-1000	1000-2000
8.10 Records of Areas of Outstanding Natural Beauty (AONB)	0	0	0	0	0	1
8.11 Records of National Parks	0	0	0	0	0	0
8.12 Records of Nitrate Sensitive Areas	0	0	0	0	0	0
8.13 Records of Nitrate Vulnerable Zones	0	0	0	0	0	2
8.14 Records of Green Belt land	0	0	0	0	0	0

Section 9: Natural Hazards	
9.1 Maximum risk of natural ground subsidence	Low
9.1.1 Maximum Shrink-Swell hazard rating identified on the study site	Very Low
9.1.2 Maximum Landslides hazard rating identified on the study site	Very Low
9.1.3 Maximum Soluble Rocks hazard rating identified on the study site	Negligible
9.1.4 Maximum Compressible Ground hazard rating identified on the study site	Negligible
9.1.5 Maximum Collapsible Rocks hazard rating identified on the study site	Very Low
9.1.6 Maximum Running Sand hazard rating identified on the study site	Low
9.2 Radon	
9.2.1 Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level?	The site is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.
9.2.2 Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment?	No radon protective measures are necessary.

Section 10: Mining	
10.1 Coal mining areas within 75m of the study site	None identified
10.2 Non-Coal Mining areas within 50m of the study site boundary	Identified
10.3 Brine affected areas within 75m of the study site	None identified

Using this report

The following report is designed by Environmental Consultants for Environmental Professionals bringing together the most up-to-date market leading environmental data. This report is provided under and subject to the Terms & Conditions agreed between Groundsure and the Client. The document contains the following sections:

1. Historical Industrial Sites

Provides information on past land uses that may pose a risk to the study site in terms of potential contamination from activities or processes. Potentially Infilled Land features are also included. This search is conducted using radii of up to 500m.

2. Environmental Permits, Incidents and Registers

Provides information on Regulated Industrial Activities and Pollution Incidents as recorded by Regulatory Authorities, and sites determined as Contaminated Land. This search is conducted using radii up to 500m.

3. Landfills and Other Waste Sites

Provides information on landfills and other waste sites that may pose a risk to the study site. This search is conducted using radii up to 1500m.

4. Current Land Uses

Provides information on current land uses that may pose a risk to the study site in terms of potential contamination from activities or processes. These searches are conducted using radii of up to 500m. This includes information on potentially contaminative industrial sites, petrol stations and fuel sites as well as high pressure gas pipelines and underground electricity transmission lines.

5. Geology

Provides information on artificial and superficial deposits and bedrock beneath the study site.

6. Hydrogeology and Hydrology

Provides information on productive strata within the bedrock and superficial geological layers, abstraction licences, Source Protection Zones (SPZs) and river quality. These searches are conducted using radii of up to 2000m.

7. Flooding

Provides information on river and coastal flooding, flood defences, flood storage areas and groundwater flood areas. This search is conducted using radii of up to 250m.

8. Designated Environmentally Sensitive Sites

Provides information on the Sites of Special Scientific Interest (SSSI), National Nature Reserves (NNR), Special Areas of Conservation (SAC), Special Protection Areas (SPA), Ramsar sites, Local Nature Reserves (LNR), Areas of Outstanding Natural Beauty (AONB), National Parks (NP), Environmentally Sensitive Areas, Nitrate Sensitive Areas, Nitrate Vulnerable Zones and World Heritage Sites and Scheduled Ancient Woodland. These searches are conducted using radii of up to 2000m.

9. Natural Hazards

Provides information on a range of natural hazards that may pose a risk to the study site. These factors include natural ground subsidence and radon..

10. Mining

Provides information on areas of coal and non-coal mining and brine affected areas.

11. Contacts

This section of the report provides contact points for statutory bodies and data providers that may be able to provide further information on issues raised within this report. Alternatively, Groundsure provide a free Technical Helpline (08444 159000) for further information and guidance.


Note: Maps

Only certain features are placed on the maps within the report. All features represented on maps found within this search are given an identification number. This number identifies the feature on the mapping and correlates it to the additional information provided below. This identification number precedes all other information and takes the following format -Id: 1, Id: 2, etc. Where numerous features on the same map are in such close proximity that the numbers would obscure each other a letter identifier is used instead to represent the features. (e.g. Three features which overlap may be given the identifier "A" on the map and would be identified separately as features 1A, 3A, 10A on the data tables provided).


Where a feature is reported in the data tables to a distance greater than the map area, it is noted in the data table as "Not Shown".

All distances given in this report are in Metres (m). Directions are given as compass headings such as N: North, E: East, NE: North East from the nearest point of the study site boundary.

1. Historical Land Use



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



1. Historical Industrial Sites

1.1 Potentially Contaminative Uses identified from 1:10,000 scale Mapping

The systematic analysis of data extracted from standard 1:10,560 and 1:10,000 scale historical maps provides the following information:

Records of sites with a potentially contaminative past land use within 500m of the search boundary: 108

ID	Distance [m]	Direction	Use	Date
1AP	0	On Site	Ragstone Quarry	1987
2AO	0	On Site	Unspecified Quarry	1966
3AN	0	On Site	Unspecified Quarry	1974
4	58	S	Nursery	1948
5A	81	NW	Unspecified Tank	1948
6A	83	NW	Unspecified Tank	1956
7AQ	95	N	Unspecified Quarries	1966
8	103	S	Nurseries	1987
9B	104	S	Nurseries	1974
10B	104	S	Nurseries	1966
11AR	110	N	Unspecified Quarries	1948
12AS	127	N	Unspecified Quarries	1956
13AI	140	NE	Unspecified Pit	1974
14C	143	E	Unspecified Commercial/Industrial	1966
15C	155	E	Unspecified Tanks	1966
16	157	NE	Unspecified Warehouse	1987
17	160	S	Nursery	1956
18	170	N	Tramway Sidings	1948
19AT	171	E	Unspecified Disused Workings	1987
20	179	E	Industrial Estate	1987
21	189	S	Nursery	1933
22F	194	S	Nursery	1896
23D	202	N	Unspecified Quarry	1931
24D	204	N	Unspecified Quarry	1938
25	215	N	Railway Sidings	1931
26	217	E	Tar Macadam Works	1948
27	219	N	Tramway Sidings	1938
28E	226	E	Unspecified Quarry	1931
29E	233	E	Unspecified Quarry	1938
30	243	S	Nursery	1947
31F	244	S	Nursery	1907
32AU	272	N	Unspecified Quarry	1895
33AV	274	N	Unspecified Quarry	1907

34AW	280	E	Cuttings	1974
35AX	287	E	Cuttings	1931
36G	299	SE	Cuttings	1948
37G	299	SE	Cuttings	1956
38G	301	SE	Cuttings	1931
39G	302	SE	Cuttings	1938
40H	318	E	Cuttings	1966
41H	318	E	Cuttings	1974
42G	326	SE	Cuttings	1907
43	347	E	Unspecified Works	1956
44K	370	N	Unspecified Heap	1966
45I	374	SW	Cuttings	1933
46I	374	SW	Cuttings	1947
47I	376	SW	Cuttings	1938
48J	384	N	Unspecified Pit	1931
49J	385	N	Unspecified Pit	1938
50J	385	N	Unspecified Pit	1938
51K	386	N	Cuttings	1907
52K	386	N	Railway Sidings	1907
53P	390	NE	Quay	1865
54I	392	SW	Cuttings	1956
55L	395	S	Unspecified Tanks	1933
56L	398	S	Unspecified Tanks	1947
57M	399	NE	Unspecified Ground Workings	1938
58M	399	NE	Unspecified Ground Workings	1938
59L	399	S	Unspecified Tanks	1938
60S	409	N	Cuttings	1966
61N	411	N	Cuttings	1974
62N	411	N	Cuttings	1987
63AY	411	E	Unspecified Quarry	1907
64O	415	S	Unspecified Tanks	1933
65O	415	S	Unspecified Tank	1896
66O	415	S	Unspecified Tank	1907
67O	416	S	Unspecified Tanks	1956
68	417	N	Tramway Sidings	1938
69O	417	S	Unspecified Tanks	1947
70P	417	N	Cuttings	1931
71R	419	S	Unspecified Tank	1933
72Q	420	N	Cuttings	1966
73Q	420	N	Cuttings	1987
74Q	420	N	Cuttings	1974
75R	421	S	Unspecified Tank	1947
76S	422	N	Unspecified Ground Workings	1938
77T	422	N	Unspecified Ground	1938

Workings				
78T	423	N	Unspecified Pit	1948
79R	423	S	Unspecified Tank	1956
80T	423	N	Unspecified Ground Workings	1907
81T	423	N	Unspecified Ground Workings	1931
82R	424	S	Unspecified Tank	1938
83O	425	S	Unspecified Tanks	1938
84S	427	N	Unspecified Ground Workings	1956
85P	428	N	Unspecified Ground Workings	1974
86P	429	N	Cuttings	1938
87BA	432	E	Cuttings	1966
88BB	434	E	Unspecified Ground Workings	1956
89	442	E	Tramway Sidings	1938
90U	443	NE	Cuttings	1931
91U	454	NE	Unspecified Pit	1966
92BC	455	NW	Cuttings	1966
93V	457	SW	Cuttings	1907
94V	457	SW	Cuttings	1896
95Y	462	NW	Unspecified Quarry	1948
96BD	464	NE	Quay	1865
97W	464	N	Unspecified Pit	1895
98W	467	N	Cuttings	1865
99X	468	N	Cuttings	1974
100X	468	N	Cuttings	1987
101Y	475	NW	Unspecified Quarry	1931
102Y	476	NW	Unspecified Quarry	1938
103Z	479	N	Cuttings	1931
104Z	480	N	Cuttings	1938
105	485	NE	Unspecified Works	1956
106	493	S	Nursery	1938
107AA	498	E	Unspecified Works	1966
108AA	498	E	Unspecified Works	1974

1.2 Additional Information – Historical Tank Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical tanks within 500m of the search boundary:

52

ID	Distance (m)	Direction	Use	Date
109A	71	NW	Unspecified Tank	1960
110A	78	NW	Unspecified Tank	1938
111A	78	NW	Unspecified Tank	1933
112C	159	E	Tanks	1908
113C	159	E	Tanks	1938
114C	159	E	Tanks	1933
115C	159	E	Tanks	1897
116C	161	E	Tanks	1868
117C	162	E	Tanks	1960
118C	162	E	Tanks	1960
119C	170	E	Unspecified Tank	1960
120	172	N	Unspecified Tank	1992
121	218	NE	Tanks	1992
122AB	263	NE	Unspecified Tank	1990
123AB	264	NE	Unspecified Tank	1992
124	330	NE	Unspecified Tank	1992
125AC	350	W	Unspecified Tank	1960
126AC	354	W	Unspecified Tank	1933
127AC	354	W	Unspecified Tank	1938
128AC	354	W	Unspecified Tank	1897
129	386	NE	Tanks	1992
130L	390	S	Unspecified Tank	1960
131L	390	S	Unspecified Tank	1955
132L	397	S	Unspecified Tank	1931
133L	397	S	Unspecified Tank	1908
134O	413	S	Unspecified Tank	1989
135O	413	S	Unspecified Tank	1989
136O	414	S	Unspecified Tank	1960
137O	414	S	Unspecified Tank	1971
138O	414	S	Unspecified Tank	1955
139O	414	S	Unspecified Tank	1970
140AE	415	NE	Tanks	1992
141AD	416	S	Unspecified Tank	1985
142AD	416	S	Unspecified Tank	1988
143AD	416	S	Unspecified Tank	1971
144O	417	S	Unspecified Tank	1908
145O	417	S	Unspecified Tank	1931
146O	417	S	Unspecified Tank	1897
147R	421	S	Unspecified Tank	1999
148R	421	S	Unspecified Tank	1996
149R	421	S	Unspecified Tank	1989

150R	422	S	Unspecified Tank	1971
151R	422	S	Unspecified Tank	1960
152R	422	S	Unspecified Tank	1955
153R	422	S	Unspecified Tank	1970
154R	422	S	Unspecified Tank	1989
155R	422	S	Unspecified Tank	1989
156R	423	S	Unspecified Tank	1931
157AE	437	E	Tanks	1992
158AF	440	E	Unspecified Tank	1990
159AF	440	E	Unspecified Tank	1992
160AF	453	E	Unspecified Tank	1992

1.3 Additional Information – Historical Energy Features Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical energy features within 500m of the search boundary:

24

ID	Distance (m)	Direction	Use	Date
161AH	50	NE	Electricity Substation	1989
162AG	78	E	Electricity Substation	1990
163AG	79	E	Electricity Substation	1992
164AH	84	E	Electricity Substation	1992
165AI	204	E	Electricity Substation	1990
166AI	206	E	Electricity Substation	1992
167AJ	206	NE	Electricity Substation	1990
168AJ	213	NE	Electricity Substation	1992
169AK	270	E	Electricity Substation	1990
170AK	271	E	Electricity Substation	1992
171AL	273	S	Electricity Substation	1985
172AL	273	S	Electricity Substation	1988
173AL	280	S	Electricity Substation	1971
174	308	E	Electricity Substation	1992
175	363	NE	Electricity Substation	1992
176	371	N	Electricity Substation	1985
177AE	418	E	Electricity Substation	1992
178K	420	NE	Electricity Substation	1989
179K	420	NE	Electricity Substation	1990
180	435	NE	Electricity Substation	1992
181AM	451	SE	Electricity Substation	1985
182AM	451	SE	Electricity Substation	1988
183AM	452	SE	Electricity Substation	1971
184	496	NW	Electricity Substation	1985

1.4 Additional Information – Historical Petrol and Fuel Site Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical petrol stations and fuel sites within 500m of the search boundary: 0

Database searched and no data found.

1.5 Additional Information – Historical Garage and Motor Vehicle Repair Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical garage and motor vehicle repair sites within 500m of the search boundary: 0

Database searched and no data found.

1.6 Historical military sites

Certain military installations were not noted on historic mapping for security reasons. Whilst not all military land is necessarily of concern, Groundsure has researched and digitised a number of Ordnance Factories and other military industrial features (e.g. Ordnance Depots, Munitions Testing Grounds) which may be of contaminative concern. This research was drawn from a number of different sources, and should not be regarded as a definitive or exhaustive database of potentially contaminative military installations. The boundaries of sites within this database have been estimated from the best evidence available to Groundsure at the time of compilation.

Records of historical military sites within 500m of the search boundary: 0

Database searched and no data found.

1.7 Potentially Infilled Land

Records of Potentially Infilled Features from 1:10,000 scale mapping within 500m of the study site: 70


The following Historical Potentially Infilled Features derived from the Historical Mapping information is provided by Groundsure:

ID	Distance(m)	Direction	Use	Date
185AN	0	On Site	Unspecified Quarry	1974
186AO	0	On Site	Unspecified Quarry	1966
187AP	0	On Site	Ragstone Quarry	1987
188AQ	95	N	Unspecified Quarries	1966
189AR	110	N	Unspecified Quarries	1948
190AS	127	N	Unspecified Quarries	1956
191AI	140	NE	Unspecified Pit	1974

192AT	171	E	Unspecified Disused Workings	1987
193D	202	N	Unspecified Quarry	1931
194D	204	N	Unspecified Quarry	1938
195E	226	E	Unspecified Quarry	1931
196E	233	E	Unspecified Quarry	1938
197AU	272	N	Unspecified Quarry	1895
198AV	274	N	Unspecified Quarry	1907
199AW	280	E	Cuttings	1974
200AX	287	E	Cuttings	1931
201G	299	SE	Cuttings	1948
202G	299	SE	Cuttings	1956
203G	301	SE	Cuttings	1931
204G	302	SE	Cuttings	1938
205H	318	E	Cuttings	1974
206H	318	E	Cuttings	1966
207G	326	SE	Cuttings	1907
208K	370	N	Unspecified Heap	1966
209I	374	SW	Cuttings	1933
210I	374	SW	Cuttings	1947
211I	376	SW	Cuttings	1938
212J	384	N	Unspecified Pit	1931
213J	385	N	Unspecified Pit	1938
214J	385	N	Unspecified Pit	1938
215K	386	N	Cuttings	1907
216P	390	NE	Quay	1865
217I	392	SW	Cuttings	1956
218M	399	NE	Unspecified Ground Workings	1938
219M	399	NE	Unspecified Ground Workings	1938
220S	409	N	Cuttings	1966
221N	411	N	Cuttings	1974
222N	411	N	Cuttings	1987
223AY	411	E	Unspecified Quarry	1907
224P	417	N	Cuttings	1931
225Q	420	N	Cuttings	1987
226Q	420	N	Cuttings	1966
227Q	420	N	Cuttings	1974
228S	422	N	Unspecified Ground Workings	1938
229S	422	N	Unspecified Ground Workings	1938
230T	423	N	Unspecified Pit	1948
231S	423	N	Unspecified Ground Workings	1907
232S	423	N	Unspecified Ground Workings	1931

233S	427	N	Unspecified Ground Workings	1956
234P	428	N	Unspecified Ground Workings	1974
235P	429	N	Cuttings	1938
236AZ	430	E	Pond	1966
237AZ	430	E	Pond	1974
238BA	432	E	Cuttings	1966
239BB	434	E	Unspecified Ground Workings	1956
240U	443	NE	Cuttings	1931
241U	454	NE	Unspecified Pit	1966
242BC	455	NW	Cuttings	1966
243V	457	SW	Cuttings	1896
244V	457	SW	Cuttings	1907
245Y	462	NW	Unspecified Quarry	1948
246BD	464	NE	Quay	1865
247W	464	N	Unspecified Pit	1895
248W	467	N	Cuttings	1865
249X	468	N	Cuttings	1987
250X	468	N	Cuttings	1974
251Y	475	NW	Unspecified Quarry	1931
252Y	476	NW	Unspecified Quarry	1938
253Z	479	N	Cuttings	1931
254Z	480	N	Cuttings	1938

2. Environmental Permits, Incidents and Registers Map



- | | | | | | |
|---|-------------------------------|---|--|---|---|
|  | Site Outline |  | Recorded Pollution Incident |  | RAS 3 & 4 Authorisations |
|  | Dangerous Substances (List 1) |  | Part A(1) Authorised Processes and Historic IPC Authorisations |  | Part A(2) and Part B Authorised Processes |
|  | Dangerous Substances (List 2) |  | Water Industry Referrals |  | COMAH / NIHHS Sites |
|  | Licensed Discharge Consents |  | Sites Determined as Contaminated Land |  | Hazardous Substance Consents and Enforcements |
|  | Red List Discharge Consents | | | | |

2. Environmental Permits, Incidents and Registers

2.1 Industrial Sites Holding Licences and/or Authorisations

Searches of information provided by the Environment Agency/Natural Resources Wales and Local Authorities reveal the following information:

2.1.1 Records of historic IPC Authorisations within 500m of the study site:

1

The following IPC Authorisations are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
83E	179	N	573800 157800	Operator: Kent Enviropower Ltd Address: Allington Quarry, Laverstoke Road, Maidstone, Kent, ME16 0LY Process: Incineration Permit Number: BF3362 Original Permit Number: IPCSTAGED Date Approved: - Effective Date: - Status: Valid

2.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site:

31

The following Part A(1) and IPPC Authorised Activities are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
52E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: WASTE RECYCLING FACILITY, ALLINGTON QUARRY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED Permit Number: BX4518IH Original Permit Number: BR4551IC EPR Reference: - Issue Date: 03/03/2004 Effective Date: 15/03/2004 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
53E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: WASTE RECYCLING FACILITY, ALLINGTON QUARRY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED Permit Number: AP3431UN Original Permit Number: BR4551IC EPR Reference: - Issue Date: 06/09/2007 Effective Date: 07/09/2007 Last date noted as effective: 2019-04-30 Status: SUPERCEDED

ID	Distance (m)	Direction	NGR	Details	
54E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: - Process: WASTE INCINERATION; MUNICIPAL WASTE >3T/HR	Permit Number: BR4551 Original Permit Number: BR4551 EPR Reference: - Issue Date: 27/08/2003 Effective Date: 27/08/2003 Last date noted as effective: 2004-10-01 Status: SUPERSEDED BY PAS
55E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: - Process: WASTE INCINERATION; MUNICIPAL WASTE >3T/HR	Permit Number: BX4518 Original Permit Number: BR4551 EPR Reference: - Issue Date: - Effective Date: - Last date noted as effective: 2004-10-01 Status: SUPERSEDED BY PAS
56E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON WASTE TO ENERGY FACILITY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED	Permit Number: WP3532KX Original Permit Number: BR4551IC EPR Reference: - Issue Date: - Effective Date: - Last date noted as effective: 2010-10-01 Status: DETERMINATION
57E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED	Permit Number: BR4551IC Original Permit Number: BR4551IC EPR Reference: - Issue Date: 27/08/2003 Effective Date: 27/08/2003 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
58E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: WASTE RECYCLING FACILITY, ALLINGTON QUARRY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED	Permit Number: GP3235LE Original Permit Number: BR4551IC EPR Reference: - Issue Date: 31/01/2006 Effective Date: 31/01/2006 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
59E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: WASTE RECYCLING FACILITY, ALLINGTON QUARRY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED	Permit Number: WP3334LG Original Permit Number: BR4551IC EPR Reference: - Issue Date: - Effective Date: - Last date noted as effective: 2007-01-17 Status: DETERMINATION
60E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: WASTE RECYCLING FACILITY, ALLINGTON QUARRY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED	Permit Number: AP3139ZU Original Permit Number: BR4551IC EPR Reference: - Issue Date: 14/05/2013 Effective Date: 14/05/2013 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
61E	179	N	573800 157800	Operator: KENT ENVIROPOWER LTD Installation Name: WASTE RECYCLING FACILITY, ALLINGTON QUARRY Process: WASTE INCINERATION; HAZARDOUS WASTE UNLESS OTHERWISE STATED	Permit Number: BP3837ML Original Permit Number: BR4551IC EPR Reference: - Issue Date: 29/01/2007 Effective Date: 20/03/2007 Last date noted as effective: 2019-04-30 Status: SUPERCEDED

ID	Distance (m)	Direction	NGR	Details
62F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR - EPR/BR4551IC/V010 Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: AP3835DZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 27/10/2016 Effective Date: 27/10/2016 Last date noted as effective: 2018-01-01 Status: EFFECTIVE
63F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: RP3431NP Original Permit Number: BR4551IC EPR Reference: - Issue Date: 05/09/2013 Effective Date: 05/09/2013 Last date noted as effective: 2017-11-30 Status: SUPERCEDED
64F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: WP3937EA Original Permit Number: BR4551IC EPR Reference: - Issue Date: 04/06/2014 Effective Date: 04/06/2014 Last date noted as effective: 2017-11-30 Status: SUPERCEDED
65F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: WP3937EA Original Permit Number: BR4551IC EPR Reference: - Issue Date: 04/06/2014 Effective Date: 04/06/2014 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
66F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR - EPR/BR4551IC/V010 Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: AP3835DZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 27/10/2016 Effective Date: 27/10/2016 Last date noted as effective: 2018-01-01 Status: EFFECTIVE
67F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR - EPR/BR4551IC Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: EP3334QA Original Permit Number: BR4551IC EPR Reference: - Issue Date: 16/01/2019 Effective Date: 16/01/2019 Last date noted as effective: 2019-04-30 Status: EFFECTIVE
68F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: RP3431NP Original Permit Number: BR4551IC EPR Reference: - Issue Date: 05/09/2013 Effective Date: 05/09/2013 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
69F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR - EPR/BR4551IC/V010 Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: AP3835DZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 27/10/2016 Effective Date: 27/10/2016 Last date noted as effective: 2019-04-30 Status: SUPERCEDED

ID	Distance (m)	Direction	NGR	Details
70F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: JP3635WZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 19/11/2014 Effective Date: 19/11/2014 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
71F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: RP3431NP Original Permit Number: BR4551IC EPR Reference: - Issue Date: 05/09/2013 Effective Date: 05/09/2013 Last date noted as effective: 2017-11-30 Status: SUPERCEDED
72F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR - EPR/BR4551IC/V010 Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: AP3835DZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 27/10/2016 Effective Date: 27/10/2016 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
73F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: RP3431NP Original Permit Number: BR4551IC EPR Reference: - Issue Date: 05/09/2013 Effective Date: 05/09/2013 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
74F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: WP3937EA Original Permit Number: BR4551IC EPR Reference: - Issue Date: 04/06/2014 Effective Date: 04/06/2014 Last date noted as effective: 2017-11-30 Status: SUPERCEDED
75F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: WP3937EA Original Permit Number: BR4551IC EPR Reference: - Issue Date: 04/06/2014 Effective Date: 04/06/2014 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
76F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT Permit Number: JP3635WZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 19/11/2014 Effective Date: 19/11/2014 Last date noted as effective: 2017-11-30 Status: SUPERCEDED
77F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR. Permit Number: JP3635WZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 19/11/2014 Effective Date: 19/11/2014 Last date noted as effective: 2017-11-30 Status: SUPERCEDED

ID	Distance (m)	Direction	NGR	Details	
78F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR Process: THE INCINERATION OF NON-HAZARDOUS WASTE IN AN INCINERATION OR CO-INCINERATION PLANT WITH A CAPACITY EXCEEDING 3 TONNES PER HOUR.	Permit Number: JP3635WZ Original Permit Number: BR4551IC EPR Reference: - Issue Date: 19/11/2014 Effective Date: 19/11/2014 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
79F	221	NE	574160 157910	Operator: KENT ENVIROPOWER LTD Installation Name: ALLINGTON INCINERATOR - EPR/BR4551IC Process: DISPOSAL OF > 50 T/D NON-HAZARDOUS WASTE (> 100 T/D IF ONLY AD) INVOLVING PHYSICO-CHEMICAL TREATMENT	Permit Number: EP3334QA Original Permit Number: BR4551IC EPR Reference: - Issue Date: 16/01/2019 Effective Date: 16/01/2019 Last date noted as effective: 2019-04-30 Status: EFFECTIVE
80G	305	NE	574280 157920	Operator: SEKISUI DIAGNOSTICS (UK) LTD Installation Name: MAIDSTONE DIAGNOSTICS Process: ORGANIC CHEMICALS; NITROGEN CONTAINING COMPOUNDS EG AMINES	Permit Number: VP3136HS Original Permit Number: VP3136HS EPR Reference: - Issue Date: 25/01/2011 Effective Date: 31/01/2011 Last date noted as effective: 2019-04-30 Status: SUPERCEDED
81G	305	NE	574280 157920	Operator: SEKISUI DIAGNOSTICS (UK) LIMITED Installation Name: MAIDSTONE DIAGNOSTICS EPR/VP3136HS Process: ORGANIC CHEMICALS; NITROGEN CONTAINING COMPOUNDS EG AMINES	Permit Number: YP3336AS Original Permit Number: VP3136HS EPR Reference: - Issue Date: 05/08/2015 Effective Date: 05/08/2015 Last date noted as effective: 2019-04-30 Status: EFFECTIVE
82G	305	NE	574280 157920	Operator: GENZYME LTD Installation Name: MAIDSTONE DIAGNOSTICS Process: ORGANIC CHEMICALS; NITROGEN CONTAINING COMPOUNDS EG AMINES	Permit Number: NP3738LN Original Permit Number: NP3738LN EPR Reference: - Issue Date: 27/09/2006 Effective Date: 27/09/2006 Last date noted as effective: 2019-04-30 Status: SUPERCEDED

2.1.3 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site:

0

Database searched and no data found.

2.1.4 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site:

0

Database searched and no data found.

2.1.5 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site:

0

Database searched and no data found.

2.1.6 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site:

2

The following Part A(2) and Part B Activities are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
49	355	E	574391 157822	Address: Hansons Aggregates, 20/20 Industrial Estate, St Laurence Avenue, Maidstone, Kent, ME16 0LL Process: Use of Bulk Cement Status: Current Permit Permit Type: Part B Enforcement: No Enforcements Notified Date of Enforcement: No Enforcements Notified Comment: No Enforcements Notified
50	396	NE	574386 157930	Address: Hansons Aggregates, 20/20 Industrial Estate, St Laurence Avenue, Maidstone, Kent, ME16 0LL Process: Roadstone Coating Processes Status: Current Permit Permit Type: Part B Enforcement: No Enforcements Notified Date of Enforcement: No Enforcements Notified Comment: No Enforcements Notified

2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations:

1

The following RAS Licence (3 or 4) records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Address	Operator	Type	Permission Number	Dates	Status
84H	322	N	574130 158030	Socorro House, Liphook Way, 20/20 Business Park, Maidstone, ME16 OLQ	The Active Collection Bureau Limited	-	NB3535DV	Date of Approval:- Effective from:02-02- 2012 Last date of update:2018- 11-01	Issued

2.1.8 Records of Licensed Discharge Consents within 500m of the study site:

2

The following Licensed Discharge Consents records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
15	67	S	573646 157524	Address: NEW MARSTON'S PUB, E OF A20, S OF ST LAURENCE AVE, ALLINGTON, MAIDSTONE, KENT, ME20 7SL Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: EPRAB3095VW Permit Version: 1 Receiving Water: GW VIA INFILTRATION SYSTEM Status: NEW ISSUED UNDER EPR 2010 Issue date: 18/02/2014 Effective Date: 18-Feb-2014 Revocation Date: -
16	465	NE	574330 158090	Address: ALLINGTON PREMIX UNIT, DOWNS WAY, ALLINGTON, MAIDSTONE KENT Effluent Type: TRADE DISCHARGES - UNSPECIFIED Permit Number: P01576 Permit Version: 1 Receiving Water: SALINE ESTUARY Status: SURRENDERED UNDER EPR 2010 Issue date: 10/06/1988 Effective Date: 10-Jun-1988 Revocation Date: 28/03/2019

2.1.9 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site:

0

Database searched and no data found.

2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site:

0

Database searched and no data found.

2.2 Dangerous or Hazardous Sites

Records of COMAH & NIHHS sites within 500m of the study site:

0

Database searched and no data found.

2.3 Environment Agency/Natural Resources Wales Recorded Pollution Incidents

2.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site:

14

The following NIRS List 2 records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
1A	107	E	574158.0 157726.0	Incident Date: 12-Sep-2007 Incident Identification: 530630.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
2A	107	E	574158.0 157726.0	Incident Date: 16-May-2007 Incident Identification: 495395.0 Pollutant: Pollutant Not Identified Pollutant Description: Not Identified Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
3B	130	NE	574166.0 157779.0	Incident Date: 08-May-2007 Incident Identification: 493338.0 Pollutant: Pollutant Not Identified Pollutant Description: Not Identified Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
4B	130	NE	574166.0 157779.0	Incident Date: 31-Aug-2007 Incident Identification: 527376.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Sulphide Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
5	256	NW	573861.0 157919.0	Incident Date: 31-Aug-2007 Incident Identification: 527489.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Chemical Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
6	321	S	573821.0 157267.0	Incident Date: 28-Sep-2007 Incident Identification: 534684.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
7C	411	SE	574254.0 157318.0	Incident Date: 29-Sep-2007 Incident Identification: 534833.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
8C	411	SE	574254.0 157318.0	Incident Date: 29-Jul-2007 Incident Identification: 518292.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
9C	411	SE	574254.0 157318.0	Incident Date: 09-Oct-2007 Incident Identification: 537232.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
10	422	N	573560.0 158110.0	Incident Date: 14-Dec-2004 Incident Identification: 282948.0 Pollutant: Oils and Fuel Pollutant Description: Diesel Water Impact: Category 2 (Significant) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact)
11	480	N	574117.0 158193.0	Incident Date: 09-Oct-2001 Incident Identification: 35450.0 Pollutant: Oils and Fuel Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

ID	Distance (m)	Direction	NGR	Details	
Pollutant Description: Diesel					
12	484	N	574000.0 158200.0	Incident Date: 02-May-2001 Incident Identification: 15255.0 Pollutant: Contaminated Water Pollutant Description: Firefighting Run-Off	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
13D	485	SE	574346.0 157294.0	Incident Date: 10-Sep-2007 Incident Identification: 530105.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)
14D	485	SE	574346.0 157294.0	Incident Date: 11-Sep-2007 Incident Identification: 530503.0 Pollutant: Atmospheric Pollutants and Effects Pollutant Description: Landfill Odour	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 2 (Significant)

2.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site:

0

Database searched and no data found.


2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990

Records of sites determined as contaminated land under Section 78R of the Environmental Protection Act 1990 are there within 500m of the study site

0

Database searched and no data found.

3. Landfill and Other Waste Sites Map



- | | | | | | |
|---|---------------------------|---|---|---|----------------------------------|
|  | Site Outline |  | EA/NRW Active Landfill |  | Historic and Planned Waste Sites |
|  | EA/NRW Historic Landfill |  | EA/NRW Licensed Waste Site | | |
|  | BGS / DoE Survey Landfill |  | Local Authority/Historical Mapping Landfill Records | | |

3. Landfill and Other Waste Sites

3.1 Landfill Sites

3.1.1 Records from Environment Agency/Natural Resources Wales landfill data within 1000m of the study site:

1

The following Environment Agency/Natural Resources Wales landfill records are represented as polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details
1	0	On Site	574300 157900	Address: Land/ Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Landfill Reference: 19514.0 Environmental Permitting Regulations (Waste) Reference: WRG008 Landfill Type: A05: Landfill taking Non-Biodegradable Wastes Operator: Waste Recycling Group (Central) Ltd Status: Modified IPPC Reference: EPR Reference:

3.1.2 Records of Environment Agency/Natural Resources Wales historic landfill sites within 1500m of the study site:

11

The following landfill records are represented as either points or polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details
8	0	On Site		Site Address: Allington Quarry No.1, 20/20 Estate, Allington, Kent Waste Licence: Yes Site Reference: P/11/24, MA6, TO34A Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: Greenways Licence Holder: ARC Limited First Recorded: 01-Nov-1991 Last Recorded: 30-Jun-2002
9	50	W		Site Address: D Shaped Field, D Shaped Field, Allington, Kent Waste Licence: - Site Reference: - Waste Type: - Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: - Last Recorded: -
10	171	E		Site Address: Allington Quarry No.1, 20/20 Estate, Allington, Kent Waste Licence: Yes Site Reference: TO34A, P/11/24, MA6 Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: Greenways

ID	Distance (m)	Direction	NGR	Details
				Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Holder: ARC Limited First Recorded: - Last Recorded: 30-Jun-2002
11	515	SE		Site Address: Castle Way, Castle Way, Allington, Kent Waste Licence: Yes Site Reference: MA10 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: Gallagher First Recorded: - Last Recorded: -
12	519	SE		Site Address: Castle Road, Allington, Kent Waste Licence: Yes Site Reference: MA12 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: Sterling Homes First Recorded: 01-Jan-1976 Last Recorded: 31-Dec-1985
13	552	SE		Site Address: Allington No.1, Castle Road, Maidstone, Kent Waste Licence: Yes Site Reference: MA15 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: Gallaghers - ARC Limited First Recorded: 01-Jan-1976 Last Recorded: 31-Dec-1987
Not shown	709	E		Site Address: Allington No.2, Allington Open Space, Castle Road, Maidstone, Kent Waste Licence: - Site Reference: MA16 Waste Type: Inert, Commercial, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: ARC Limited First Recorded: - Last Recorded: 31-Dec-1973
Not shown	1016	N		Site Address: Deacon Trading Estate, Aylesford, Kent Waste Licence: Yes Site Reference: TO29 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: Pearsons Ballast First Recorded: 01-Jan-1976 Last Recorded: 31-Dec-1977
Not shown	1143	N		Site Address: Old Aylesford Pit, Aylesford, Kent Waste Licence: Yes Site Reference: TO14 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: - Last Recorded: -
Not shown	1180	SE		Site Address: Giddyhorn Lane, Off Poplar Grove, Allington, Kent Waste Licence: - Site Reference: MA3 Waste Type: Inert, Industrial, Commercial, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: Maidstone Borough Council First Recorded: - Last Recorded: 31-Dec-1973
Not shown	1418	S		Site Address: Hermitage Lane, Barming Heath, Maidstone, Kent Waste Licence: Yes Site Reference: P/10/43, 21HN Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Mar-1987 Licence Surrendered: 18-Sep-1992 Licence Holder Address: - Operator: - Licence Holder: Gallagher First Recorded: 31-Dec-1987 Last Recorded: 31-Dec-1991

3.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site:

0

Database searched and no data found.

3.1.4 Records of Landfills from Local Authority and Historical Mapping Records within 1500m of the study site:

6

The following landfill records are represented as points or polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Site Address	Source	Data Type
Not shown	828	E	574890 157488	Refuse Tip	1973 mapping	Polygon
Not shown	828	E	574890 157488	Refuse Tip	1969 mapping	Polygon
Not shown	930	SE	574800 157095	Castle Road & Allington 1 & old quarries	Maidstone Borough Council	Point
Not shown	957	E	575009 157546	Refuse Tip	1967 mapping	Polygon
Not shown	1041	N	573574 158798	Refuse Tip	1964 mapping	Polygon
Not shown	1177	SE	574454 156386	Giddyhorn Lane	Maidstone Borough Council	Polygon

3.2 Other Waste Sites

3.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site:

6

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details		
2A	189	NW	573854 157854	Type of Site: Waste Transfer Station Site Address: Allington Depot, MAIDSTONE, Kent, ME16	Planning Application Reference: MA/94/0517 Date: -	Further Details: An application (ref: MA/94/0517) for detailed planning permission was submitted to Maidstone B.C. Data Source: Historic Planning Application Data Type: Point
3A	189	NW	573854 157855	Type of Site: Waste Transfer Station Site Address: Allington Depot, Allington, MAIDSTONE, Kent,	Planning Application Reference: N/A Date: -	Further Details: (Renewal). 04/11/99...This project is still in the early planning stages. Data Source: Historic Planning Application Data Type: Point

ID	Distance (m)	Direction	NGR	Details		
ME14 5JG						
4A	189	NW	573854 157855	Type of Site: Waste to Energy Plant Site Address: Allington Quarry, MAIDSTONE, Kent, ME14	Planning Application Reference: MA/98/1212 Date: 03/05/2004	Further Details: Scheme comprises construction of waste burning plant to deal with up to 500,000 tonnes of waste a year from homes, shops, offices and factories in mid and west Kent. Materials such as metal, glass, plastics and paper will be recycled and the remaining waste will then be burned at up to 850 degrees centigrade using a 'fluidised bed' process to produce energy for the National Grid. The piling works are likely to be bored but this has yet to be finalised. Construction - steel cladding walls; bored piles site works. An application (ref: MA/98/1212) for Detailed Planning permission was granted by Maidstone B.C. on 1st November 1999. This will be operated by Kent Enviropower Ltd (part of Waste Recycling Group Ltd - who in turn were aquired by Terrafirma Capital Partners) built by Lurgi Fortum with some additional funding provided by the Royal Bank of Scotland. Engineering equipment is anticipated to be installed 12 months from the start on site date. Please note the addition of sub contractors. Data Source: Historic Planning Application Data Type: Point
5A	189	NW	573854 157855	Type of Site: Waste Processing Plant Site Address: Allington Quarry, Laverstoke Road, Allington, MAIDSTONE, Kent, ME16 0LT	Planning Application Reference: MA/98/1212 Date: -	Further Details: Scheme comprises waste processing plant. Scheme comprises waste processing plant comprising tipping hall, material recovery and pre-processing, boiler house, workshop, steam turbine hall, generator and electrical room, water treatment, administration bck, tanks, chimneys and ancillary facilities and a 58 space car park, landfilling of ash and other inert waste and restoration of the balance of the site as an area for nature conservation. Detailed planning application has been submitted to MaidstoneBC to go to committee shortly. An application (ref: MA/98/1212) for Detailed Planning permission was submitted to Maidstone B.C. on 31st July 1998. Data Source: Historic Planning Application

ID	Distance (m)	Direction	NGR	Details	
				Data Type: Point	
6B	481	E	574557 157678	Type of Site: Aggregate Recycling Facility (Extension) Site Address: Allington Depot, Twenty Twenty Industrial Estat, Liphook Way, Maidstone, Kent, ME16 0 Planning Application Reference: 17/501435/COUNTY Date: 11/04/2017	Further Details: Scheme comprises county matter - addition to area used for aggregate recycling facility. The associated works include sewer systems, landscaping, infrastructure and enabling. Data Source: Historic Planning Application Data Type: Point
7B	481	E	574557 157678	Type of Site: Aggregate Recycling Facility (Extension) Site Address: Hanson Aggregates, Allington D, Liphook Way, Allington, Maidstone, Kent, ME16 0LQ Planning Application Reference: KCC/MA/0064/2017 (MA/17/501435 Date: -	Further Details: Scheme comprises addition to area used for aggregate recycling facility. The associated works include sewer systems, landscaping, infrastructure and enabling works. Data Source: Historic Planning Application Data Type: Point

3.2.2 Records of Environment Agency/Natural Resources Wales licensed waste sites within 1500m of the study site:

22

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details	
19	150	N	573960 157855	Site Address: Land / Premises At, Laverstoke Road, 20/20 Business Park, Maidstone, Kent, ME16 0LE Type: Household, Commercial & Industrial Waste T Stn Size: >= 25000 tonnes < 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: KEL100 EPR reference: EA/EPR/UP3798ED/A001 Operator: Kent Enviropower Ltd Waste Management licence No: 100300 Annual Tonnage: 74999.0	Issue Date: 11/07/2008 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Allington Incinerator Transfer Station Correspondence Address: -
20C	179	N	573800 157800	Site Address: Sutton Courtney Landfill Site, Appleford Sidings, Abbingdon, Oxfordshire, OX14 4PW Type: Landfill taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG007 EPR reference: - Operator: Waste Recycling Group (central) Limited	Issue Date: 27/11/2001 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: D-shaped Field, Allington Landfill Correspondence Address: Sutton Courtney Landfill Site, Appleford Sidings,


ID	Distance (m)	Direction	NGR	Details	
				Waste Management licence No: 10040 Annual Tonnage: 1078000.0	Abbingdon, Oxfordshire, OX14 4PW
21C	179	N	573800 157800	Site Address: Sutton Courtney Landfill Site, Appleford Sidings, Abbingdon, Oxfordshire, OX14 4PW Type: Landfill taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG007 EPR reference: - Operator: Waste Recycling Group (central) Ltd Waste Management licence No: 10040 Annual Tonnage: 1078000.0	Issue Date: 27/11/2001 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: D-shaped Field, Allington Landfill Correspondence Address: Sutton Courtney Landfill Site, Appleford Sidings, Abbingdon, Oxfordshire, OX14 4PW
22D	206	NW	573400 157800	Site Address: Land / Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Type: Landfill taking Non-Biodegradable Wastes Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG007 EPR reference: EA/EPR/HP3695HS/V002 Operator: Waste Recycling Group (Central) Ltd Waste Management licence No: 10040 Annual Tonnage: 1078000.0	Issue Date: 27/11/2001 Effective Date: - Modified: 06/08/2015 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: D-shaped Field Correspondence Address: -
23D	206	NW	573400 157800	Site Address: 20/20 Business Park, Laverstoke Road, Allington, Maidstone, Kent, ME16 0LY Type: Landfill taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG007 EPR reference: - Operator: Waste Recycling Group (Central) Ltd Waste Management licence No: 10040 Annual Tonnage: 1078000.0	Issue Date: 27/11/2001 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: D-shaped Field, Allington Landfill Correspondence Address: Ground Floor West, 900, Pavilion Drive, Northampton Business Park, Northampton, Northants, NN4 7RG
24D	206	NW	573400 157800	Site Address: Land / Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Type: Landfill taking Non-Biodegradable Wastes Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG007 EPR reference: EA/EPR/HP3695HS/S004 Operator: Waste Recycling Group (Central) Limited Waste Management licence No: 10040 Annual Tonnage: 0.0	Issue Date: 27/11/2001 Effective Date: - Modified: 06/08/2015 Surrendered Date: Nov 24 2017 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered Site Name: D-shaped Field Correspondence Address: -
25E	224	N	573500 157900	Site Address: London Road, Allington, Maidstone, Kent Type: Landfill taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG008 EPR reference: - Operator: Waste Recycling Group (central) Limited Waste Management licence No: 19514 Annual Tonnage: 0.0	Issue Date: 04/10/1991 Effective Date: 28/11/2003 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred Site Name: Allington Quarry Correspondence Address: Waste Recycling Group Central Division, Sutton Courtney, Appleford Sidings, Abbingdon, Oxfordshire, OX14 4PW

ID	Distance (m)	Direction	NGR	Details	
26E	224	N	573500 157900	Site Address: London Road, Allington, Maidstone, Kent Type: Landfill taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: HAN004 EPR reference: - Operator: Hanson Quarry Products Europe Ltd Waste Management licence No: 19514 Annual Tonnage: 0.0	Issue Date: 04/10/1991 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Allington Quarry Correspondence Address: The Ridge, Chipping Sodbury, Bristol, BS37 6AY
27F	308	NE	574300 157900	Site Address: Land/ Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Type: Landfill taking Non-Biodegradable Wastes Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG008 EPR reference: EA/EPR/YP3398HR/V003 Operator: Waste Recycling Group (Central) Limited Waste Management licence No: 19514 Annual Tonnage: 70000.0	Issue Date: 04/10/1991 Effective Date: 28/11/2003 Modified: 06/08/2015 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Allington Landfill Correspondence Address: -
28F	308	NE	574300 157900	Site Address: Allington Depot, Liphook Way, Maidstone, Kent, ME16 0LQ Type: Material Recycling Treatment Facility Size: >= 25000 tonnes < 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: HAN115 EPR reference: EA/EPR/GB3133DY/V002 Operator: Hanson Quarry Products Europe Ltd Waste Management licence No: 104072 Annual Tonnage: 74999.0	Issue Date: 22/06/2012 Effective Date: - Modified: 05/11/2015 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Allington Depot Correspondence Address: -
29F	308	NE	574300 157900	Site Address: 20/20 Business Park, Laverstoke Road, Allington, Maidstone, Kent, ME16 0LY Type: Landfill taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG008 EPR reference: - Operator: Waste Recycling Group (Central) Ltd Waste Management licence No: 19514 Annual Tonnage: 950000.0	Issue Date: 04/10/1991 Effective Date: 28/11/2003 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred Site Name: Allington Quarry Landfill Correspondence Address: Ground Floor West, 900, Pavilion Drive, Northampton Business Park, Northampton, Northants, NN4 7RG
30F	308	NE	574300 157900	Site Address: Land/ Premises At, A20 London Road, Allington, Maidstone, Kent, ME16 0LE Type: Landfill taking Non-Biodegradable Wastes Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WRG008 EPR reference: EA/EPR/YP3398HR/V003 Operator: Waste Recycling Group (Central) Ltd Waste Management licence No: 19514 Annual Tonnage: 70000.0	Issue Date: 04/10/1991 Effective Date: 28/11/2003 Modified: 06/08/2015 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Allington Landfill Correspondence Address: -
Not shown	578	E	574600 157900	Site Address: Hanson Depot, Allington Unit, 20/20 Industrial Estate, Liphook Way, Maidstone, Kent, ME16 0LQ	Issue Date: 27/11/1998 Effective Date: - Modified: -

ID	Distance (m)	Direction	NGR	Details	
				Type: Transfer Station taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ARC001 EPR reference: - Operator: Hanson Quarry Products Europe Limited Waste Management licence No: 10000 Annual Tonnage: 0.0	Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: The Sidings Correspondence Address: Head Office, The Ridge, Chipping Sodbury, Bristol, BS17 6AY
Not shown	578	E	574600 157900	Site Address: Hanson Depot, Allington Unit, 20/20 Industrial Estate, Liphook Way, Maidstone, Kent, ME16 0LQ Type: Transfer Station taking Non-Biodegradable Wastes Size: >= 75000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ARC001 EPR reference: EA/EPR/KP3395HQ/S003 Operator: Hanson Quarry Products Europe Ltd Waste Management licence No: 10000 Annual Tonnage: 3000000.0	Issue Date: 27/11/1998 Effective Date: - Modified: 12/12/2003 Surrendered Date: Apr 25 2014 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered Site Name: The Sidings Correspondence Address: -
Not shown	997	NW	572750 158250	Site Address: Land/ Premises At, Hall Road, Aylesford, Kent, ME20 7NL Type: Material Recycling Treatment Facility Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MDJ002 EPR reference: EA/EPR/KP3595EP/S002 Operator: M D J Light Bros (S P) Ltd Waste Management licence No: 100010 Annual Tonnage: 0.0	Issue Date: 12/10/2007 Effective Date: - Modified: - Surrendered Date: Jan 17 2014 12:00AM Expiry Date: - Cancelled Date: - Status: Surrendered Site Name: Royal British Legion Industries Correspondence Address: -
Not shown	997	NW	572750 158250	Site Address: Hall Road, Aylesford, Kent, ME20 7NL Type: Material Recycling Treatment Facility Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: MDJ002 EPR reference: - Operator: M D J Light Bros (S P) Ltd Waste Management licence No: 100010 Annual Tonnage: 24999.0	Issue Date: 12/10/2007 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Royal British Legion Industries Correspondence Address: R B L I, Hall Road, Aylesford, Kent, ME20 7NL
Not shown	1258	W	572300 157500	Site Address: Unit 20, Lake Road, Quarry Wood Ind Estate, Aylesford, Kent, ME20 7TQ Type: Special Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: SAF001 EPR reference: EA/EPR/RP3298HH/V005 Operator: Safety Kleen U K Ltd Waste Management licence No: 19496 Annual Tonnage: 5500.0	Issue Date: 23/05/1995 Effective Date: - Modified: 04/07/2017 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Safetykleen U K Correspondence Address: -
Not shown	1258	W	572300 157500	Site Address: Lake Road, Quarrywood Industrial Estate, Aylesford, Maidstone, Kent, ME20 7TQ Type: Special Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: SAF001 EPR reference: - Operator: Safety - Kleen (U K) Limited Waste Management licence No: 19496	Issue Date: 23/05/1995 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: - Correspondence Address: Safety - Kleen House, 390, London Road, Isleworth,

ID	Distance (m)	Direction	NGR	Details
				Annual Tonnage: 0.0 Middlesex, TW7 5AN
Not shown	1258	W	572300 157500	Site Address: Unit 20, Lake Road, Quarry Wood Ind Estate, Aylesford, Maidstone, Kent, ME20 7TQ Type: Special Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: SAF001 EPR reference: EA/EPR/RP3298HH/V005 Operator: Safety- Kleen U. K. Limited Waste Management licence No: 19496 Annual Tonnage: 5500.0 Issue Date: 23/05/1995 Effective Date: - Modified: 04/07/2017 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Safetykleen U K Correspondence Address: -
Not shown	1258	W	572300 157500	Site Address: Unit 20, Lake Road, Quarry Wood Ind Estate, Aylesford, Maidstone, Kent, ME20 7TQ Type: Special Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: SAF001 EPR reference: EA/EPR/RP3298HH/V004 Operator: Safety Kleen U K Limited Waste Management licence No: 19496 Annual Tonnage: 5500.0 Issue Date: 23/05/1995 Effective Date: - Modified: 19/03/2014 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Safetykleen U K Correspondence Address: -
Not shown	1274	N	574206 158983	Site Address: Double Day House, St Michaels Close, Aylesford, Kent, ME20 7BU Type: Physical Treatment Facility Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ENT064 EPR reference: EA/EPR/KB3130RT/A001 Operator: Enterprise (A O L) Ltd Waste Management licence No: 104569 Annual Tonnage: 4999.0 Issue Date: 24/10/2012 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Aylesford Highways Depot Correspondence Address: -
Not shown	1488	W	572086 157369	Site Address: C S G Aylesford Treatment Plant, Mills Road, Quarry Wood Ind Est, Aylesford, Kent, ME20 7NA Type: Special Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: CLE107 EPR reference: EA/EPR/UP3033UX/V007 Operator: Cleansing Services Group Ltd Waste Management licence No: 104671 Annual Tonnage: 24999.0 Issue Date: 14/09/2012 Effective Date: - Modified: 27/04/2015 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: C S G Aylesford Treatment Plant Correspondence Address: -

4. Current Land Use Map



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



4. Current Land Uses

4.1 Current Industrial Data

Records of potentially contaminative industrial sites within 250m of the study site:

27

The following records are represented as points on the Current Land Uses map.

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
1	26	S	Electricity Sub Station	573625 157575	Kent, ME16	Electrical Features	Infrastructure and Facilities
2	84	E	Electricity Sub Station	574129 157749	Kent, ME16	Electrical Features	Infrastructure and Facilities
3	84	E	Electricity Sub Station	574135 157727	Kent, ME16	Electrical Features	Infrastructure and Facilities
4A	126	E	Bob Morris Custom Rods Co Solarshield Ltd	574177 157718	Canada House, St. Leonards Road, Allington, Maidstone, Kent, ME16 OLS	Hobby, Sports and Pastime Products	Consumer Products
5A	126	E	Techno Film	574177 157718	Canada House, St. Leonards Road, Allington, Maidstone, Kent, ME16 OLS	Industrial Coatings and Finishings	Industrial Products
6A	126	E	Solar Shield Ltd	574177 157718	Canada House, St. Leonards Road, Allington, Maidstone, Kent, ME16 OLS	Industrial Coatings and Finishings	Industrial Products
7	130	NE	Filedler Filter Systems	574166 157779	St. Leonards Road, Allington, Maidstone, Kent, ME16 OLS	Air and Water Filtration	Industrial Products
8	139	E	P H C	574190 157718	P H C House, St. Leonards Road, Maidstone, Kent, ME16 OFJ	Medical Equipment, Supplies and Pharmaceuticals	Industrial Products
9	174	E	Gas Valve Compound	574217 157642	Kent, ME16	Gas Features	Infrastructure and Facilities
10	177	N	Tank	574050 157895	Kent, ME16	Tanks (Generic)	Industrial Features
11	188	E	Dolphin Self Storage	574238 157696	Unit B Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 OJZ	Container and Storage	Transport, Storage and Delivery
12	191	E	G A P	574235 157644	Unit F Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 OJZ	Construction Completion Services	Construction Services
13	193	NW	Allington EFW - EFW Incineration (DECC)	573867 157838	Allington Quarry, Laverstoke Road, 20/20 Business Park, Allington, Maidstone, Kent, ME16 OLE	Energy Production	Industrial Features
14	194	S	Pumping	574006	Kent, ME16	Water Pumping Stations	Industrial Features

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
			House	157449			
15C	211	NE	Electricity Sub Station	574245 157801	Kent, ME16	Electrical Features	Infrastructure and Facilities
16	211	NW	Electricity Sub Station	573925 157906	Kent, ME16	Electrical Features	Infrastructure and Facilities
17B	214	E	Apogee Corporation Ltd	574256 157778	Nimbus House Nimbus Enterprise Park Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ	Printing Related Machinery	Industrial Products
18B	214	E	Apogee	574256 157778	Nimbus House Nimbus Enterprise Park Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ	Office and Shop Equipment	Industrial Products
19	214	S	Kent Van Lining	573835 157382	9, Pippin Place, Allington, Maidstone, Kent, ME16 0XE	Vehicle Repair, Testing and Servicing	Repair and Servicing
20	215	NE	Tanks	574235 157829	Kent, ME16	Tanks (Generic)	Industrial Features
21	218	NE	Electricity Sub Station	574210 157868	Kent, ME16	Electrical Features	Infrastructure and Facilities
22	225	NE	Gas Valve Compound	574234 157849	Kent, ME16	Gas Features	Infrastructure and Facilities
23	226	E	Orchard Business Centre	574276 157668	Kent, ME16	Business Parks and Industrial Estates	Industrial Features
24C	234	NE	Obart Pumps	574264 157816	Obart House Nimbus Enterprise Park Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ	Industrial Repairs and Servicing	Repair and Servicing
25	236	E	Apogee Corporation	574280 157774	Unit 6 Nimbus Enterprise Park Liphook Way, Twenty Twenty Industrial Estate, Maidstone, Kent, ME16 0FZ	Office and Shop Equipment	Industrial Products
26	241	E	2020 Mailing Equipment Ltd	574292 157687	Unit L Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ	Office and Shop Equipment	Industrial Products
27	241	E	S & J Cleaning Systems Ltd	574292 157711	Unit H Orchard Business Centre, St. Barnabas Close, Allington, Maidstone, Kent, ME16 0JZ	Cleaning Equipment and Supplies	Industrial Products

4.2 Petrol and Fuel Sites

Records of petrol or fuel sites within 500m of the study site:

0

Database searched and no data found.

4.3 National Grid High Voltage Underground Electricity Transmission Cables

This dataset identifies the high voltage electricity transmission lines running between generating power plants and electricity substations. The dataset does not include the electricity distribution network (smaller, lower voltage cables distributing power from substations to the local user network). This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high voltage underground electricity transmission cables within 500m of the study site:

0

Database searched and no data found.

4.4 National Grid High Pressure Gas Transmission Pipelines

This dataset identifies high-pressure, large diameter pipelines which carry gas between gas terminals, power stations, compressors and storage facilities. The dataset does not include the Local Transmission System (LTS) which supplies gas directly into homes and businesses. This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high pressure gas transmission pipelines within 500m of the study site:

0

Database searched and no data found.

5. Geology

5.1 Artificial Ground and Made Ground

Database searched and no data found.

The database has been searched on site, including a 50m buffer.

5.2 Superficial Ground and Drift Geology

The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
RTD3-XSV	RIVER TERRACE DEPOSITS, 3	SAND AND GRAVEL
HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL

5.3 Bedrock and Solid Geology


The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
HY-SDLM	HYTHE FORMATION	SANDSTONE AND [SUBEQUAL/SUBORDINATE] LIMESTONE, INTERBEDDED
SAB-SDSM	SANDGATE FORMATION	SANDSTONE, SILTSTONE AND MUDSTONE
FO-SDST	FOLKESTONE FORMATION	SANDSTONE


(Derived from the BGS 1:50,000 Digital Geological Map of Great Britain)

6 Hydrogeology and Hydrology

6a. Aquifer Within Superficial Geology




© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.




6b. Aquifer Within Bedrock Geology and Abstraction Licences




© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.







6d. Hydrogeology – Source Protection Zones within confined aquifer




© Crown copyright and database rights 2019
Ordnance Survey licence 100035207.



6e. Hydrology – Watercourse Network and River Quality



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



6. Hydrogeology and Hydrology

6.1 Aquifer within Superficial Deposits

Records of strata classification within the superficial geology at or in proximity to the property Yes

From 1 April 2010, the Environment Agency/Natural Resources Wales's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Superficial Geology Map (6a):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
7	47	SW	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
8	203	N	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
2	204	NW	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
3	425	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

6.2 Aquifer within Bedrock Deposits

Records of strata classification within the bedrock geology at or in proximity to the property Yes

From 1 April 2010, the Environment Agency/Natural Resources Wales's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
4	0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
5	367	N	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

ID	Distance (m)	Direction	Designation	Description
6	378	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
7	414	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

6.3 Groundwater Abstraction Licences

Groundwater Abstraction Licences within 2000m of the study site

Identified

The following Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details
Not shown	942	N	573990 158740	Status: Active Licence No: 9/40/02/0250/G Details: Potable Water Supply - Direct Direct Source: Southern Region Groundwater Point: BOREHOLES AT FORSTAL PS (NOS. 1 TO 3) Data Type: Poly4 Name: South East Water Ltd Annual Volume (m ³): 4.23 Max Daily Volume (m ³): 17700 Original Application No: - Original Start Date: 24/03/1986 Expiry Date: - Issue No: 102 Version Start Date: 27/10/2010 Version End Date:
Not shown	957	N	574370 158620	Status: Active Licence No: 9/40/02/0250/G Details: Potable Water Supply - Direct Direct Source: Southern Region Groundwater Point: BOREHOLE NO. 4 AT FORSTAL PS Data Type: Point Name: South East Water Ltd Annual Volume (m ³): 4.23 Max Daily Volume (m ³): 17700 Original Application No: - Original Start Date: 24/03/1986 Expiry Date: - Issue No: 102 Version Start Date: 27/10/2010 Version End Date:
Not shown	1639	N	573010 159227	Status: Historical Licence No: 9/40/02/0227/G Details: Mineral Washing Direct Source: Southern Region Groundwater Point: POINT B, AYLESFORD SANDPIT Data Type: Point Name: RMC Aggregates (Southern) Limited Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 01/01/1999 Version End Date:
Not shown	1682	N	572950 159250	Status: Active Licence No: 9/40/02/0227/G Details: Mineral Washing Direct Source: Southern Region Groundwater Point: POINT B, EXCAVATION AT AYLESFORD SANDPIT Data Type: Point Name: Aylesford Heritage Limited Annual Volume (m ³): 2.20481 Max Daily Volume (m ³): 6750 Original Application No: - Original Start Date: 24/03/1980 Expiry Date: - Issue No: 107 Version Start Date: 18/05/2016 Version End Date:
Not shown	1828	SE	575580 156690	Status: Historical Licence No: 9/40/03/0159/A/GR Details: Process Water Direct Source: Southern Region Groundwater Point: POINT A, A WELL AT SPRINGFIELD MILL, MAIDSTONE Data Type: Point Name: Whatman International Ltd Annual Volume (m ³): 310778 Max Daily Volume (m ³): 2400 Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 06/12/2006 Version End Date:

ID	Distance (m)	Direction	NGR	Details
Not shown	1837	SE	575530 156600	Status: Historical Licence No: 9/40/03/0159/A/GR Details: Process Water Direct Source: Southern Region Groundwater Point: POINT C, A CATCHPIT AT SPRINGFIELD MILL ,MAIDSTONE Data Type: Point Name: Whatman International Ltd Annual Volume (m³): 310778 Max Daily Volume (m³): 2400 Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 06/12/2006 Version End Date:
Not shown	1855	SE	575560 156610	Status: Historical Licence No: 9/40/03/0159/A/GR Details: Process Water Direct Source: Southern Region Groundwater Point: POINT B, A WELL AT SPRINGFIELD MILL ,MAIDSTONE Data Type: Point Name: Whatman International Ltd Annual Volume (m³): 310778 Max Daily Volume (m³): 2400 Original Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 06/12/2006 Version End Date:

6.4 Surface Water Abstraction Licences

Surface Water Abstraction Licences within 2000m of the study site

Identified

The following Surface Water Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details
Not shown	913	NE	574848 158165	Status: Active Licence No: SO/040/0001/006/R01 Details: Fish Pass/Canoe Pass Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT ALLINGTON LOCK, MAIDSTONE Data Type: Point Name: Environment Agency Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: 01/04/2018 Expiry Date: 31/03/2030 Issue No: 1 Version Start Date: 01/04/2018 Version End Date:
Not shown	913	NE	574848 158165	Status: Historical Licence No: SO/040/0001/006 Details: Fish Pass/Canoe Pass Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT ALLINGTON LOCK, MAIDSTONE Data Type: Point Name: The Environment Agency Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: 08/11/2010 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 08/11/2010 Version End Date:
Not shown	982	SE	574950 157300	Status: Historical Licence No: 9/40/03/0083/SR Details: General Washing/Process Washing Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT ALLINGTON SEWAGE TREATMENT WORKS Data Type: Point Name: Southern Water Services Ltd Annual Volume (m³): 4546 Max Daily Volume (m³): 200 Application No: - Original Start Date: - Expiry Date: - Issue No: 101 Version Start Date: 01/05/2007 Version End Date:
Not shown	1489	SE	575327 156927	Status: Active Licence No: 02/114 Details: Potable Water Supply - Direct Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT SPRINGFIELD Data Type: Point Name: Southern Water Services Ltd Annual Volume (m³): 7.88136 Max Daily Volume (m³): 543000 Application No: - Original Start Date: 02/04/1992 Expiry Date: - Issue No: 101 Version Start Date: 22/11/2017 Version End Date:
Not shown	1566	SE	575400 156900	Status: Historical Licence No: 02/114 Annual Volume (m³): 7.88136 Max Daily Volume (m³): 543000

ID	Distance (m)	Direction	NGR	Details
				Details: Potable Water Supply - Direct Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT SPRINGFIELD Data Type: Point Name: Southern Water Services Ltd Application No: - Original Start Date: 02/04/1992 Expiry Date: - Issue No: 100 Version Start Date: 02/04/1992 Version End Date:
Not shown	1795	SE	575560 156720	Status: Historical Licence No: 9/40/03/0159/B/SR Details: Transfer Between Sources (Pre Water Act 2003) Direct Source: Southern Region Surface Waters Point: POINT Y, RIVER MEDWAY AT SPRINGFIELD MILL Data Type: Point Name: Whatman International Ltd Annual Volume (m³): 10638 Max Daily Volume (m³): 355 Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 01/04/2006 Version End Date:
Not shown	1904	SE	575570 156540	Status: Historical Licence No: 9/40/03/0159/B/SR Details: Transfer Between Sources (Pre Water Act 2003) Direct Source: Southern Region Surface Waters Point: POINT X ON THE RIVER MEDWAY AT SPRINGFIELD MILL, MAIDSTONE Data Type: Point Name: Whatman International Ltd Annual Volume (m³): 10638 Max Daily Volume (m³): 355 Application No: - Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 01/04/2006 Version End Date:

6.5 Potable Water Abstraction Licences

Potable Water Abstraction Licences within 2000m of the study site

Identified

The following Potable Water Abstraction Licences records are represented as points, lines and regions on the SPZ and Potable Water Abstraction Licences Map (6c):

ID	Distance (m)	Direction	NGR	Details
Not shown	942	N	573990 158740	Status: Active Licence No: 9/40/02/0250/G Details: Potable Water Supply - Direct Direct Source: Southern Region Groundwater Point: BOREHOLES AT FORSTAL PS (NOS. 1 TO 3) Data Type: Poly4 Name: South East Water Ltd Annual Volume (m³): 4.23 Max Daily Volume (m³): 17700 Original Application No: - Original Start Date: 24/03/1986 Expiry Date: - Issue No: 102 Version Start Date: Version End Date:
Not shown	957	N	574370 158620	Status: Active Licence No: 9/40/02/0250/G Details: Potable Water Supply - Direct Direct Source: Southern Region Groundwater Point: BOREHOLE NO. 4 AT FORSTAL PS Data Type: Point Name: South East Water Ltd Annual Volume (m³): 4.23 Max Daily Volume (m³): 17700 Original Application No: - Original Start Date: 24/03/1986 Expiry Date: - Issue No: 102 Version Start Date: Version End Date:
Not shown	1489	SE	575327 156927	Status: Active Licence No: 02/114 Details: Potable Water Supply - Direct Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT SPRINGFIELD Data Type: Point Name: Southern Water Services Ltd Annual Volume (m³): 7.88136 Max Daily Volume (m³): 543000 Original Application No: - Original Start Date: 02/04/1992 Expiry Date: - Issue No: 101 Version Start Date: Version End Date:
Not shown	1566	SE	575400 156900	Status: Historical Licence No: 02/114 Annual Volume (m³): 7.88136 Max Daily Volume (m³): 543000

ID	Distance (m)	Direction	NGR	Details
				Details: Potable Water Supply - Direct Direct Source: Southern Region Surface Waters Point: RIVER MEDWAY AT SPRINGFIELD Data Type: Point Name: Southern Water Services Ltd Original Application No: - Original Start Date: 02/04/1992 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:

6.6 Source Protection Zones

Source Protection Zones within 500m of the study site

Identified

The following Source Protection Zones records are represented on the SPZ and Potable Water Abstraction Map (6c):

ID	Distance (m)	Direction	Zone	Description
1	0	On Site	1	Inner catchment
2	0	On Site	2	Outer catchment
3	218	S	3	Total catchment
4	432	NW	3	Total catchment

6.7 Source Protection Zones within Confined Aquifer

Source Protection Zones within the Confined Aquifer within 500m of the study site

None identified

Historically, Source Protection Zone maps have been focused on regulation of activities which occur at or near the ground surface, such as prevention of point source pollution and bacterial contamination of water supplies. Sources in confined aquifers were often considered to be protected from these surface pressures due to the presence of a low permeability confining layer (e.g. glacial till, clay). The increased interest in subsurface activities such as onshore oil and gas exploration, ground source heating and cooling requires protection zones for confined sources to be marked on SPZ maps where this has not already been done.

Database searched and no data found.

6.8 Groundwater Vulnerability and Soil Leaching Potential

Environment Agency/Natural Resources Wales information on groundwater vulnerability and soil leaching potential within 500m of the study site Identified

Distance (m)	Direction	Classification	Soil Vulnerability Category	Description
0	On Site	Major Aquifer/High Leaching Potential	HU	Soil information for urban areas and restored mineral workings. These soils are therefore assumed to be highly permeable in the absence of site-specific information.
50	NW	Major Aquifer/Intermediate Leaching Potential	I1	Soils which can possibly transmit a wide range of pollutants.
373	SW	Minor Aquifer/Intermediate Leaching Potential	I1	Soils which can possibly transmit a wide range of pollutants.

6.9 River Quality

Environment Agency/Natural Resources Wales information on river quality within 1500m of the study site Identified

6.9.1 Biological Quality:

Biological Quality data describes water quality in terms of 83 groups of macroinvertebrates, some of which are pollution sensitive. The results are graded from A ('Very Good') to F ('Bad').

The following Biological Quality records are shown on the Hydrology Map (6e):

ID	Distance (m)	Direction	NGR	River Quality Grade	Biological Quality Grade				
					2005	2006	2007	2008	2009
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	A	A	A	A	A
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	D	C	C	C	C
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	B	C	C	C	B
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	D	C	C	C	C
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	A	A	A	A	A
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	D	C	C	C	C
Not shown	890	NE	574800 158200	River Name: Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	B	C	C	C	B

6.9.2 Chemical Quality:

Chemical quality data is based on the General Quality Assessment Headline Indicators scheme (GQAH). In England, each chemical sample is measured for ammonia and dissolved oxygen. In Wales, the samples are measured for biological oxygen demand (BOD), ammonia and dissolved oxygen. The results are graded from A ('Very Good') to F ('Bad').

The following Chemical Quality records are shown on the Hydrology Map (6e):

ID	Distance (m)	Direction	NGR	River Quality Grade	Chemical Quality Grade				
					2005	2006	2007	2008	2009
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	B	B	C	B	B
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	C	C	B	B	B
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	B	B	C	C	C
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	C	C	C	C	B
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	B	B	B	B	B
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	C	D	C	C	B
Not shown	890	NE	574800 158200	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: End of Stretch NGR	B	B	B	A	A
Not shown	947	NE	574892 158154	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: Sample Point NGR	B	B	C	C	C
Not shown	1386	SE	575235 156973	River Name: R. Medway Reach: Allington Sluices - Ensfield Bridge End/Start of Stretch: Sample Point NGR	B	B	C	B	B

6.10 Ordnance Survey MasterMap Water Network

Ordnance Survey MasterMap Water Network entries within 500m of the study site

This watercourse information is provided by Ordnance Survey MasterMap Water Network. The data provides a detailed centre line following the curve of the waterway precisely, so all distances provided in the report should be understood as measurements to the centreline rather than a measurement to the nearest point of the watercourse. Underground watercourses are inferred from entry and exit points so caution is advised in using these to indicate precise locations of underground watercourses when planning site investigation and development.

The following Ordnance Survey MasterMap Water Network records are represented on the Hydrology Map (6e):

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
1	31 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
31	31 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
2	98 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
32	98 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
3	100 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.1
33	100 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.1
4	119 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
34	119 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
5	122 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.0

ID	Distance/ Direction	Name	Type of Watercourse	Additional Details
35	122 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.0
6	150 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
36	150 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: Underground Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): Not Provided
7	155 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.0
37	155 S	-	Inland river not influenced by normal tidal action.	Catchment Area: Medway Relationship to Ground Level: On ground surface Permanence: Watercourse contains water year round (in normal conditions) Average Width in Watercourse Section (m): 1.0

6.11 Surface Water Features


Surface water features within 250m of the study site

Identified


The following surface water records are not represented on mapping:

Distance (m)	Direction
217	N
250	N



7a. Environment Agency/Natural Resources Wales Flood Map for Planning (from rivers and the sea)



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



7b. Environment Agency/Natural Resources Wales Risk of Flooding from Rivers and the Sea (RoFRaS) Map



7 Flooding

7.1 River and Coastal Zone 2 Flooding

Environment Agency/Natural Resources Wales Zone 2 floodplain within 250m None identified

Environment Agency/Natural Resources Wales Zone 2 floodplains estimate the annual probability of flooding as between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers and between 1 in 1000 (0.1%) and 1 in 200 (0.5%) from the sea. Any relevant data is represented on Map 7a – Flood Map for Planning:

Database searched and no data found.

7.2 River and Coastal Zone 3 Flooding

Environment Agency/Natural Resources Wales Zone 3 floodplain within 250m None identified

Zone 3 shows the extent of a river flood with a 1 in 100 (1%) or greater chance of occurring in any year or a sea flood with a 1 in 200 (0.5%) or greater chance of occurring in any year. Any relevant data is represented on Map 7a – Flood Map for Planning.

Database searched and no data found.

7.3 Risk of Flooding from Rivers and the Sea (RoFRaS) Flood Rating

Highest risk of flooding onsite Very Low

The Environment Agency/Natural Resources Wales RoFRaS database provides an indication of river and coastal flood risk at a national level on a 50m grid with the flood rating at the centre of the grid calculated and given above. The data considers the probability that the flood defences will overtop or breach by considering their location, type, condition and standard of protection.

RoFRaS data for the study site indicates the property is in an area with a Very Low (less than 1 in 1000) chance of flooding in any given year.

7.4 Flood Defences

Flood Defences within 250m of the study site None identified
Database searched and no data found.

7.5 Areas benefiting from Flood Defences

Areas benefiting from Flood Defences within 250m of the study site None identified

7.6 Areas benefiting from Flood Storage

Areas used for Flood Storage within 250m of the study site

None identified

7.7 Groundwater Flooding Susceptibility Areas

7.7.1 British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site

Identified

Clearwater Flooding or Superficial Deposits Flooding

Clearwater Flooding

Notes: Groundwater flooding may either be associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits Flooding), or with unconfined aquifers (Clearwater Flooding).

7.7.2 Highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions

Limited potential

Where limited potential for groundwater flooding to occur is indicated, this means that although given the geological conditions there may be a groundwater flooding hazard, unless other relevant information, e.g. records of previous flooding, suggests groundwater flooding has occurred before in this area, you need take no further action in relation to groundwater flooding hazard.

7.8 Groundwater Flooding Confidence Areas


British Geological Survey confidence rating in this result

Low


Notes: Groundwater flooding is defined as the emergence of groundwater at the ground surface or the rising of groundwater into man-made ground under conditions where the normal range of groundwater levels is exceeded.

The confidence rating is on a threefold scale - Low, Moderate and High. This provides a relative indication of the BGS confidence in the accuracy of the susceptibility result for groundwater flooding. This is based on the amount and precision of the information used in the assessment. In areas with a relatively lower level of confidence the susceptibility result should be treated with more caution. In other areas with higher levels of confidence the susceptibility result can be used with more confidence.

8. Designated Environmentally Sensitive Sites Map



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



8. Designated Environmentally Sensitive Sites

Designated Environmentally Sensitive Sites within 2000m of the study site

Identified

8.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:

2

The following Site of Special Scientific Interest (SSSI) records provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	SSSI Name	Data Source
1	165	E	Allington Quarry	Natural England
Not shown	1803	N	Aylesford Pit	Natural England

8.2 Records of National Nature Reserves (NNR) within 2000m of the study site:

0

Database searched and no data found.

8.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:

0

Database searched and no data found.

8.4 Records of Special Protection Areas (SPA) within 2000m of the study site:

0

Database searched and no data found.

8.5 Records of Ramsar sites within 2000m of the study site:

0

Database searched and no data found.

8.6 Records of Ancient Woodland within 2000m of the study site:

22

The following records of Designated Ancient Woodland provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	Ancient Woodland Name	Data Source
7	522	N	UNKNOWN	Ancient and Semi-Natural Woodland
8	555	NE	LOCK WOOD	Ancient and Semi-Natural Woodland
9	597	N	UNKNOWN	Ancient and Semi-Natural Woodland
10	602	N	UNKNOWN	Ancient and Semi-Natural Woodland
11	869	E	UNKNOWN	Ancient and Semi-Natural Woodland
12	997	W	DOG KENNEL WOOD	Ancient and Semi-Natural Woodland
13	1133	SW	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1184	N	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1243	S	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1293	NE	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1391	S	UNKNOWN	Ancient and Semi-Natural Woodland
18	1479	SW	BROKE WOOD	Ancient and Semi-Natural Woodland
Not shown	1563	N	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1582	E	SANDLING WOOD	Ancient and Semi-Natural Woodland
Not shown	1601	S	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1610	S	FULLINGPITS WOOD	Ancient and Semi-Natural Woodland
Not shown	1737	N	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1739	N	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1791	NE	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1919	N	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1922	N	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1977	SW	UNKNOWN	Ancient and Semi-Natural Woodland

8.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:

1

The following Local Nature Reserve (LNR) records provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	LNR Name	Data Source
Not shown	1848	W	Ditton Quarry	Natural England

8.8 Records of World Heritage Sites within 2000m of the study site:

0

Database searched and no data found.

8.9 Records of Environmentally Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

8.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:

1

The following Area of Outstanding Natural Beauty (AONB) records provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	AONB/NSA Name	Data Source
Not shown	1870	NE	Kent Downs	Natural England

8.11 Records of National Parks (NP) within 2000m of the study site:

0

Database searched and no data found.

8.12 Records of Nitrate Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

8.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:

2

The following Nitrate Vulnerable Zone records produced by DEFRA are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	NVZ Name	Data Source
4	1453	SW	Existing	DEFRA
Not shown	1470	E	Existing	DEFRA

8.14 Records of Green Belt land within 2000m of the study site:

0

Database searched and no data found.

9. Natural Hazards Findings

9.1 Detailed BGS GeoSure Data

BGS GeoSure Data has been searched to 50m. The data is included in tabular format. If you require further information on geology and ground stability, please obtain a **Groundsure Geo Insight**, available from our **website**. The following information has been found:

9.1.1 Shrink Swell

Maximum Shrink-Swell** hazard rating identified on the study site Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Ground conditions predominantly low plasticity. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with shrink-swell clays.

9.1.2 Landslides

Maximum Landslide* hazard rating identified on the study site Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides.

9.1.3 Soluble Rocks

Maximum Soluble Rocks* hazard rating identified on the study site Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Soluble rocks are present, but unlikely to cause problems except under exceptional conditions. No special actions required to avoid problems due to soluble rocks. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with soluble rocks.

* This indicates an automatically generated 50m buffer and site.

9.1.4 Compressible Ground

Maximum Compressible Ground* hazard rating identified on the study site

Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits.

9.1.5 Collapsible Rocks

Maximum Collapsible Rocks* hazard rating identified on the study site

Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits.

9.1.6 Running Sand

Maximum Running Sand** hazard rating identified on the study site

Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Possibility of running sand problems after major changes in ground conditions. Normal maintenance to avoid leakage of water-bearing services or water bodies (ponds, swimming pools) should reduce likelihood of problems due to running sand. For new build consider possibility of running sand into trenches or excavations if water table is high or sandy strata are exposed to water. Avoid concentrated water inputs to site. Unlikely to be an increase in construction costs due to potential for running sand. For existing property no significant increase in insurance risk due to running sand problems is likely.

* This indicates an automatically generated 50m buffer and site.

9.2 Radon

9.2.1 Radon Affected Areas

Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level? The site is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.

The radon data in this report is supplied by the BGS/Public Health England and is the definitive map of Radon Affected Areas in Great Britain and Northern Ireland. The dataset was created using long-term radon measurements in over 479,000 homes across Great Britain and 23,000 homes across Northern Ireland, combined with geological data. The dataset is considered accurate to 50m to allow for the margin of error in geological lines, and the findings of this report supercede any answer given in the less accurate Indicative Atlas of Radon in Great Britain, which simplifies the data to give the highest risk within any given 1km grid square. As such, the radon atlas is considered indicative, whereas the data given in this report is considered definitive.

9.2.2 Radon Protection

Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment? No radon protective measures are necessary.

10. Mining

10.1 Coal Mining

Coal mining areas within 75m of the study site

None identified

Database searched and no data found.

10.2 Non-Coal Mining

Non-Coal Mining areas within 50m of the study site boundary

Identified

The following non-coal mining information is provided by the BGS:

Distance (m)	Direction	Name	Commodity	Assessment of likelihood
0.0	On Site	Not available	Sand	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered

Past underground mine workings are uncommon, localised and of limited area. The rock types present in this area are such that minor mineral veins may be present within them on which it is possible that there have been attempts to work these by underground methods and/or it is possible that small scale underground extraction of other materials may have occurred. All such occurrences are likely to be restricted in size and infrequent. It should be noted, however, that there is always the possibility of the existence of other sub-surface excavations, such as wells, cess pits, follies, air raid shelters/bunkers and other military structures etc. that could affect surface ground stability but which are outside the scope of this dataset. However, if in a coalfield area you should still consider a Coal Authority mining search for the area of interest.

10.3 Brine Affected Areas

Brine affected areas within 75m of the study site

None identified

Guidance: No Guidance Required.

Contact Details

Groundsure Helpline
Telephone: 08444 159 000
info@groundsure.com

British Geological Survey Enquiries
Kingsley Dunham Centre
Keyworth, Nottingham NG12 5GG
Tel: 0115 936 3143.
Fax: 0115 936 3276.
Email:
Web: www.bgs.ac.uk

BGS Geological Hazards Reports and general geological enquiries:
enquiries@bgs.ac.uk

Environment Agency
National Customer Contact Centre, PO Box 544
Rotherham, S60 1BY
Tel: 03708 506 506
Web: www.environment-agency.gov.uk
Email: enquiries@environment-agency.gov.uk

Public Health England
Public information access office
Public Health England, Wellington House
133-155 Waterloo Road, London, SE1 8UG
www.gov.uk/phe
Email: enquiries@phe.gov.uk
Main switchboard: 020 7654 8000

The Coal Authority
200 Lichfield Lane
Mansfield
Notts NG18 4RG
Tel: 0345 7626 848
DX 716176 Mansfield 5
www.coal.gov.uk

Ordnance Survey
Adanac Drive, Southampton
SO16 0AS
Tel: 08456 050505

Local Authority
Authority: Tonbridge and Malling Borough Council
Phone: 01732 844 522
Web: <http://www.tmbc.gov.uk>
Address: Gibson Building, Gibson Drive, Kings Hill,, West Malling,

Gemapping PLC
Virginia Villas, High Street, Hartley Witney,
Hampshire RG27 8NW
Tel: 01252 845444



Acknowledgements: Site of Special Scientific Interest, National Nature Reserve, Ramsar Site, Special Protection Area, Special Area of Conservation data is provided by, and used with the permission of, Natural England/Natural Resources Wales who retain the Copyright and Intellectual Property Rights for the data.

PointX © Database Right/Copyright, Thomson Directories Limited © Copyright Link Interchange Network Limited © Database Right/Copyright and Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028].

This report has been prepared in accordance with the Groundsure Ltd standard Terms and Conditions of business for work of this nature.

Standard Terms and Conditions

Groundsure's Terms and Conditions can be viewed online at this link:

<https://www.groundsure.com/terms-and-conditions-feb11-2019>

Terra Consult

Bold Business Centre, Bold Lane,
Bold Lane,
Sutton, WA9 4TX

Groundsure
Reference:

HMD-147-6171386

Your Reference: 3756_-_Allington_HWRC

Report Date 15 Jul 2019

Report Delivery Method: Email - pdf

Geo Insight

Address: ALLINGTON WASTE MANAGEMENT FACILITY, LAVERSTOKE ROAD, ALLINGTON,
MAIDSTONE, ME16 0LE

Dear Sir/ Madam,

Thank you for placing your order with Groundsure. Please find enclosed the **Groundsure Geo Insight** as requested.

If you need any further assistance, please do not hesitate to contact our helpline on 08444 159000 quoting the above Groundsure reference number.

Yours faithfully,



Managing Director
Groundsure Limited

Enc.
Groundsure Geo Insight

Address: ALLINGTON WASTE MANAGEMENT FACILITY, LAVERSTOKE ROAD,
ALLINGTON, MAIDSTONE, ME16 0LE

Date: 15 Jul 2019

Reference: HMD-147-6171386

Client: Terra Consult

NW N NE



SW S SE

Aerial Photograph Capture date: 14-Apr-2015
Grid Reference: 573676,157614
Site Size: 1.6906ha

Contents Page

Contents Page.....	3
Overview of Findings.....	5
1:10,000 Scale Availability.....	8
Availability of 1:10,000 Scale Geology Mapping.....	9
1 Geology (1:10,000 scale).....	10
1.1 Artificial Ground map (1:10,000 scale).....	10
1. Geology 1:10,000 scale.....	11
1.1 Artificial Ground.....	11
1.2 Superficial Deposits and Landslips map (1:10,000 scale).....	12
1.2 Superficial Deposits and Landslips.....	13
1.2.1 Superficial Deposits/ Drift Geology.....	13
1.2.2 Landslip.....	13
1.3 Bedrock and linear features map (1:10,000 scale).....	14
1.3 Bedrock and linear features.....	15
1.3.1 Bedrock/ Solid Geology.....	15
1.3.2 Linear features.....	15
2 Geology 1:50,000 Scale.....	16
2.1 Artificial Ground map.....	16
2. Geology 1:50,000 scale.....	17
2.1 Artificial Ground.....	17
2.1.1 Artificial/ Made Ground	17
2.1.2 Permeability of Artificial Ground.....	17
2.2 Superficial Deposits and Landslips map (1:50,000 scale).....	18
2.2 Superficial Deposits and Landslips.....	19
2.2.1 Superficial Deposits/ Drift Geology.....	19
2.2.2 Permeability of Superficial Ground	19
2.2.3 Landslip.....	19
2.2.4 Landslip Permeability.....	20
2.3 Bedrock and linear features map (1:50,000 scale).....	21
2.3 Bedrock, Solid Geology & linear features.....	22
2.3.1 Bedrock/Solid Geology.....	22
2.3.2 Permeability of Bedrock Ground.....	22
2.3.3 Linear features.....	22
3 Radon Data.....	24
3.1 Radon Affected Areas.....	24
3.2 Radon Protection.....	24
4 Ground Workings map.....	25
4 Ground Workings.....	26
4.1 Historical Surface Ground Working Features derived from Historical Mapping.....	26
4.2 Historical Underground Working Features derived from Historical Mapping.....	26
4.3 Current Ground Workings.....	27
5 Mining, Extraction & Natural Cavities.....	30
5.1 Historical Mining.....	30
5.2 Coal Mining.....	30
5.3 Johnson Poole and Bloomer.....	30
5.4 Non-Coal Mining.....	30
5.5 Non-Coal Mining Cavities.....	31
5.6 Natural Cavities.....	31
5.7 Brine Extraction.....	32
5.8 Gypsum Extraction.....	32
5.9 Cornwall and Devon Metalliferous Mining.....	32
5.10 Clay Mining.....	32
6 Natural Ground Subsidence.....	33
6.1 Shrink-Swell Clay map.....	33
6.2 Landslides map.....	34
6.3 Ground Dissolution of Soluble Rocks map.....	35
6.4 Compressible Deposits map.....	36
6.5 Collapsible Deposits map.....	37
6.6 Running Sand map.....	38

6 Natural Ground Subsidence.....	39
6.1 Shrink-Swell Clays.....	39
6.2 Landslides.....	39
6.3 Ground Dissolution of Soluble Rocks.....	40
6.4 Compressible Deposits.....	40
6.5 Collapsible Deposits.....	40
6.6 Running Sands.....	40
7 Borehole Records.....	43
8 Estimated Background Soil Chemistry.....	45
9 Railways and Tunnels map.....	46
9 Railways and Tunnels.....	47
9.1 Tunnels	47
9.2 Historical Railway and Tunnel Features	47
9.3 Historical Railways.....	48
9.4 Active Railways.....	48
9.5 Railway Projects.....	49

Overview of Findings

The Groundsure Geo Insight provides high quality geo-environmental information that allows geo-environmental professionals and their clients to make informed decisions and be forewarned of potential ground instability problems that may affect the ground investigation, foundation design and possibly remediation options that could lead to possible additional costs.

The report is based on the BGS 1:50,000 and 1:10,000 Digital Geological Map of Great Britain, BGS Geosure data; BRITPITS database; Non-coal mining data and Borehole Records, Coal Authority data including brine extraction areas, PBA non-coal mining and natural cavities database, Johnson Poole and Bloomer mining data and Groundsure's unique database including historical surface ground and underground workings.

For further details on each dataset, please refer to each individual section in the report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

Section 1: Geology 1:10,000 Scale

1.1 Artificial Ground	1.1 Is there any Artificial Ground/ Made Ground present beneath the study site at 1:10,000 scale?	No
1.2 Superficial Geology and Landslips	1.2.1 Is there any Superficial Ground/Drift Geology present beneath the study site at 1:10,000 scale?*	No
	1.2.2 Are there any records of landslide within 500m of the study site boundary at 1:10,000 scale?	No
1.3 Bedrock, Solid Geology and linear features	1.3.1 For records of Bedrock and Solid Geology beneath the study site* see the detailed findings section.	
	1.3.2 Are there any records of linear features within 500m of the study site boundary at 1:10,000 scale?	No

Section 2: Geology 1:50,000 Scale

2.1 Artificial Ground	2.1.1 Is there any Artificial Ground/ Made Ground present beneath the study site?	No
	2.1.2 Are there any records relating to permeability of artificial ground within the study site*boundary?	No
2.2 Superficial Geology and Landslips	2.2.1 Is there any Superficial Ground/Drift Geology present beneath the study site?*	Yes
	2.2.2 Are there any records of permeability of superficial ground within 500m of the study site?	Yes
	2.2.3 Are there any records of landslide within 500m of the study site boundary?	No
	2.2.4 Are there any records relating to permeability of landslips within the study site* boundary?	No

Section 2: Geology 1:50,000 Scale

2.3 Bedrock, Solid Geology and linear features

2.3.1 For records of Bedrock and Solid Geology beneath the study site* see the detailed findings section.

2.3.2 Are there any records relating to permeability of bedrock ground within the study site boundary?

Yes

2.3.3 Are there any records of linear features within 500m of the study site boundary?

Yes

Section 3: Radon

3. Radon

3.1 Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level?

The property is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.

3.2 Radon Protection

No radon protective measures are necessary.

Section 4: Ground Workings


	On-site	0-50m	51-250	251-500	501-1000
4.1 Historical Surface Ground Working Features from Small Scale Mapping	3	0	9	Not Searched	Not Searched
4.2 Historical Underground Workings from Small Scale Mapping	0	0	0	0	0
4.3 Current Ground Workings	0	0	2	4	17

Section 5: Mining, Extraction & Natural Cavities

	On-site	0-50m	51-250	251-500	501-1000
5.1 Historical Mining	0	0	0	0	0
5.2 Coal Mining	0	0	0	0	0
5.3 Johnson Poole and Bloomer Mining Area	0	0	0	0	0
5.4 Non-Coal Mining*	1	0	0	0	1
5.5 Non-Coal Mining Cavities	0	0	0	0	0
5.5 Natural Cavities	0	0	1	6	7


Section 5: Mining, Extraction & Natural Cavities	On-site	0-50m	51-250	251-500	501-1000
5.6 Brine Extraction	0	0	0	0	0
5.7 Gypsum Extraction	0	0	0	0	0
5.8 Cornwall and Devon Metalliferous Mining	0	0	0	0	0
5.9 Clay Mining	0	0	0	0	0
Section 6: Natural Ground Subsidence	On-site				
6.1 Shrink-Swell Clay	Very Low				
6.2 Landslides	Very Low				
6.3 Ground Dissolution of Soluble Rocks	Negligible				
6.4 Compressible Deposits	Negligible				
6.5 Collapsible Deposits	Very Low				
6.5 Running Sand	Low				
Section 7: Borehole Records	On-site	0-50m	51-250		
7 BGS Recorded Boreholes	0	1	22		
Section 8: Estimated Background Soil Chemistry	On-site	0-50m	51-250		
8 Records of Background Soil Chemistry	7	5	0		
Section 9: Railways and Tunnels	On-site	0-50m	51-250	250-500	
9.1 Tunnels	0	0	0	Not Searched	
9.2 Historical Railway and Tunnel Features	0	2	4	Not Searched	
9.3 Historical Railways	0	0	0	Not Searched	
9.4 Active Railways	0	6	8	Not Searched	
9.5 Railway Projects	0	0	0	0	

1:10,000 Scale Availability



1_10,000 Availability Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



Availability of 1:10,000 Scale Geology Mapping

The following information represents the availability of the key components of the 1:10,000 scale geological data.

ID	Distance	Artificial Coverage	Superficial Coverage	Bedrock Coverage	Mass Movement Coverage
1	0.0	No deposits are mapped	No coverage	No coverage	No coverage


Guidance: The 1:10,000 scale geological interpretation is the most detailed generally available from BGS and is the scale at which most geological surveying is carried out in the field. The database is presented as four types of geology (artificial, mass movement, superficial and bedrock), although not all themes are mapped or available on every map sheet. Therefore a coverage layer showing the availability of the four themes is presented above.

The definitions of coverage are as follows:

Geology	Full Coverage	Partial Coverage	No Coverage
Bedrock	The whole tile has been mapped	Some but not all the tile has been mapped	No coverage
Superficial	The whole tile has been mapped	Some but not all of the tile has been mapped	No coverage
Artificial	Some deposits are mapped on this tile	-	No deposits are mapped
Mass Movement	Some deposits are mapped on this tile	-	No coverage


1 Geology (1:10,000 scale).

1.1 Artificial Ground map (1:10,000 scale)



Artificial Ground Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



1. Geology 1:10,000 scale


1.1 Artificial Ground

The following geological information represented on the mapping is derived from 1:10,000 scale BGS Geological mapping.

Are there any records of Artificial/ Made Ground within 500m of the study site boundary at 1:10,000 scale? No


Database searched and no data found.

1.2 Superficial Deposits and Landslips map (1:10,000 scale)



Artificial Ground Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



1.2 Superficial Deposits and Landslips

The following geological information represented on the mapping is derived from 1:10,000 scale BGS Geological mapping

1.2.1 Superficial Deposits/ Drift Geology

Are there any records of Superficial Deposits/ Drift Geology within 500m of the study site boundary at 1:10,000 scale? No

Database searched and no data found.

1.2.2 Landslip


Are there any records of Landslip within 500m of the study site boundary at 1:10,000 scale? No

Database searched and no data found.

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of Great Britain at 1:10,000 scale


This Geology shows the main components as discrete layers, these are: Artificial / Made Ground, Superficial / Drift Geology and Landslips. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.

1.3 Bedrock and linear features map (1:10,000 scale)



Bedrock and linear features Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



1.3 Bedrock and linear features

The following geological information represented on the mapping is derived from 1:10,000 scale BGS Geological mapping.

1.3.1 Bedrock/ Solid Geology

Records of Bedrock/Solid Geology within 500m of the study site boundary at 1:10,000 scale.

Database searched and no data found at this scale.

1.3.2 Linear features

Are there any records of linear features within 500m of the study site boundary at 1:10,000 scale? No


Database searched and no data found at this scale.

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of great Britain at 1:10,000 scale.


This Geology shows the main components as discrete layers, these are: Bedrock/ Solid Geology and linear features such as faults. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.

2 Geology 1:50,000 Scale

2.1 Artificial Ground map



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



2. Geology 1:50,000 scale

2.1 Artificial Ground

The following geological information represented on the mapping is derived from 1:50,000 scale BGS Geological mapping, Sheet No: 288

2.1.1 Artificial/ Made Ground

Are there any records of Artificial/ Made Ground within 500m of the study site boundary? No


Database searched and no data found.

2.1.2 Permeability of Artificial Ground

Are there any records relating to permeability of artificial ground within the study site boundary? No

Database searched and no data found.


2.2 Superficial Deposits and Landslips map (1:50,000 scale)



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



Site Outline



Search Buffers (m)

2.2 Superficial Deposits and Landslips

2.2.1 Superficial Deposits/ Drift Geology

Are there any records of Superficial Deposits/ Drift Geology within 500m of the study site boundary? Yes

ID	Distance	Direction	LEX Code	Description	Rock Description
1	0.0	On Site	RTD3-XSV	RIVER TERRACE DEPOSITS, 3	SAND AND GRAVEL
2	47.0	SW	HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL
3	203.0	N	HEAD-XCZSV	HEAD	CLAY, SILT, SAND AND GRAVEL
4	204.0	NW	RTD3-XSV	RIVER TERRACE DEPOSITS, 3	SAND AND GRAVEL
5	425.0	S	RTD4-XSV	RIVER TERRACE DEPOSITS, 4	SAND AND GRAVEL

2.2.2 Permeability of Superficial Ground

Are there any records relating to permeability of superficial ground within the study site boundary? Yes

Distance (m)	Direction	Flow Type	Maximum Permeability	Minimum Permeability
0.0	On Site	Intergranular	Very High	High
47.0	SW	Mixed	High	Very Low

2.2.3 Landslip

Are there any records of Landslip within 500m of the study site boundary? No

Database searched and no data found.

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of Great Britain at 1:50,000 scale.

This Geology shows the main components as discrete layers, there are: Artificial/ Made Ground, Superficial/ Drift Geology and Landslips. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nationwide coverage.

2.2.4 Landslip Permeability

Are there any records relating to permeability of landslips within the study site boundary?

No

Database searched and no data found.


2.3 Bedrock and linear features map (1:50,000 scale)



© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



Site Outline



Search Buffers (m)

2.3 Bedrock, Solid Geology & linear features

The following geological information represented on the mapping is derived from 1:50,000 scale BGS Geological mapping, Sheet No: 288

2.3.1 Bedrock/Solid Geology

Records of Bedrock/Solid Geology within 500m of the study site boundary:

ID	Distance	Direction	LEX Code	Rock Description	Rock Age
1	0.0	On Site	HY-SDLM	HYTHE FORMATION - SANDSTONE AND [SUBEQUAL/SUBORDINATE] LIMESTONE, INTERBEDDED	APTIAN
2	0.0	On Site	SAB-SDSM	SANDGATE FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	APTIAN
3	0.0	On Site	FO-SDST	FOLKESTONE FORMATION - SANDSTONE	APTIAN
4B	212.0	N	FO-SDST	FOLKESTONE FORMATION - SANDSTONE	APTIAN
5	367.0	N	SAB-SDSM	SANDGATE FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	APTIAN
6	378.0	S	SAB-SDSM	SANDGATE FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	APTIAN
7	414.0	S	SAB-SDSM	SANDGATE FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	APTIAN

2.3.2 Permeability of Bedrock Ground

Are there any records relating to permeability of bedrock ground within the study site boundary? Yes

Distance	Direction	Flow Type	Maximum Permeability	Minimum Permeability
0.0	On Site	Intergranular	High	High
0.0	On Site	Mixed	High	High
0.0	On Site	Mixed	High	Low

2.3.3 Linear features

Are there any records of linear features within 500m of the study site boundary? Yes

ID	Distance	Direction	Category Description	Feature Description
15	127.0	N	FAULT	Fault, inferred, displacement unknown
16B	212.0	N	FAULT	Fault, inferred, displacement unknown

ID	Distance	Direction	Category Description	Feature Description
17	212.0	N	FAULT	Fault, inferred, displacement unknown

The geology map for the site and surrounding area are extracted from the BGS Digital Geological Map of Great Britain at 1:50,000 scale.

This Geology shows the main components as discrete layers, these are: Bedrock/Solid Geology and linear features such as faults. These are all displayed with the BGS Lexicon code for the rock unit and BGS sheet number. Not all of the main geological components have nation wide coverage.

3 Radon Data

3.1 Radon Affected Areas


Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level? The property is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.

The radon data in this report is supplied by the BGS/Public Health England and is the definitive map of Radon Affected Areas in Great Britain and Northern Ireland. The dataset was created using long-term radon measurements in over 479,000 homes across Great Britain and 23,000 homes across Northern Ireland, combined with geological data. The dataset is considered accurate to 50m to allow for the margin of error in geological lines, and the findings of this report supercede any answer given in the less accurate Indicative Atlas of Radon in Great Britain, which simplifies the data to give the highest risk within any given 1km grid square. As such, the radon atlas is considered indicative, whereas the data given in this report is considered definitive.

3.2 Radon Protection


Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment? No radon protective measures are necessary.

4 Ground Workings map



Ground Workings Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



4 Ground Workings

4.1 Historical Surface Ground Working Features derived from Historical Mapping

This dataset is based on Groundsure's unique Historical Land Use Database derived from 1:10,560 and 1:10,000 scale historical mapping

Are there any Historical Surface Ground Working Features within 250m of the study site boundary? Yes

ID	Distance (m)	Direction	NGR	Use	Date
1	0.0	On Site	573830 157827	Unspecified Quarry	1974
2	0.0	On Site	573849 157834	Ragstone Quarry	1987
3	0.0	On Site	574045 157692	Unspecified Quarry	1966
4	95.0	N	573937 157918	Unspecified Quarries	1966
5	110.0	N	574116 157957	Unspecified Quarries	1948
6	127.0	N	574095 157965	Unspecified Quarries	1956
7	140.0	NE	574228 157789	Unspecified Pit	1974
8	171.0	E	574389 157612	Unspecified Disused Workings	1987
9A	202.0	N	573934 158009	Unspecified Quarry	1931
10A	204.0	N	574013 158011	Unspecified Quarry	1938
11	226.0	E	574329 157881	Unspecified Quarry	1931
12	233.0	E	574320 157909	Unspecified Quarry	1938

4.2 Historical Underground Working Features derived from Historical Mapping

This data is derived from the Groundsure unique Historical Land Use Database. It contains data derived from 1:10,000 and 1:10,560 historical Ordnance Survey Mapping and includes some natural topographical features (Shake Holes for example) as well as manmade features that may have implications for ground stability. Underground and mining features have been identified from surface features such as shafts. The distance that these extend underground is not shown.

Are there any Historical Underground Working Features within 1000m of the study site boundary? No

Database searched and no data found.

4.3 Current Ground Workings

This dataset is derived from the BGS BRITPITS database covering active; inactive mines; quarries; oil wells; gas wells and mineral wharves; and rail deposits throughout the British Isles.

Are there any BGS Current Ground Workings within 1000m of the study site boundary? Yes

The following Current Ground Workings information is provided by British Geological Survey:

ID	Distance (m)	Direction	NGR	Commodity Produced	Pit Name	Type of working	Status
13	184.0	N	574000 157900	Limestone	Allington	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
14	225.0	N	573600 157912	Limestone	Allington	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
15	313.0	N	573931 158017	Limestone	Aylesford Quarry	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	365.0	NE	574356 157919	Limestone	Glebe Quarry	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	390.0	N	574070 158108	Limestone	Allington Quarry	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	495.0	NW	573820 158170	Limestone	Tonguewood Quarry	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	510.0	E	574560 157750	Limestone	Glebe	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	511.0	E	574550 157830	Sand & Gravel	Allington Rail Depot	A site where mineral commodities are unloaded from rail trucks and stored	Active
Not shown	511.0	E	574550 157830	Crushed Rock	Allington Rail Depot	A site where mineral commodities are unloaded from rail trucks and stored	Active
Not shown	530.0	SE	574378 157262	Limestone	Allington No 2	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	602.0	SE	574430 157212	Limestone	Allington No 2	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	611.0	SE	574370 157154	Limestone	Allington No 2	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	623.0	SE	574317 157108	Limestone	Allington No 2	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	683.0	SE	574620 157315	Limestone	The Mounts	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	688.0	SE	574545 157205	Limestone	The Mounts	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	706.0	SE	574584 157223	Limestone	Allington No 2	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	856.0	SE	574815 157310	Limestone	Allington	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased


ID	Distance (m)	Direction	NGR	Commodity Produced	Pit Name	Type of working	Status
Not shown	861.0	SE	574797 157267	Limestone	Allington No 1	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	928.0	SE	574840 157205	Limestone	Allington No 1	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	959.0	W	572599 157513	Limestone	London Road Quarries	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	965.0	SE	574861 157168	Limestone	Allington No 1	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	967.0	NE	574693 158441	Sand	Sandling Farm Sand Pit	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased
Not shown	974.0	E	575025 157660	Limestone	Allington Castle	A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Ceased

5 Mining, Extraction & Natural Cavities map



Mining, Extraction and Natural Cavities Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



5 Mining, Extraction & Natural Cavities

5.1 Historical Mining

This dataset is derived from Groundsure unique Historical Land-use Database that are indicative of mining or extraction activities.

Are there any Historical Mining areas within 1000m of the study site boundary? No

Database searched and no data found.

5.2 Coal Mining

This dataset provides information as to whether the study site lies within a known coal mining affected area as defined by the coal authority.

Are there any Coal Mining areas within 1000m of the study site boundary? No

Database searched and no data found.

5.3 Johnson Poole and Bloomer

This dataset provides information as to whether the study site lies within an area where JPB hold information relating to mining.

Are there any JPB Mining areas within 1000m of the study site boundary? No

The following information provided by JPB is not represented on mapping: Database searched and no data found.

5.4 Non-Coal Mining

This dataset provides information as to whether the study site lies within an area which may have been subject to non-coal historic mining.

Are there any Non-Coal Mining areas within 1000m of the study site boundary? Yes

The following non-coal mining information is provided by the BGS:

ID	Distance (m)	Direction	Name	Commodity	Assessment of likelihood
1	0.0	On Site	Not available	Sand	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered

ID	Distance (m)	Direction	Name	Commodity	Assessment of likelihood
Not shown	949.0	E	Not available	Sand	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered

5.5 Non-Coal Mining Cavities

This dataset provides information from the Peter Brett Associates (PBA) mining cavities database (compiled for the national study entitled “Review of mining instability in Great Britain, 1990” PBA has also continued adding to this database) on mineral extraction by mining.

Are there any Non-Coal Mining cavities within 1000m of the study site boundary? No

Database searched and no data found.

5.6 Natural Cavities

This dataset provides information based on the Peter Brett Associates natural cavities database. The dataset is made up of points and polygons. Where polygons are used these represent an area in which it is expected the cavities could be found. It does not indicate that cavities are present everywhere within the polygon, and caution should be used in the interpretation of this data.

Are there any Natural Cavities within 1000m of the study site boundary? Yes

The following Natural Cavities information provided by Peter Brett Associates:

ID	Distance (m)	Direction	NGR	Superficial Deposits	Bedrock Deposits	Cavity Type and Number
3	218.0	NW	573900 157900	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering
4	332.0	E	574380 157650	-	Chalk Group	Gulls/Fissures due to Cambering x 1
5	339.0	E	574475 157675	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering x 11, Unknown
6A	349.0	E	574400 157700	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering x 10
7A	359.0	E	574410 157690	-	Chalk Group	Gulls/Fissures due to Cambering x 1
8	386.0	S	573670 157190	Head	Hythe Formation	Solution Widened Joint or Fissure x 1
9	401.0	E	574450 157650	-	Chalk Group	Gulls/Fissures due to Cambering x 1
Not shown	583.0	E	574600 157500	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering x 4
Not shown	584.0	N	574100 158300	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering
Not shown	712.0	SE	574300 157000	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering

ID	Distance (m)	Direction	NGR	Superficial Deposits	Bedrock Deposits	Cavity Type and Number
Not shown	749.0	E	574800 157700	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering x 4
Not shown	753.0	E	574800 157800	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering
Not shown	952.0	SE	574800 157100	-	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering x 17
Not shown	974.0	S	573700 156600	Alluvium	Atherfield Clay Formation, Hythe Formation	Gulls/Fissures due to Cambering x 1

5.7 Brine Extraction

This data provides information from the Cheshire Brine Subsidence Compensation Board.

Are there any Brine Extraction areas within 1000m of the study site boundary? No

Database searched and no data found.

5.8 Gypsum Extraction

This dataset provides information on Gypsum extraction from British Gypsum records.

Are there any Gypsum Extraction areas within 1000m of the study site boundary? No

Database searched and no data found.

5.9 Cornwall and Devon Metalliferous Mining

This dataset provides information on metalliferous mining areas in Cornwall/Devon and is derived from records held by Mining Searches UK.

Are there any Cornwall and Devon Metalliferous Mining areas within 1000m of the study site boundary? No

Database searched and no data found.

5.10 Clay Mining


This dataset provides information on Kaolin and Ball Clay mining from relevant mining records.

Are there any Clay Mining areas within 1000m of the study site boundary? No

Database searched and no data found.

6 Natural Ground Subsidence

6.1 Shrink-Swell Clay map




Shrink Swell Clay Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



6.2 Landslides map






Landslides Legend


© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.




6.3 Ground Dissolution of Soluble Rocks map



6.4 Compressible Deposits map



6.5 Collapsible Deposits map




Collapsible Deposits Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



6.6 Running Sand map



Running Sand Legend

© Crown copyright and database rights 2019.
Ordnance Survey licence 100035207.



6 Natural Ground Subsidence

The National Ground Subsidence rating is obtained through the 6 natural ground stability hazard datasets, which are supplied by the British Geological Survey (BGS).

The following GeoSure data represented on the mapping is derived from the BGS Digital Geological map of Great Britain at 1:50,000 scale.

What is the maximum hazard rating of natural subsidence within the study site* boundary? Low

6.1 Shrink-Swell Clays

The following Shrink Swell information provided by the British Geological Survey:

ID	Distance (m)	Direction	Hazard Rating	Details
1	0.0	On Site	Negligible	Ground conditions predominantly non-plastic. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely likely due to potential problems with shrink-swell clays.
2	47.0	SW	Very Low	Ground conditions predominantly low plasticity. No special actions required to avoid problems due to shrink-swell clays. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with shrink-swell clays.

6.2 Landslides

The following Landslides information provided by the British Geological Survey:

ID	Distance (m)	Direction	Hazard Rating	Details
1	0.0	On Site	Very Low	Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides.

* This includes an automatically generated 50m buffer zone around the site

6.3 Ground Dissolution of Soluble Rocks

The following Ground Dissolution information provided by the British Geological Survey:

ID	Distance (m)	Direction	Hazard Rating	Details
1	0.0	On Site	Negligible	Soluble rocks are present, but unlikely to cause problems except under exceptional conditions. No special actions required to avoid problems due to soluble rocks. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with soluble rocks.

6.4 Compressible Deposits

The following Compressible Deposits information provided by the British Geological Survey:

ID	Distance (m)	Direction	Hazard Rating	Details
1	0.0	On Site	Negligible	No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits.

6.5 Collapsible Deposits

The following Collapsible Rocks information provided by the British Geological Survey:

ID	Distance (m)	Direction	Hazard Rating	Details
1	0.0	On Site	Very Low	Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits.

6.6 Running Sands

The following Running Sands information provided by the British Geological Survey:

ID	Distance (m)	Direction	Hazard Rating	Details
1	0.0	On Site	Low	Possibility of running sand problems after major changes in ground conditions. Normal maintenance to avoid leakage of water-bearing services or water bodies (ponds, swimming pools) should reduce likelihood of problems due to running sand. For new build - consider possibility of running sand into trenches or excavations if water table is high or sandy strata are exposed to water. Avoid concentrated water inputs to site. Unlikely to be an increase in construction costs due to potential for running sand. For existing property - no significant increase in insurance risk due to running sand problems is likely.
2	0.0	On Site	Very Low	Very low potential for running sand problems if water table rises or if sandy strata are exposed to water. No special actions required, to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand.


ID	Distance (m)	Direction	Hazard Rating	Details
3	47.0	SW	Very Low	Very low potential for running sand problems if water table rises or if sandy strata are exposed to water. No special actions required, to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand.

7 Borehole Records map



Borehole Records Legend

© Crown copyright and database rights 2019.
 Ordnance Survey licence 100035207.



7 Borehole Records

The systematic analysis of data extracted from the BGS Borehole Records database provides the following information.

Records of boreholes within 250m of the study site boundary:

23

ID	Distance (m)	Direction	NGR	BGS Reference	Drilled Length	Borehole Name
1	29.0	W	573990 157690	TQ75NW255	4	ALLINGTON QUARRY II BH14
2	66.0	W	573500 157680	TQ75NW469	Not available	GREENWAYS QUARRY ALLINGTON NEAR MAIDSTONE 4
3	85.0	N	574000 157800	TQ75NW377	13	ALLINGTON QUARRY WEST END
4	89.0	N	573640 157760	TQ75NW253	6	ALLINGTON QUARRY II BH11
5	109.0	N	573670 157770	TQ75NW470	Not available	GREENWAYS QUARRY ALLINGTON NEAR MAIDSTONE 5
6	122.0	NW	573920 157790	TQ75NW251	17	ALLINGTON QUARRY II BH8
7	129.0	NW	573900 157770	TQ75NW268	4	ALLINGTON QUARRY II TP11
8	129.0	N	573980 157840	TQ75NW266	4	ALLINGTON QUARRY II TP9
9	168.0	N	573980 157880	TQ75NW250	16	ALLINGTON QUARRY II BH7
10	179.0	E	574230 157710	TQ75NW257	7	ALLINGTON QUARRY II BH16
11	179.0	N	573820 157800	TQ75NW254	16	ALLINGTON QUARRY II BH12
12	189.0	E	574240 157680	TQ75NW278	1	CASTLE QUARRY TP14
13	194.0	E	574240 157650	TQ75NW272	9	CASTLE QUARRY BH19
14	194.0	N	573790 157820	TQ75NW267	4	ALLINGTON QUARRY II TP10
15	209.0	N	573970 157920	TQ75NW264	4	ALLINGTON QUARRY II TP7
16	215.0	N	573610 157900	TQ75NW468	Not available	GREENWAYS QUARRY ALLINGTON NEAR MAIDSTONE 3
17	216.0	N	573680 157880	TQ75NW262	4	ALLINGTON QUARRY II TP5
18	225.0	N	573830 157850	TQ75NW265	4	ALLINGTON QUARRY II TP8
19	238.0	N	573750 157880	TQ75NW249	16	ALLINGTON QUARRY II BH6
20	239.0	E	574290 157710	TQ75NW277	1	CASTLE QUARRY TP13
21	241.0	E	574290 157660	TQ75NW271	14	CASTLE QUARRY BH18

ID	Distance (m)	Direction	NGR	BGS Reference	Drilled Length	Borehole Name
22	243.0	N	573550 157930	TQ75NW252	6	ALLINGTON QUARRY II BH9
23	245.0	E	574290 157640	TQ75NW280	1	CASTLE QUARRY TP16

The borehole records are available using the hyperlinks below: Please note that if the donor of the borehole record has requested the information be held as commercial-in-confidence, the additional data will be held separately by the BGS and a formal request must be made for its release.

#1: scans.bgs.ac.uk/sobi_scans/boreholes/791895
 #3: scans.bgs.ac.uk/sobi_scans/boreholes/15042836
 #4: scans.bgs.ac.uk/sobi_scans/boreholes/791893
 #6: scans.bgs.ac.uk/sobi_scans/boreholes/791891
 #7: scans.bgs.ac.uk/sobi_scans/boreholes/791908
 #8: scans.bgs.ac.uk/sobi_scans/boreholes/791906
 #9: scans.bgs.ac.uk/sobi_scans/boreholes/791890
 #10: scans.bgs.ac.uk/sobi_scans/boreholes/791897
 #11: scans.bgs.ac.uk/sobi_scans/boreholes/791894
 #12: scans.bgs.ac.uk/sobi_scans/boreholes/791918
 #13: scans.bgs.ac.uk/sobi_scans/boreholes/791912
 #14: scans.bgs.ac.uk/sobi_scans/boreholes/791907
 #15: scans.bgs.ac.uk/sobi_scans/boreholes/791904
 #17: scans.bgs.ac.uk/sobi_scans/boreholes/791902
 #18: scans.bgs.ac.uk/sobi_scans/boreholes/791905
 #19: scans.bgs.ac.uk/sobi_scans/boreholes/791889
 #20: scans.bgs.ac.uk/sobi_scans/boreholes/791917
 #21: scans.bgs.ac.uk/sobi_scans/boreholes/791911
 #22: scans.bgs.ac.uk/sobi_scans/boreholes/791892
 #23: scans.bgs.ac.uk/sobi_scans/boreholes/791920

8 Estimated Background Soil Chemistry

Records of background estimated soil chemistry within 250m of the study site boundary:


12

For further information on how this data is calculated and limitations upon its use, please see the Groundsure Geo Insight User Guide, available on request.

Distance (m)	Direction	Sample Type	Arsenic (As)	Cadmium (Cd)	Chromium (Cr)	Nickel (Ni)	Lead (Pb)
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	40 - 60 mg/kg	<15 mg/kg	<100 mg/kg
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
0.0	On Site	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
1.0	SE	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
6.0	E	Sediment	<15 mg/kg	<1.8 mg/kg	40 - 60 mg/kg	<15 mg/kg	<100 mg/kg
6.0	N	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
24.0	S	Sediment	<15 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg
47.0	SW	Sediment	15 - 25 mg/kg	<1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg	<100 mg/kg

*As this data is based upon underlying 1:50,000 scale geological information, a 50m buffer has been added to the search radius.

9 Railways and Tunnels map



Railways and Tunnels Legend

© Crown copyright and database rights 2019.
 Ordnance Survey licence 100035207.
 © OpenStreetMapContributors

	Site Outline		Underground or Partially Underground Railway / Subway System		Railway Track (OpenStreetMap)
	Search Buffers (m)		Railway Tunnel (OS Mapping)		High Speed 2
			Abandoned or Dismantled Railway (OpenStreetMap)		High Speed 2 Revised Proposed Route
			Railway Track (OS Mapping)		Crossrail 1
					Railway and/or Tunnel Feature from Historical Mapping

9 Railways and Tunnels

9.1 Tunnels

This data is derived from OpenStreetMap and provides information on the possible locations of underground railway systems in the UK - the London Underground, the Tyne & Wear Metro and the Glasgow Subway.

Have any underground railway lines been identified within the study site boundary? No

Have any underground railway lines been identified within 250m of the study site boundary? No

Database searched and no data found.

Any records that have been identified are represented on the Railways and Tunnels map.

This data is derived from Ordnance Survey mapping and provides information on the possible locations of railway tunnels forming part of the UK overground railway network.

Have any other railway tunnels been identified within the site boundary? No

Have any other railway tunnels been identified within 250m of the site boundary? No

Database searched and no data found.

Any records that have been identified are represented on the Railways and Tunnels map.

9.2 Historical Railway and Tunnel Features

This data is derived from Groundsure's unique Historical Land-use Database and contains features relating to tunnels, railway tracks or associated works that have been identified from historical Ordnance Survey mapping.

Have any historical railway or tunnel features been identified within the study site boundary? No

Have any historical railway or tunnel features been identified within 250m of the study site boundary? Yes

ID	Distance (m)	Direction	NGR	Details	Date
4A	27	S	n/a	Railway	1938
5A	33	S	n/a	Railway	1908
1	170	N	574066 157911	Tramway Sidings	1948
6	184	N	574276 157932	Tramway Sidings	1938
2	215	N	574207 158080	Railway Sidings	1931
3	219	N	573948 157989	Tramway Sidings	1938

Any records that have been identified are represented on the Railways and Tunnels map.

9.3 Historical Railways

This data is derived from OpenStreetMap and provides information on the possible alignments of abandoned or dismantled railway lines in proximity to the study site.

Have any historical railway lines been identified within the study site boundary? No

Have any historical railway lines been identified within 250m of the study site boundary? No

Database searched and no data found.

Multiple sections of the same track may be listed in the detail above

Any records that have been identified are represented on the Railways and Tunnels map.

9.4 Active Railways

These datasets are derived from Ordnance Survey mapping and OpenStreetMap and provide information on the possible locations of active railway lines in proximity to the study site.

Have any active railway lines been identified within the study site boundary? No

Have any active railway lines been identified within 250m of the study site boundary? Yes

Distance (m)	Direction	Name	Type
31	S	Maidstone East Line	rail
31	S	Not given	Multi Track
31	S	Not given	Multi Track
31	S	Maidstone East Line	rail
35	S	Maidstone East Line	rail
35	S	Maidstone East Line	rail
105	S	Maidstone East Line	rail
105	S	Maidstone East Line	rail
108	S	Maidstone East Line	rail
108	S	Maidstone East Line	rail
125	S	Maidstone East Line	rail
125	S	Maidstone East Line	rail
127	S	Maidstone East Line	rail
127	S	Maidstone East Line	rail

Multiple sections of the same track may be listed in the detail above

Any records that have been identified are represented on the Railways and Tunnels map.

9.5 Railway Projects

These datasets provide information on the location of large scale railway projects High Speed 2 and Crossrail 1 .

Is the study site within 5km of the route of the High Speed 2 rail project? No

Is the study site within 500m of the route of the Crossrail 1 rail project? No

*Further information on proximity to these routes, the project construction status and associated works can be obtained through the purchase of a **Groundsure HS2 and Crossrail 1 Report**.*

The route data has been digitised from publicly available maps by Groundsure. The route as provided relates to the Crossrail 1 project only, and does not include any details of the Crossrail 2 project, as final details of the route for Crossrail 2 are still under consultation.

Please note that this assessment takes account of both the original Phase 2b proposed route and the amended route proposed in 2016. As the Phase 2b route is still under consultation, Groundsure are providing information on both options until the final route is formally confirmed. Practitioners should take account of this uncertainty when advising clients.

Contact Details

Groundsure Helpline
Telephone: 08444 159 000
info@groundsure.com



British Geological Survey Enquiries

Kingsley Dunham Centre
Keyworth, Nottingham NG12 5GG
Tel: 0115 936 3143.
Fax: 0115 936 3276.
Email: enquiries@bgs.ac.uk
Web: www.bgs.ac.uk

BGS Geological Hazards Reports and general geological enquiries



British Geological Survey
NATURAL ENVIRONMENT RESEARCH COUNCIL

British Gypsum

British Gypsum Ltd
East Leake
Loughborough
Leicestershire
LE12 6HX



The Coal Authority

200 Lichfield Lane
Mansfield
Notts NG18 4RG
Tel: 0345 7626 848
DX 716176 Mansfield 5
www.coal.gov.uk



The Coal
Authority

Public Health England

Public information access office
Public Health England, Wellington House
133-155 Waterloo Road, London, SE1 8UG
<https://www.gov.uk/government/organisations/public-health-england>
Email: enquiries@phe.gov.uk
Main switchboard: 020 7654 8000



Public Health
England

Johnson Poole & Bloomer Limited

Harris and Pearson Building, Brettell Lane
Brierley Hill, West Midlands
DY5 3LH
Tel: +44 (0) 1384 262 000
Email: enquiries.gs@jpb.co.uk
Website: www.jpb.co.uk



Ordnance Survey

Adanac Drive, Southampton
SO16 0AS
Tel: 08456 050505
Website: <http://www.ordnancesurvey.co.uk/>



Getmapping PLC

Virginia Villas, High Street, Hartley Witney,
Hampshire RG27 8NW
Tel: 01252 845444
Website: <http://www1.getmapping.com/>



Peter Brett Associates
Caversham Bridge House
Waterman Place
Reading
Berkshire RG1 8DN
Tel: +44 (0)118 950 0761 E-mail: reading@pba.co.uk
Website: <http://www.peterbrett.com/home>



Acknowledgements: Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028].
This report has been prepared in accordance with the Groundsure Ltd standard Terms and Conditions of business for work of this nature.

Standard Terms and Conditions

Groundsure's Terms and Conditions can be viewed online at this link:
<https://www.groundsure.com/terms-and-conditions-feb11-2019>

Appendix C – Site Management Plan (SMP)



Allington Household Recycling Centre

MANAGEMENT PLAN

REVISION No'	REVISION HISTORY	ISSUE/DATE	Re Train Required?
1	First Issue	June - 22	Y
1.1	Annual Review – No Change	June - 23	N
2	Review adding reference to Bag Splitting, Reuse. Para 5.8 & 5.9 Remove reference to Transfer Station, Para 4.12, 5.1, 7.1 & 7.2	March 24	Y
2.1	Annual Review – No Change	March 2025	N

This documents is subject to review and distribution to Management & Supervisory level within the site.

A copy will be available on site notice board.

DOCUMENT APPROVAL

NAME:	Paul Fitzpatrick
SIGNATURE:	
POSITION:	Contract & Transport Manager
DATE:	March 2025

Management Plan Contents

Page Number

Page	Section	Description
3	1	The Management System
4	2	Specified Site and Waste Management Operations
6	3	Site Engineering
6	4	Site Infrastructure
9	5	Waste Recycling & Disposal Operations
11	6	Pollution Control, Monitoring and reporting
11	7	Amenity Control and Monitoring
13	8	Site Records
15	9	Appendix A – Technically Competent Managers
16	10	Appendix B – Site Layout
17	11	Appendix C – Site Drainage

1.0 Management System

The Management Plan is a living document that will be amended from time to time as the site develops and operations change.

1.1 Policy

Environmental Management System

The FCC IMS management system will govern operations at the installation.

Consequently, operational procedures for the management of the installation will ensure that all appropriate pollution prevention and control techniques are delivered reliably and on an integrated basis. The environment management system assists in maintaining compliance with regulatory requirements and managing environmental impacts.

The management system (EMS) in place at the installation satisfies the following criteria;-

- The EMS is certified to ISO 14001 standard;
- Certification has been carried out by an accredited by the UK Accreditation Service (UKAS)
- The Certification covers the whole of the installation.

The Management System is made up of 13 sections as listed below. This document is therefore part of a much wider management system within each of these sections.

File 1 – Organisation and Responsibilities

File 2 – H&S Risk Assessments & SWP's

File 3 – Environmental Risk Assessments & EWP's

File 4 – Operational Procedures

File 5 – Control of Externally provided services

File 6 – Monitoring

File 7 – Maintenance / Statutory Inspections

File 8 - Waste & Product Records

File 9 – Inspection / NCR Reports

File 10 – Training

File 11 – Communications / Meetings

File 12 – Drawings / Photos

File 13 – Fire Safety Log Book

File 14 – Forms & Databases (Electronic)

2.0 Specified Site and Waste Management Operations

The site is located at Laverstoke Road, Allington, KENT. ME16 0LE.

The main operational aspect and purpose of the site is the sorting of household waste for recovery and the bulking of residual and other wastes for disposal. The general layout of the site is represented in Appendix B .

The waste management licence area is referenced in permit – JB3500FB

The HWRC is an open purpose built split level facility with a canopy shelter for the public and open topped containers. The layout of the site provides total physical segregation of the public using the HWRC and the operations of the HWRC storage and haulage. Access arrangements for all private and operational vehicles are similarly segregated, as highlighted in Appendix C.

The majority of the waste types accepted at the site pose little risk to the surrounding environment; however, some hazardous wastes are accepted on site in the form of waste oil, batteries, asbestos, CRTS, flu tubes and white goods (CFC's), these are described in more detail later in the plan.

2.1 Permitted Wastes

The exact waste types accepted at the facility are restricted to controlled waste as detailed in Schedule 2, table 2.2 of permit no. JB3500FB.

All of the permitted waste accepted is segregated by movable A frames or mobile containers. All containers within the building are placed on impermeable pavement laid to falls for drainage.

The maximum annual throughput is 75,000 tonnes.

No more than 10 tonnes of hazardous waste will be stored on site at any one time.

2.2 Hours of Operation

The HWRC is open for the receipt of waste between the following hours:-

HWRC –

08:00 – 16:30 hrs Monday – Saturday

09:00 – 16:00 hrs Sundays, Bank & Public holidays.

No waste operations will take outside of the above hours at the HWRC without prior written approval of the relevant planning authority. Any changes will be incorporated into the management plan.

The site will be manned during the operational hours stated above and any additional operational hours as and when required, for example maintenance operations.

2.3 Staffing

Technically Competent Management

Allington Household Waste Recycling Centre require a Technically Competent Management (TCM) as assessed and certified within the Companies CMS System. Responsibilities include day to day operations and activities at the site, ensuring compliance with the licence and planning conditions, assessing monitoring results and liaison with the Environments agency and other regulatory bodies.

In the event that the Site Manager is absent from site the Senior Team Leader will be responsible for actions and operations on site.

Operational Staff

At all times the site will be manned with an adequate number of personnel with appropriate skills and competencies to carryout and supervise site activities in accordance with the licence.

When the site is open for the removal of waste, there will be personnel with the appropriate skills and competencies to oversee the incoming and outgoing vehicles, checking the Duty of Care documentation, checking in of all visitors to the site and issuing health and safety instructions and reporting any problems to the management.

In addition, when the HWRC is open to the public, adequate personnel will be available in the HWRC to assist with the deposit of waste, inspecting waste to ensure compliance with the licence conditions, ensuring waste is deposited in the correct locations and responding to queries.

Additional persons will be brought to the site as necessary for maintaining tidiness, erecting and moving fences, engineering, plant maintenance, personnel training, compliance audits and any other duties necessary to ensure health and safety and environmental protection.

A visitor's book, site diary and accident book will be located in the main office. The log book will be used to record any significant event, weather conditions, and visits by Environments Agency personnel, engineering dates and any other important information.

Staff Training

The FCC Groups Training Procedures, in accordance with ISO9001 Quality Management System will be followed. All staff will receive adequate instruction and training to effectively and efficiently carryout their job function. Personnel will receive any necessary formal training with outside agencies which will be documented. In house training will be given and documented, in all aspects of operational procedures, site licence requirements of the working plan. Training will take place in head office on site, with specific computer and record keeping instruction given to all weighbridge personnel. The Technically Competent Manager is responsible for giving induction training and instruction.

3.0 Site Engineering for Pollution Prevention and Control

Engineered Site Containment and Drainage Systems

Run off of rain water from the roof and other areas not used in connection with the storage of waste, are controlled via the design to discharge drainage away via 2 interceptor tanks.

Any water from inside the waste storage areas will collect into gullies and are discharged via the foul sewer system.

A responsible Person/s will carry out daily and weekly Inspections. This will include the Surface areas and the onsite drainage system. If any defects and/or maintenance it required it is scheduled with the appropriate contractor.

4.0 SITE INFRASTRUCTURE

4.1 Provision of a Site Identification Board

Site signs are provided to direct the general public in the sites operation. Main site notice boards are positioned at the entrance to the WTS and HWRC displaying site name and hours of opening.

Additional site signs have been erected in appropriate locations around the site for information purposes to direct or warn the public of potential dangers.

All site signage conforms to the latest Health and Safety Regulations and will be maintained in a clear and readable condition. Damaged or defaced signs will be replaced as soon as reasonably practicable.

4.2 Site Security

Permanent security fencing is provided around the perimeter of the site, consisting of 2.3 metre high centurion security fencing. The site fencing is maintained to a sufficient standard to deter unauthorised access to the site. The site also benefits from additional lighting and a live CCTV system.

The security fence and gates at the site entrance will be visually checked once per day, formally inspected once per week within the weekly inspection schedule and repaired as necessary to ensure security is maintained.

4.4 Waste Acceptance

The HWRC site is accessed via a one way system which is clearly signed on approach to the site. On entering the HWRC site the public will be directed to the various recycling areas or containers by means of appropriate signs and road markings.

All the locations of containers, skips and recycling bays on site are clearly identifiable. Members of the public are directed by signs or staff to the relevant location of the site for their waste deposit, depending on the material being deposited and availability of space at each location.

All Staff will be suitably trained to identify and assist members of the Public regarding waste they bring to site and where it should be stored.

4.5 Waste Rejection

Householders bringing wastes that are suspected to be non-permitted wastes will be informed they are not allowed to deposit their waste at the site and will be directed to a suitable licensed facility capable of dealing with the waste. If unsure as to the nature of a waste the Environment Agency will be contacted for advice.

Should a householder deposit non-permitted waste, this will be stored in a suitable container and removed to a suitably licensed site.

4.6 Accepting Difficult Waste

Difficult waste is generally defined as any waste, which by virtue of its chemical composition, stability, concentration or physical characteristics are likely to cause harm to human health or pollution of the environment if it is not handled carefully during disposal. The term 'harm' includes offence to any of man's senses.

Difficult non-hazardous wastes that may be accepted at the installation may include, but are not limited to the following:-

- Non-infectious clinical waste;
- Malodorous waste;
- Drummed waste
-

Wastes that may be difficult will only be accepted if they are specifically listed as permitted waste types in the permit.

Technical Assessment

All difficult waste will comply with the permit requirements. All difficult wastes will undergo technical assessment to determine their suitability for disposal at the installation, and a copy of the assessment will be provided to the site manager prior to any deposit.

4.7 Waste Quantity Measurement Systems

All outgoing material from the site for either disposal or recycling will be inspected and documented. The description and characterisation of the waste types will be confirmed prior to removal from the site. All outgoing loads weighed at the end destination will have all appropriate supplied to the Driver.

4.8 Site Maintenance

There are certain pieces of equipment critical to the operation. The equipment highlighted in this list has been selected because failure of any of these items could have the potential to cause an environmental incident. These items are:-

- Plant
- Drainage

The site manager will have responsibility for ensuring that all equipment on the critical equipment list is subject to an inspection and maintenance regime. Plant used on site will vary with demand; rate of input and waste type. All such plant will be located within the confines of the building and will be located with due regard to ease of operation and health and safety.

Preventative maintenance techniques employed will consist of inspections as part of the daily/weekly/monthly checks, engineering inspections and/or planned maintenance regimes that may include time-based service, vibration analysis and strip down techniques dependant on the type and age of the equipment.

Inspections will be used to highlight potential signs of failure. Inspection frequencies will be risk based. The site manager will ensure that inspections are made of all of the critical equipment this will be recorded in the individual plant files and the daily/weekly/monthly checks in the installation log.

4.9 Site Access Road

The site has a traffic management plan. In brief, access to the Yard area is gained via the locked gates preventing accidental public access. Members of the public visiting the will be directed to a one way system onto the elevated public drop-off area. Traffic movements around the site are directed by a number of traffic signs; road marking and temporary traffic lights. Site operators ensure traffic circulation is maintained around the site.

4.10 Site Office

The site office is supplied with electricity, water and telephone. A copy of the permit and management system is provided within the office.

4.11 Control of Mud and Debris

The potential pathway for the carriage of mud onto the main highway is via the site exit roads out of the HWRC. The nature of the activities carried out on the site should not lead to the spread and transportation of mud and debris out the site boundary. The layout of the site will help to prevent the risk of carriage of mud and debris onto the public highway.

To ensure the risk from mud and debris being liberated from the site is kept to a minimum, the access roads will be kept clean and free from material likely to cause a problem. As a result of the daily inspection regime, the site attendants will ensure that all spillages of soil and other material likely to cause problems will be cleaned from the hard-standing areas and deposited in the appropriate skips.

4.12 Potentially Polluting Leaks and Spillages

Risk to the surrounding environment is related to the nature of the wastes accepted on site, for example waste mineral oil.

To reduce the likelihood of leaks and spillages occurring the site attendants will ensure that all such wastes are stored in the correct containers and bays and handled in accordance with relevant handling procedures.

The main pathway for any potentially polluting leaks and spillages of waste is via contaminated surface water runoff being directed to the local environment. Should a leak or spillage occur from one of the

recycling containers absorbent material will be placed over and around the spill. Stocks of absorbent material, consisting of oil and water absorbing particulates or similar approved material will be kept on site.

To ensure leaks and spillages of waste do not occur the following mitigating and control measures will be adhered to on site:

- All waste will be placed in specially designed containers (double skinned/bunded in the case of oil), bays or skips preventing contamination to surface water runoff;
- All containers will be checked daily for leaks and spillages of waste
- All containers will be checked daily to ensure adequate capacity and storage space remains available;
- All containers will be adequately maintained and repaired or replaced as necessary.

The Emergency Management Plan details actions to be taken if a spill has occurred.

4.13 Fires on Site

The Emergency Management Plan details the action to be taken if there is a fire onsite.

All fires will be regarded as an emergency and where safely possible immediate action will be taken to extinguish them. All major fires will be reported to the Environment Agency.

Fire fighting and associated first aid equipment and materials (fire extinguisher, fire blanket and first aid kit) are provided on site.

Records of fire drills and associated first aid equipment, its maintenance, inspection and service will be kept on site.

Relevant training and instructions will be given to site attendants in the use of fire fighting equipment and what to do in the event of a fire.

Appropriate storage and disposal of fire residues will take place in accordance with Environment Agency published guidelines.

5.0 WASTE RECYCLING AND DISPOSAL OPERATIONS

Containers and bays will be provided for receiving recyclable materials and these will be located in the public drop-off area of the HWRC. The level of waste in all of the containers and bays will be checked daily and emptied on reaching full capacity.

5.1 Sorting/Separation

Sorting and separation operations are permitted by the permit. Such operations may give rise to noise and dusts. The following precautions will be taken against noise:

- Independent Annual Noise Assessments will be completed with recommendations actioned.

The following precautions will be taken against dust generation:

- Independent Annual Dust Assessments will be completed with recommendations actioned.

- Dust suppression systems will be used to damp down dusts when loading, and at other times necessary.
- Waste streams will be stored for short periods of time.

Additional consideration is given to the following difficult wastes –

5.3 WEEE and White Goods Storage Area

Redundant white goods e.g. refrigerators and freezer units etc are accepted at the site for storage prior to recycling. The storage of WEEE shall be conducted in accordance with the technical requirements of annex 3 of the WEEE directive.

The HWRC site operators ensure that all refrigerators and freezer units discarded by the public are recorded and removed to the white goods storage area.

Any contents found i.e. trays and foodstuffs etc will be removed and placed in a suitable container or skip on site prior to being sent to a suitable licensed facility for disposal.

Receiving storage is within the HWRC area and these are regularly moved to a cover bulk storage area. Once the white goods area is full it will be removed to a suitable licensed storage or reprocessing facility. The white goods area has a storage capacity of 40 to 60 units, depending on the unit size.

5.4 Oil Storage

A fully bunded waste oil recovery tank is provided on site for the collection of oil from householders. The waste oil tanks have a minimum bunded capacity of 110%.

The waste oil tank has an indicator to show how full it is, the level can also be checked daily through the access point.

Arrangements for the removal of oil from the site will be managed by the site operators. The area around oil tank will be checked and any leaks and spillages cleaned up as specified in site procedures.

To ensure there is no risk to the surrounding environment from a spillage of oil, a combination of good site operational procedures and prompt effective action is in place on the site. See Emergency Management Plan for more details.

5.5 Metal Sorting Area

Facilities have been provided on site for the recycling of cast iron, ferrous and non-ferrous metals.

Metal is deposited into recycling containers. Once the Metal container is full it will be removed to a suitable licensed storage or reprocessing facility.

The site operators will ensure that all waste deposited in the recycling bays and skips is left in a safe manner and the area around the skip is free from any debris and obstructions with the potential to cause harm from injury.

The metal containers are checked by Drivers pre use and a regular recorded inspection of containers is completed for evidence of damage or any maintenance required, which will be repaired.

5.6 Green and Wood Waste Recycling Area

Provision has been made for the general public to dispose of green and wood waste.

Daily checks will be made for odour, and any waste found to be malodorous will be removed from site at the earliest possible convenience.

5.7 Asbestos

Asbestos is permitted under the permit, and received separately collected from all other waste streams.

Asbestos will be placed in a sealed and lockable skip which will be kept locked at all times other than during deposit of wastes into the skip. The skip will hold up to 10 tonnes and the throughput of asbestos will not exceed 10 tonnes per day.

5.8 Bag Splitting

Site staff can intercept bags of waste that MOPs intend to deposit in the residual waste containers. The bags will be stored in a suitable container until they can be manually split and sorted by site staff. Bags should be held for no more than 24hrs before splitting and sorting. All recyclable materials will be sorted, recorded and deposited into appropriate waste bays. A log of materials processed and recovered fractions will be maintained.

5.9 Material for Re-Use

The site promotes and Re-use of materials in line with the Waste Hierarchy. When materials are identified by Members of the Public as suitable for reuse the site will provide a suitable storage location and provide a suitable outlet. Site staff will not intercept materials that are intended for waste and will not remove waste from a waste container with the intention to move it to reuse. Volumes of materials leaving site as reuse will be quantified using the published tables of The Furniture ReUse network.

6.0 POLLUTION CONTROL, MONITORING AND REPORTING

Due to the nature of the activities carried out at the site there is no requirement in the licence for the pollution control monitoring and reporting.

7.0 AMENITY CONTROL AND MONITORING

7.1 Control, Monitoring and Reporting of Dusts, Fibres and Particulates

The nature of the waste types accepted at the HWRC has the potential to generate dust, fibres or particles through the handling of solid wastes within an enclosed building.

To minimise the generation and subsequent dispersal of dust a number of preventative controls measures are implemented at the site.

- The permit prevents the acceptance of dusty wastes.
- Bulk Waste treatment, other than the public separating the waste, is carried out on site.

- A permanent water supply will be available at all times within the main waste management areas for dust suppression measures. All preventative actions will be recorded in the site diary.

7.2 Control of odours

Due to the nature and constituents of the waste and the method of operation, which will include regular clearance of waste from site, the potential for odours being generated on site will be minimised. Any waste found producing unacceptable levels of odour will be dealt with appropriately to reduce the level of odour being produced or will be removed from the site as soon as practicable.

In the unlikely event that offensive odours result in complaints and are detectable beyond the site boundary the affected materials will be cleared as soon as practicable.

Any complaints received regarding odours and any action taken will be recorded in the site diary and the company's central computer database.

7.3 Control and Monitoring Of Noise

Due to the location of the site and operational hours, it is not considered that noise levels associated with the operation of the facility will detrimentally affect the surrounding environment. Special noise control measures are not therefore employed the site. All plant and machinery will be fitted with appropriate silencers which will be maintained to manufacturer's standards.

Any complaints regarding noise received at the site and any action taken will be recorded on company's central computer database.

7.4 Control of Pest Infestation

The nature of the wastes and the method and time of storage will be such that infestations by pests are unlikely to occur.

Should any pest and vermin infestation be identified onsite it will be dealt with in an appropriate manner and if necessary a specialist pest control contractor will be employed. In the event of an infestation from flies environmentally acceptable insecticides will be used.

To ensure that the threat from pests etc is minimised, the site will be inspected daily for evidence or presence of pests and vermin. Mitigating measures employed on the site to prevent pest infestations will include active baiting and regular inspections. Baiting systems will be located in accordance with advice to be given by a specialist pest control contractors, with due recognition to the potential impacts on neighbouring properties.

An accurate record of any control or mitigating measures undertaken on site will be recorded and kept at the site office.

These will be made available for inspection by the Environment Agency during operational hours.

7.5 Control of Scavenging Birds and Other Scavengers



Due to the nature of the wastes and containment systems birds and other scavengers should not become a problem.

Appropriate measures such as netting or the use of a specialized contractor will be used if required.

7.6 Control of litter

The risk of litter arising from the site and polluting the surrounding environment is low as all waste management operations likely to give rise to litter are contained within an enclosed building or containers.

To minimise the potential threat of litter being liberated from the site, the site will be checked daily for litter. All 'litter' material lying within the licensed area will be collected and disposed off in a skip by the site attendants as part of their duties.

As part of their general site duties the site attendants will ensure that the site is left in a clean and tidy condition at the end of every working day.

8.0 SITE RECORDS

8.1 Security and Availability of Records

A copy of the site records will be maintained and kept secure from loss, damage and deterioration in the site control office.

8.2 Records of waste Movements

Records of all waste leaving the site for disposal or recycling will be recorded and kept in the site control office.

8.3 Site Diary

A site diary consisting of accurate and complete reporting and record keeping will be maintained at the site control office at all times and will be made available for inspection by the Environment Agency if necessary.

The site diary will be kept up to date with all information recorded within 24 hours of becoming available. The following information will be recorded at the site as part of FCC Environment record keeping: - any construction work carried out at the site, dispatch of records to the Agency and any severe weather conditions experienced at the site.

A Health and Safety file will be kept in the site control office which will be regularly updated and added to as and when necessary.

Emergency instructions and a copy of the Permit will be displayed on a notice board in the site office. A copy of the site working plan and relevant drawings will be available for inspection at any time in the site office.

The site will be inspected regularly by experienced FCC Environment supervisory staff to ensure Permit compliance.



Appendix A


List of Technically Competent Person(s)

Name	COTC Level	Date assigned to TCM	Status
Paul Fitzpatrick	FCC CMS Certification	January 2021	Current


Copies of certificates are held in the site SHE files.


Drawings

Appendix B – Site Lay Out



Appendix C – Drainage Lay Out







- Notes:
1. All dimensions in metres and all levels in metres above ordnance datum unless specified otherwise.
 2. Do not scale from this drawing.
 3. Any anomalies identified with the details shown on this drawing are to be brought to the attention of FCC environment (UK) limited prior to construction works commencing.

- Legend:
- Concrete Hardstanding
 - Tarmac Hardstanding
 - Grass/Vegetation
 - Site Boundary
 - Internal Palisade Fence
 - Mesh Fence
 - Gate
 - Extent of Split Level Canopy

Revision	Date	Description	By	CA
001	24.02.2024	First Issue	MT	AO



Site: Allington HWRC				
Drawing Title: Site Layout				
Drawn By: MT	Checked By: AO	Date: 10 Feb 2024	Scale: 1:200	Paper Size: A1
Status: Level 1	Project No: EC-18037	Revision: S01	Plan Number: 810	



General Notes

All dimensions are in metres unless otherwise stated.
All levels are in metres.
This drawing is to be read in conjunction with all relevant Engineers and Architect's drawings, Specifications, Reports and Engineering Details.
Do not scale from this drawing.

General Drainage Notes

All pipe lengths and gradients are based on centre of manhole to centre of manhole.
The exact position, level, size and use of existing sewers to be confirmed on site and reported to the Engineer prior to the commencement of works.
All pipes are to be laid with level soffits or as indicated.
All private drainage works to accord with the requirements of building regulations 2000, Part H (drainage and waste disposal).
All pipes to be bedded and backfilled in accordance with Part H, Diagram 11.
Unless otherwise stated, all private drainage to be 100mm diameter. Gradients have been shown where there are pipe capacity issues, however minimum gradients are as below:
Surface water 100mm diameter pipes shall not be laid flatter than 1 in 100
Surface water 150mm diameter pipes shall not be laid flatter than 1 in 150
Foul water 100mm diameter pipes shall not be laid flatter than 1 in 40 unless there is a WC connected upstream at which it can be laid at 1 in 80

Foul water 150mm diameter pipes shall not be laid flatter than 1 in 150 providing there are minimum of 5 WCs connected.
Pipes which run adjacent to buildings shall be installed in strict accordance with Part 7, clauses 2.23 to 2.25 and diagram 6.
All private manholes, inspection chambers and linear drains to have Class E600 covers and frames to BS EN 124.
All covers, gratings and frames to be painted to suit use - blue for stormwater system and red for leachate and foul.
All drains near existing or proposed trees shall be constructed in accordance with the requirements of BS 5811:1990 'Building near trees'.
Adequate surface water drainage systems shall be provided to prevent unregulated discharge of water from private roads onto the highway. These measures shall be implemented before the development is brought into use.
Cellular Storage
The structural design of the cellular units shall be in accordance with 'Structural design of buried pipelines under various conditions of loading' BS EN 1225, Highway Agency Specification for Highway Works, and Sewers for Adoption, 6th Edition.
The cellular units have been designed to receive:
Distributed load = 100kN/m²
Concentrated load = 100kN
Dynamic factor = 2
Material factor = 1.5
unfactored in addition to the dead load of the ground.
The cellular units shall be designed not to float.
The contractor shall provide to the designer of the cellular units the type of construction plant likely to be used in the area of the cellular units prior to construction.
It is essential that pipe work through the cellular units is provided in order to allow the system to be maintained.

It is essential that construction sediments are not allowed to enter the cellular system and the contractor shall provide adequate protection to the drainage network to prevent this.
The designer of the cellular units shall provide full details of how the cellular units shall be maintained during the life time of the system.
Installation of the cellular units shall be carried out by competent personnel only and strictly in accordance with manufacturers requirements.
Reference shall be made to CIRIA C698, site hand book for the construction of SUDS, prior to construction.
The design of the cellular units shall demonstrate compliance with CIRIA C680, structural design of modular geocell and drainage tanks.
The main contractor and the supplier/installer of the cellular units shall ensure that the installation is co-ordinated with other site works to include, but not limited to, understanding what construction plant may traffic close to or over the cellular units.
Pumping Station
The packaged pumping station shall be fully automatic with provision for remote monitoring. Plant and equipment shall be capable of operating between the manufacturers recommended service intervals without attention or inspection.
The packaged pumping station shall meet the requirements of BS EN 752 and shall be installed strictly in accordance with the manufacturers requirements.
The packaged pumping station shall be supplied by a specialist manufacturer to meet the foul drainage details indicated on the drawing.
Facilities for odour control shall be installed as necessary to suit the location.
The location of the control kiosk and alarm system supplied with the packaged pumping station shall be in accordance with the Client's requirements.
Construction drawings of the packaged pumping station shall be submitted to the structural engineer prior to installation to determine any concrete surround requirements to avoid flotation.
Draft operating instructions and maintenance manuals shall be submitted to the contractor for approval prior to installation. Working operating instructions and maintenance manuals shall be provided within 3 months of installation.
The pumping station shall be designed to accommodate the following:
Liquid - leachate effluent
The pumping station shall remain in private ownership. Pump discharge restriction to 10s.
Pumping station shall be a packaged pumping station.
Number of pumps required = 2
Control panel to be located in main DB enclosure.
Control panel distance from pump chamber = approx. 5m.
Electric supply to be 415v three phase
Access cover leading to be 5 tonne
Metering of pumped flow to be provided
Rising main to design of supplier

Health, Safety & The Environment
In accordance with the Construction (Design and Management) Regulations 2015, the designs and details on this drawing have been the subject of a Designers Risk Assessment, to identify risks in the construction, use, or demolition of the scheme.
It is not considered necessary for Designers to highlight obvious and/or common risks (such as deep excavations, manual handling and working around heavy plant) which Contractors should be familiar with, and be able to control by good management and site practice.
Significant unusual residual risks are identified on the drawing by use of a Yellow Caution Marker, beside the measures which have been adopted to eliminate and/or reduce them.
• None

Key	
Stormwater Pipe	---
Stormwater Linear Drainage Channel	---
EFW Rising Main Division	---
Perforated land drain	---
Existing Gully	---
Proposed Gully	---

Storm Manhole Schedule					
Reference	Cover Level (m)	Invert Level (m)	Depth to Soffit (m)	Cover Type	MH Type and Size
S1	25.395	24.080	1.090	E600	12000 PCC
S2	25.395	23.926	1.569	E600	12000 PCC
S3	25.426	23.926	1.090	E600	15000 PCC
S4	25.550	22.840	1.965	E600	18000 PCC
S5	25.695	22.500	2.820	E600	15000 PCC (Calchpt)
S6	27.285	25.742	1.243	E600	12000 PCC
S7	27.448	25.255	1.893	E600	15000 PCC
S8	25.770	23.935	1.460	E600	15000 PCC
S9	25.790	23.410	2.005	E600	15000 PCC (Calchpt)
S10	25.205	22.475	2.355	E600	18000 PCC (Calchpt)
S11	25.776	22.565	-	B125	15000 PCC
S12	N/A	N/A	-	B125	15000 PCC
S13	N/A	N/A	-	B125	15000 PCC
S14	24.525	22.400	1.750	E600	21000 PCC (Hydrobrake)
S15	25.620	24.347	1.123	E600	12000 PCC
S16	25.595	23.385	-	E600	15000 PCC
S17	25.680	23.325	2.550	E600	15000 PCC
S18	24.465	22.800	-	E600	12000 PCC

Record drawing for surface water only. Foul to be shown on drawing 004(2), following site survey and confirmation by others.

Rev	R2	Revised final record to suit latest comments.	By	IH	Checked	DB	16.12.2022
Rev	R1	Final Record.	By	IH	Checked	DB	20.04.2022
Drawn By:	MTL		Client	FCC Environment (UK) Limited			
Chkd By:	WRA		Project	Allington HWRC Kent			
Scale @ A0:	1:250		Title	As Built Drainage Layout Storm Drainage Only			
Date:	December 2020						
Status:	FINAL RECORD						
Project No.:	21498		Drawing No.:	004 (01)			
Rev:	R2						

☒ Northampton
41 Riverside Way, Brighthelm,
Northampton, NN4 9UD
T: 01604 741111

☐ Manchester
3rd Floor, 82 King Street,
Manchester, M2 4WD
T: 0161 6822972

☐ Milton Keynes
Suite 25 Industrial Forum, Rockingham Drive,
Lutterworth, Milton Keynes, MK14 6LY
T: 01505 650133

E: mail@jppuk.net
W: jppuk.net

Infrastructure Design

Structural Engineering

Planning Services

Geotechnical & Environmental


Surveying

Professional Advice


jpp

Record drawing for surface water only. Foul to be shown on drawing 004(2), following site survey and confirmation by others.

JPP QA Document T06 R1



JPP QA Document T06 R1



- Notes:
1. All dimensions in metres and all levels in metres above ordnance datum unless specified otherwise.
 2. Do not scale from this drawing.
 3. Any anomalies identified with the details shown on this drawing are to be brought to the attention of FCC environment (UK) limited prior to construction works commencing.

- Legend:
- Concrete Hardstanding
 - Tarmac Hardstanding
 - Grass/Vegetation
 - Site Boundary
 - Internal Palisade Fence
 - Mesh Fence
 - Gate
 - Foul Pipe
 - Foul Rising Main
 - Foul Manhole
 - Surface Water Pipe
 - Surface Water Rising Main
 - Surface Water Manhole
 - Surface Water Rodding Eye
 - Surface Water ACO drainage channel
 - Surface Water Attenuation Tank
 - Leachate Pipe
 - Leachate Rising Main
 - Leachate Manhole
 - Leachate ACO drainage channel
 - Leachate Attenuation Tank

Revision	Date	Description	By	CA
001	24.02.2025	First Issue	MT	AO



Site: Allington HWRC				
Drawing Title: Drainage Plan				
Drawn By: MT	Checked By: AO	Date: 24 Feb 2025	Scale: 1:200	Paper Size: A1
Status: Level 1	Project No: EC-18037	Revision: S01	Plan Number: 811	