



THIS INFORMATION IS CONFIDENTIAL AND THE PROPERTY OF SIRIUS. IT IS RELEASED ON CONDITION THAT NONE OF THE INFORMATION SHALL BE DISCLOSED TO ANY THIRD PARTY OR REPRODUCED IN WHOLE OR PART WITHOUT THE PRIOR CONSENT IN WRITING OF SIRIUS.

- NOTES**
1. ALL DIMENSIONS IN MILLIMETRES AND ALL LEVELS IN METRES ABOVE ORDNANCE DATUM.
 2. DO NOT SCALE FROM THIS DRAWING.
 3. ANY ANOMALIES IDENTIFIED WITH THE DETAILS SHOWN ON THIS DRAWING ARE TO BE BROUGHT TO THE ATTENTION OF SIRIUS ENVIRONMENTAL PRIOR TO CONSTRUCTION WORKS COMMENCING.
 4. INVERT LEVELS TO BE CONFIRMED BY SIRIUS FOLLOWING RECEIPT OF OGL SURVEY FROM THE CONTRACTOR PRIOR TO THE COMMENCEMENT OF THE WORKS.
 5. MANHOLE FRAME AND COVERS TO BE D400 LOAD RATED.
 7. KERB DRAINS TO BE HB480 MANUFACTURED BY ACO OR SIMILAR APPROVED PRODUCT.

- KEY**
- 18.5- SITE SURVEY
 - 19.0- PROPOSED FORMATION CONTOURS
 - 19.0- PROPOSED ROAD CONTOURS
 - 19.0- PROPOSED LAGOON CONTOURS
 - PROPOSED 160mm DIA SW DRAINAGE PIPE
 - PROPOSED 300mm DIA SW DRAINAGE PIPE
 - COMBINED KERB AND DRAINAGE
 - CHANNEL DRAIN
 - PROPOSED SW MANHOLE / INSPECTION CHAMBER
 - ▽ PROPOSED CONCRETE SANDBAG HEADWALL
 - ▶ FLOW DIRECTION
 - PROPOSED WELFARE UNIT

1	PROPOSED WELFARE UNIT LOCATION ADDED	24.10.23	MCC
REV	DESCRIPTION	DATE	BY



JOB TITLE
STEWARTBY LANDFILL SITE
 Reception Area and Wheelwash

DRAWING TITLE
Proposed Drainage General
 Arrangement

DRAWN	DATE	APPROVED	DATE
M.C	12/06/23	A.K	12/06/2023
SCALE	SHEET	DRAWING NUMBER	REVISION
NTS	A1L	WR7903/01/11	1

