

From: Permitting Officer
Sent: 06 December 2018 16:24
To: PSC Land <PSC@environment-agency.gov.uk>
Subject: FW: Not Duly Made - European Metal Recycling Limited

Dear colleagues,

Application Reference: EPR/GB3008XJ/A001 EAWML 404706
Operator: European Metal Recycling Limited
Facility: EMR Tyne Dock, North West Quay, Tyne Dock, South Shields, Tyne & Wear, NE34 9PL

Please can you confirm if you've received the additional payment of £2,487?

I look forward to hearing from you.

Best regards,
Permitting Officer

From:
Sent: 29 November 2018 15:38
To: Permitting Officer
Cc:
Subject: RE: Not Duly Made - European Metal Recycling Limited

Afternoon,

Please see below comments and attached documentation in line with your feedback in relation to EMR's application.

Application Reference: EPR/GB3008XJ/A001 EAWML 404706
Operator: European Metal Recycling Limited
Facility: EMR Tyne Dock, North West Quay, Tyne Dock, South Shields, Tyne & Wear, NE34 9PL

Thank you for your application received **04 September 2018**. The application fee was received **06 September 2018**.

I can confirm that the above application is not duly made. I need to ask you for some missing information before I can do any more work on your application. Please provide us with the following:

- 1. In application part A section 5a the company name does not correspond with the name on companies house. Please confirm the company name is European Metal Recycling Limited?**
I can confirm that the company name is European Metal Recycling Limited.
- 2. In application part A section 6a the registered office address does not correspond with the registered office address on companies' house. Please confirm the registered office address is Sirius House, Delta Crescent Westbrook, Warrington, Cheshire, WA5 7NS?**
I can confirm that the registered office address is Sirius House, Delta Crescent Westbrook, Warrington, Cheshire, WA5 7NS.
- 3. In application part B2 table 1a is incomplete. Please provide the treatment capacity for non-hazardous waste?**
Are you referring to 'B4 table 1a' rather than 'B2 table 1a' mentioned above?
Annual treatment capacity for non-hazardous waste – 50,000 tonnes.

4. It will be helpful if local features are shown on the plan to help us place the site in its local environment. Please revise and resubmit the site plan to show include this.
Additional site plan submitted to show the site within it's local environment (document reference B2-10).
5. The grid reference provided is not in the centre of the site. Please provide the 12 character Ordnance Survey national grid reference for the centre of the site. Please revise and resubmit part B2 of the application form.
Grid reference updated in B2 as requested (NZ 35251 65317).
6. In the non-technical summary please clarify 'other processing to prepare the material for the foundry'?
Non-technical summary updated and attached.
7. The site is within 500 metres of the following species:
 - Smelt *Osmerus eperlanus* migratory route
 - European eel *anguilla anguilla* migratory route
 - Atlantic salmon *salmo salar* migratory route
 - River lamprey *Petromyzon marinus* migratory route

Please can you revise the receptor site plan and risk assessment to include the above receptors?

- **Risk assessment updated to mention the above receptors – Risk assessment shows that site operations will not impact or have the potential to impact migration of protected species.**
 - **Document added (B2-09) to show the location of the protected species migratory routes.**
8. Fire prevention plan
Please provide the required information in order for the fire prevention plan to be assessed:
 - Water supply has not been provided
 - Site plan showing receptors
Please revise and resubmit the fire prevention plan to include the above information.
 - **Site Plan (Appendix 2 of the FPP) includes water supply in the form of a fire hydrant on the site boundary.**
 - **Site plan showing receptors attached to application as Appendix 5 of the FPP.**
 9. Emissions Management Plan
You are required to submit an emissions management plan (Table 1.9 Ref 1.19.5) and a fixed charge of £1,241.
 - **Completed and attached as requested (separate email due to file size).**
 10. Noise Impact Assessment and Noise and Vibration Management Plan
You are required to submit a noise impact assessment and noise and vibration management plan (Table 1.9 Ref 1.19.7) and a fixed charge of £1,246.
 - **Completed and attached as requested (separate email due to file size).**

***Part F1 has been completed and attached in relation to payment for the assessment of the above mentioned management plans - The reference for payment is: PSCAPPTYNED118.**

From: Permitting Officer
Sent: 26 November 2018 09:33
To:
Subject: RE: Not Duly Made - European Metal Recycling Limited

Morning,

Thank you for your email. I will be out of the office on Friday but I will confirm receipt of your not duly made response email on Monday. The management plans must be submitted by Monday 03rd December 2018. Details of how to pay are given in Part F of the application form as follows:
<https://www.gov.uk/government/publications/application-for-an-environmental-permit-part-f1-opra-charges-declarations>

Best regards,
Permitting Officer

From:
Sent: 26 November 2018 08:39
To: Permitting Officer
Subject: RE: Not Duly Made - European Metal Recycling Limited

Morning,

Thanks for this – I will have a response by the end of the week.

In relation to the management plans for noise and emissions – Can you please advise when you are expecting these to be submitted? Also how you would need us to pay the fixed charge?

Thanks,

From: Permitting Officer
Sent: 19 November 2018 16:10
To:
Subject: Not Duly Made - European Metal Recycling Limited

Dear

We need more information about your application

Application Reference: EPR/GB3008XJ/A001 EAWML 404706
Operator: European Metal Recycling Limited
Facility: EMR Tyne Dock, North West Quay, Tyne Dock, South Shields, Tyne & Wear, NE34 9PL

Thank you for your application received **04 September 2018**. The application fee was received **06 September 2018**.

I can confirm that the above application is not duly made. I need to ask you for some missing information before I can do any more work on your application. Please provide us with the following:

1. In application part A section 5a the company name does not correspond with the name on companies house. Please confirm the company name is European Metal Recycling Limited?

2. In application part A section 6a the registered office address does not correspond with the registered office address on companies' house. Please confirm the registered office address is Sirius House, Delta Crescent Westbrook, Warrington, Cheshire, WA5 7NS?
3. In application part B2 table 1a is incomplete. Please provide the treatment capacity for non-hazardous waste?
4. It will be helpful if local features are shown on the plan to help us place the site in its local environment. Please revise and resubmit the site plan to show include this.
5. The grid reference provided is not in the centre of the site. Please provide the 12 character Ordnance Survey national grid reference for the centre of the site. Please revise and resubmit part B2 of the application form.

For more information on the site plan please refer to the guidance on part B2 as the following link:

<https://www.gov.uk/government/publications/application-for-an-environmental-permit-part-b2-new-bespoke>

6. In the non-technical summary please clarify 'other processing to prepare the material for the foundry'?
7. The site is within 500 metres of the following species:
 - Smelt *Osmerus eperlanus* migratory route
 - European eel *anguilla anguilla* migratory route
 - Atlantic salmon *salmo salar* migratory route
 - River lamprey *Petromyzon marinus* migratory route

Please can you revise the receptor site plan and risk assessment to include the above receptors?

8. Fire prevention plan

Please provide the required information in order for the fire prevention plan to be assessed:

- Water supply has not been provided
- Site plan showing receptors

Please revise and resubmit the fire prevention plan to include the above information.

9. Emissions Management Plan

You are required to submit an emissions management plan (Table 1.9 Ref 1.19.5) and a fixed charge of £1,241.

For more information on how to develop your management plan, please see attached dust and emissions management template and click the following link: www.gov.uk/guidance/control-and-monitor-emissions-for-your-environmental-permit

10. Noise Impact Assessment and Noise and Vibration Management Plan

You are required to submit a noise impact assessment and noise and vibration management plan (Table 1.9 Ref 1.19.7) and a fixed charge of £1,246.

For information on how to develop your management plan and noise impact assessment, please click the following links:

- www.gov.uk/guidance/control-and-monitor-emissions-for-your-environmental-permit
- www.gov.uk/guidance/noise-impact-assessments-involving-calculations-or-modelling

Please note if the Environment Agency needs to carry out additional assessments for a particular activity at a particular location, you will be charged extra for this work. For more information please

click the following link: www.gov.uk/government/publications/environmental-permitting-charges-guidance/environmental-permitting-charges-guidance

Please send the information, quoting the above application reference, to:

Email address: Aarti.Kaushal1@environment-agency.gov.uk

Postal address:
Permitting and Support Centre
Quadrant 2
99 Parkway Avenue
Sheffield
S9 4WF

Please send the information within 10 working days of this letter. If we don't hear from you, we must return your application. I am out of the office until Wednesday 24th October 2018, if you have any urgent queries whilst I am away, please contact my team leader Farah Hasson on 02084745220.

When we receive the requested information, we'll continue to check your application. We'll check to see if there's enough information for the application to be 'duly made'. Duly made means that we have all the information we need to begin determination. Determination is where we assess your application and decide if we can allow what you've asked for.

We'll let you know by letter whether your application can be duly made. If it can't be duly made, we'll return your application to you.

Best regards

Permitting Officer