

Veolia ES (UK) Ltd Colwick RDF & Transfer Facility



This review of the Environmental Risk Assessment in relation to the protected habitats with prescribed distances of the Colwick RDF & Transfer Facility is undertaken to support the application for a new permit [ref. JB3304LF].

Habitats:

Conservation screening shows that there are the following protected species / habitats located within screening distance of the site:

Nature and heritage screening

- Netherfield Dismantled Railway Sidings - 150m east of the Facility
- Holme Pierrepont - 140m south of the Facility

Protected species

- European Eel - River Trent 85m south of the site
- Atlantic Salmon - River Trent 85m south of the site
- River Lamprey - River Trent 85m south of the site

Summary of Proposals:

Application JB3304LF A001 applies for a new RDF and Transfer Facility for non-hazardous waste and asbestos.



Veolia ES (UK) Ltd Colwick RDF & Transfer Facility



Key Considerations:

- Only non-hazardous wastes [excluding asbestos], no liquids, sludges or powders.
- All waste apart from wood, glass, green, inert wastes and street sweepings are stored within a building during normal operating conditions.
- Odour Management Plan, Fire Prevention Plan and Dust Management Plan in place.
- Pest control contract in place.
- All waste activities conducted on sealed drainage.
- ISO 140001 accredited management system in place.

