Revision C

Drawing No. VES_TD_COLW_200_011

NEW CONNECTION INTO EXISTING SURFACE WATER SEWER

SURFACE WATER DISCHARGE POINT (W1)

PENSTOCK VALVE TO ENABLE FIRE WATER ISOLATION

PROPOSED SYPHONIC ROOF WATER CONNECTION FROM WTS BUILDINGS

CLASS 2 FORECOURT SEPARATOR COMPLETE WITH ALARM

NEW CONNECTION TO EXISTING FOUL SEWER

FULL RETENTION, CLASS 1 INTERCEPTOR COMPLETE WITH ALARM

PENSTOCK VALVE TO ENABLE FIRE WATER ISOLATION

FOUL DISCHARGE POINT (S1)

PROPOSED ATTENUATION TANK

EMISSION POINT (A1)

ROAD NO 5

ROAD NO 3

PROPOSED OFFICE & WELFARE

21.3m

21.3m

21.2m

21.4m

Tanks

El Sub Sta

SL

Tank

ESS

Mast (telecommunication)

Jetty

N

S

E

W

SCALE BAR 1:500

0 10 50 100

PLANNING

GENERAL NOTES:

1. THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF VEOLIA AND IS NOT TO BE COPIED IN WHOLE OR IN PART EXCEPT UNDER A WRITTEN AGREEMENT.

2. DETAILS SHOWN ON DRAWINGS ARE FOR REFERENCE PURPOSES ONLY.

3. THIS IS A CONCEPTUAL DRAWING SUBJECT TO DETAILED DESIGN BY A DESIGN & BUILD CONTRACTOR.

4. IN CASE OF ANY DISCREPANCY BETWEEN THE DRAWING AND THE WORKS INFORMATION, THE WORKS INFORMATION WILL TAKE PRECEDENCE AND THE CONTRACTOR WILL BE DEEMED TO HAVE INTENDED TO COMPLY WITH THE WORKS INFORMATION AND SHALL DO SO.

5. ALL DIMENSIONS AND LEVELS ARE TO BE CHECKED ON SITE BY THE CONTRACTOR PRIOR TO PREPARING ANY WORKING DRAWINGS OR COMMENCING ON SITE.

6.PLEASE ENSURE DRAWING LICENCE DATE IS STILL VALID. ALL LICENCES ARE 12 MONTH UNLESS OTHERWISE STATED.

SITE BOUNDARY

EXISTING SURFACE WATER SEWER

EXISTING FOUL SEWER

PROPOSED SURFACE WATER DRAINAGE

PROPOSED FOUL WATER DRAINAGE

Rev	Description of revision	Drawn	Chkd	App	Date
C	DRAINAGE RUNS UPDATED	RB			10.01.22
B	PHASE 1 DEVELOPMENT	JB			16.09.21
A	PHASED CONSTRUCTION	JB			24.08.21
-	FIRST ISSUE				

VEOLIA

Technical Direction,
8th Floor, 210 Pentonville Road, London. N1 9JY
Tel: 0207 812 5185

Project: COLWICK WTS/DEPOT

Title: PROPOSED CONCEPT DRAINAGE PLAN

	Initials	Date	Scale	Sheet size
Drawn	JB	20.04.21	1:500	A1
Checked				
Approved				

© Copyright Reserved

Job No. COLW

Drawing No. VES_TD_COLW_200_011

Revision C