


APPENDIX F


ENVIROCHECK REPORT FOR PHASE 1 (REFERENCE 224788374_1_1)



















Envirocheck® Report:

Datasheet

Order Details:

Order Number:

224788374_1_1

Customer Reference:

BRE_EA5624 Earls Barton Quarry

National Grid Reference:

485200, 262230

Slice:

В

Site Area (Ha):

63.79

Search Buffer (m):

500

Site Details:

Site at 484078,262219

Client Details:

J Amphlett
MJCA
Baddesley Collier Offices
Main Road
Baxterley
Atherstone
Warwickshire
CV9 2LE



Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service





Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	9
Hazardous Substances	-
Geological	10
Industrial Land Use	12
Sensitive Land Use	13
Data Currency	14
Data Suppliers	18
Useful Contacts	19

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.

For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.

In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2019. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environme Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under

Agency/Natural Resolutes waters and Natural England, and mist not be reproduced in whole of in part by protocopying of any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.

A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.

© Environment Agency & United Kingdom Research and Innovation 2019. © Natural Resources Wales & United Kingdom Research and Innovation 2019.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3 0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining review@arup com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Peter Brett Associates Copyright Notice

The cavity data presented has been extracted from the PBA enhanced version of the original DEFRA national cavity databases. PBA/DEFRA retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by PBA. In no event shall PBA/DEFRA or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this clate.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2019. Land & Property Services © Crown copyright and database right.

Report Version v53.0





Data Type	Page Number	On Site	0 to 250m	251 to 500m (*up to 1000m)
Agency & Hydrological				
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes
Contaminated Land Register Entries and Notices				
Discharge Consents	pg 2		1	1
Prosecutions Relating to Controlled Waters			n/a	n/a
Enforcement and Prohibition Notices				
Integrated Pollution Controls				
Integrated Pollution Prevention And Control				
Local Authority Integrated Pollution Prevention And Control				
Local Authority Pollution Prevention and Controls				
Local Authority Pollution Prevention and Control Enforcements				
Nearest Surface Water Feature		Yes		
Pollution Incidents to Controlled Waters	pg 2			2
Prosecutions Relating to Authorised Processes				
Registered Radioactive Substances				
River Quality	pg 2	1		
River Quality Biology Sampling Points				
Substantiated Pollution Incident Register	pg 3			1
River Quality Chemistry Sampling Points				
Water Abstractions	pg 3	2		
Water Industry Act Referrals				
Groundwater Vulnerability Map	pg 3	Yes	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a
Bedrock Aquifer Designations	pg 4	Yes	n/a	n/a
Superficial Aquifer Designations	pg 4	Yes	n/a	n/a
Source Protection Zones				
Extreme Flooding from Rivers or Sea without Defences	pg 4	Yes		n/a
Flooding from Rivers or Sea without Defences	pg 4	Yes	Yes	n/a
Areas Benefiting from Flood Defences				n/a
Flood Water Storage Areas				n/a
Flood Defences				n/a
OS Water Network Lines	pg 5	5	14	17

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service





Data Type	Page Number	On Site	0 to 250m	251 to 500m (*up to 1000m)
Waste				
BGS Recorded Landfill Sites				
Historical Landfill Sites	pg 9	1		
Integrated Pollution Control Registered Waste Sites				
Licensed Waste Management Facilities (Landfill Boundaries)				
Licensed Waste Management Facilities (Locations)				
Local Authority Landfill Coverage		2	n/a	n/a
Local Authority Recorded Landfill Sites				
Registered Landfill Sites				
Registered Waste Transfer Sites				
Registered Waste Treatment or Disposal Sites				
Hazardous Substances				
Control of Major Accident Hazards Sites (COMAH)				
Explosive Sites				
Notification of Installations Handling Hazardous Substances (NIHHS)				
Planning Hazardous Substance Consents				
Planning Hazardous Substance Enforcements				
Geological				
BGS 1:625,000 Solid Geology	pg 10	Yes	n/a	n/a
BGS Recorded Mineral Sites	pg 10	1	1	
CBSCB Compensation District			n/a	n/a
Coal Mining Affected Areas			n/a	n/a
Mining Instability			n/a	n/a
Man-Made Mining Cavities				
Natural Cavities				
Non Coal Mining Areas of Great Britain				n/a
Potential for Collapsible Ground Stability Hazards	pg 10	Yes		n/a
Potential for Compressible Ground Stability Hazards	pg 10	Yes		n/a
Potential for Ground Dissolution Stability Hazards				n/a
Potential for Landslide Ground Stability Hazards	pg 10	Yes		n/a
Potential for Running Sand Ground Stability Hazards	pg 11	Yes		n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 11	Yes		n/a
Radon Potential - Radon Affected Areas			n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service



Summary

Data Type	Page Number	On Site	0 to 250m	251 to 500m (*up to 1000m)
Industrial Land Use				
Contemporary Trade Directory Entries	pg 12		1	2
Fuel Station Entries				
Gas Pipelines				
Underground Electrical Cables				
Sensitive Land Use				
Ancient Woodland				
Areas of Adopted Green Belt				
Areas of Unadopted Green Belt				
Areas of Outstanding Natural Beauty				
Environmentally Sensitive Areas				
Forest Parks				
Local Nature Reserves				
Marine Nature Reserves				
National Nature Reserves				
National Parks				
Nitrate Sensitive Areas				
Nitrate Vulnerable Zones	pg 13	3		
Ramsar Sites				
Sites of Special Scientific Interest				
Special Areas of Conservation				
Special Protection Areas				
World Heritage Sites				



Agency & Hydrological

ap D	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9SW (W)	0	1	485000 262235
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9SE (W)	0	1	485200 262235
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (NW)	0	1	484950 262400
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9SW (NW)	0	1	485000 262400
	BGS Groundwater Flooding Susceptibility	(,			202.00
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9SE (N)	0	1	485150 262400
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9SW (NW)	0	1	484850 262450
	BGS Groundwater Flooding Susceptibility	` ′			
	Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (NW)	0	1	484900 262450
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	484200 262450
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel (W)	8	1	484150 262600
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9SE (N)	24	1	485205 262500
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	30	1	484400 261900
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9NW (NW)	89	1	484850 262600
	BGS Groundwater Flooding Susceptibility	, , ,			
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B10SW (NE)	190	1	485450 262550
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9NW (NW)	222	1	485000 262700
	BGS Groundwater Flooding Susceptibility			<u> </u>	
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B9NW (N)	260	1	485050 262700
	BGS Groundwater Flooding Susceptibility	, ,			
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B10NW (NE)	301	1	485550 262600
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel (SW)	309	1	484150 261750
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NW (N)	400	1	485050 262850
	BGS Groundwater Flooding Susceptibility				
	Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Le	vel B10NW (NE)	413	1	485650 262650

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 1 of 19



Agency & Hydrological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	Breedon Southern Limited MINERAL/GRAVEL EXTRACTION/QUARRYING Earls Barton Spinney Quarry Grendon Lane, Earls Barton, Wellingborough, Northamptonshire, Nn6 0rb Environment Agency, Anglian Region Not Supplied Eprgb3499ej 1 13th November 2017 13th November 2017 Not Supplied Trade Effluent Discharge-Site Drainage Freshwater Stream/River River Nene New issued under EPR 2010	B5NW (SW)	3	2	485089 261982
2	Positional Accuracy: Discharge Consents Operator: Property Type: Location: Authority: Catchment Area: Reference: Permit Version: Effective Date: Issued Date: Revocation Date: Discharge Type: Discharge Environment: Receiving Water: Status:	Located by supplier to within 10m	B6NW (E)	475	2	485700 262199
	Nearest Surface Wa	tter Feature	B5NW (SW)	0	-	485045 262108
3	Property Type: Location: Authority: Pollutant: Note: Incident Date: Incident Reference: Catchment Area: Receiving Water: Cause of Incident: Incident Severity:		B6NW (SE)	377	2	485600 262000
4	Property Type: Location: Authority: Pollutant: Note: Incident Date: Incident Reference: Catchment Area: Receiving Water: Cause of Incident: Incident Severity:	to Controlled Waters Water Company Sewage: Surface Water Outfall Kettering District Environment Agency, Anglian Region Miscellaneous - Unknown River Nene 28th July 1997 3099 Not Given Freshwater Stream/River Unknown Category 3 - Minor Incident Located by supplier to within 100m	B6NW (SE)	476	2	485700 262000
	River Quality Name: GQA Grade: Reach: Estimated Distance (km): Flow Rate: Flow Type: Year:	Nene River Quality C Ecton BkGt Doddington (1) 4 Flow less than 5 cumecs River 2000	B5NE (S)	0	2	485224 262028



Agency & Hydrological

Page 3 of 19

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Substantiated Pollu	tion Incident Register				
5	Authority: Incident Date: Incident Reference: Water Impact: Air Impact: Land Impact: Positional Accuracy: Pollutant:	Environment Agency - Anglian Region, Northern Area 23rd March 2018 1599195 Category 3 - Minor Incident Category 4 - No Impact Category 2 - Significant Incident Located by supplier to within 10m Crude Sewage	B6NW (E)	346	2	485573 262105
	Water Abstractions					
6	Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Positional Accuracy:	Breedon Southern Limited An/032/0005/011 1 River Nene At Earls Barton Spinney Quarry Environment Agency, Anglian Region Extractive: Mineral Washing Water may be abstracted from a single point Surface Not Supplied Not Supplied Not Supplied O1 April 31 March 23rd January 2018 Not Supplied Located by supplier to within 10m	B5NE (SW)	0	2	485105 262018
	Water Abstractions					
7	Operator: Licence Number: Permit Version: Location: Authority: Abstraction Type: Source: Daily Rate (m3): Yearly Rate (m3): Details: Authorised Start: Authorised Start: Authorised End: Permit Start Date: Permit End Date: Positional Accuracy:	E Ward & Son 5/32/05/*G/0030 100 Well 2, Lower End Farm Environment Agency, Anglian Region General Farming And Domestic Water may be abstracted from a single point Groundwater Not Supplied Not Supplied Miscellaneous Jurassic; Status: Perpetuity 01 January 31 December 1st March 1966 Not Supplied Located by supplied Located by supplier to within 10m	B9SW (NW)	0	2	484800 262470
	Groundwater Vulne	rability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Baseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	Secondary Superficial Aquifer - High Vulnerability High Unproductive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures <300 mm/year >70% <90% 3-10m High	B5NW (SW)	0	3	485000 262000
	Groundwater Vulne	rability Map				
	Combined Classification: Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution: Basseflow Index: Superficial Patchiness: Superficial Thickness: Superficial Recharge:	Secondary Superficial Aquifer - High Vulnerability High Unproductive Bedrock Aquifer, Productive Superficial Aquifer High Well Connected Fractures <300 mm/year >70% >90% 3-10m High	B5NE (S)	0	3	485205 262000



Agency & Hydrological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulne	rability Map				
	Combined Classification: Combined	Secondary Superficial Aquifer - High Vulnerability High	B9SW (W)	0	3	485000 262235
	Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution:	Unproductive Bedrock Aquifer, Productive Superficial Aquifer Intermediate Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness:	>70% <90% <3m				
	Superficial Thickness: Superficial	No Data				
	Recharge:	validi. Man				
	Groundwater Vulne Combined Classification:	Secondary Superficial Aquifer - High Vulnerability	B9SE (NW)	0	3	485205 262235
	Combined Vulnerability: Combined Aquifer: Pollutant Speed: Bedrock Flow: Dilution:	High Unproductive Bedrock Aquifer, Productive Superficial Aquifer Intermediate Well Connected Fractures <300 mm/year				
	Baseflow Index: Superficial Patchiness: Superficial	>70% <90%				
	Thickness: Superficial Recharge:	No Data				
	Groundwater Vulne	erability - Soluble Rock Risk				
		aignations				
	Bedrock Aquifer De Aquifer Designation:	Unproductive Strata	B9SW (W)	0	3	485000 262235
	Bedrock Aquifer De Aquifer Designation:	esignations Unproductive Strata	B9SE	0	3	485205
	Superficial Aquifer	Designations	(NW)			262235
		Secondary Aquifer - A	B9SW (W)	0	3	485000 262235
	Superficial Aquifer Aquifer Designation:	Designations Secondary Aquifer - A	B9SE (NW)	0	3	485205 262235
	Type:	rom Rivers or Sea without Defences Extent of Extreme Flooding from Rivers or Sea without Defences	B9SE	0	2	485205
	Flood Plain Type: Boundary Accuracy:	Fluvial Models As Supplied	(NW)			262235
		rs or Sea without Defences	5005		6	405005
	Type: Flood Plain Type: Boundary Accuracy:	Extent of Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B9SE (NW)	0	2	485205 262235
	Flooding from Rive Type: Flood Plain Type: Boundary Accuracy:	rs or Sea without Defences Extent of Flooding from Rivers or Sea without Defences Fluvial Models As Supplied	B9SE (E)	11	2	485241 262240
	Areas Benefiting fro	om Flood Defences				
	Flood Water Storag	e Areas				
	Flood Defences None					

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 4 of 19



Order Number: 224788374_1_1

Agency & Hydrological

Page 5 of 19

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NW (SW)	0	4	485042 262107
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NW (SW)	0	4	485045 262108
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 1	B5NE (SW)	0	4	485125 262118
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NE (SW)	0	4	485132 262118
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 196.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NE (S)	0	4	485223 262135
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 259.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NW (SW)	3	4	484885 261899
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 803.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B5NE (S)	9	4	485238 262047
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B5NW (SW)	16	4	484890 261892
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 155.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B9SE (N)	26	4	485116 262458



Agency & Hydrological

Page 6 of 19

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B5SW (SW)	49	4	484766 261813
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 307.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B5SW (S)	49	4	485026 261771
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 131.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B5SW (SW)	53	4	484757 261807
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B5SW (SW)	56	4	484757 261807
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NE (SE)	97	4	485324 262160
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B5NE (SE)	101	4	485327 262160
23	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 156.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B5SE (S)	155	4	485166 261807
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 124.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B5SE (S)	189	4	485179 261806
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	205	4	485431 262157



Agency & Hydrological

Page 7 of 19

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	249	4	485476 262143
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	252	4	485479 262142
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Primacy: 2	B5SE (S)	307	4	485275 261733
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	342	4	485569 262145
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 63.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	343	4	485570 262146
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 46.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	343	4	485570 262146
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	381	4	485607 262175
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 73.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	390	4	485616 262182
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 491.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B6NW (SE)	391	4	485595 261930



Order Number: 224788374_1_1

Agency & Hydrological

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B6NW (SE)	391	4	485595 261930
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 102.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B1NW (SW)	400	4	484870 261474
37	OS Water Network Lines Watercourse Form: Inland river Watercourse Level: 50.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (SE)	408	4	485633 262010
38	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 146.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 2	B6NW (SE)	431	4	485651 261978
39	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 118.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Nene Catchment Name: Nene Primacy: 1	B6NW (SE)	434	4	485652 261969
40	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	456	4	485681 262217
41	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 201.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6NW (E)	459	4	485683 262218
42	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 2	B6SW (S)	488	4	485451 261629
43	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 474.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Nene Primacy: 1	B6SW (S)	498	4	485477 261567



LANDMARK INFORMATION GROUP*

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Historical Landfill S	ites				
44	Licence Holder: Location: Name: Operator Location: Boundary Accuracy: Provider Reference: First Input Date: Last Input Date: Specified Waste Type: EA Waste Ref: Regis Ref: WRC Ref: BGS Ref: Other Ref:		B5NW (W)	0	2	484864 262214
	Local Authority Landfill Coverage					
	Name:	Northamptonshire County Council - Has supplied landfill data		0	6	485205 262235
	Local Authority Lan	dfill Coverage				
	Name:	Wellingborough Borough Council - Has no landfill data to supply		0	5	485205 262235
	Local Authority Lan	dfill Coverage				
	Name:	South Northamptonshire District Council - Has supplied landfill data		6	7	485187 261802





Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Lias Group	B9SE (NW)	0	1	485205 262235
45	BGS Recorded Mineral Sites Site Name: Earls Barton Gravel Pit Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 43280 Type: Opencast Status: Ceased Operator: Individual'S Name Withheld Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B5NW (W)	0	1	484915 262190
46	BGS Recorded Mineral Sites Site Name: Earls Barton Gravel Pit Location: Earls Barton, Northampton, Northamptonshire Source: British Geological Survey, National Geoscience Information Service Reference: 43279 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Quaternary Geology: River Terrace Deposits Commodity: Sand and Gravel Positional Accuracy: Located by supplier to within 10m	B10NW (NE)	194	1	485450 262560
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	485000 262235
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485199 262247
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B5NW (SW)	0	1	485000 262055
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	485000 262235
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485199 262247
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B5NW (SW)	0	1	485000 262055
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	485000 262235
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	485000 262235



Geological

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landsl	ide Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235
	Potential for Runnin	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	B5NW (SW)	0	1	485000 262055
	Potential for Runnin	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235
	Potential for Runnir	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	485000 262235
	Potential for Runnir	ng Sand Ground Stability Hazards				
	Hazard Potential: Source:	Very Low British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485199 262247
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	485000 262235
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	No Hazard British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485199 262247
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	B9SW (W)	0	1	484839 262355
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	B5NW (SW)	0	1	485000 262055
	Potential for Shrink	ing or Swelling Clay Ground Stability Hazards				
	Hazard Potential: Source:	Low British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235
	Radon Potential - R	adon Affected Areas				
	Affected Area:	The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level).	B9SW (W)	0	1	485000 262235
	Source:	British Geological Survey, National Geoscience Information Service				
	Radon Potential - R Affected Area:	adon Affected Areas The property is in a Lower probability radon area (less than 1% of homes are	B9SE	0	1	485205
	Source:	estimated to be at or above the Action Level). British Geological Survey, National Geoscience Information Service	(NW)	0	ı	262235
		adon Protection Measures				
		No radon protective measures are necessary in the construction of new dwellings or extensions	B9SW (W)	0	1	485000 262235
	Source:	British Geological Survey, National Geoscience Information Service				
		adon Protection Measures				
	Protection Measure: Source:	No radon protective measures are necessary in the construction of new dwellings or extensions British Geological Survey, National Geoscience Information Service	B9SE (NW)	0	1	485205 262235

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 11 of 19



Industrial Land Use

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Contemporary Trad	e Directory Entries				
47	Name: Location: Classification: Status: Positional Accuracy:	M A M Transport Services Ltd Unit 2-20, 340, Grendon Road, Earls Barton, Northampton, NN6 0RB Road Haulage Services Active Automatically positioned to the address	B10SW (NE)	245	-	485502 262392
	Contemporary Trad	e Directory Entries				
48	Name: Location: Classification: Status: Positional Accuracy:	T G P Trucking Grendon Road, Earls Barton, Northampton, Northamptonshire, NN6 0RB Road Haulage Services Active Manually positioned within the geographical locality	B10SW (E)	315	-	485558 262343
	Contemporary Trad	e Directory Entries				
49	Name: Location: Classification: Status: Positional Accuracy:	Retro Restoration Unit 1, 340, Grendon Road, Earls Barton, Northampton, NN6 0RB Car Body Repairs Inactive Automatically positioned to the address	B10SW (E)	326	-	485549 262279

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 12 of 19



Sensitive Land Use

Map ID		Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Nitrate Vulnerabl	e Zones				
50	Name: Description: Source:	Thrapstone Lake Eutrophic Lake Nvz Eutrophic Water Environment Agency, Head Office	B9SE (NW)	0	3	485205 262235
	Nitrate Vulnerabl	e Zones				
51	Name: Description: Source:	Northampton Sands Groundwater Environment Agency, Head Office	B9SE (NW)	0	3	485205 262235
	Nitrate Vulnerabl	e Zones				
52	Name: Description: Source:	River Nene Nvz Surface Water Environment Agency, Head Office	B9SE (NW)	0	3	485205 262235

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 13 of 19



Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
South Northamptonshire Council - Environment Division	August 2013	Annual Rolling Update
Wellingborough Borough Council - Environmental Health Department	August 2013	Annual Rolling Update
Discharge Consents		
Environment Agency - Anglian Region	July 2019	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Anglian Region	March 2013	Annual Rolling Updat
Integrated Pollution Controls		
Environment Agency - Anglian Region	October 2008	Variable
Integrated Pollution Prevention And Control		
Environment Agency - Anglian Region	July 2019	Quarterly
Local Authority Integrated Pollution Prevention And Control		
South Northamptonshire Council - Environmental Health Department	December 2014	Variable
Wellingborough Borough Council - Environmental Health Department	December 2014	Variable
Local Authority Pollution Prevention and Controls		
South Northamptonshire Council - Environmental Health Department	December 2014	Annual Rolling Updat
Wellingborough Borough Council - Environmental Health Department	December 2014	Annual Rolling Updat
Local Authority Pollution Prevention and Control Enforcements		1
South Northamptonshire Council - Environmental Health Department	December 2014	Variable
Wellingborough Borough Council - Environmental Health Department	December 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	September 2019	
Pollution Incidents to Controlled Waters		
Environment Agency - Anglian Region	September 1999	Not Applicable
	Coptomiser 1888	110t7tppiloabio
Prosecutions Relating to Authorised Processes Environment Agency - Anglian Region	March 2013	Annual Rolling Update
	Walch 2013	Annual Rolling Opual
Prosecutions Relating to Controlled Waters	March 2012	Annual Dalling Undet
Environment Agency - Anglian Region	March 2013	Annual Rolling Update
Registered Radioactive Substances	luna 2046	
Environment Agency - Anglian Region	June 2016	
River Quality		
Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points		
Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points		
Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register		
Environment Agency - Anglian Region - Northern Area	July 2019	Quarterly
Water Abstractions		
Environment Agency - Anglian Region	July 2019	Quarterly
Water Industry Act Referrals		
Environment Agency - Anglian Region	October 2017	Quarterly
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations	,	
Environment Agency - Head Office	January 2018	Annually

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 14 of 19



Agency & Hydrological	Version	Update Cycle
Source Protection Zones		
Environment Agency - Head Office	October 2019	Quarterly
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	August 2019	Quarterly
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	August 2019	Quarterly
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	August 2019	Quarterly
Flood Water Storage Areas		
Environment Agency - Head Office	August 2019	Quarterly
Flood Defences		
Environment Agency - Head Office	August 2019	Quarterly
OS Water Network Lines		
Ordnance Survey	July 2019	Quarterly
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	Annually
Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites		
Environment Agency - Head Office	October 2019	Quarterly
ntegrated Pollution Control Registered Waste Sites		
Environment Agency - Anglian Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Anglian Region - Northern Area	July 2018	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Anglian Region - Northern Area	July 2019	Quarterly
Local Authority Landfill Coverage		
Northamptonshire County Council	May 2000	Not Applicable
South Northamptonshire Council - Environmental Health Department	May 2000	Not Applicable
Wellingborough Borough Council	May 2000	Not Applicable
Local Authority Recorded Landfill Sites		
Northamptonshire County Council	May 2000	Not Applicable
South Northamptonshire Council - Environmental Health Department	May 2000	Not Applicable
Wellingborough Borough Council	May 2000	Not Applicable
Registered Landfill Sites		NI-CA CL
Environment Agency - Anglian Region - Northern Area	March 2003	Not Applicable
Registered Waste Transfer Sites		N
Environment Agency - Anglian Region - Northern Area	March 2003	Not Applicable
Registered Waste Treatment or Disposal Sites		
Environment Agency - Anglian Region - Northern Area	March 2003	Not Applicable

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 15 of 19



Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements		
South Northamptonshire Council	February 2016	Variable
Wellingborough Borough Council	February 2016	Variable
Northamptonshire County Council	November 2011	Annual Rolling Update
Planning Hazardous Substance Consents		
South Northamptonshire Council	February 2016	Variable
Wellingborough Borough Council	February 2016	Variable
Northamptonshire County Council	May 2013	Annual Rolling Update
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	October 2019	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas		
The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability		
Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Compressible Ground Stability Hazards		,
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards	canaly 2010	7 timidany
British Geological Survey - National Geoscience Information Service	January 2019	Annually
	January 2019	Ailidally
Potential for Landslide Ground Stability Hazards	1	A II
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	July 2011	Annually

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 16 of 19



Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries		
Thomson Directories	July 2019	Quarterly
Fuel Station Entries		
Catalist Ltd - Experian	September 2019	Quarterly
Gas Pipelines		
National Grid	July 2014	
Underground Electrical Cables		
National Grid	December 2015	
Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	August 2018	Bi-Annually
Areas of Outstanding Natural Beauty		
Natural England	June 2019	Bi-Annually
Environmentally Sensitive Areas		
Natural England	January 2017	
Forest Parks		
Forestry Commission	April 1997	Not Applicable
Local Nature Reserves		
Natural England	March 2019	Bi-Annually
Marine Nature Reserves		
Natural England	July 2019	Bi-Annually
National Nature Reserves		
Natural England	July 2019	Bi-Annually
National Parks		
Natural England	April 2017	Bi-Annually
Nitrate Vulnerable Zones		
Environment Agency - Head Office	December 2017	Bi-Annually
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	October 2015	
Ramsar Sites		
Natural England	April 2019	Bi-Annually
Sites of Special Scientific Interest		
Natural England	March 2019	Bi-Annually
Special Areas of Conservation		
Natural England	June 2019	Bi-Annually
Special Protection Areas		
Natural England	April 2019	Bi-Annually

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 17 of 19





A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPAS Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE 必公司
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Peter Brett Associates	peterbrett



Useful Contacts

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
5	Wellingborough Borough Council Croyland Abbey, Tithe Barn Road, Wellingborough, Northamptonshire, NN8 1BJ	Telephone: 01933 229777 Fax: 01933 441375 Website: www.wellingborough.gov.uk
6	Northamptonshire County Council County Hall, Northampton, Northamptonshire, NN1 1DN	Telephone: 0300 126 1000 Website: www.northamptonshire.gov.uk
7	South Northamptonshire Council - Environmental Health Department Springfields, Towcester, Northamptonshire, NN12 6AE	Telephone: 0845 2300226 Fax: 01327 359219 Website: www.southnorthants.gov.uk
8	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Order Number: 224788374_1_1 Date: 12-Nov-2019 rpr_ec_datasheet v53.0 A Landmark Information Group Service Page 19 of 19


Historical Mapping Legends

Other Gravel Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post **Boundary Post** Surface Level Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Sunken Road Raised Road Railway over Road over Ri∨er Railway Railway over Level Crossing Road Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Co. Burgh Bdy. Rural District Boundary RD. Bdy.

Civil Parish Boundary

Ordnance Survey County Series 1:10,560

Ordnance Survey Plan 1:10,000



Mile Post

TCP

Telephone Call Post

1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
*******	Slopes		Top of cliff
	General detail		Underground detail
	- O∨erhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
_•-•	County boundary (England only)	• • • • •	Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ ⁰ **	Area of wooded vegetation	۵ ^۵	Non-coniferous trees
۵ ۵	Non-coniferous trees (scattered)	**	Coniferous trees
* *	Coniferous trees (scattered)	Ö̈	Positioned tree
ф ф ф ф	Orchard	* *	Coppice or Osiers
alle,	Rough Grassland	www.	Heath
On_	Scrub	7 <u>√</u> \r	Marsh, Salt Marsh or Reeds
6	Water feature	←	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)		Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	\boxtimes	Pylon, flare stac or lighting tower
•‡•	Site of (antiquity)		Glasshouse
	General Building		Important Building

Building


Envirocheck®

LANDMARK INFORMATION GROUP

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884	2
Northamptonshire	1:10,560	1901	3
Northamptonshire	1:10,560	1952	4
Ordnance Survey Plan	1:10,000	1958	5
Ordnance Survey Plan	1:10,000	1971 - 1972	6
Ordnance Survey Plan	1:10,000	1983 - 1989	7
Ordnance Survey Plan	1:10,000	1991	8
10K Raster Mapping	1:10,000	1999	9
Street View	Variable		10

Historical Map - Slice B



Order Details

Order Number: 224788374_1_1

BRE_EA5624 Earls Barton Quarry Customer Ref:

National Grid Reference: 485200, 262230 Slice:

Site Area (Ha): 63.79 Search Buffer (m):


Site Details

Site at 484078,262219



0844 844 9952

A Landmark Information Group Service v50.0 12-Nov-2019 Page 1 of 10



LANDMARK INFORMATION GROUP®


Northamptonshire

Published 1884


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



224788374_1_1

BRE_EA5624 Earls Barton Quarry

National Grid Reference: 485200, 262230


63.79

Site at 484078,262219



0844 844 9952

A Landmark Information Group Service v50.0 12-Nov-2019 Page 2 of 10




LANDMARK INFORMATION GROUP®

Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every

Map Name(s) and Date(s)




224788374_1_1

BRE_EA5624 Earls Barton Quarry

0844 844 9952

A Landmark Information Group Service v50.0 12-Nov-2019 Page 3 of 10



LANDMARK INFORMATION GROUP®


Northamptonshire

Published 1952


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



224788374_1_1

BRE_EA5624 Earls Barton Quarry

National Grid Reference: 485200, 262230


63.79


Site at 484078,262219

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 12-Nov-2019 Page 4 of 10






LANDMARK INFORMATION GROUP®


Ordnance Survey Plan Published 1971 - 1972 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details

Order Number: 224788374_1_1

Customer Ref: BRE_EA5624 Earls Barton Quarry

National Grid Reference: 485200, 262230

ce: B e Area (Ha): 63.79

Site Area (Ha): Search Buffer (m):


Site Details

Site at 484078,262219



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.enviroched

A Landmark Information Group Service v50.0 12-Nov-2019 Page 6 of 10




LANDMARK INFORMATION GROUP®


Ordnance Survey Plan Published 1983 - 1989

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



224788374_1_1

BRE_EA5624 Earls Barton Quarry


National Grid Reference: 485200, 262230

63.79

Landmark

0844 844 9952

A Landmark Information Group Service v50.0 12-Nov-2019 Page 7 of 10




LANDMARK INFORMATION GROUP®

Ordnance Survey Plan Published 1991


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and o her strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued un il recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details

Order Number: 224788374_1_1
Customer Ref: BRE_EA5624 Fails

Customer Ref: BRE_EA5624 Earls Barton Quarry

National Grid Reference: 485200, 262230

e: B

Site Area (Ha): 63.79 Search Buffer (m): 500


Site Details


Site at 484078,262219





Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck


A Landmark Information Group Service v50.0 12-Nov-2019 Page 8 of 10


















Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



County Burgh Boundary (Scotland)

S.P

Sl.

 T_{T}

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

Co. Burgh Bdy.

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor


B.R.

E.P

F.B.

M.S

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Electricity Transmission Line County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

1:1,250

فافتأراب فالمتاشد			Slo	opes Top	
p = 10 Ph =	Cliff		Top	11.	
523	Rock		23	Rock (scattered)	
\triangle_{Δ}	Boulders		<i>△</i>	Boulders (scattered)	
	Positioned	l Boulder		Scree	
2월	Non-Conit	ferous Tree l)	*	Coniferous Tree (surveyed)	
ర్లోల్	Non-Conit (not surve	ferous Trees yed)	本本	Coniferous Trees (not surveyed)	
දා	Orchard Tree	Q a. Se	crub	_າ ຕຸ Bracken	
* ~	Coppice, Osier	sw. Re	eeds 🛥	اند <u>سان</u> د Marsh, Saltings	
,000,	Rough Grassland	umin, H	eath	Culvert	
*** >	Direction of water fl		iangulatior tation	Antiquity (site of)	
ETL_	Electric	city Transmissio	on Line	Electricity Pylon	
\ { -\	1 231.6ûm	Bench Mark		Buildings with Building Seed	
	Roof	ed Building		Glazed Roof Building	
		Civil parish/co	ommunity b	oundary	
		District bound	=	, o amadi y	
	•	County bound	•		
		-	-		
	0	Boundary pos		al (nata: thaga	
٨	0	-		ol (note: these ed pairs or groups	
Bks	Barracks		Р	Pillar, Pole or Post	
Bty	Battery		PO	Post Office	
Cemy	Cemetery		PC	Public Convenience	
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping Station	
Dismtd F	-	ntled Railway	PW	Place of Worship	
El Gen S	Sta Electric Station	city Generating	Sewage P	pg Sta Sewage Pumping Station	
EIP		Pole, Pillar	SB, S Br	Signal Box or Bridge	
	Sta Electricity		SP, SL	Signal Post or Light	
FB	Filter Bed		Spr	Spring	

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

Guide Post

Manhole

Gas Valve Compound

Mile Post or Mile Stone


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Date	Pg
1886	2
1900	3
1966 - 1968	4
1977 - 1986	5
1981 - 1986	6
1985	7
1985	8
1992 - 1993	9
	1886 1900 1966 - 1968 1977 - 1986 1981 - 1986 1985 1985

Historical Map - Segment B5



Order Details

Order Number: 224788374_1_1

BRE_EA5624 Earls Barton Quarry Customer Ref: National Grid Reference: 485200, 262230

Slice:

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks

Site Area (Ha): 63.79 Search Buffer (m):


Site Details


Site at 484078,262219





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 12-Nov-2019 Page 1 of 9





















Historical Mapping Legends

Ordnance Survey County Series and Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge


Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



***	•	ereing changes		
вн	Beer House	Р	Pillar, Pole or Post	
BP, BS	Boundary Post or Stone	PO	Post Office	
Cn, C	Capstan, Crane	PC	Public Convenience	
Chy	Chimney	PH	Public House	
D Fn	Drinking Fountain	Pp	Pump	
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge	
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light	
FB	Foot Bridge	Spr	Spring	
GP	Guide Post	Tk	Tank or Track	
Н	Hydrant or Hydraulic	тсв	Telephone Call Box	
LC	Level Crossing	TCP	Telephone Call Post	
MH	Manhole	Tr	Trough	
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap	
MS	Mile Stone	W	Well	
NTL	Normal Tidal Limit	Wd Pp	Wind Pump	

County Boundary (Geographical)

Admin. County or County Bor. Boundary

Symbol marking point where boundary

Fn/DFn

Fountain / Drinking Ftn.

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

Guide Post

Manhole

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks

County & Civil Parish Boundary

Civil Parish Boundary

London Borough Boundary

L B Bdy

280

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well


S.P

T.C.B

Sl.

 T_T

1:1,250




Envirocheck®

LANDMARK INFORMATION GROUP

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885 - 1886	2
Northamptonshire	1:2,500	1900	3
Ordnance Survey Plan	1:2,500	1968	4
Additional SIMs	1:2,500	1977 - 1981	5
Additional SIMs	1:2,500	1981 - 1985	6
Ordnance Survey Plan	1:2,500	1985	7
Additional SIMs	1:2,500	1985	8
Large-Scale National Grid Data	1:2,500	1992 - 1993	9

Historical Map - Segment B9



Order Details

Order Number: 224788374_1_1

BRE EA5624 Earls Barton Quarry Customer Ref:

National Grid Reference: 485200, 262230 Slice:

Site Area (Ha): 63.79 Search Buffer (m):


Site Details


Site at 484078,262219





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 12-Nov-2019 Page 1 of 9























LANDMARK INFORMATION GROUP®

Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice

Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Seamer

A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant

A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:









Envirocheck reports are compiled from 136 different sources of data.

Client Details

J Amphlett, MJCA, Baddesley Collier Offices, Main Road, Baxterley, Atherstone, Warwickshire, CV9 2LE

Order Details

Order Number: 224788374_1_1

Customer Ref: BRE_EA5624 Earls Barton Quarry

National Grid Reference: 484400, 262290

Site Area (Ha): 63.79 Search Buffer (m): 500

Site Details

Site at 484078,262219

Full Terms and Conditions can be found on the following link: http://www.landmarkinfo.co.uk/Terms/Show/515



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 12-Nov-2019 Page 1 of 1