

Guiguet-Doron, Geraldine

From: Hana Mainwaring <Hana.Mainwaring@environment-agency.gov.uk>
Sent: 06 June 2025 15:28
To: Guiguet-Doron, Geraldine
Subject: EPR/XP3092NX/P001

Hi Geraldine,

In response to your 23/05/2025 email:

1. to discuss on Wednesday 11th of June.
2. Apologies is a copy and paste error.
3. For waste operations the screening distance is 1km (please refer to this 1km distance in the detailed table when identifying receptors applicable for the application), for installations the screening distance is 10km for European sites, 2 km for SSSI, 2 km for local designated sites, the installations screening report was sent today.

In response to your 04/06/2025 email:

1. In regards to your SCR question, I have from the technical specialist: 'The applicant will need to submit application form C2. Q5a says they need to submit an SCR if they are adding an installation.'
So yes an updated SCR would be required.
2. For forms required: Form A, F1, C2, C3 (adding an installation to a waste operation), C4 (the addition of the EWC codes for transfer only is considered as variation to TS activity, charged as a new activity).

Many thanks,

Hana Mainwaring *PER, FIEMA, CEnv, MSc*
Senior Permitting Officer

PERMITTING
 part of
National Regulation and Monitoring
Environment Agency

Mobile: 07867162124

Working: Monday, Tuesday, Wednesday & Friday (not Thursday)

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.