



FOR NOTES REFER TO DRAWING
SOHW-WYG-00-XX-C-90-0112



PLOT 1 - NORTH 04 - LONGSECTION
SCALE: H 1:200,V 1:200, DATUM: 110.000
Remediation Profile



PLOT 1 - NORTH 03 - LONGSECTION
SCALE: H 1:200,V 1:200, DATUM: 110.000
Remediation Profile

Notes:

CBR testing shall be undertaken on the Formation level on a 50 m grid to confirm a CBR >5% has been achieved.

ASSUMED CONSTRUCTION DEPTHS TO INFORM FORMATION LEVELS:

- BUILDING 350mm
- ACCESS ROAD 600mm
- SERVICE YARD 350mm
- CARPARK 300mm
- EXTERNAL FOOTWAYS 200mm
- LANDSCAPING / BASINS / PONDS 150mm

Excavation shall be undertaken to a depth of 3.0m below current ground level in area of filling or cut level in areas of cut unless ground improvement is used in accordance with Appendix B113 and in accordance with Drawing No. A117337-TTE-00-00-DR-U-00202 Area Where Ground Improvement or 3m Turnover Required.

PLANNING ISSUE

CD	Remediation Profile Issue	04.02.21	PRO	CD	ISS
01	WALL RETENTION SYSTEM FOOTING GIBSON BERRY WALLS GIBSON BERRY (L14) LAMPED	04.02.21	PRO	01	ISS
02	WALL RETENTION SYSTEM FOOTING GIBSON BERRY WALLS GIBSON BERRY (L14) LAMPED	23.03.21	PRO	02	ISS
03	WALL RETENTION SYSTEM FOOTING GIBSON BERRY WALLS GIBSON BERRY (L14) LAMPED	23.03.21	PRO	03	ISS
04	WALL RETENTION SYSTEM FOOTING GIBSON BERRY WALLS GIBSON BERRY (L14) LAMPED	16.02.22	PRO	04	ISS

Working Office




RUSSELLS SOUTH HEYWOOD LTD

SOUTH HEYWOOD COMMERCIAL

PLOT 1
SITE SECTIONS - SHEET 3
Remediation Profile

WYS Project Number	Drawn By	Date	Checked By	Date	Approved By	Date	Scale	Sheet # of	Subtotal
A1044448							1:200	50	

SOHW - RH - 00 - ZZ - 90 - C - 0115 00

